

UNIVERSITY OF MAIDUGURI
(OFFICE OF THE VICE-CHANCELLOR)
CENTRE FOR DISTANCE LEARNING
DEPARTMENT OF ACCOUNTING

Second Semester End-of-Course Examination Results

Course Code: ACC 506
Course Title: Entrepreneurship Skills
Course Unit(s): 3

2015/2016 ACADEMIC SESSION

S/No.	ID. No.	CA Marks	Exam Marks	TOTAL Marks	Grades								GP	U.GP	Remarks					
					A	B+	B	C+	C	D	E	F								
1.	08/11/07/01/033	24	0	48							D		2.0	6.0	PASS	0	24	0	24	
2.	09/11/07/01/020	10	10	20									F	0.0	0.0	FAIL	0	10	10	20
3.	09/11/07/01/070	13	14	26									F	0.0	0.0	FAIL	0	13	14	27
4.	09/11/07/01/120	18	10	36									F	0.0	0.0	FAIL	0	18	10	28
5.	10/11/07/01/002	23	18	46							D		2.0	6.0	PASS	0	23	18	41	
6.	10/11/07/01/017	23	5	46							D		2.0	6.0	PASS	0	23	5	28	
7.	10/11/07/01/025	26	17	52							C		3.0	9.0	PASS	0	26	17	43	
8.	10/11/07/01/026	29	16	58							C+		3.5	10.5	PASS	0	29	16	45	
9.	10/11/07/01/028	11	18	22									F	0.0	0.0	FAIL	0	11	18	29
10.	10/11/07/01/029	21	10	42							E		1.0	3.0	PASS	0	21	10	31	
11.	10/11/07/01/030	12	16	24									F	0.0	0.0	FAIL	0	12	16	28
12.	10/11/07/01/031	14	20	28									F	0.0	0.0	FAIL	0	14	20	34
13.	10/11/07/01/033	16	15	32									F	0.0	0.0	FAIL	0	16	15	31
14.	10/11/07/01/034	21	14	42							E		1.0	3.0	PASS	0	21	14	35	
15.	10/11/07/01/035	11	12	22									F	0.0	0.0	FAIL	0	11	12	23
16.	10/11/07/01/045	21	20	42							E		1.0	3.0	PASS	0	21	20	41	
17.	10/11/07/01/054	15	12	30									F	0.0	0.0	FAIL	0	15	12	27
18.	10/11/07/01/057	23	20	46							D		2.0	6.0	PASS	0	23	20	43	
19.	10/11/07/01/062	23	20	46							D		2.0	6.0	PASS	0	23	20	43	
20.	10/11/07/01/083	24	18	48							D		2.0	6.0	PASS	0	24	18	42	
21.	10/11/07/01/085	21	15	42								E	1.0	3.0	PASS	0	21	15	36	
22.	10/11/07/01/086	27	20	54							C		3.0	9.0	PASS	0	27	20	47	
23.	10/11/07/01/096	21	14	42								E	1.0	3.0	PASS	0	21	14	35	
24.	10/11/07/01/098	26	14	52							C		3.0	9.0	PASS	0	26	14	40	
25.	10/11/07/01/102	17	10	34									F	0.0	0.0	FAIL	0	17	10	27
26.	10/11/07/01/103	15	10	30									F	0.0	0.0	FAIL	0	15	10	25
27.	10/11/07/01/108	12	16	24									F	0.0	0.0	FAIL	0	12	16	28
28.	10/11/07/01/120	23	18	46							D		2.0	6.0	PASS	0	23	18	41	
29.	10/11/07/01/129	22	20	44								E	1.0	3.0	PASS	0	22	20	42	
30.	10/11/07/01/131	25	10	50							C		3.0	9.0	PASS	0	25	10	35	
31.	10/11/07/01/134	18	20	36									F	0.0	0.0	FAIL	0	18	20	38
32.	10/11/07/01/136	18	13	36									F	0.0	0.0	FAIL	0	18	13	31
33.	10/11/07/01/141	17	17	34									F	0.0	0.0	FAIL	0	17	17	34
34.	10/11/07/01/147	11	10	22									F	0.0	0.0	FAIL	0	11	10	21
35.	10/11/07/01/152	10	10	20									F	0.0	0.0	FAIL	0	10	10	20
36.	10/11/07/01/154	21	15	42								E	1.0	3.0	PASS	0	21	15	36	
37.	10/11/07/01/155	14	20	28									F	0.0	0.0	FAIL	0	14	20	34
38.	10/11/07/01/156	31	12	62			B						4.0	12.0	PASS	0	31	12	43	
39.	12/11/07/01/001	17	12	34									F	0.0	0.0	FAIL	0	17	12	29
40.	12/11/07/01/004	15	10	30									F	0.0	0.0	FAIL	0	15	10	25
41.	12/11/07/01/006	15	12	30									F	0.0	0.0	FAIL	0	15	12	27
42.	12/11/07/01/007	23	12	46							D		2.0	6.0	PASS	0	23	12	35	
43.	12/11/07/01/008	27	10	54							C		3.0	9.0	PASS	0	27	10	37	
44.	12/11/07/01/009	12	16	24									F	0.0	0.0	FAIL	0	12	16	28
45.	12/11/07/01/010	26	20	52							C		3.0	9.0	PASS	0	26	20	46	
46.	12/11/07/01/012	30	20	60			B						4.0	12.0	PASS	0	30	20	50	
47.	12/11/07/01/013	26	14	52							C		3.0	9.0	PASS	0	26	14	40	
48.	12/11/07/01/015	17	11	34									F	0.0	0.0	FAIL	0	17	11	28
49.	12/11/07/01/016	24	20	48							D		2.0	6.0	PASS	0	24	20	44	
50.	12/11/07/01/018	17	15	34									F	0.0	0.0	FAIL	0	17	15	32
51.	12/11/07/01/019	10	0	20									F	0.0	0.0	FAIL	0	10	0	10
52.	12/11/07/01/020	27	15	54							C		3.0	9.0	PASS	0	27	15	42	
53.	12/11/07/01/021	21	10	42								E	1.0	3.0	PASS	0	21	10	31	
54.	12/11/07/01/022	18	11	36									F	0.0	0.0	FAIL	0	18	11	29
55.	12/11/07/01/024	30	5	60			B						4.0	12.0	PASS	0	30	5	35	
56.	12/11/07/01/027	23	23	46							D		2.0	6.0	PASS	0	23	23	46	
57.	12/11/07/01/028	21	15	42								E	1.0	3.0	PASS	0	21	15	36	

58.	12/11/07/01/032	17	20	34								F	0.0	0.0	FAIL	0	17	20	37
59.	12/11/07/01/034	21	17	42						E			1.0	3.0	PASS	0	21	17	38
60.	12/11/07/01/035	16	10	32								F	0.0	0.0	FAIL	0	16	10	26
61.	12/11/07/01/038	16	20	32								F	0.0	0.0	FAIL	0	16	20	36
62.	12/11/07/01/041	21	20	42						E			1.0	3.0	PASS	0	21	20	41
63.	12/11/07/01/042	14	0	28								F	0.0	0.0	FAIL	0	14	0	14
64.	12/11/07/01/043	21	12	42						E			1.0	3.0	PASS	0	21	12	33
65.	12/11/07/01/044	25	20	50					C				3.0	9.0	PASS	0	25	20	45
66.	12/11/07/01/046	22	10	44						E			1.0	3.0	PASS	0	22	10	32
67.	12/11/07/01/047	21	10	42						E			1.0	3.0	PASS	0	21	10	31
68.	12/11/07/01/048	21	15	42						E			1.0	3.0	PASS	0	21	15	36
69.	12/11/07/01/053	21	10	42						E			1.0	3.0	PASS	0	21	10	31
70.	12/11/07/01/056	22	19	44						E			1.0	3.0	PASS	0	22	19	41
71.	12/11/07/01/057	21	10	42						E			1.0	3.0	PASS	0	21	10	31
72.	12/11/07/01/058	25	15	50					C				3.0	9.0	PASS	0	25	15	40
73.	12/11/07/01/059	23	10	46						D			2.0	6.0	PASS	0	23	10	33
74.	12/11/07/01/062	14	14	28								F	0.0	0.0	FAIL	0	14	14	28
75.	12/11/07/01/063	21	10	42						E			1.0	3.0	PASS	0	21	10	31
76.	12/11/07/01/064	26	20	52					C				3.0	9.0	PASS	0	26	20	46
77.	12/11/07/01/066	13	14	26								F	0.0	0.0	FAIL	0	13	14	27
78.	12/11/07/01/067	22	13	44						E			1.0	3.0	PASS	0	22	13	35
79.	12/11/07/01/068	24	8	48						D			2.0	6.0	PASS	0	24	8	32
80.	12/11/07/01/069	21	10	42						E			1.0	3.0	PASS	0	21	10	31
81.	12/11/07/01/071	30	5	60					B				4.0	12.0	PASS	0	30	5	35
82.	12/11/07/01/072	13	15	26								F	0.0	0.0	FAIL	0	13	15	28
83.	12/11/07/01/073	16	20	32								F	0.0	0.0	FAIL	0	16	20	36
84.	12/11/07/01/074	21	20	42						E			1.0	3.0	PASS	0	21	20	41
85.	12/11/07/01/077	14	20	28								F	0.0	0.0	FAIL	0	14	20	34
86.	12/11/07/01/078	8	20	16								F	0.0	0.0	FAIL	0	8	20	28
87.	12/11/07/01/080	28	15	56					C+				3.5	10.5	PASS	0	28	15	43
88.	12/11/07/01/081	15	10	30								F	0.0	0.0	FAIL	0	15	10	25
89.	12/11/07/01/082	24	15	48						D			2.0	6.0	PASS	0	24	15	39
90.	12/11/07/01/083	17	9	34								F	0.0	0.0	FAIL	0	17	9	26
91.	12/11/07/01/084	21	5	42						E			1.0	3.0	PASS	0	21	5	26
92.	12/11/07/01/085	16	15	32								F	0.0	0.0	FAIL	0	16	15	31
93.	12/11/07/01/088	16	14	32								F	0.0	0.0	FAIL	0	16	14	30
94.	12/11/07/01/089	9	20	18								F	0.0	0.0	FAIL	0	9	20	29
95.	12/11/07/01/090	13	15	26								F	0.0	0.0	FAIL	0	13	15	28
96.	12/11/07/01/091	11	18	22								F	0.0	0.0	FAIL	0	11	18	29
97.	12/11/07/01/092	29	5	58					C+				3.5	10.5	PASS	0	29	5	34
98.	12/11/07/01/094	14	12	28								F	0.0	0.0	FAIL	0	14	12	26
99.	12/11/07/01/095	22	5	44						E			1.0	3.0	PASS	0	22	5	27
100.	12/11/07/01/097	27	10	54					C				3.0	9.0	PASS	0	27	10	37
101.	12/11/07/01/100	13	14	26								F	0.0	0.0	FAIL	0	13	14	27
102.	12/11/07/01/101	17	20	34								F	0.0	0.0	FAIL	0	17	20	37
103.	12/11/07/01/102	21	11	42						E			1.0	3.0	PASS	0	21	11	32
104.	12/11/07/01/103	22	20	44						E			1.0	3.0	PASS	0	22	20	42
105.	12/11/07/01/104	21	17	42						E			1.0	3.0	PASS	0	21	17	38
106.	12/11/07/01/105	24	18	48						D			2.0	6.0	PASS	0	24	18	42
107.	12/11/07/01/108	25	10	50					C				3.0	9.0	PASS	0	25	10	35
108.	12/11/07/01/110	28	12	56					C+				3.5	10.5	PASS	0	28	12	40
109.	12/11/07/01/111	25	10	50					C				3.0	9.0	PASS	0	25	10	35
110.	12/11/07/01/113	17	10	34								F	0.0	0.0	FAIL	0	17	10	27
111.	12/11/07/01/115	16	12	32								F	0.0	0.0	FAIL	0	16	12	28
112.	12/11/07/01/117	21	20	42						E			1.0	3.0	PASS	0	21	20	41
113.	12/11/07/01/118	15	15	30								F	0.0	0.0	FAIL	0	15	15	30
114.	12/11/07/01/120	24	11	48						D			2.0	6.0	PASS	0	24	11	35
115.	12/11/07/01/121	24	10	48						D			2.0	6.0	PASS	0	24	10	34
116.	12/11/07/01/122	17	10	34								F	0.0	0.0	FAIL	0	17	10	27
117.	12/11/07/01/125	22	17	44						E			1.0	3.0	PASS	0	22	17	39
118.	12/11/07/01/128	21	17	42						E			1.0	3.0	PASS	0	21	17	38
119.	12/11/07/01/129	12	12	24								F	0.0	0.0	FAIL	0	12	12	24
120.	12/11/07/01/130	15	10	30								F	0.0	0.0	FAIL	0	15	10	25
121.	12/11/07/01/132	27	15	54					C				3.0	9.0	PASS	0	27	15	42
122.	12/11/07/01/136	17	12	34								F	0.0	0.0	FAIL	0	17	12	29
123.	12/11/07/01/137	17	8	34								F	0.0	0.0	FAIL	0	17	8	25
124.	12/11/07/01/139	13	14	26								F	0.0	0.0	FAIL	0	13	14	27

125.	12/11/07/01/140	24	5	48						D			2.0	6.0	PASS	0	24	5	29
126.	12/11/07/01/141	17	14	34								F	0.0	0.0	FAIL	0	17	14	31
127.	12/11/07/01/143	28	15	56					C+				3.5	10.5	PASS	0	28	15	43
128.	12/11/07/01/144	21	5	42							E		1.0	3.0	PASS	0	21	5	26
129.	12/11/07/01/145	22	6	44							E		1.0	3.0	PASS	0	22	6	28
130.	12/11/07/01/147	22	20	44							E		1.0	3.0	PASS	0	22	20	42
131.	12/11/07/01/148	27	15	54						C			3.0	9.0	PASS	0	27	15	42
132.	12/11/07/01/149	24	12	48						D			2.0	6.0	PASS	0	24	12	36
133.	12/11/07/01/150	27	12	54						C			3.0	9.0	PASS	0	27	12	39
134.	12/11/07/01/151	17	12	34								F	0.0	0.0	FAIL	0	17	12	29
135.	12/11/07/01/152	22	6	44							E		1.0	3.0	PASS	0	22	6	28
136.	12/11/07/01/154	12	16	24								F	0.0	0.0	FAIL	0	12	16	28
137.	12/11/07/01/156	21	19	42							E		1.0	3.0	PASS	0	21	19	40
138.	12/11/07/01/157	21	15	42							E		1.0	3.0	PASS	0	21	15	36
139.	12/11/07/01/158	7	20	25								F	0.0	0.0	FAIL	0	7	20	27
140.	12/11/07/01/159	16	17	32								F	0.0	0.0	FAIL	0	16	17	33
141.	12/11/07/01/161	28	8	56						C+			3.5	10.5	PASS	0	28	8	36
142.	12/11/07/01/162	22	10	44							E		1.0	3.0	PASS	0	22	10	32
143.	12/11/07/01/172	15	10	30								F	0.0	0.0	FAIL	0	15	10	25
144.	12/11/07/01/173	17	15	34								F	0.0	0.0	FAIL	0	17	15	32
145.	12/11/07/01/175	21	15	42							E		1.0	3.0	PASS	0	21	15	36
146.	12/11/07/01/176	24	12	48						D			2.0	6.0	PASS	0	24	12	36
147.	12/11/07/01/178	11	18	22								F	0.0	0.0	FAIL	0	11	18	29
148.	12/11/07/01/180	21	15	42							E		1.0	3.0	PASS	0	21	15	36
149.	12/11/07/01/181	17	9	34								F	0.0	0.0	FAIL	0	17	9	26
150.	12/11/07/01/184	28	5	56						C+			3.5	10.5	PASS	0	28	5	33
151.	12/11/07/01/185	21	10	42							E		1.0	3.0	PASS	0	21	10	31
152.	12/11/07/01/188	21	17	42							E		1.0	3.0	PASS	0	21	17	38
153.	12/11/07/01/190	27	12	54						C			3.0	9.0	PASS	0	27	12	39
154.	12/11/07/01/194	16	10	32								F	0.0	0.0	FAIL	0	16	10	26
155.	12/11/07/01/196	21	7	42							E		1.0	3.0	PASS	0	21	7	28
156.	12/11/07/01/197	9	5	18								F	0.0	0.0	FAIL	0	9	5	14
157.	12/11/07/01/204	14	20	28								F	0.0	0.0	FAIL	0	14	20	34
158.	12/11/07/01/207	15	10	30								F	0.0	0.0	FAIL	0	15	10	25
159.	12/11/07/01/208	23	14	46						D			2.0	6.0	PASS	0	23	14	37
160.	12/11/07/01/209	21	8	42							E		1.0	3.0	PASS	0	21	8	29
161.	12/11/07/01/210	13	17	26								F	0.0	0.0	FAIL	0	13	17	30
162.	12/11/07/01/212	17	10	34								F	0.0	0.0	FAIL	0	17	10	27
163.	12/11/07/01/213	21	14	42							E		1.0	3.0	PASS	0	21	14	35
164.	12/11/07/01/214	21	15	42							E		1.0	3.0	PASS	0	21	15	36
165.	12/11/07/01/215	15	16	30								F	0.0	0.0	FAIL	0	15	16	31
166.	12/11/07/01/219	21	20	42							E		1.0	3.0	PASS	0	21	20	41
167.	12/11/07/01/220	22	6	44							E		1.0	3.0	PASS	0	22	6	28
168.	12/11/07/01/224	24	10	48						D			2.0	6.0	PASS	0	24	10	34
169.	12/11/07/01/225	21	15	42							E		1.0	3.0	PASS	0	21	15	36
170.	12/11/07/01/226	22	12	44							E		1.0	3.0	PASS	0	22	12	34
171.	12/11/07/01/227	15	10	30								F	0.0	0.0	FAIL	0	15	10	25
172.	12/11/07/01/229	28	13	56						C+			3.5	10.5	PASS	0	28	13	41
173.	12/11/07/01/230	21	18	42							E		1.0	3.0	PASS	0	21	18	39
174.	12/11/07/01/231	15	10	30								F	0.0	0.0	FAIL	0	15	10	25
175.	12/11/07/01/234	24	12	48						D			2.0	6.0	PASS	0	24	12	36
176.	12/11/07/01/235	27	20	54						C			3.0	9.0	PASS	0	27	20	47
177.	12/11/07/01/237	24	12	48						D			2.0	6.0	PASS	0	24	12	36
178.	12/11/07/01/238	17	21	34								F	0.0	0.0	FAIL	0	17	21	38
179.	12/11/07/01/240	30	10	60						B			4.0	12.0	PASS	0	30	10	40
180.	12/11/07/01/241	25	12	50							C		3.0	9.0	PASS	0	25	12	37
181.	12/11/07/01/243	11	12	22								F	0.0	0.0	FAIL	0	11	12	23
182.	12/11/07/01/244	21	8	42							E		1.0	3.0	PASS	0	21	8	29
183.	12/11/07/01/246	24	21	48						D			2.0	6.0	PASS	0	24	21	45
184.	12/11/07/01/247	16	20	32								F	0.0	0.0	FAIL	0	16	20	36
185.	12/11/07/01/248	28	12	56						C+			3.5	10.5	PASS	0	28	12	40
186.	12/11/07/01/249	9		18								F	0.0	0.0	FAIL	0	9		9
187.	12/11/07/01/250	15	10	30								F	0.0	0.0	FAIL	0	15	10	25
188.	12/11/07/01/254	23	10	46						D			2.0	6.0	PASS	0	23	10	33
189.	12/11/07/01/256	9	20	18								F	0.0	0.0	FAIL	0	9	20	29
190.	12/11/07/01/258	23	10	46						D			2.0	6.0	PASS	0	23	10	33
191.	12/11/07/01/263	14	5	28								F	0.0	0.0	FAIL	0	14	5	19

192.	12/11/07/01/264	21	16	42							E		1.0	3.0	PASS	0	21	16	37	
193.	12/11/07/01/266	26	10	52							C		3.0	9.0	PASS	0	26	10	36	
194.	12/11/07/01/267	25	20	50							C		3.0	9.0	PASS	0	25	20	45	
195.	12/11/07/01/271	21	12	42								E	1.0	3.0	PASS	0	21	12	33	
196.	12/11/07/01/272	12	20	24									F	0.0	0.0	FAIL	0	12	20	32
197.	12/11/07/01/274	17	20	34									F	0.0	0.0	FAIL	0	17	20	37
198.	12/11/07/01/275	10	15	20									F	0.0	0.0	FAIL	0	10	15	25
199.	12/11/07/01/276	21	8	42							E		1.0	3.0	PASS	0	21	8	29	
200.	12/11/07/01/277	15	10	30									F	0.0	0.0	FAIL	0	15	10	25
201.	12/11/07/01/278	22	15	44							E		1.0	3.0	PASS	0	22	15	37	
202.	12/11/07/01/280	26	18	52							C		3.0	9.0	PASS	0	26	18	44	
203.	12/11/07/01/282	21	12	42							E		1.0	3.0	PASS	0	21	12	33	
204.	12/11/07/01/283	15	10	30									F	0.0	0.0	FAIL	0	15	10	25
205.	12/11/07/01/284	15	11	30									F	0.0	0.0	FAIL	0	15	11	26
206.	12/11/07/01/286	21	5	42							E		1.0	3.0	PASS	0	21	5	26	
207.	12/11/07/01/287	29	20	58							C+		3.5	10.5	PASS	0	29	20	49	
208.	12/11/07/01/288	10	10	20									F	0.0	0.0	FAIL	0	10	10	20
209.	12/11/07/01/290	9	10	18									F	0.0	0.0	FAIL	0	9	10	19
210.	12/11/07/01/294	16	15	32									F	0.0	0.0	FAIL	0	16	15	31
211.	12/11/07/01/297	12	18	24									F	0.0	0.0	FAIL	0	12	18	30
212.	12/11/07/01/301	21	20	42							E		1.0	3.0	PASS	0	21	20	41	
213.	12/11/07/01/303	24	18	48							D		2.0	6.0	PASS	0	24	18	42	
214.	12/11/07/01/304	14	20	28									F	0.0	0.0	FAIL	0	14	20	34
215.	12/11/07/01/305	7	10	14									F	0.0	0.0	FAIL	0	7	10	17
216.	12/11/07/01/306	23	5	46							D		2.0	6.0	PASS	0	23	5	28	
217.	12/11/07/01/311	21	10	42							E		1.0	3.0	PASS	0	21	10	31	
218.	12/11/07/01/314	21	5	42							E		1.0	3.0	PASS	0	21	5	26	
219.	12/11/07/01/315	15	12	30									F	0.0	0.0	FAIL	0	15	12	27
220.	12/11/07/01/317	13	14	26									F	0.0	0.0	FAIL	0	13	14	27
221.	12/11/07/01/322	22	6	44							E		1.0	3.0	PASS	0	22	6	28	
222.	12/11/07/01/324	17	6	34									F	0.0	0.0	FAIL	0	17	6	23
223.	12/11/07/01/330	16	16	32									F	0.0	0.0	FAIL	0	16	16	32
224.	12/11/07/01/331	16	15	32									F	0.0	0.0	FAIL	0	16	15	31
225.	12/11/07/01/332	15	10	30									F	0.0	0.0	FAIL	0	15	10	25
Summary				00	00	05	10	23	28	61	98			225						

.....
Examiner's Sign

.....
Chief Examiner's Sign

.....
External Examiner's Sign