

**UNIVERSITY OF MAIDUGURI**  
**(OFFICE OF THE VICE-CHANCELLOR)**  
**CENTRE FOR DISTANCE LEARNING**

**DEPARTMENT OF ACCOUNTING**

**Second Semester End-of-Course Examination Results**

**Course Code:** ACC 508

**Course Title:** Management Information System and Computer Application

**Course Unit(s):** 2

**2015/2016 ACADEMIC SESSION**

S/No.	ID. No.	CA Marks	Exam Marks	TOTAL Marks	Grades								GP	U.GP	Remarks	
					A	B+	B	C+	C	D	E	F				
1.	12/11/07/01/130	21	24	45							D			2.0	4.0	PASS
2.	12/11/07/01/084	19	33	52						C				3.0	6.0	PASS
3.	12/11/07/01/277	19	31	50						C				3.0	6.0	PASS
4.	12/11/07/01/022	20	31	51						C				3.0	6.0	PASS
5.	09/11/07/01/120	21	29	50						C				3.0	6.0	PASS
6.	12/11/07/01/305	21	31	52						C				3.0	6.0	PASS
7.	08/11/07/01/033	19	36	55				C+						3.5	7.0	PASS
8.	09/11/07/01/020	21	36	57				C+						3.5	7.0	PASS
9.	09/11/07/01/070	21	29	50						C				3.0	6.0	PASS
10.	10/11/07/01/002	19	33	52						C				3.0	6.0	PASS
11.	10/11/07/01/017	21	29	50						C				3.0	6.0	PASS
12.	10/11/07/01/025	19	38	57				C+						3.5	7.0	PASS
13.	10/11/07/01/026	19	43	62			B							4.0	8.0	PASS
14.	10/11/07/01/028	21	24	45							D			2.0	4.0	PASS
15.	10/11/07/01/029	21	24	45							D			2.0	4.0	PASS
16.	10/11/07/01/030	19	36	55				C+						3.5	7.0	PASS
17.	10/11/07/01/031	20	38	58				C+						3.5	7.0	PASS
18.	10/11/07/01/033	20	26	46							D			2.0	4.0	PASS
19.	10/11/07/01/034	19	26	45							D			2.0	4.0	PASS
20.	10/11/07/01/035	20	31	51						C				3.0	6.0	PASS
21.	10/11/07/01/045	19	36	55				C+						3.5	7.0	PASS
22.	10/11/07/01/054	19	31	50						C				3.0	6.0	PASS
23.	10/11/07/01/057	19	33	52						C				3.0	6.0	PASS
24.	10/11/07/01/083	19	26	45							D			2.0	4.0	PASS
25.	10/11/07/01/085	21	29	50						C				3.0	6.0	PASS
26.	10/11/07/01/086	22	29	51						C				3.0	6.0	PASS
27.	10/11/07/01/096	21	29	50						C				3.0	6.0	PASS
28.	10/11/07/01/098	21	29	50						C				3.0	6.0	PASS
29.	10/11/07/01/102	20	31	51						C				3.0	6.0	PASS
30.	10/11/07/01/108	22	29	51						C				3.0	6.0	PASS
31.	10/11/07/01/120	19	38	57				C+						3.5	7.0	PASS
32.	10/11/07/01/129	19	43	62			B							4.0	8.0	PASS
33.	10/11/07/01/131	21	29	50						C				3.0	6.0	PASS
34.	10/11/07/01/134	21	24	45							D			2.0	4.0	PASS
35.	10/11/07/01/136	21	29	50						C				3.0	6.0	PASS
36.	10/11/07/01/141	20	40	60			B							4.0	8.0	PASS
37.	10/11/07/01/147	20	38	58				C+						3.5	7.0	PASS
38.	10/11/07/01/152	20	31	51						C				3.0	6.0	PASS
39.	10/11/07/01/154	19	26	45							D			2.0	4.0	PASS
40.	10/11/07/01/155	20	26	46							D			2.0	4.0	PASS
41.	10/11/07/01/156	20	52	72	A									5.0	10.0	PASS
42.	12/11/07/01/001	20	40	60			B							4.0	8.0	PASS
43.	12/11/07/01/004	19	31	50						C				3.0	6.0	PASS
44.	12/11/07/01/006	19	43	62			B							4.0	8.0	PASS
45.	12/11/07/01/007	19	59	78	A									5.0	10.0	PASS
46.	12/11/07/01/008	20	33	53						C				3.0	6.0	PASS
47.	12/11/07/01/009	20	26	46							D			2.0	4.0	PASS
48.	12/11/07/01/010	20	40	60			B							4.0	8.0	PASS
49.	12/11/07/01/012	20	54	74	A									5.0	10.0	PASS
50.	12/11/07/01/013	20	38	58				C+						3.5	7.0	PASS

51.	12/11/07/01/015	19	33	52					C				3.0	6.0	PASS
52.	12/11/07/01/016	20	36	56				C+					3.5	7.0	PASS
53.	12/11/07/01/018	21	40	61				B					4.0	8.0	PASS
54.	12/11/07/01/019	19	26	45							D		2.0	4.0	PASS
55.	12/11/07/01/020	19	43	62				B					4.0	8.0	PASS
56.	12/11/07/01/021	20	33	53					C				3.0	6.0	PASS
57.	12/11/07/01/024	21	38	59					C+				3.5	7.0	PASS
58.	12/11/07/01/027	22	40	62				B					4.0	8.0	PASS
59.	12/11/07/01/028	20	40	60				B					4.0	8.0	PASS
60.	12/11/07/01/032	20	31	51					C				3.0	6.0	PASS
61.	12/11/07/01/034	19	31	50					C				3.0	6.0	PASS
62.	12/11/07/01/035	20	38	58					C+				3.5	7.0	PASS
63.	12/11/07/01/038	19	22	41							E		1.0	2.0	PASS
64.	12/11/07/01/041	19	33	52					C				3.0	6.0	PASS
65.	12/11/07/01/042	19	31	50					C				3.0	6.0	PASS
66.	12/11/07/01/043	20	40	60				B					4.0	8.0	PASS
67.	12/11/07/01/044	19	38	57					C+				3.5	7.0	PASS
68.	12/11/07/01/046	20	45	65			B+						4.5	9.0	PASS
69.	12/11/07/01/047	20	31	51					C				3.0	6.0	PASS
70.	12/11/07/01/048	19	33	52					C				3.0	6.0	PASS
71.	12/11/07/01/053	19	36	55					C+				3.5	7.0	PASS
72.	12/11/07/01/056	19	47	66			B+						4.5	9.0	PASS
73.	12/11/07/01/057	22	38	60				B					4.0	8.0	PASS
74.	12/11/07/01/058	20	40	60				B					4.0	8.0	PASS
75.	12/11/07/01/059	19	43	62				B					4.0	8.0	PASS
76.	12/11/07/01/062	21	36	57					C+				3.5	7.0	PASS
77.	12/11/07/01/063	19	33	52					C				3.0	6.0	PASS
78.	12/11/07/01/064	21	40	61				B					4.0	8.0	PASS
79.	12/11/07/01/066	21	19	40							E		1.0	2.0	PASS
80.	12/11/07/01/067	19	36	55					C+				3.5	7.0	PASS
81.	12/11/07/01/068	19	38	57					C+				3.5	7.0	PASS
82.	12/11/07/01/069	21	29	50					C				3.0	6.0	PASS
83.	12/11/07/01/071	20	47	67			B+						4.5	9.0	PASS
84.	12/11/07/01/072	19	31	50					C				3.0	6.0	PASS
85.	12/11/07/01/073	22	29	51					C				3.0	6.0	PASS
86.	12/11/07/01/074	21	29	50					C				3.0	6.0	PASS
87.	12/11/07/01/077	22	33	55					C+				3.5	7.0	PASS
88.	12/11/07/01/078	19	22	41							E		1.0	2.0	PASS
89.	12/11/07/01/080	21	40	61				B					4.0	8.0	PASS
90.	12/11/07/01/081	19	43	62				B					4.0	8.0	PASS
91.	12/11/07/01/082	20	43	63				B					4.0	8.0	PASS
92.	12/11/07/01/083	19	26	45							D		2.0	4.0	PASS
93.	12/11/07/01/085	19	36	55					C+				3.5	7.0	PASS
94.	12/11/07/01/088	19	31	50					C				3.0	6.0	PASS
95.	12/11/07/01/089	20	31	51					C				3.0	6.0	PASS
96.	12/11/07/01/090	19	26	45							D		2.0	4.0	PASS
97.	12/11/07/01/091	19	38	57					C+				3.5	7.0	PASS
98.	12/11/07/01/092	21	38	59					C+				3.5	7.0	PASS
99.	12/11/07/01/094	22	29	51					C				3.0	6.0	PASS
100.	12/11/07/01/095	20	36	56					C+				3.5	7.0	PASS
101.	12/11/07/01/097	20	40	60				B					4.0	8.0	PASS
102.	12/11/07/01/100	19	31	50					C				3.0	6.0	PASS
103.	12/11/07/01/101	20	33	53					C				3.0	6.0	PASS
104.	12/11/07/01/102	22	36	58					C+				3.5	7.0	PASS
105.	12/11/07/01/103	21	26	47							D		2.0	4.0	PASS
106.	12/11/07/01/104	21	29	50					C				3.0	6.0	PASS
107.	12/11/07/01/105	19	38	57					C+				3.5	7.0	PASS
108.	12/11/07/01/108	19	33	52					C				3.0	6.0	PASS
109.	12/11/07/01/110	20	45	65			B+						4.5	9.0	PASS
110.	12/11/07/01/111	19	43	62				B					4.0	8.0	PASS
111.	12/11/07/01/113	19	26	45							D		2.0	4.0	PASS

112.	12/11/07/01/115	21	29	50					C				3.0	6.0	PASS
113.	12/11/07/01/117	21	29	50					C				3.0	6.0	PASS
114.	12/11/07/01/118	20	40	60			B						4.0	8.0	PASS
115.	12/11/07/01/120	22	36	58				C+					3.5	7.0	PASS
116.	12/11/07/01/121	20	33	53					C				3.0	6.0	PASS
117.	12/11/07/01/122	19	31	50					C				3.0	6.0	PASS
118.	12/11/07/01/125	22	45	67			B+						4.5	9.0	PASS
119.	12/11/07/01/128	19	31	50					C				3.0	6.0	PASS
120.	12/11/07/01/129	19	26	45						D			2.0	4.0	PASS
121.	12/11/07/01/132	19	33	52					C				3.0	6.0	PASS
122.	12/11/07/01/136	21	40	61			B						4.0	8.0	PASS
123.	12/11/07/01/137	19	31	50					C				3.0	6.0	PASS
124.	12/11/07/01/139	19	26	45						D			2.0	4.0	PASS
125.	12/11/07/01/140	22	29	51					C				3.0	6.0	PASS
126.	12/11/07/01/141	19	33	52					C				3.0	6.0	PASS
127.	12/11/07/01/143	21	43	64			B						4.0	8.0	PASS
128.	12/11/07/01/144	19	33	52					C				3.0	6.0	PASS
129.	12/11/07/01/145	19	36	55				C+					3.5	7.0	PASS
130.	12/11/07/01/147	20	33	53					C				3.0	6.0	PASS
131.	12/11/07/01/148	19	43	62			B						4.0	8.0	PASS
132.	12/11/07/01/149	19	38	57				C+					3.5	7.0	PASS
133.	12/11/07/01/150	19	52	71	A								5.0	10.0	PASS
134.	12/11/07/01/151	19	33	52					C				3.0	6.0	PASS
135.	12/11/07/01/152	21	45	66			B+						4.5	9.0	PASS
136.	12/11/07/01/154	19	33	52					C				3.0	6.0	PASS
137.	12/11/07/01/156	20	40	60			B						4.0	8.0	PASS
138.	12/11/07/01/157	19	26	45						D			2.0	4.0	PASS
139.	12/11/07/01/158	19	33	52					C				3.0	6.0	PASS
140.	12/11/07/01/159	21	33	54					C				3.0	6.0	PASS
141.	12/11/07/01/161	20	33	53					C				3.0	6.0	PASS
142.	12/11/07/01/162	20	47	67			B+						4.5	9.0	PASS
143.	12/11/07/01/172	19	36	55				C+					3.5	7.0	PASS
144.	12/11/07/01/173	21	36	57				C+					3.5	7.0	PASS
145.	12/11/07/01/175	19	33	52					C				3.0	6.0	PASS
146.	12/11/07/01/176	19	52	71	A								5.0	10.0	PASS
147.	12/11/07/01/178	19	26	45						D			2.0	4.0	PASS
148.	12/11/07/01/180	20	36	56				C+					3.5	7.0	PASS
149.	12/11/07/01/181	21	29	50					C				3.0	6.0	PASS
150.	12/11/07/01/184	19	38	57				C+					3.5	7.0	PASS
151.	12/11/07/01/185	20	38	58				C+					3.5	7.0	PASS
152.	12/11/07/01/188	19	38	57				C+					3.5	7.0	PASS
153.	12/11/07/01/190	19	47	66			B+						4.5	9.0	PASS
154.	12/11/07/01/194	21	29	50					C				3.0	6.0	PASS
155.	12/11/07/01/196	20	38	58				C+					3.5	7.0	PASS
156.	12/11/07/01/197	19	36	55				C+					3.5	7.0	PASS
157.	12/11/07/01/204	19	22	41							E		1.0	2.0	PASS
158.	12/11/07/01/207	20	31	51					C				3.0	6.0	PASS
159.	12/11/07/01/208	19	43	62			B						4.0	8.0	PASS
160.	12/11/07/01/209	22	50	72	A								5.0	10.0	PASS
161.	12/11/07/01/210	21	29	50					C				3.0	6.0	PASS
162.	12/11/07/01/212	20	22	42							E		1.0	2.0	PASS
163.	12/11/07/01/213	21	29	50					C				3.0	6.0	PASS
164.	12/11/07/01/214	22	29	51					C				3.0	6.0	PASS
165.	12/11/07/01/215	19	22	41							E		1.0	2.0	PASS
166.	12/11/07/01/219	19	43	62			B						4.0	8.0	PASS
167.	12/11/07/01/220	19	33	52					C				3.0	6.0	PASS
168.	12/11/07/01/224	20	40	60			B						4.0	8.0	PASS
169.	12/11/07/01/225	19	38	57				C+					3.5	7.0	PASS
170.	12/11/07/01/226	19	36	55				C+					3.5	7.0	PASS
171.	12/11/07/01/227	20	31	51					C				3.0	6.0	PASS
172.	12/11/07/01/229	20	40	60			B						4.0	8.0	PASS

173.	12/11/07/01/230	22	40	62			B					4.0	8.0	PASS
174.	12/11/07/01/231	19	22	41						E		1.0	2.0	PASS
175.	12/11/07/01/234	19	33	52					C			3.0	6.0	PASS
176.	12/11/07/01/235	19	36	55					C+			3.5	7.0	PASS
177.	12/11/07/01/237	20	45	65			B+					4.5	9.0	PASS
178.	12/11/07/01/238	21	29	50					C			3.0	6.0	PASS
179.	12/11/07/01/240	21	45	66			B+					4.5	9.0	PASS
180.	12/11/07/01/241	19	36	55					C+			3.5	7.0	PASS
181.	12/11/07/01/243	21	31	52					C			3.0	6.0	PASS
182.	12/11/07/01/244	19	36	55					C+			3.5	7.0	PASS
183.	12/11/07/01/246	20	45	65			B+					4.5	9.0	PASS
184.	12/11/07/01/247	20	26	46						D		2.0	4.0	PASS
185.	12/11/07/01/248	20	45	65			B+					4.5	9.0	PASS
186.	12/11/07/01/249	19	33	52					C			3.0	6.0	PASS
187.	12/11/07/01/250	22	29	51					C			3.0	6.0	PASS
188.	12/11/07/01/254	27	33	60			B					4.0	8.0	PASS
189.	12/11/07/01/256	21	29	50					C			3.0	6.0	PASS
190.	12/11/07/01/258	22	40	62			B					4.0	8.0	PASS
191.	12/11/07/01/263	21	29	50					C			3.0	6.0	PASS
192.	12/11/07/01/264	19	31	50					C			3.0	6.0	PASS
193.	12/11/07/01/266	20	36	56					C+			3.5	7.0	PASS
194.	12/11/07/01/267	21	43	64			B					4.0	8.0	PASS
195.	12/11/07/01/271	20	36	56					C+			3.5	7.0	PASS
196.	12/11/07/01/272	19	26	45						D		2.0	4.0	PASS
197.	12/11/07/01/274	21	29	50					C			3.0	6.0	PASS
198.	12/11/07/01/275	21	29	50					C			3.0	6.0	PASS
199.	12/11/07/01/276	20	26	46						D		2.0	4.0	PASS
200.	12/11/07/01/278	19	31	50					C			3.0	6.0	PASS
201.	12/11/07/01/280	22	31	53					C			3.0	6.0	PASS
202.	12/11/07/01/282	20	40	60			B					4.0	8.0	PASS
203.	12/11/07/01/283	20	40	60			B					4.0	8.0	PASS
204.	12/11/07/01/284	21	29	50					C			3.0	6.0	PASS
205.	12/11/07/01/286	20	40	60			B					4.0	8.0	PASS
206.	12/11/07/01/287	20	43	63			B					4.0	8.0	PASS
207.	12/11/07/01/288	19	26	45						D		2.0	4.0	PASS
208.	12/11/07/01/290	22	29	51					C			3.0	6.0	PASS
209.	12/11/07/01/294	20	43	63			B					4.0	8.0	PASS
210.	12/11/07/01/297	21	29	50					C			3.0	6.0	PASS
211.	12/11/07/01/301	21	31	52					C			3.0	6.0	PASS
212.	12/11/07/01/303	20	38	58					C+			3.5	7.0	PASS
213.	12/11/07/01/304	21	29	50					C			3.0	6.0	PASS
214.	12/11/07/01/306	20	31	51					C			3.0	6.0	PASS
215.	12/11/07/01/311	20	33	53					C			3.0	6.0	PASS
216.	12/11/07/01/314	21	24	45						D		2.0	4.0	PASS
217.	12/11/07/01/315	20	38	58					C+			3.5	7.0	PASS
218.	12/11/07/01/317	19	33	52					C			3.0	6.0	PASS
219.	12/11/07/01/322	19	38	57					C+			3.5	7.0	PASS
220.	12/11/07/01/324	20	26	46						D		2.0	4.0	PASS
221.	12/11/07/01/330	19	33	52					C			3.0	6.0	PASS
222.	12/11/07/01/331	22	38	60			B					4.0	8.0	PASS
223.	12/11/07/01/332	19	22	41						E		1.0	2.0	PASS
	<b>SUMMARY</b>				<b>06</b>	<b>12</b>	<b>39</b>	<b>45</b>	<b>88</b>	<b>25</b>	<b>08</b>	<b>00</b>		<b>223</b>

0	21	24	45
0	19	33	52
0	19	31	50
0	20	31	51
0	21	29	50
0	21	31	52
0	19	36	55
0	21	36	57
0	21	29	50
0	19	33	52
0	21	29	50
0	19	38	57
0	19	43	62
0	21	24	45
0	21	24	45
0	19	36	55
0	20	38	58
0	20	26	46
0	19	26	45
0	20	31	51
0	19	36	55
0	19	31	50
0	19	33	52
0	19	26	45
0	21	29	50
0	22	29	51
0	21	29	50
0	21	29	50
0	20	31	51
0	22	29	51
0	19	38	57
0	19	43	62
0	21	29	50
0	21	24	45
0	21	29	50
0	20	40	60
0	20	38	58
0	20	31	51
0	19	26	45
0	20	26	46
0	20	52	72
0	20	40	60
0	19	31	50
0	19	43	62
0	19	59	78
0	20	33	53
0	20	26	46
0	20	40	60
0	20	54	74
0	20	38	58

0	19	33	52
0	20	36	56
0	21	40	61
0	19	26	45
0	19	43	62
0	20	33	53
0	21	38	59
0	22	40	62
0	20	40	60
0	20	31	51
0	19	31	50
0	20	38	58
0	19	22	41
0	19	33	52
0	19	31	50
0	20	40	60
0	19	38	57
0	20	45	65
0	20	31	51
0	19	33	52
0	19	36	55
0	19	47	66
0	22	38	60
0	20	40	60
0	19	43	62
0	21	36	57
0	19	33	52
0	21	40	61
0	21	19	40
0	19	36	55
0	19	38	57
0	21	29	50
0	20	47	67
0	19	31	50
0	22	29	51
0	21	29	50
0	22	33	55
0	19	22	41
0	21	40	61
0	19	43	62
0	20	43	63
0	19	26	45
0	19	36	55
0	19	31	50
0	20	31	51
0	19	26	45
0	19	38	57
0	21	38	59
0	22	29	51
0	20	36	56
0	20	40	60
0	19	31	50
0	20	33	53
0	22	36	58
0	21	26	47
0	21	29	50
0	19	38	57
0	19	33	52
0	20	45	65
0	19	43	62
0	19	26	45

0	21	29	50
0	21	29	50
0	20	40	60
0	22	36	58
0	20	33	53
0	19	31	50
0	22	45	67
0	19	31	50
0	19	26	45
0	19	33	52
0	21	40	61
0	19	31	50
0	19	26	45
0	22	29	51
0	19	33	52
0	21	43	64
0	19	33	52
0	19	36	55
0	20	33	53
0	19	43	62
0	19	38	57
0	19	52	71
0	19	33	52
0	21	45	66
0	19	33	52
0	20	40	60
0	19	26	45
0	19	33	52
0	21	33	54
0	20	33	53
0	20	47	67
0	19	36	55
0	21	36	57
0	19	33	52
0	19	52	71
0	19	26	45
0	20	36	56
0	21	29	50
0	19	38	57
0	20	38	58
0	19	38	57
0	19	47	66
0	21	29	50
0	20	38	58
0	19	36	55
0	19	22	41
0	20	31	51
0	19	43	62
0	22	50	72
0	21	29	50
0	20	22	42
0	21	29	50
0	22	29	51
0	19	22	41
0	19	43	62
0	19	33	52
0	20	40	60
0	19	38	57
0	19	36	55
0	20	31	51
0	20	40	60

0	22	40	62
0	19	22	41
0	19	33	52
0	19	36	55
0	20	45	65
0	21	29	50
0	21	45	66
0	19	36	55
0	21	31	52
0	19	36	55
0	20	45	65
0	20	26	46
0	20	45	65
0	19	33	52
0	22	29	51
0	27	33	60
0	21	29	50
0	22	40	62
0	21	29	50
0	19	31	50
0	20	36	56
0	21	43	64
0	20	36	56
0	19	26	45
0	21	29	50
0	21	29	50
0	20	26	46
0	19	31	50
0	22	31	53
0	20	40	60
0	20	40	60
0	21	29	50
0	20	40	60
0	20	43	63
0	19	26	45
0	22	29	51
0	20	43	63
0	21	29	50
0	21	31	52
0	20	38	58
0	21	29	50
0	20	31	51
0	20	33	53
0	21	24	45
0	20	38	58
0	19	33	52
0	19	38	57
0	20	26	46
0	19	33	52
0	22	38	60
0	19	22	41