

UNIVERSITY OF MAIDUGURI
(OFFICE OF THE VICE-CHANCELLOR)
CENTRE FOR DISTANCE LEARNING

Department of Business Administration

Second Semester End-of-Course Examination Results

Course Code: Bus 534
Course Title: International Marketing
Course Unit(s): 3

2015/2016 ACADEMIC SESSION

S/No.	ID. No.	CA Mark	Exam Mark	Total Mark	GRADES								GP	U.GP	Remarks
					A	B+	B	C+	C	D	E	F			
1.	09/11/07/02/046	15	36	51					C				3.0	9.0	PASS
2.	09/11/07/02/104	19	26	45						D			2.0	6.0	PASS
3.	09/11/07/02/105	19	46	65		B+							4.5	13.5	PASS
4.	10/11/07/02/006	19	52	71	A								5.0	15.0	PASS
5.	10/11/07/02/008	16	44	60			B						4.0	12.0	PASS
6.	10/11/07/02/009	17	48	65		B+							4.5	13.5	PASS
7.	10/11/07/02/010	19	42	61			B						4.0	12.0	PASS
8.	10/11/07/02/011	17	54	71	A								5.0	15.0	PASS
9.	10/11/07/02/013	18	52	70	A								5.0	15.0	PASS
10.	10/11/07/02/016	17	40	57				C+					3.5	10.5	PASS
11.	10/11/07/02/021	16	42	58				C+					3.5	10.5	PASS
12.	10/11/07/02/026	17	48	65		B+							4.5	13.5	PASS
13.	10/11/07/02/028	17	40	57				C+					3.5	10.5	PASS
14.	10/11/07/02/030	18	42	60			B						4.0	12.0	PASS
15.	10/11/07/02/034	17	50	67		B+							4.5	13.5	PASS
16.	10/11/07/02/044	17	40	57				C+					3.5	10.5	PASS
17.	10/11/07/02/048	15	40	55				C+					3.5	10.5	PASS
18.	10/11/07/02/051	18	40	58				C+					3.5	10.5	PASS
19.	10/11/07/02/053	19	34	53					C				3.0	9.0	PASS
20.	10/11/07/02/054	18	42	60			B						4.0	12.0	PASS
21.	10/11/07/02/055	17	40	57				C+					3.5	10.5	PASS
22.	10/11/07/02/058	16	54	70	A								5.0	15.0	PASS
23.	10/11/07/02/059	18	46	64			B						4.0	12.0	PASS
24.	10/11/07/02/063	16	38	54					C				3.0	9.0	PASS
25.	10/11/07/02/067	17	44	61			B						4.0	12.0	PASS
26.	10/11/07/02/068	17	46	63			B						4.0	12.0	PASS
27.	10/11/07/02/076	17	38	55				C+					3.5	10.5	PASS
28.	10/11/07/02/079	18	44	62			B						4.0	12.0	PASS
29.	10/11/07/02/087	17	58	75	A								5.0	15.0	PASS
30.	10/11/07/02/090	19	46	65		B+							4.5	13.5	PASS
31.	10/11/07/02/091	20	40	60			B						4.0	12.0	PASS
32.	10/11/07/02/092	15	48	63			B						4.0	12.0	PASS
33.	10/11/07/02/095	16	36	52					C				3.0	9.0	PASS
34.	10/11/07/02/098	17	48	65		B+							4.5	13.5	PASS
35.	10/11/07/02/103	18	48	66		B+							4.5	13.5	PASS
36.	10/11/07/02/104	20	50	70	A								5.0	15.0	PASS
37.	10/11/07/02/106	16	38	54					C				3.0	9.0	PASS
38.	10/11/07/02/109	17	34	51					C				3.0	9.0	PASS

39.	10/11/07/02/114	18	54	72	A							5.0	15.0	PASS
40.	10/11/07/02/116	19	38	57				C+				3.5	10.5	PASS
41.	10/11/07/02/118	15	30	45						D		2.0	6.0	PASS
42.	10/11/07/02/120	19	26	45						D		2.0	6.0	PASS
43.	10/11/07/02/126	18	42	60				B				4.0	12.0	PASS
44.	10/11/07/02/130	20	52	72	A							5.0	15.0	PASS
45.	10/11/07/02/134	16	44	60				B				4.0	12.0	PASS
46.	10/11/07/02/135	17	40	57				C+				3.5	10.5	PASS
47.	10/11/07/02/137	18	32	50						C		3.0	9.0	PASS
48.	10/11/07/02/142	20	40	60				B				4.0	12.0	PASS
49.	10/11/07/02/144	16	60	76	A							5.0	15.0	PASS
50.	10/11/07/02/147	19	48	67			B+					4.5	13.5	PASS
51.	10/11/07/02/156	16	44	60				B				4.0	12.0	PASS
52.	10/11/07/02/157	15	30	45						D		2.0	6.0	PASS
53.	10/11/07/02/158	14	38	52						C		3.0	9.0	PASS
54.	10/11/07/02/159	17	40	57				C+				3.5	10.5	PASS
55.	12/11/07/02/002	17	38	55				C+				3.5	10.5	PASS
56.	12/11/07/02/003	20	40	60				B				4.0	12.0	PASS
57.	12/11/07/02/004	16	36	52						C		3.0	9.0	PASS
58.	12/11/07/02/006	20	58	78	A							5.0	15.0	PASS
59.	12/11/07/02/007	18	42	60				B				4.0	12.0	PASS
60.	12/11/07/02/008	21	34	55				C+				3.5	10.5	PASS
61.	12/11/07/02/009	21	34	55				C+				3.5	10.5	PASS
62.	12/11/07/02/010	16	62	78	A							5.0	15.0	PASS
63.	12/11/07/02/011	18	42	60				B				4.0	12.0	PASS
64.	12/11/07/02/012	16	54	70	A							5.0	15.0	PASS
65.	12/11/07/02/013	16	48	64				B				4.0	12.0	PASS
66.	12/11/07/02/015	16	48	64				B				4.0	12.0	PASS
67.	12/11/07/02/016	17	58	75	A							5.0	15.0	PASS
68.	12/11/07/02/019	18	34	52						C		3.0	9.0	PASS
69.	12/11/07/02/020	16	62	78	A							5.0	15.0	PASS
70.	12/11/07/02/021	17	54	71	A							5.0	15.0	PASS
71.	12/11/07/02/022	18	30	48						D		2.0	6.0	PASS
72.	12/11/07/02/024	20	40	60				B				4.0	12.0	PASS
73.	12/11/07/02/025	15	36	51						C		3.0	9.0	PASS
74.	12/11/07/02/030	19	42	61				B				4.0	12.0	PASS
75.	12/11/07/02/031	17	38	55				C+				3.5	10.5	PASS
76.	12/11/07/02/034	18	36	54						C		3.0	9.0	PASS
77.	12/11/07/02/035	20	50	70	A							5.0	15.0	PASS
78.	12/11/07/02/036	19	52	71	A							5.0	15.0	PASS
79.	12/11/07/02/037	19	26	45						D		2.0	6.0	PASS
80.	12/11/07/02/038	16	60	76	A							5.0	15.0	PASS
81.	12/11/07/02/040	19	52	71	A							5.0	15.0	PASS
82.	12/11/07/02/041	17	60	77	A							5.0	15.0	PASS
83.	12/11/07/02/044	20	52	72	A							5.0	15.0	PASS
84.	12/11/07/02/045	18	40	58				C+				3.5	10.5	PASS
85.	12/11/07/02/046	18	48	66			B+					4.5	13.5	PASS
86.	12/11/07/02/047	17	38	55				C+				3.5	10.5	PASS
87.	12/11/07/02/048	19	38	57				C+				3.5	10.5	PASS
88.	12/11/07/02/049	17	38	55				C+				3.5	10.5	PASS

89.	12/11/07/02/050	19	58	77	A							5.0	15.0	PASS
90.	12/11/07/02/051	20	40	60			B					4.0	12.0	PASS
91.	12/11/07/02/052	18	42	60			B					4.0	12.0	PASS
92.	12/11/07/02/053	20	40	60			B					4.0	12.0	PASS
93.	12/11/07/02/055	20	40	60			B					4.0	12.0	PASS
94.	12/11/07/02/057	20	30	50					C			3.0	9.0	PASS
95.	12/11/07/02/058	16	44	60			B					4.0	12.0	PASS
96.	12/11/07/02/059	18	42	60			B					4.0	12.0	PASS
97.	12/11/07/02/060	15	36	51					C			3.0	9.0	PASS
98.	12/11/07/02/061	20	40	60			B					4.0	12.0	PASS
99.	12/11/07/02/062	16	34	50					C			3.0	9.0	PASS
100.	12/11/07/02/063	19	30	49						D		2.0	6.0	PASS
101.	12/11/07/02/064	18	62	80	A							5.0	15.0	PASS
102.	12/11/07/02/067	18	42	60			B					4.0	12.0	PASS
103.	12/11/07/02/069	17	48	65		B+						4.5	13.5	PASS
104.	12/11/07/02/072	18	48	66		B+						4.5	13.5	PASS
105.	12/11/07/02/077	20	30	50					C			3.0	9.0	PASS
106.	12/11/07/02/078	16	44	60			B					4.0	12.0	PASS
107.	12/11/07/02/079	16	44	60			B					4.0	12.0	PASS
108.	12/11/07/02/081	14	46	60			B					4.0	12.0	PASS
109.	12/11/07/02/083	12	38	50					C			3.0	9.0	PASS
110.	12/11/07/02/084	15	40	55				C+				3.5	10.5	PASS
111.	12/11/07/02/085	16	50	66		B+						4.5	13.5	PASS
112.	12/11/07/02/088	16	34	50					C			3.0	9.0	PASS
113.	12/11/07/02/089	16	58	74	A							5.0	15.0	PASS
114.	12/11/07/02/090	15	48	63			B					4.0	12.0	PASS
115.	12/11/07/02/093	18	52	70	A							5.0	15.0	PASS
116.	12/11/07/02/095	15	36	51					C			3.0	9.0	PASS
117.	12/11/07/02/096	23	18	41						E		1.0	3.0	PASS
118.	12/11/07/02/099	20	26	46						D		2.0	6.0	PASS
119.	12/11/07/02/100	20	34	54					C			3.0	9.0	PASS
120.	12/11/07/02/101	18	48	66		B+						4.5	13.5	PASS
121.	12/11/07/02/102	20	34	54					C			3.0	9.0	PASS
122.	12/11/07/02/107	17	38	55				C+				3.5	10.5	PASS
123.	12/11/07/02/108	16	48	64			B					4.0	12.0	PASS
124.	12/11/07/02/110	17	46	63			B					4.0	12.0	PASS
125.	12/11/07/02/111	20	62	82	A							5.0	15.0	PASS
126.	12/11/07/02/112	18	42	60			B					4.0	12.0	PASS
127.	12/11/07/02/113	20	42	62			B					4.0	12.0	PASS
128.	12/11/07/02/115	16	46	62			B					4.0	12.0	PASS
129.	12/11/07/02/118	20	38	58				C+				3.5	10.5	PASS
130.	12/11/07/02/119	18	32	50					C			3.0	9.0	PASS
131.	12/11/07/02/120	17	38	55				C+				3.5	10.5	PASS
132.	12/11/07/02/122	20	56	76	A							5.0	15.0	PASS
133.	12/11/07/02/124	16	46	62			B					4.0	12.0	PASS
134.	12/11/07/02/125	15	58	73	A							5.0	15.0	PASS
135.	12/11/07/02/127	17	34	51					C			3.0	9.0	PASS
136.	12/11/07/02/129	15	32	47						D		2.0	6.0	PASS
137.	12/11/07/02/131	16	34	50					C			3.0	9.0	PASS
138.	12/11/07/02/133	14	36	50					C			3.0	9.0	PASS

139.	12/11/07/02/134	14	56	70	A							5.0	15.0	PASS
140.	12/11/07/02/136	16	34	50					C			3.0	9.0	PASS
141.	12/11/07/02/141	17	40	57					C+			3.5	10.5	PASS
142.	12/11/07/02/144	12	38	50					C			3.0	9.0	PASS
143.	12/11/07/02/148	16	54	70	A							5.0	15.0	PASS
144.	12/11/07/02/150	16	34	50					C			3.0	9.0	PASS
145.	12/11/07/02/151	17	40	57					C+			3.5	10.5	PASS
146.	12/11/07/02/152	17	48	65		B+						4.5	13.5	PASS
147.	12/11/07/02/156	16	44	60			B					4.0	12.0	PASS
148.	12/11/07/02/158	14	36	50					C			3.0	9.0	PASS
149.	12/11/07/02/159	18	32	50					C			3.0	9.0	PASS
150.	12/11/07/02/161	17	54	71	A							5.0	15.0	PASS
151.	12/11/07/02/162	18	34	52					C			3.0	9.0	PASS
152.	12/11/07/02/163	19	68	87	A							5.0	15.0	PASS
153.	12/11/07/02/164	16	44	60			B					4.0	12.0	PASS
154.	12/11/07/02/166	18	48	66		B+						4.5	13.5	PASS
155.	12/11/07/02/168	20	40	60			B					4.0	12.0	PASS
156.	12/11/07/02/170	16	34	50					C			3.0	9.0	PASS
157.	12/11/07/02/171	19	46	65		B+						4.5	13.5	PASS
158.	12/11/07/02/173	18	48	66		B+						4.5	13.5	PASS
159.	12/11/07/02/174	18	42	60			B					4.0	12.0	PASS
160.	12/11/07/02/175	18	52	70	A							5.0	15.0	PASS
161.	12/11/07/02/178	19	60	79	A							5.0	15.0	PASS
162.	12/11/07/02/180	17	38	55					C+			3.5	10.5	PASS
163.	12/11/07/02/183	18	52	70	A							5.0	15.0	PASS
164.	12/11/07/02/184	23	18	41						E		1.0	3.0	PASS
165.	12/11/07/02/185	18	48	66		B+						4.5	13.5	PASS
166.	12/11/07/02/186	20	54	74	A							5.0	15.0	PASS
167.	12/11/07/02/191	18	38	56					C+			3.5	10.5	PASS
168.	12/11/07/02/193	20	52	72	A							5.0	15.0	PASS
169.	12/11/07/02/194	17	38	55					C+			3.5	10.5	PASS
170.	12/11/07/02/195	16	34	50					C			3.0	9.0	PASS
171.	12/11/07/02/196	17	34	51					C			3.0	9.0	PASS
172.	12/11/07/02/198	20	60	80	A							5.0	15.0	PASS
173.	12/11/07/02/200	18	42	60			B					4.0	12.0	PASS
174.	12/11/07/02/202	18	42	60			B					4.0	12.0	PASS
175.	12/11/07/02/203	20	50	70	A							5.0	15.0	PASS
176.	12/11/07/02/204	16	36	52					C			3.0	9.0	PASS
177.	12/11/07/02/206	17	48	65		B+						4.5	13.5	PASS
178.	12/11/07/02/208	18	36	54					C			3.0	9.0	PASS
179.	12/11/07/02/209	19	44	63			B					4.0	12.0	PASS
180.	12/11/07/02/210	20	34	54					C			3.0	9.0	PASS
181.	12/11/07/02/211	16	34	50					C			3.0	9.0	PASS
182.	12/11/07/02/212	17	32	49						D		2.0	6.0	PASS
183.	12/11/07/02/213	18	28	46						D		2.0	6.0	PASS
184.	12/11/07/02/215	18	34	52					C			3.0	9.0	PASS
185.	12/11/07/02/216	19	58	77	A							5.0	15.0	PASS
186.	12/11/07/02/217	26	52	78	A							5.0	15.0	PASS
187.	12/11/07/02/218	17	30	47						D		2.0	6.0	PASS
188.	12/11/07/02/219	19	22	41							E	1.0	3.0	PASS

189.	12/11/07/02/222	16	34	50					C				3.0	9.0	PASS
190.	12/11/07/02/223	17	52	69		B+							4.5	13.5	PASS
191.	12/11/07/02/224	17	48	65		B+							4.5	13.5	PASS
192.	12/11/07/02/226	15	62	77	A								5.0	15.0	PASS
193.	12/11/07/02/228	18	42	60			B						4.0	12.0	PASS
194.	12/11/07/02/229	18	34	52					C				3.0	9.0	PASS
195.	12/11/07/02/230	16	56	72	A								5.0	15.0	PASS
196.	12/11/07/02/231	16	54	70	A								5.0	15.0	PASS
197.	12/11/07/02/232	16	34	50					C				3.0	9.0	PASS
198.	12/11/07/02/233	17	56	73	A								5.0	15.0	PASS
199.	12/11/07/02/236	20	40	60			B						4.0	12.0	PASS
200.	12/11/07/02/239	19	26	45						D			2.0	6.0	PASS
201.	12/11/07/02/240	15	46	61			B						4.0	12.0	PASS
202.	12/11/07/02/241	18	60	78	A								5.0	15.0	PASS
203.	12/11/07/02/242	20	50	70	A								5.0	15.0	PASS
204.	12/11/07/02/243	18	48	66		B+							4.5	13.5	PASS
205.	12/11/07/02/244	16	34	50					C				3.0	9.0	PASS
206.	12/11/07/02/245	20	30	50					C				3.0	9.0	PASS
207.	12/11/07/02/246	18	42	60			B						4.0	12.0	PASS
208.	12/11/07/02/248	17	36	53					C				3.0	9.0	PASS
209.	12/11/07/02/249	16	34	50					C				3.0	9.0	PASS
210.	12/11/07/02/250	18	38	56				C+					3.5	10.5	PASS
211.	12/11/07/02/252	18	42	60			B						4.0	12.0	PASS
212.	12/11/07/02/255	16	46	62			B						4.0	12.0	PASS
213.	12/11/07/02/256	17	56	73	A								5.0	15.0	PASS
214.	12/11/07/02/258	18	36	54					C				3.0	9.0	PASS
215.	12/11/07/02/260	18	32	50					C				3.0	9.0	PASS
216.	12/11/07/02/261	17	34	51					C				3.0	9.0	PASS
217.	12/11/07/02/264	20	50	70	A								5.0	15.0	PASS
218.	12/11/07/02/265	17	38	55				C+					3.5	10.5	PASS
219.	12/11/07/02/271	19	40	59				C+					3.5	10.5	PASS
220.	12/11/07/02/272	16	40	56				C+					3.5	10.5	PASS
221.	12/11/07/02/274	18	42	60			B						4.0	12.0	PASS
222.	12/11/07/02/277	16	44	60			B						4.0	12.0	PASS
223.	12/11/07/02/279	21	20	41							E		1.0	3.0	PASS
224.	12/11/07/02/283	18	42	60			B						4.0	12.0	PASS
225.	12/11/07/02/284	18	28	46						D			2.0	6.0	PASS
226.	12/11/07/02/285	18	32	50					C				3.0	9.0	PASS
227.	12/11/07/02/287	19	44	63			B						4.0	12.0	PASS
Summary					49	22	56	32	50	14	04	00			227