

UNIVERSITY OF MAIDUGURI
(OFFICE OF THE VICE-CHANCELLOR)

Centre for Distance Learning

Department of Continuing Education and Extension Services

Second Semester End-of-Course Examination Results

course Code: CEA 205

course Title: Adult Literacy and Basic Education

course Unit(s): 2

2015/2016 Academic Session

S/No.	ID. No.	C.A.	EXAM	TOTAL	GRADES					GP	U.GP	Remarks
		Marks	Marks	Marks	A	B	C	D	F			
1.	10/11/04/01/185	15	40	55			C			3.0	6.0	PASS
2.	12/11/04/01/005	16	34	50			C			3.0	6.0	PASS
3.	12/11/04/01/104	20	26	46				D		2.0	4.0	PASS
4.	12/11/04/03/005	17	34	51			C			3.0	6.0	PASS
5.	14/11/04/01/001	19	32	51			C			3.0	6.0	PASS
6.	14/11/04/01/004	21	24	45				D		2.0	4.0	PASS
7.	14/11/04/01/006	23	22	45				D		2.0	4.0	PASS
8.	14/11/04/01/007	15	30	45				D		2.0	4.0	PASS
9.	14/11/04/01/009	18	38	56			C			3.0	6.0	PASS
10.	14/11/04/01/014	17	34	51			C			3.0	6.0	PASS
11.	14/11/04/01/016	15	30	45				D		2.0	4.0	PASS
12.	14/11/04/01/017	17	28	45				D		2.0	4.0	PASS
13.	14/11/04/01/020	18	38	56			C			3.0	6.0	PASS
14.	14/11/04/01/022	17	34	51			C			3.0	6.0	PASS
15.	14/11/04/01/023	18	34	52			C			3.0	6.0	PASS
16.	14/11/04/01/025	19	26	45				D		2.0	4.0	PASS
17.	14/11/04/01/026	18	28	46				D		2.0	4.0	PASS
18.	14/11/04/01/027	22	24	46				D		2.0	4.0	PASS
19.	14/11/04/01/029	16	40	56			C			3.0	6.0	PASS
20.	14/11/04/01/031	21	26	47				D		2.0	4.0	PASS
21.	14/11/04/01/033	17	34	51			C			3.0	6.0	PASS
22.	14/11/04/01/035	18	36	54			C			3.0	6.0	PASS
23.	14/11/04/01/036	18	30	48				D		2.0	4.0	PASS
24.	14/11/04/01/037	15	30	45				D		2.0	4.0	PASS
25.	14/11/04/01/039	20	40	60		B				4.0	8.0	PASS
26.	14/11/04/01/040	16	32	48				D		2.0	4.0	PASS
27.	14/11/04/01/041	17	28	45				D		2.0	4.0	PASS
28.	14/11/04/01/042	16	30	46				D		2.0	4.0	PASS
29.	14/11/04/01/043	15	32	47				D		2.0	4.0	PASS
30.	14/11/04/01/044	18	46	64		B				4.0	8.0	PASS
31.	14/11/04/01/046	16	34	50			C			3.0	6.0	PASS
32.	14/11/04/01/049	15	34	49				D		2.0	4.0	PASS
33.	14/11/04/01/051	15	36	51			C			3.0	6.0	PASS
34.	14/11/04/01/054	20	40	60		B				4.0	8.0	PASS
35.	14/11/04/01/055	18	28	46				D		2.0	4.0	PASS
36.	14/11/04/01/056	17	34	51			C			3.0	6.0	PASS
37.	14/11/04/01/059	23	22	45				D		2.0	4.0	PASS

38.	14/11/04/01/060	18	30	48				D		2.0	4.0	PASS
39.	14/11/04/01/065	23	22	45				D		2.0	4.0	PASS
40.	14/11/04/01/066	18	36	54			C			3.0	6.0	PASS
41.	14/11/04/01/068	18	28	46				D		2.0	4.0	PASS
42.	14/11/04/01/069	18	32	50			C			3.0	6.0	PASS
43.	14/11/04/01/075	20	30	50			C			3.0	6.0	PASS
44.	14/11/04/01/077	18	38	56			C			3.0	6.0	PASS
45.	14/11/04/01/079	17	30	47				D		2.0	4.0	PASS
46.	14/11/04/01/080	13	32	45				D		2.0	4.0	PASS
47.	14/11/04/01/081	17	30	47				D		2.0	4.0	PASS
48.	14/11/04/01/082	12	38	50			C			3.0	6.0	PASS
49.	14/11/04/01/083	18	36	54			C			3.0	6.0	PASS
50.	14/11/04/01/084	17	34	51			C			3.0	6.0	PASS
51.	14/11/04/01/091	10	14	24					F	0.0	0.0	FAIL
52.	14/11/04/01/094	17	28	45				D		2.0	4.0	PASS
53.	14/11/04/01/096	20	40	60		B				4.0	8.0	PASS
54.	14/11/04/01/097	21	40	61		B				4.0	8.0	PASS
55.	14/11/04/01/098	18	34	52			C			3.0	6.0	PASS
56.	14/11/04/01/100	12	34	46				D		2.0	4.0	PASS
57.	14/11/04/01/101	14	36	50			C			3.0	6.0	PASS
58.	14/11/04/01/103	18	30	48				D		2.0	4.0	PASS
59.	14/11/04/01/109	15	18	33					F	0.0	0.0	FAIL
60.	14/11/04/01/118	20	26	46				D		2.0	4.0	PASS
61.	14/11/04/01/124	12	34	46				D		2.0	4.0	PASS
62.	14/11/04/01/128	19	26	45				D		2.0	4.0	PASS
63.	14/11/04/01/129	16	36	52			C			3.0	6.0	PASS
64.	14/11/04/01/132	11	14	25					F	0.0	0.0	FAIL
65.	14/11/04/01/137	15	18	33					F	0.0	0.0	FAIL
66.	14/11/04/01/145	19	26	45				D		2.0	4.0	PASS
67.	14/11/04/01/147	14	20	34					F	0.0	0.0	FAIL
68.	14/11/04/01/148	14	38	52			C			3.0	6.0	PASS
69.	14/11/04/01/149	13	38	51			C			3.0	6.0	PASS
70.	14/11/04/01/150	19	28	47				D		2.0	4.0	PASS
71.	14/11/04/01/152	16	30	46				D		2.0	4.0	PASS
72.	14/11/04/01/157	22	40	62		B				4.0	8.0	PASS
73.	14/11/04/01/162	20	26	46				D		2.0	4.0	PASS
74.	14/11/04/01/164	18	30	48				D		2.0	4.0	PASS
75.	14/11/04/01/172	17	28	45				D		2.0	4.0	PASS
76.	14/11/04/01/178	19	28	47				D		2.0	4.0	PASS
77.	14/11/04/01/181	16	36	52			C			3.0	6.0	PASS
78.	14/11/04/01/190	16	32	48				D		2.0	4.0	PASS
79.	14/11/04/01/193	17	30	47				D		2.0	4.0	PASS
80.	14/11/04/01/195	17	34	51			C			3.0	6.0	PASS
81.	14/11/04/01/199	17	30	47				D		2.0	4.0	PASS
82.	14/11/04/01/201	14	32	46				D		2.0	4.0	PASS
83.	14/11/04/01/204	16	30	46				D		2.0	4.0	PASS
84.	14/11/04/01/205	15	32	47				D		2.0	4.0	PASS
85.	14/11/04/01/206	19	26	45				D		2.0	4.0	PASS

86.	14/11/04/01/207	20	28	48			D		2.0	4.0	PASS
87.	14/11/04/01/210	23	22	45			D		2.0	4.0	PASS
88.	14/11/04/01/217	18	28	46			D		2.0	4.0	PASS
89.	14/11/04/01/220	19	28	47			D		2.0	4.0	PASS
90.	14/11/04/01/228	18	28	46			D		2.0	4.0	PASS
91.	14/11/04/01/230	23	22	45			D		2.0	4.0	PASS
92.	14/11/04/01/234	19	28	47			D		2.0	4.0	PASS
93.	14/11/04/01/236	18	34	52			C		3.0	6.0	PASS
94.	14/11/04/01/241	17	36	53			C		3.0	6.0	PASS
95.	14/11/04/01/248	18	34	52			C		3.0	6.0	PASS
96.	14/11/04/01/252	22	24	46			D		2.0	4.0	PASS
97.	14/11/04/01/254	20	26	46			D		2.0	4.0	PASS
98.	14/11/04/01/256	20	38	58			C		3.0	6.0	PASS
99.	14/11/04/01/257	19	26	45			D		2.0	4.0	PASS
100.	14/11/04/01/259	20	26	46			D		2.0	4.0	PASS
101.	14/11/04/01/263	18	38	56			C		3.0	6.0	PASS
102.	14/11/04/01/264	19	26	45			D		2.0	4.0	PASS
103.	14/11/04/01/266	15	32	47			D		2.0	4.0	PASS
104.	14/11/04/01/267	15	38	53			C		3.0	6.0	PASS
105.	14/11/04/01/273	12	20	32				F	0.0	0.0	FAIL
106.	14/11/04/01/274	20	26	46			D		2.0	4.0	PASS
107.	14/11/04/01/275	19	44	63		B			4.0	8.0	PASS
108.	14/11/04/01/276	18	36	54			C		3.0	6.0	PASS
109.	14/11/04/01/280	18	18	36				F	0.0	0.0	FAIL
110.	14/11/04/01/281	17	34	51			C		3.0	6.0	PASS
111.	14/11/04/01/282	18	28	46			D		2.0	4.0	PASS
112.	14/11/04/01/283	18	28	46			D		2.0	4.0	PASS
113.	14/11/04/01/284	16	34	50			C		3.0	6.0	PASS
114.	14/11/04/01/291	22	24	46			D		2.0	4.0	PASS
115.	14/11/04/01/292	17	20	37				F	0.0	0.0	FAIL
116.	14/11/04/01/293	21	26	47			D		2.0	4.0	PASS
117.	14/11/04/01/294	20	26	46			D		2.0	4.0	PASS
118.	14/11/04/01/296	23	22	45			D		2.0	4.0	PASS
119.	14/11/04/01/298	23	22	45			D		2.0	4.0	PASS
120.	14/11/04/01/299	14	32	46			D		2.0	4.0	PASS
121.	14/11/04/01/301	15	20	35				F	0.0	0.0	FAIL
122.	14/11/04/01/304	16	30	46			D		2.0	4.0	PASS
123.	14/11/04/01/305	18	28	46			D		2.0	4.0	PASS
124.	14/11/04/01/311	23	22	45			D		2.0	4.0	PASS
125.	14/11/04/01/312	18	32	50			C		3.0	6.0	PASS
126.	14/11/04/01/317	16	30	46			D		2.0	4.0	PASS
127.	14/11/04/01/319	16	32	48			D		2.0	4.0	PASS
128.	14/11/04/01/323	22	50	72	A				5.0	10.0	PASS
129.	14/11/04/01/324	20	26	46			D		2.0	4.0	PASS
130.	14/11/04/01/326	16	20	36				F	0.0	0.0	FAIL
131.	14/11/04/01/329	20	44	64		B			4.0	8.0	PASS
132.	14/11/04/01/333	17	28	45			D		2.0	4.0	PASS
133.	14/11/04/01/334	20	26	46			D		2.0	4.0	PASS

134.	14/11/04/01/338	20	38	58			C			3.0	6.0	PASS
135.	14/11/04/01/341	20	26	46				D		2.0	4.0	PASS
136.	14/11/04/01/342	15	36	51			C			3.0	6.0	PASS
137.	14/11/04/01/344	18	32	50			C			3.0	6.0	PASS
138.	14/11/04/01/345	16	36	52			C			3.0	6.0	PASS
139.	14/11/04/01/347	11	16	27					F	0.0	0.0	FAIL
140.	14/11/04/01/348	20	26	46				D		2.0	4.0	PASS
141.	14/11/04/01/350	20	40	60			B			4.0	8.0	PASS
142.	14/11/04/01/351	16	30	46				D		2.0	4.0	PASS
143.	14/11/04/01/354	20	26	46				D		2.0	4.0	PASS
144.	15/11/04/01/002	21	40	61			B			4.0	8.0	PASS
145.	15/11/04/01/005	14	36	50			C			3.0	6.0	PASS
146.	15/11/04/01/006	18	46	64			B			4.0	8.0	PASS
147.	15/11/04/01/008	15	20	35					F	0.0	0.0	FAIL
148.	15/11/04/01/009	15	30	45				D		2.0	4.0	PASS
149.	15/11/04/01/010	21	32	53			C			3.0	6.0	PASS
150.	15/11/04/01/012	17	36	53			C			3.0	6.0	PASS
151.	15/11/04/01/013	26	20	46				D		2.0	4.0	PASS
152.	15/11/04/01/014	18	30	48				D		2.0	4.0	PASS
153.	15/11/04/01/017	15	18	33					F	0.0	0.0	FAIL
154.	15/11/04/01/018	20	26	46				D		2.0	4.0	PASS
155.	15/11/04/01/019	15	30	45				D		2.0	4.0	PASS
156.	15/11/04/01/020	15	36	51			C			3.0	6.0	PASS
157.	15/11/04/01/022	17	28	45				D		2.0	4.0	PASS
158.	15/11/04/01/025	22	24	46				D		2.0	4.0	PASS
159.	15/11/04/01/026	20	34	54			C			3.0	6.0	PASS
160.	15/11/04/01/029	16	36	52			C			3.0	6.0	PASS
161.	15/11/04/01/030	21	24	45				D		2.0	4.0	PASS
162.	15/11/04/01/031	22	24	46				D		2.0	4.0	PASS
163.	15/11/04/01/032	18	30	48				D		2.0	4.0	PASS
164.	15/11/04/01/033	15	38	53			C			3.0	6.0	PASS
165.	15/11/04/01/035	18	28	46				D		2.0	4.0	PASS
166.	15/11/04/01/036	20	42	62			B			4.0	8.0	PASS
167.	15/11/04/01/037	20	26	46				D		2.0	4.0	PASS
168.	15/11/04/01/038	16	34	50			C			3.0	6.0	PASS
169.	15/11/04/01/040	18	28	46				D		2.0	4.0	PASS
170.	15/11/04/01/041	15	32	47				D		2.0	4.0	PASS
171.	15/11/04/01/042	15	32	47				D		2.0	4.0	PASS
172.	15/11/04/01/043	20	26	46				D		2.0	4.0	PASS
173.	15/11/04/01/044	22	26	48				D		2.0	4.0	PASS
174.	15/11/04/01/046	19	28	47				D		2.0	4.0	PASS
175.	15/11/04/01/052	23	22	45				D		2.0	4.0	PASS
176.	15/11/04/01/054	19	18	37					F	0.0	0.0	FAIL

177.	15/11/04/01/055	14	32	46				D		2.0	4.0	PASS
178.	15/11/04/01/056	10	26	36					F	0.0	0.0	FAIL
179.	15/11/04/01/061	11	18	29					F	0.0	0.0	FAIL
180.	15/11/04/01/062	12	38	50			C			3.0	6.0	PASS
181.	15/11/04/01/065	18	28	46				D		2.0	4.0	PASS
182.	15/11/04/01/066	18	28	46				D		2.0	4.0	PASS
183.	15/11/04/01/070	22	38	60		B				4.0	8.0	PASS
184.	15/11/04/01/073	21	38	59			C			3.0	6.0	PASS
185.	15/11/04/01/075	23	22	45				D		2.0	4.0	PASS
186.	15/11/04/01/076	15	32	47				D		2.0	4.0	PASS
187.	15/11/04/01/077	20	42	62		B				4.0	8.0	PASS
188.	15/11/04/01/078	12	20	32					F	0.0	0.0	FAIL
189.	15/11/04/01/079	18	32	50			C			3.0	6.0	PASS
190.	15/11/04/01/081	20	26	46				D		2.0	4.0	PASS
191.	15/11/04/01/087	18	30	48				D		2.0	4.0	PASS
192.	15/11/04/01/089	21	26	47				D		2.0	4.0	PASS
193.	15/11/04/01/090	18	30	48				D		2.0	4.0	PASS
194.	15/11/04/01/091	19	20	39					F	0.0	0.0	FAIL
195.	15/11/04/01/095	12	36	48				D		2.0	4.0	PASS
196.	15/11/04/01/099	23	22	45				D		2.0	4.0	PASS
197.	15/11/04/01/102	21	24	45				D		2.0	4.0	PASS
198.	15/11/04/01/105	23	22	45				D		2.0	4.0	PASS
199.	15/11/04/01/107	19	30	49				D		2.0	4.0	PASS
200.	15/11/04/01/108	16	36	52			C			3.0	6.0	PASS
201.	15/11/04/01/112	15	36	51			C			3.0	6.0	PASS
202.	15/11/04/01/115	14	36	50			C			3.0	6.0	PASS
203.	15/11/04/01/116	22	48	70	A					5.0	10.0	PASS
204.	15/11/04/01/120	17	28	45				D		2.0	4.0	PASS
205.	15/11/04/01/121	13	34	47				D		2.0	4.0	PASS
206.	15/11/04/01/122	20	44	64		B				4.0	8.0	PASS
207.	15/11/04/01/124	10	14	24					F	0.0	0.0	FAIL
208.	15/11/04/01/125	20	26	46				D		2.0	4.0	PASS
209.	15/11/04/01/128	19	26	45				D		2.0	4.0	PASS
210.	15/11/04/01/129	20	26	46				D		2.0	4.0	PASS
211.	15/11/04/01/131	13	20	33					F	0.0	0.0	FAIL
212.	15/11/04/01/134	22	24	46				D		2.0	4.0	PASS
213.	15/11/04/01/135	21	34	55			C			3.0	6.0	PASS
214.	15/11/04/01/136	20	34	54			C			3.0	6.0	PASS
215.	15/11/04/01/137	20	28	48				D		2.0	4.0	PASS
216.	15/11/04/01/138	17	30	47				D		2.0	4.0	PASS

217.	15/11/04/01/139	18	30	48			D		2.0	4.0	PASS
218.	15/11/04/01/140	23	22	45			D		2.0	4.0	PASS
219.	15/11/04/01/141	23	22	45			D		2.0	4.0	PASS
220.	15/11/04/01/142	20	26	46			D		2.0	4.0	PASS
221.	15/11/04/01/144	18	28	46			D		2.0	4.0	PASS
222.	15/11/04/01/145	16	36	52			C		3.0	6.0	PASS
223.	15/11/04/01/147	21	24	45			D		2.0	4.0	PASS
224.	15/11/04/01/148	22	24	46			D		2.0	4.0	PASS
225.	15/11/04/01/149	21	24	45			D		2.0	4.0	PASS
226.	15/11/04/01/150	21	26	47			D		2.0	4.0	PASS
227.	15/11/04/01/152	22	26	48			D		2.0	4.0	PASS
228.	15/11/04/01/153	14	34	48			D		2.0	4.0	PASS
229.	15/11/04/01/156	15	36	51			C		3.0	6.0	PASS
230.	15/11/04/01/157	23	22	45			D		2.0	4.0	PASS
231.	15/11/04/01/159	18	28	46			D		2.0	4.0	PASS
232.	15/11/04/01/160	17	30	47			D		2.0	4.0	PASS
233.	15/11/04/01/163	20	26	46			D		2.0	4.0	PASS
234.	15/11/04/01/164	18	48	66		B			4.0	8.0	PASS
235.	15/11/04/01/168	15	36	51			C		3.0	6.0	PASS
236.	15/11/04/01/169	23	22	45			D		2.0	4.0	PASS
237.	15/11/04/01/175	15	30	45			D		2.0	4.0	PASS
238.	15/11/04/01/176	18	28	46			D		2.0	4.0	PASS
239.	15/11/04/01/181	20	40	60		B			4.0	8.0	PASS
240.	15/11/04/01/182	19	26	45			D		2.0	4.0	PASS
241.	15/11/04/01/183	22	24	46			D		2.0	4.0	PASS
242.	15/11/04/01/184	21	24	45			D		2.0	4.0	PASS
243.	15/11/04/01/188	20	44	64		B			4.0	8.0	PASS
244.	15/11/04/01/189	18	30	48			D		2.0	4.0	PASS
245.	15/11/04/01/191	15	32	47			D		2.0	4.0	PASS
246.	15/11/04/01/192	13	20	33				F	0.0	0.0	FAIL
247.	15/11/04/01/193	23	24	47			D		2.0	4.0	PASS
248.	15/11/04/01/194	13	34	47			D		2.0	4.0	PASS
249.	15/11/04/01/195	14	38	52			C		3.0	6.0	PASS
250.	15/11/04/01/196	22	24	46			D		2.0	4.0	PASS
251.	15/11/04/01/197	21	40	61		B			4.0	8.0	PASS
252.	15/11/04/01/200	15	36	51			C		3.0	6.0	PASS
253.	15/11/04/01/203	15	14	29				F	0.0	0.0	FAIL
254.	15/11/04/01/204	23	24	47			D		2.0	4.0	PASS
255.	15/11/04/01/206	15	30	45			D		2.0	4.0	PASS
256.	15/11/04/01/207	10	42	52			C		3.0	6.0	PASS

257.	15/11/04/01/208	17	30	47				D		2.0	4.0	PASS
258.	15/11/04/01/210	19	26	45				D		2.0	4.0	PASS
259.	15/11/04/01/212	19	26	45				D		2.0	4.0	PASS
260.	15/11/04/01/214	19	28	47				D		2.0	4.0	PASS
261.	15/11/04/01/216	21	24	45				D		2.0	4.0	PASS
262.	15/11/04/01/217	12	38	50			C			3.0	6.0	PASS
263.	15/11/04/01/219	20	44	64		B				4.0	8.0	PASS
264.	15/11/04/01/222	23	24	47				D		2.0	4.0	PASS
265.	15/11/04/01/223	21	24	45				D		2.0	4.0	PASS
266.	15/11/04/01/225	17	28	45				D		2.0	4.0	PASS
267.	15/11/04/01/229	17	32	49				D		2.0	4.0	PASS
268.	15/11/04/01/233	12	34	46				D		2.0	4.0	PASS
269.	15/11/04/01/238	23	22	45				D		2.0	4.0	PASS
270.	15/11/04/01/240	16	30	46				D		2.0	4.0	PASS
271.	15/11/04/01/244	17	30	47				D		2.0	4.0	PASS
272.	15/11/04/01/245	23	22	45				D		2.0	4.0	PASS
273.	15/11/04/01/247	16	30	46				D		2.0	4.0	PASS
274.	15/11/04/01/248	23	24	47				D		2.0	4.0	PASS
275.	15/11/04/01/251	20	52	72	A					5.0	10.0	PASS
276.	15/11/04/01/253	20	42	62		B				4.0	8.0	PASS
277.	15/11/04/01/256	15	32	47				D		2.0	4.0	PASS
278.	15/11/04/01/258	21	40	61		B				4.0	8.0	PASS
279.	15/11/04/01/259	19	38	57			C			3.0	6.0	PASS
280.	15/11/04/01/262	23	22	45				D		2.0	4.0	PASS
281.	15/11/04/01/263	14	38	52			C			3.0	6.0	PASS
282.	15/11/04/01/271	22	24	46				D		2.0	4.0	PASS
283.	15/11/04/01/272	21	24	45				D		2.0	4.0	PASS
284.	15/11/04/01/273	17	38	55			C			3.0	6.0	PASS
285.	15/11/04/01/276	15	30	45				D		2.0	4.0	PASS
286.	15/11/04/01/281	20	40	60		B				4.0	8.0	PASS
287.	15/11/04/01/284	20	44	64		B				4.0	8.0	PASS
288.	15/11/04/01/285	17	30	47				D		2.0	4.0	PASS
289.	15/11/04/01/287	16	48	64		B				4.0	8.0	PASS
290.	15/11/04/01/288	15	30	45				D		2.0	4.0	PASS
291.	15/11/04/01/289	20	26	46				D		2.0	4.0	PASS
292.	15/11/04/01/291	18	32	50			C			3.0	6.0	PASS
293.	15/11/04/01/292	13	34	47				D		2.0	4.0	PASS
294.	15/11/04/01/297	20	40	60		B				4.0	8.0	PASS
295.	15/11/04/01/300	16	34	50			C			3.0	6.0	PASS
296.	15/11/04/01/304	15	38	53			C			3.0	6.0	PASS

297.	15/11/04/01/306	20	26	46				D		2.0	4.0	PASS
298.	15/11/04/01/308	23	24	47				D		2.0	4.0	PASS
299.	15/11/04/01/310	13	20	33					F	0.0	0.0	FAIL
300.	15/11/04/01/311	14	32	46				D		2.0	4.0	PASS
301.	15/11/04/01/312	17	36	53			C			3.0	6.0	PASS
302.	15/11/04/01/314	18	28	46				D		2.0	4.0	PASS
303.	15/11/04/01/318	20	44	64		B				4.0	8.0	PASS
304.	15/11/04/01/319	16	32	48				D		2.0	4.0	PASS
305.	15/11/04/01/321	23	24	47				D		2.0	4.0	PASS
306.	15/11/04/01/323	16	30	46				D		2.0	4.0	PASS
307.	15/11/04/01/326	17	28	45				D		2.0	4.0	PASS
308.	15/11/04/01/327	21	40	61		B				4.0	8.0	PASS
309.	15/11/04/01/329	23	24	47				D		2.0	4.0	PASS
310.	15/11/04/01/330	18	48	66		B				4.0	8.0	PASS
311.	15/11/04/01/331	20	36	56			C			3.0	6.0	PASS
312.	15/11/04/01/332	16	40	56			C			3.0	6.0	PASS
313.	15/11/04/01/336	20	46	66		B				4.0	8.0	PASS
314.	15/11/04/01/338	22	24	46				D		2.0	4.0	PASS
315.	15/11/04/01/340	16	38	54			C			3.0	6.0	PASS
316.	15/11/04/01/341	16	30	46				D		2.0	4.0	PASS
317.	15/11/04/01/346	23	22	45				D		2.0	4.0	PASS
318.	15/11/04/01/347	23	22	45				D		2.0	4.0	PASS
319.	15/11/04/01/349	16	32	48				D		2.0	4.0	PASS
320.	15/11/04/01/352	15	38	53			C			3.0	6.0	PASS
321.	15/11/04/01/356	23	24	47				D		2.0	4.0	PASS
322.	15/11/04/01/357	16	32	48				D		2.0	4.0	PASS
323.	15/11/04/01/358	17	44	61		B				4.0	8.0	PASS
324.	15/11/04/01/359	15	38	53			C			3.0	6.0	PASS
325.	15/11/04/01/360	13	32	45				D		2.0	4.0	PASS
326.	15/11/04/01/365	13	42	55			C			3.0	6.0	PASS
327.	15/11/04/01/367	18	28	46				D		2.0	4.0	PASS
328.	15/11/04/01/368	14	34	48				D		2.0	4.0	PASS
329.	15/11/04/01/371	22	24	46				D		2.0	4.0	PASS
330.	15/11/04/01/374	19	28	47				D		2.0	4.0	PASS
331.	15/11/04/01/375	11	36	47				D		2.0	4.0	PASS
332.	15/11/04/01/376	15	30	45				D		2.0	4.0	PASS
333.	15/11/04/01/380	22	24	46				D		2.0	4.0	PASS
334.	15/11/04/01/382	20	26	46				D		2.0	4.0	PASS
335.	15/11/04/01/386	17	34	51			C			3.0	6.0	PASS
336.	15/11/04/01/387	22	26	48				D		2.0	4.0	PASS

337.	15/11/04/01/389	21	24	45				D		2.0	4.0	PASS
338.	15/11/04/01/395	15	38	53			C			3.0	6.0	PASS
339.	15/11/04/01/647	15	30	45				D		2.0	4.0	PASS
340.	15/11/04/01/696	22	24	46				D		2.0	4.0	PASS
341.	15/11/04/04/035	19	00	19					F	0.0	0.0	FAIL
SUMMARY					3	31	81	202	24			341

0	15	40	55
0	16	34	50
0	20	26	46
0	17	34	51
0	19	32	51
0	21	24	45
0	23	22	45
0	15	30	45
0	18	38	56
0	17	34	51
0	15	30	45
0	17	28	45
0	18	38	56
0	17	34	51
0	18	34	52
0	19	26	45
0	18	28	46
0	22	24	46
0	16	40	56
0	21	26	47
0	17	34	51
0	18	36	54
0	18	30	48
0	15	30	45
0	20	40	60
0	16	32	48
0	17	28	45
0	16	30	46
0	15	32	47
0	18	46	64
0	16	34	50
0	15	34	49
0	15	36	51
0	20	40	60
0	18	28	46
0	17	34	51
0	23	22	45

0	18	30	48
0	23	22	45
0	18	36	54
0	18	28	46
0	18	32	50
0	20	30	50
0	18	38	56
0	17	30	47
0	13	32	45
0	17	30	47
0	12	38	50
0	18	36	54
0	17	34	51
0	10	14	24
0	17	28	45
0	20	40	60
0	21	40	61
0	18	34	52
0	12	34	46
0	14	36	50
0	18	30	48
0	15	18	33
0	20	26	46
0	12	34	46
0	19	26	45
0	16	36	52
0	11	14	25
0	15	18	33
0	19	26	45
0	14	20	34
0	14	38	52
0	13	38	51
0	19	28	47
0	16	30	46
0	22	40	62
0	20	26	46
0	18	30	48
0	17	28	45
0	19	28	47
0	16	36	52
0	16	32	48
0	17	30	47
0	17	34	51
0	17	30	47
0	14	32	46
0	16	30	46
0	15	32	47
0	19	26	45

0	20	28	48
0	23	22	45
0	18	28	46
0	19	28	47
0	18	28	46
0	23	22	45
0	19	28	47
0	18	34	52
0	17	36	53
0	18	34	52
0	22	24	46
0	20	26	46
0	20	38	58
0	19	26	45
0	20	26	46
0	18	38	56
0	19	26	45
0	15	32	47
0	15	38	53
0	12	20	32
0	20	26	46
0	19	44	63
0	18	36	54
0	18	18	36
0	17	34	51
0	18	28	46
0	18	28	46
0	16	34	50
0	22	24	46
0	17	20	37
0	21	26	47
0	20	26	46
0	23	22	45
0	23	22	45
0	14	32	46
0	15	20	35
0	16	30	46
0	18	28	46
0	23	22	45
0	18	32	50
0	16	30	46
0	16	32	48
0	22	50	72
0	20	26	46
0	16	20	36
0	20	44	64
0	17	28	45
0	20	26	46

0	20	38	58
0	20	26	46
0	15	36	51
0	18	32	50
0	16	36	52
0	11	16	27
0	20	26	46
0	20	40	60
0	16	30	46
0	20	26	46
0	21	40	61
0	14	36	50
0	18	46	64
0	15	20	35
0	15	30	45
0	21	32	53
0	17	36	53
0	26	20	46
0	18	30	48
0	15	18	33
0	20	26	46
0	15	30	45
0	15	36	51
0	17	28	45
0	22	24	46
0	20	34	54
0	16	36	52
0	21	24	45
0	22	24	46
0	18	30	48
0	15	38	53
0	18	28	46
0	20	42	62
0	20	26	46
0	16	34	50
0	18	28	46
0	15	32	47
0	15	32	47
0	20	26	46
0	22	26	48
0	19	28	47
0	23	22	45
0	19	18	37

0	14	32	46
0	10	26	36
0	11	18	29
0	12	38	50
0	18	28	46
0	18	28	46
0	22	38	60
0	21	38	59
0	23	22	45
0	15	32	47
0	20	42	62
0	12	20	32
0	18	32	50
0	20	26	46
0	18	30	48
0	21	26	47
0	18	30	48
0	19	20	39
0	12	36	48
0	23	22	45
0	21	24	45
0	23	22	45
0	19	30	49
0	16	36	52
0	15	36	51
0	14	36	50
0	22	48	70
0	17	28	45
0	13	34	47
0	20	44	64
0	10	14	24
0	20	26	46
0	19	26	45
0	20	26	46
0	13	20	33
0	22	24	46
0	21	34	55
0	20	34	54
0	20	28	48
0	17	30	47

0	18	30	48
0	23	22	45
0	23	22	45
0	20	26	46
0	18	28	46
0	16	36	52
0	21	24	45
0	22	24	46
0	21	24	45
0	21	26	47
0	22	26	48
0	14	34	48
0	15	36	51
0	23	22	45
0	18	28	46
0	17	30	47
0	20	26	46
0	18	48	66
0	15	36	51
0	23	22	45
0	15	30	45
0	18	28	46
0	20	40	60
0	19	26	45
0	22	24	46
0	21	24	45
0	20	44	64
0	18	30	48
0	15	32	47
0	13	20	33
0	23	24	47
0	13	34	47
0	14	38	52
0	22	24	46
0	21	40	61
0	15	36	51
0	15	14	29
0	23	24	47
0	15	30	45
0	10	42	52

0	17	30	47
0	19	26	45
0	19	26	45
0	19	28	47
0	21	24	45
0	12	38	50
0	20	44	64
0	23	24	47
0	21	24	45
0	17	28	45
0	17	32	49
0	12	34	46
0	23	22	45
0	16	30	46
0	17	30	47
0	23	22	45
0	16	30	46
0	23	24	47
0	20	52	72
0	20	42	62
0	15	32	47
0	21	40	61
0	19	38	57
0	23	22	45
0	14	38	52
0	22	24	46
0	21	24	45
0	17	38	55
0	15	30	45
0	20	40	60
0	20	44	64
0	17	30	47
0	16	48	64
0	15	30	45
0	20	26	46
0	18	32	50
0	13	34	47
0	20	40	60
0	16	34	50
0	15	38	53

0	20	26	46
0	23	24	47
0	13	20	33
0	14	32	46
0	17	36	53
0	18	28	46
0	20	44	64
0	16	32	48
0	23	24	47
0	16	30	46
0	17	28	45
0	21	40	61
0	23	24	47
0	18	48	66
0	20	36	56
0	16	40	56
0	20	46	66
0	22	24	46
0	16	38	54
0	16	30	46
0	23	22	45
0	23	22	45
0	16	32	48
0	15	38	53
0	23	24	47
0	16	32	48
0	17	44	61
0	15	38	53
0	13	32	45
0	13	42	55
0	18	28	46
0	14	34	48
0	22	24	46
0	19	28	47
0	11	36	47
0	15	30	45
0	22	24	46
0	20	26	46
0	17	34	51
0	22	26	48

0	21	24	45
0	15	38	53
0	15	30	45
0	22	24	46
0	19	0	19