UNIVERSITY OF MAIDUGURI
(*OFFICE OF THE VICE-CHANCELLOR*)
CENTRE FOR DISTANCE LEARNING
Department of Continuing Education and Extention Services
Second Semester End-of-Course Examination Results

Course Code: **CEA 505**
Course Title: **MEDIA TECHNOLOGY IN ADULT EDUCATION**
Course Unit(s): **2**

2015/2016 ACADEMIC SESSION

S/No.	ID. No.	CA Mark	Exam Mark	Total Mark	GRADES										
					A	B+	B	C+	C	D	E	F	GP	U.GP	Remarks
1.	09/11/04/01/006	20	40	60			B						4.0	8.0	PASS
2.	09/11/04/01/107	21	26	47						D			2.0	4.0	PASS
3.	09/11/04/01/131	20	50	70	A								5.0	10.0	PASS
4.	09/11/04/01/139	21	42	63			B						4.0	8.0	PASS
5.	09/11/04/01/144	22	30	52					C				3.0	6.0	PASS
6.	09/11/04/03/022	21	44	65		B+							4.5	9.0	PASS
7.	10/11/04/01/001	20	54	74	A								5.0	10.0	PASS
8.	10/11/04/01/002	21	34	55				C+					3.5	7.0	PASS
9.	10/11/04/01/003	22	38	60			B						4.0	8.0	PASS
10.	10/11/04/01/004	22	48	70	A								5.0	10.0	PASS
11.	10/11/04/01/005	23	32	55				C+					3.5	7.0	PASS
12.	10/11/04/01/006	21	42	63			B						4.0	8.0	PASS
13.	10/11/04/01/008	22	48	70	A								5.0	10.0	PASS
14.	10/11/04/01/009	20	42	62			B						4.0	8.0	PASS
15.	10/11/04/01/011	20	42	62			B						4.0	8.0	PASS
16.	10/11/04/01/012	22	28	50					C				3.0	6.0	PASS
17.	10/11/04/01/022	21	24	45						D			2.0	4.0	PASS
18.	10/11/04/01/025	24	46	70	A								5.0	10.0	PASS
19.	10/11/04/01/029	22	40	62			B						4.0	8.0	PASS
20.	10/11/04/01/032	20	36	56				C+					3.5	7.0	PASS
21.	10/11/04/01/034	24	46	70	A								5.0	10.0	PASS
22.	10/11/04/01/035	20	54	74	A								5.0	10.0	PASS
23.	10/11/04/01/043	21	50	71	A								5.0	10.0	PASS
24.	10/11/04/01/046	22	50	72	A								5.0	10.0	PASS
25.	10/11/04/01/047	21	44	65		B+							4.5	9.0	PASS
26.	10/11/04/01/048	20	42	62			B						4.0	8.0	PASS
27.	10/11/04/01/049	24	46	70	A								5.0	10.0	PASS
28.	10/11/04/01/051	25	46	71	A								5.0	10.0	PASS
29.	10/11/04/01/054	20	40	60			B						4.0	8.0	PASS
30.	10/11/04/01/056	22	48	70	A								5.0	10.0	PASS
31.	10/11/04/01/057	20	46	66		B+							4.5	9.0	PASS
32.	10/11/04/01/059	22	28	50					C				3.0	6.0	PASS
33.	10/11/04/01/060	22	48	70	A								5.0	10.0	PASS
34.	10/11/04/01/063	21	44	65		B+							4.5	9.0	PASS

35.	10/11/04/01/066	20	46	66		B+							4.5	9.0	PASS
36.	10/11/04/01/067	22	48	70	A								5.0	10.0	PASS
37.	10/11/04/01/069	23	48	71	A								5.0	10.0	PASS
38.	10/11/04/01/071	24	46	70	A								5.0	10.0	PASS
39.	10/11/04/01/073	20	30	50					C				3.0	6.0	PASS
40.	10/11/04/01/075	21	22	43							E		1.0	2.0	PASS
41.	10/11/04/01/083	21	50	71	A								5.0	10.0	PASS
42.	10/11/04/01/084	23	42	65		B+							4.5	9.0	PASS
43.	10/11/04/01/090	20	36	56				C+					3.5	7.0	PASS
44.	10/11/04/01/091	21	52	73	A								5.0	10.0	PASS
45.	10/11/04/01/092	18	62	80	A								5.0	10.0	PASS
46.	10/11/04/01/097	26	14	40							E		1.0	2.0	PASS
47.	10/11/04/01/102	23	22	45						D			2.0	4.0	PASS
48.	10/11/04/01/108	21	44	65		B+							4.5	9.0	PASS
49.	10/11/04/01/110	23	42	65		B+							4.5	9.0	PASS
50.	10/11/04/01/111	20	40	60			B						4.0	8.0	PASS
51.	10/11/04/01/113	20	26	46						D			2.0	4.0	PASS
52.	10/11/04/01/115	20	60	80	A								5.0	10.0	PASS
53.	10/11/04/01/118	22	48	70	A								5.0	10.0	PASS
54.	10/11/04/01/121	23	48	71	A								5.0	10.0	PASS
55.	10/11/04/01/122	20	52	72	A								5.0	10.0	PASS
56.	10/11/04/01/124	18	54	72	A								5.0	10.0	PASS
57.	10/11/04/01/125	20	50	70	A								5.0	10.0	PASS
58.	10/11/04/01/129	22	48	70	A								5.0	10.0	PASS
59.	10/11/04/01/130	20	40	60			B						4.0	8.0	PASS
60.	10/11/04/01/135	18	56	74	A								5.0	10.0	PASS
61.	10/11/04/01/139	20	28	48						D			2.0	4.0	PASS
62.	10/11/04/01/141	22	28	50					C				3.0	6.0	PASS
63.	10/11/04/01/142	20	56	76	A								5.0	10.0	PASS
64.	10/11/04/01/144	20	52	72	A								5.0	10.0	PASS
65.	10/11/04/01/146	20	40	60			B						4.0	8.0	PASS
66.	10/11/04/01/147	20	30	50					C				3.0	6.0	PASS
67.	10/11/04/01/148	19	36	55				C+					3.5	7.0	PASS
68.	10/11/04/01/151	18	32	50					C				3.0	6.0	PASS
69.	10/11/04/01/152	20	40	60			B						4.0	8.0	PASS
70.	10/11/04/01/156	22	28	50					C				3.0	6.0	PASS
71.	10/11/04/01/158	22	48	70	A								5.0	10.0	PASS
72.	10/11/04/01/159	20	30	50					C				3.0	6.0	PASS
73.	10/11/04/01/160	21	34	55				C+					3.5	7.0	PASS
74.	10/11/04/01/161	20	46	66		B+							4.5	9.0	PASS
75.	10/11/04/01/169	18	52	70	A								5.0	10.0	PASS
76.	10/11/04/01/174	22	60	82	A								5.0	10.0	PASS
77.	10/11/04/01/175	22	48	70	A								5.0	10.0	PASS
78.	10/11/04/01/176	23	48	71	A								5.0	10.0	PASS
79.	10/11/04/01/184	18	60	78	A								5.0	10.0	PASS

80.	10/11/04/01/185	20	46	66		B+							4.5	9.0	PASS
81.	10/11/04/01/186	20	42	62			B						4.0	8.0	PASS
82.	10/11/04/01/190	20	56	76	A								5.0	10.0	PASS
83.	10/11/04/01/193	20	30	50					C				3.0	6.0	PASS
84.	10/11/04/01/194	22	18	40							E		1.0	2.0	PASS
85.	10/11/04/01/195	22	48	70	A								5.0	10.0	PASS
86.	10/11/04/01/197	20	56	76	A								5.0	10.0	PASS
87.	10/11/04/01/198	20	46	66		B+							4.5	9.0	PASS
88.	10/11/04/01/199	20	30	50					C				3.0	6.0	PASS
89.	10/11/04/01/201	20	50	70	A								5.0	10.0	PASS
90.	10/11/04/01/202	22	38	60			B						4.0	8.0	PASS
91.	10/11/04/01/207	22	48	70	A								5.0	10.0	PASS
92.	10/11/04/01/220	21	36	57				C+					3.5	7.0	PASS
93.	10/11/04/01/222	22	38	60			B						4.0	8.0	PASS
94.	10/11/04/01/223	20	42	62			B						4.0	8.0	PASS
95.	10/11/04/01/227	22	28	50					C				3.0	6.0	PASS
96.	10/11/04/01/229	20	40	60			B						4.0	8.0	PASS
97.	10/11/04/01/241	20	32	52					C				3.0	6.0	PASS
98.	10/11/04/01/242	18	52	70	A								5.0	10.0	PASS
99.	10/11/04/01/243	22	44	66		B+							4.5	9.0	PASS
100.	10/11/04/01/245	18	32	50					C				3.0	6.0	PASS
101.	10/11/04/01/251	21	46	67		B+							4.5	9.0	PASS
102.	10/11/04/01/254	22	38	60			B						4.0	8.0	PASS
103.	10/11/04/01/255	20	40	60			B						4.0	8.0	PASS
104.	10/11/04/01/258	18	54	72	A								5.0	10.0	PASS
105.	10/11/04/01/259	21	24	45						D			2.0	4.0	PASS
106.	10/11/04/01/260	21	34	55				C+					3.5	7.0	PASS
107.	10/11/04/01/268	20	20	40							E		1.0	2.0	PASS
108.	10/11/04/01/273	20	44	64			B						4.0	8.0	PASS
109.	10/11/04/01/279	21	34	55				C+					3.5	7.0	PASS
110.	10/11/04/01/281	20	32	52					C				3.0	6.0	PASS
111.	10/11/04/01/282	19	32	51					C				3.0	6.0	PASS
112.	10/11/04/01/284	20	50	70	A								5.0	10.0	PASS
113.	10/11/04/01/292	21	46	67		B+							4.5	9.0	PASS
114.	10/11/04/01/300	21	44	65		B+							4.5	9.0	PASS
115.	10/11/04/01/301	20	40	60			B						4.0	8.0	PASS
116.	10/11/04/01/302	18	36	54					C				3.0	6.0	PASS
117.	10/11/04/01/304	22	44	66		B+							4.5	9.0	PASS
118.	10/11/04/01/305	18	32	50					C				3.0	6.0	PASS
119.	10/11/04/01/307	20	52	72	A								5.0	10.0	PASS
120.	10/11/04/01/310	23	42	65		B+							4.5	9.0	PASS
121.	10/11/04/03/001	20	40	60			B						4.0	8.0	PASS
122.	10/11/04/03/005	20	22	42							E		1.0	2.0	PASS
123.	10/11/04/03/006	20	30	50					C				3.0	6.0	PASS
124.	10/11/04/03/007	20	32	52					C				3.0	6.0	PASS

125.	10/11/04/03/013	20	32	52					C				3.0	6.0	PASS
126.	10/11/04/03/014	21	46	67		B+							4.5	9.0	PASS
127.	10/11/04/03/017	21	36	57				C+					3.5	7.0	PASS
128.	10/11/04/03/022	20	54	74	A								5.0	10.0	PASS
129.	10/11/04/03/025	22	38	60			B						4.0	8.0	PASS
130.	10/11/04/03/027	20	46	66		B+							4.5	9.0	PASS
131.	10/11/04/03/030	20	32	52					C				3.0	6.0	PASS
132.	10/11/04/03/031	21	50	71	A								5.0	10.0	PASS
133.	10/11/04/03/035	22	28	50					C				3.0	6.0	PASS
134.	10/11/04/03/036	22	28	50					C				3.0	6.0	PASS
135.	10/11/04/03/037	21	34	55				C+					3.5	7.0	PASS
136.	12/11/04/01/002	18	52	70	A								5.0	10.0	PASS
137.	12/11/04/01/005	23	42	65		B+							4.5	9.0	PASS
138.	12/11/04/01/006	18	56	74	A								5.0	10.0	PASS
139.	12/11/04/01/007	20	30	50					C				3.0	6.0	PASS
140.	12/11/04/01/013	18	34	52					C				3.0	6.0	PASS
141.	12/11/04/01/015	21	50	71	A								5.0	10.0	PASS
142.	12/11/04/01/016	20	40	60			B						4.0	8.0	PASS
143.	12/11/04/01/020	20	36	56				C+					3.5	7.0	PASS
144.	12/11/04/01/021	21	38	59				C+					3.5	7.0	PASS
145.	12/11/04/01/023	20	42	62			B						4.0	8.0	PASS
146.	12/11/04/01/024	20	36	56				C+					3.5	7.0	PASS
147.	12/11/04/01/025	20	42	62			B						4.0	8.0	PASS
148.	12/11/04/01/029	18	24	42							E		1.0	2.0	PASS
149.	12/11/04/01/030	21	36	57				C+					3.5	7.0	PASS
150.	12/11/04/01/033	22	50	72	A								5.0	10.0	PASS
151.	12/11/04/01/035	20	36	56				C+					3.5	7.0	PASS
152.	12/11/04/01/036	20	50	70	A								5.0	10.0	PASS
153.	12/11/04/01/040	21	56	77	A								5.0	10.0	PASS
154.	12/11/04/01/041	21	44	65		B+							4.5	9.0	PASS
155.	12/11/04/01/042	20	36	56				C+					3.5	7.0	PASS
156.	12/11/04/01/043	18	54	72	A								5.0	10.0	PASS
157.	12/11/04/01/046	18	52	70	A								5.0	10.0	PASS
158.	12/11/04/01/048	20	42	62			B						4.0	8.0	PASS
159.	12/11/04/01/050	21	44	65		B+							4.5	9.0	PASS
160.	12/11/04/01/051	20	46	66		B+							4.5	9.0	PASS
161.	12/11/04/01/052	17	54	71	A								5.0	10.0	PASS
162.	12/11/04/01/053	22	38	60			B						4.0	8.0	PASS
163.	12/11/04/01/054	20	42	62			B						4.0	8.0	PASS
164.	12/11/04/01/056	20	36	56				C+					3.5	7.0	PASS
165.	12/11/04/01/060	22	48	70	A								5.0	10.0	PASS
166.	12/11/04/01/062	20	46	66		B+							4.5	9.0	PASS
167.	12/11/04/01/068	21	46	67		B+							4.5	9.0	PASS
168.	12/11/04/01/070	20	24	44							E		1.0	2.0	PASS
169.	12/11/04/01/072	22	48	70	A								5.0	10.0	PASS

170.	12/11/04/01/074	20	42	62			B						4.0	8.0	PASS
171.	12/11/04/01/075	20	42	62			B						4.0	8.0	PASS
172.	12/11/04/01/076	22	18	40							E		1.0	2.0	PASS
173.	12/11/04/01/077	21	34	55				C+					3.5	7.0	PASS
174.	12/11/04/01/079	20	42	62			B						4.0	8.0	PASS
175.	12/11/04/01/080	20	36	56				C+					3.5	7.0	PASS
176.	12/11/04/01/083	20	50	70	A								5.0	10.0	PASS
177.	12/11/04/01/084	20	20	40							E		1.0	2.0	PASS
178.	12/11/04/01/085	18	32	50					C				3.0	6.0	PASS
179.	12/11/04/01/086	20	30	50					C				3.0	6.0	PASS
180.	12/11/04/01/088	20	46	66		B+							4.5	9.0	PASS
181.	12/11/04/01/089	22	18	40							E		1.0	2.0	PASS
182.	12/11/04/01/090	20	40	60			B						4.0	8.0	PASS
183.	12/11/04/01/092	18	32	50					C				3.0	6.0	PASS
184.	12/11/04/01/094	18	52	70	A								5.0	10.0	PASS
185.	12/11/04/01/097	20	44	64			B						4.0	8.0	PASS
186.	12/11/04/01/098	22	48	70	A								5.0	10.0	PASS
187.	12/11/04/01/100	18	52	70	A								5.0	10.0	PASS
188.	12/11/04/01/101	22	50	72	A								5.0	10.0	PASS
189.	12/11/04/01/104	22	18	40							E		1.0	2.0	PASS
190.	12/11/04/01/105	22	36	58				C+					3.5	7.0	PASS
191.	12/11/04/01/107	21	54	75	A								5.0	10.0	PASS
192.	12/11/04/01/108	20	36	56				C+					3.5	7.0	PASS
193.	12/11/04/01/115	20	46	66		B+							4.5	9.0	PASS
194.	12/11/04/01/117	20	54	74	A								5.0	10.0	PASS
195.	12/11/04/01/118	20	50	70	A								5.0	10.0	PASS
196.	12/11/04/01/120	21	44	65		B+							4.5	9.0	PASS
197.	12/11/04/01/121	19	52	71	A								5.0	10.0	PASS
198.	12/11/04/01/122	18	56	74	A								5.0	10.0	PASS
199.	12/11/04/01/123	21	44	65		B+							4.5	9.0	PASS
200.	12/11/04/01/124	22	28	50					C				3.0	6.0	PASS
201.	12/11/04/01/125	22	48	70	A								5.0	10.0	PASS
202.	12/11/04/01/128	20	30	50					C				3.0	6.0	PASS
203.	12/11/04/01/131	20	36	56				C+					3.5	7.0	PASS
204.	12/11/04/01/132	18	52	70	A								5.0	10.0	PASS
205.	12/11/04/01/133	24	46	70	A								5.0	10.0	PASS
206.	12/11/04/01/135	20	42	62			B						4.0	8.0	PASS
207.	12/11/04/01/136	23	32	55				C+					3.5	7.0	PASS
208.	12/11/04/01/137	20	36	56				C+					3.5	7.0	PASS
209.	12/11/04/01/138	20	56	76	A								5.0	10.0	PASS
210.	12/11/04/01/140	18	22	40							E		1.0	2.0	PASS
211.	12/11/04/01/142	20	42	62			B						4.0	8.0	PASS
212.	12/11/04/01/145	22	38	60			B						4.0	8.0	PASS
213.	12/11/04/01/146	20	40	60			B						4.0	8.0	PASS
214.	12/11/04/01/147	21	44	65		B+							4.5	9.0	PASS

215.	12/11/04/01/148	20	24	44							E		1.0	2.0	PASS
216.	12/11/04/01/150	22	42	64			B						4.0	8.0	PASS
217.	12/11/04/01/154	20	28	48						D			2.0	4.0	PASS
218.	12/11/04/01/156	20	40	60			B						4.0	8.0	PASS
219.	12/11/04/01/157	20	42	62			B						4.0	8.0	PASS
220.	12/11/04/01/159	22	28	50					C				3.0	6.0	PASS
221.	12/11/04/01/161	20	32	52					C				3.0	6.0	PASS
222.	12/11/04/01/162	20	54	74	A								5.0	10.0	PASS
223.	12/11/04/01/163	18	44	62			B						4.0	8.0	PASS
224.	12/11/04/01/165	18	60	78	A								5.0	10.0	PASS
225.	12/11/04/01/166	20	20	40							E		1.0	2.0	PASS
226.	12/11/04/01/169	22	38	60			B						4.0	8.0	PASS
227.	12/11/04/01/175	20	40	60			B						4.0	8.0	PASS
228.	12/11/04/01/176	21	34	55				C+					3.5	7.0	PASS
229.	12/11/04/01/183	22	36	58				C+					3.5	7.0	PASS
230.	12/11/04/01/185	20	30	50					C				3.0	6.0	PASS
231.	12/11/04/01/186	22	44	66		B+							4.5	9.0	PASS
232.	12/11/04/01/188	20	46	66		B+							4.5	9.0	PASS
233.	12/11/04/01/189	20	32	52					C				3.0	6.0	PASS
234.	12/11/04/01/190	18	38	56				C+					3.5	7.0	PASS
235.	12/11/04/01/191	22	48	70	A								5.0	10.0	PASS
236.	12/11/04/01/192	22	28	50					C				3.0	6.0	PASS
237.	12/11/04/01/199	21	34	55				C+					3.5	7.0	PASS
238.	12/11/04/01/205	19	52	71	A								5.0	10.0	PASS
239.	12/11/04/01/208	17	56	73	A								5.0	10.0	PASS
240.	12/11/04/01/210	22	18	40							E		1.0	2.0	PASS
241.	12/11/04/01/211	26	44	70	A								5.0	10.0	PASS
242.	12/11/04/01/212	20	30	50					C				3.0	6.0	PASS
243.	12/11/04/01/213	20	50	70	A								5.0	10.0	PASS
244.	12/11/04/01/215	21	54	75	A								5.0	10.0	PASS
245.	12/11/04/01/216	21	40	61			B						4.0	8.0	PASS
246.	12/11/04/01/217	23	42	65		B+							4.5	9.0	PASS
247.	12/11/04/03/001	23	42	65		B+							4.5	9.0	PASS
248.	12/11/04/03/002	21	24	45						D			2.0	4.0	PASS
249.	12/11/04/03/004	20	50	70	A								5.0	10.0	PASS
250.	12/11/04/03/006	20	56	76	A								5.0	10.0	PASS
251.	12/11/04/03/012	22	52	74	A								5.0	10.0	PASS
252.	12/11/04/03/015	20	52	72	A								5.0	10.0	PASS
253.	12/11/04/03/016	21	44	65		B+							4.5	9.0	PASS
254.	12/11/04/03/018	22	44	66		B+							4.5	9.0	PASS
255.	12/11/04/03/019	20	52	72	A								5.0	10.0	PASS
256.	12/11/04/03/020	22	18	40							E		1.0	2.0	PASS
257.	12/11/04/03/021	21	44	65		B+							4.5	9.0	PASS
258.	12/11/04/03/022	20	56	76	A								5.0	10.0	PASS
259.	12/11/04/03/028	20	50	70	A								5.0	10.0	PASS

260.	12/11/04/03/029	20	50	70	A								5.0	10.0	PASS
261.	12/11/04/03/033	22	38	60			B						4.0	8.0	PASS
262.	12/11/04/03/035	22	44	66		B+							4.5	9.0	PASS
263.	12/11/04/03/037	20	42	62			B						4.0	8.0	PASS
264.	12/11/04/03/039	21	32	53					C				3.0	6.0	PASS
SUMMARY					**87**	**38**	**48**	**29**	**38**	**8**	**16**	**0**			**264**