

UNIVERSITY OF MAIDUGURI
(OFFICE OF THE VICE-CHANCELLOR)
CENTRE FOR DISTANCE LEARNING

Department of Continuing Education and Extension Services
Second Semester End-of-Course Examination Results

Course Code: CEA 506
Course Title: ECONOMICS IN ADULT EDUCATION
Course Unit(s): 2

2015/2016 ACADEMIC SESSION

S/No.	ID. No.	CA Mark	Exam Mark	Total Mark	GRADES										GP	U.GP	Remarks
					A	B+	B	C+	C	D	E	F					
1.	08/11/04/01/032	21	24	45						D			2.0	4.0	PASS		
2.	09/11/04/01/006	20	48	68		B+						4.5	9.0	PASS			
3.	09/11/04/01/107	21	20	41						E		1.0	2.0	PASS			
4.	09/11/04/01/131	20	48	68		B+						4.5	9.0	PASS			
5.	09/11/04/01/139	20	42	62			B					4.0	8.0	PASS			
6.	10/11/04/01/001	20	50	70	A							5.0	10.0	PASS			
7.	10/11/04/01/002	22	26	48						D		2.0	4.0	PASS			
8.	10/11/04/01/003	22	38	60			B					4.0	8.0	PASS			
9.	10/11/04/01/004	20	46	66		B+						4.5	9.0	PASS			
10.	10/11/04/01/005	20	22	42						E		1.0	2.0	PASS			
11.	10/11/04/01/006	20	38	58				C+				3.5	7.0	PASS			
12.	10/11/04/01/008	26	28	54					C			3.0	6.0	PASS			
13.	10/11/04/01/009	24	26	50					C			3.0	6.0	PASS			
14.	10/11/04/01/011	21	34	55				C+				3.5	7.0	PASS			
15.	10/11/04/01/012	22	24	46						D		2.0	4.0	PASS			
16.	10/11/04/01/022	22	44	66		B+						4.5	9.0	PASS			
17.	10/11/04/01/025	21	34	55				C+				3.5	7.0	PASS			
18.	10/11/04/01/029	20	42	62			B					4.0	8.0	PASS			
19.	10/11/04/01/032	20	26	46						D		2.0	4.0	PASS			
20.	10/11/04/01/034	20	32	52					C			3.0	6.0	PASS			
21.	10/11/04/01/035	18	34	52					C			3.0	6.0	PASS			
22.	10/11/04/01/043	20	40	60			B					4.0	8.0	PASS			
23.	10/11/04/01/046	18	38	56				C+				3.5	7.0	PASS			
24.	10/11/04/01/047	16	38	54					C			3.0	6.0	PASS			
25.	10/11/04/01/048	14	38	52					C			3.0	6.0	PASS			
26.	10/11/04/01/049	20	30	50					C			3.0	6.0	PASS			
27.	10/11/04/01/051	21	30	51					C			3.0	6.0	PASS			
28.	10/11/04/01/054	21	44	65		B+						4.5	9.0	PASS			
29.	10/11/04/01/056	22	44	66		B+						4.5	9.0	PASS			
30.	10/11/04/01/057	20	38	58				C+				3.5	7.0	PASS			
31.	10/11/04/01/059	21	18	40						E		1.0	2.0	PASS			
32.	10/11/04/01/060	21	34	55				C+				3.5	7.0	PASS			
33.	10/11/04/01/063	22	34	56				C+				3.5	7.0	PASS			
34.	10/11/04/01/066	21	26	47						D		2.0	4.0	PASS			
35.	10/11/04/01/067	20	56	76	A							5.0	10.0	PASS			
36.	10/11/04/01/069	20	40	60			B					4.0	8.0	PASS			

37.	10/11/04/01/071	20	30	50					C				3.0	6.0	PASS
38.	10/11/04/01/073	18	38	56				C+					3.5	7.0	PASS
39.	10/11/04/01/075	19	26	45					D				2.0	4.0	PASS
40.	10/11/04/01/083	18	28	46					D				2.0	4.0	PASS
41.	10/11/04/01/084	20	38	58				C+					3.5	7.0	PASS
42.	10/11/04/01/090	19	36	55				C+					3.5	7.0	PASS
43.	10/11/04/01/091	18	42	60				B					4.0	8.0	PASS
44.	10/11/04/01/092	21	52	73	A								5.0	10.0	PASS
45.	10/11/04/01/097	21	24	45					D				2.0	4.0	PASS
46.	10/11/04/01/102	24	16	40						E			1.0	2.0	PASS
47.	10/11/04/01/108	21	34	55				C+					3.5	7.0	PASS
48.	10/11/04/01/110	20	32	52					C				3.0	6.0	PASS
49.	10/11/04/01/111	20	38	58				C+					3.5	7.0	PASS
50.	10/11/04/01/113	19	26	45					D				2.0	4.0	PASS
51.	10/11/04/01/115	18	50	68		B+							4.5	9.0	PASS
52.	10/11/04/01/118	21	28	49					D				2.0	4.0	PASS
53.	10/11/04/01/121	18	24	42						E			1.0	2.0	PASS
54.	10/11/04/01/122	20	36	56				C+					3.5	7.0	PASS
55.	10/11/04/01/124	21	44	65		B+							4.5	9.0	PASS
56.	10/11/04/01/125	18	52	70	A								5.0	10.0	PASS
57.	10/11/04/01/129	18	32	50					C				3.0	6.0	PASS
58.	10/11/04/01/130	20	22	42						E			1.0	2.0	PASS
59.	10/11/04/01/135	18	58	76	A								5.0	10.0	PASS
60.	10/11/04/01/139	18	32	50					C				3.0	6.0	PASS
61.	10/11/04/01/141	22	28	50					C				3.0	6.0	PASS
62.	10/11/04/01/142	19	36	55				C+					3.5	7.0	PASS
63.	10/11/04/01/144	20	40	60				B					4.0	8.0	PASS
64.	10/11/04/01/146	13	28	41						E			1.0	2.0	PASS
65.	10/11/04/01/147	13	28	41						E			1.0	2.0	PASS
66.	10/11/04/01/148	23	32	55				C+					3.5	7.0	PASS
67.	10/11/04/01/151	23	44	61				B					4.0	8.0	PASS
68.	10/11/04/01/152	23	42	65		B+							4.5	9.0	PASS
69.	10/11/04/01/156	25	30	55				C+					3.5	7.0	PASS
70.	10/11/04/01/158	23	42	65		B+							4.5	9.0	PASS
71.	10/11/04/01/159	21	36	57				C+					3.5	7.0	PASS
72.	10/11/04/01/160	20	24	44						E			1.0	2.0	PASS
73.	10/11/04/01/161	21	34	55				C+					3.5	7.0	PASS
74.	10/11/04/01/169	23	42	65		B+							4.5	9.0	PASS
75.	10/11/04/01/174	21	46	67		B+							4.5	9.0	PASS
76.	10/11/04/01/175	20	24	44						E			1.0	2.0	PASS
77.	10/11/04/01/176	22	28	50					C				3.0	6.0	PASS
78.	10/11/04/01/184	22	38	60				B					4.0	8.0	PASS
79.	10/11/04/01/185	20	40	60				B					4.0	8.0	PASS
80.	10/11/04/01/186	20	36	56				C+					3.5	7.0	PASS
81.	10/11/04/01/190	22	44	66		B+							4.5	9.0	PASS
82.	10/11/04/01/193	13	28	41						E			1.0	2.0	PASS
83.	10/11/04/01/194	20	20	40						E			1.0	2.0	PASS
84.	10/11/04/01/195	20	36	56				C+					3.5	7.0	PASS

85.	10/11/04/01/197	23	42	65		B+							4.5	9.0	PASS
86.	10/11/04/01/198	24	48	72	A								5.0	10.0	PASS
87.	10/11/04/01/199	20	24	44							E		1.0	2.0	PASS
88.	10/11/04/01/201	26	34	60			B						4.0	8.0	PASS
89.	10/11/04/01/202	21	34	55				C+					3.5	7.0	PASS
90.	10/11/04/01/207	19	36	55				C+					3.5	7.0	PASS
91.	10/11/04/01/220	18	32	50					C				3.0	6.0	PASS
92.	10/11/04/01/222	22	28	50					C				3.0	6.0	PASS
93.	10/11/04/01/223	21	36	57				C+					3.5	7.0	PASS
94.	10/11/04/01/227	21	32	53					C				3.0	6.0	PASS
95.	10/11/04/01/229	20	36	56				C+					3.5	7.0	PASS
96.	10/11/04/01/241	18	22	40							E		1.0	2.0	PASS
97.	10/11/04/01/242	26	14	40							E		1.0	2.0	PASS
98.	10/11/04/01/243	20	28	48						D			2.0	4.0	PASS
99.	10/11/04/01/245	18	22	40							E		1.0	2.0	PASS
100.	10/11/04/01/251	20	30	50					C				3.0	6.0	PASS
101.	10/11/04/01/254	21	30	51					C				3.0	6.0	PASS
102.	10/11/04/01/255	22	38	60			B						4.0	8.0	PASS
103.	10/11/04/01/258	20	40	60			B						4.0	8.0	PASS
104.	10/11/04/01/259	22	30	52					C				3.0	6.0	PASS
105.	10/11/04/01/260	20	20	40							E		1.0	2.0	PASS
106.	10/11/04/01/268	21	44	65		B+							4.5	9.0	PASS
107.	10/11/04/01/273	21	22	43							E		1.0	2.0	PASS
108.	10/11/04/01/279	21	28	49						D			2.0	4.0	PASS
109.	10/11/04/01/282	24	16	40							E		1.0	2.0	PASS
110.	10/11/04/01/284	20	24	44							E		1.0	2.0	PASS
111.	10/11/04/01/292	21	36	57				C+					3.5	7.0	PASS
112.	10/11/04/01/300	20	42	62			B						4.0	8.0	PASS
113.	10/11/04/01/301	20	38	58				C+					3.5	7.0	PASS
114.	10/11/04/01/302	21	34	55				C+					3.5	7.0	PASS
115.	10/11/04/01/304	20	30	50					C				3.0	6.0	PASS
116.	10/11/04/01/305	20	24	44							E		1.0	2.0	PASS
117.	10/11/04/01/307	19	24	43							E		1.0	2.0	PASS
118.	10/11/04/01/310	21	30	51					C				3.0	6.0	PASS
119.	10/11/04/03/001	22	28	50					C				3.0	6.0	PASS
120.	10/11/04/03/005	20	30	50					C				3.0	6.0	PASS
121.	10/11/04/03/006	21	20	41							E		1.0	2.0	PASS
122.	10/11/04/03/007	20	20	40							E		1.0	2.0	PASS
123.	10/11/04/03/013	19	24	43							E		1.0	2.0	PASS
124.	10/11/04/03/014	20	36	56				C+					3.5	7.0	PASS
125.	10/11/04/03/017	19	24	43							E		1.0	2.0	PASS
126.	10/11/04/03/022	20	46	66		B+							4.5	9.0	PASS
127.	10/11/04/03/025	19	24	43							E		1.0	2.0	PASS
128.	10/11/04/03/027	22	38	60			B						4.0	8.0	PASS
129.	10/11/04/03/030	23	32	55				C+					3.5	7.0	PASS
130.	10/11/04/03/031	22	28	50					C				3.0	6.0	PASS
131.	10/11/04/03/035	19	22	41							E		1.0	2.0	PASS
132.	10/11/04/03/036	20	20	40							E		1.0	2.0	PASS

133.	10/11/04/03/037	22	34	56				C+					3.5	7.0	PASS
134.	12/11/04/01/002	21	38	59				C+					3.5	7.0	PASS
135.	12/11/04/01/005	20	22	42							E		1.0	2.0	PASS
136.	12/11/04/01/006	25	46	71	A								5.0	10.0	PASS
137.	12/11/04/01/007	24	26	50					C				3.0	6.0	PASS
138.	12/11/04/01/013	25	30	55				C+					3.5	7.0	PASS
139.	12/11/04/01/015	24	46	70	A								5.0	10.0	PASS
140.	12/11/04/01/016	21	34	55				C+					3.5	7.0	PASS
141.	12/11/04/01/020	21	36	57				C+					3.5	7.0	PASS
142.	12/11/04/01/021	20	40	60			B						4.0	8.0	PASS
143.	12/11/04/01/023	20	32	52					C				3.0	6.0	PASS
144.	12/11/04/01/024	21	32	53					C				3.0	6.0	PASS
145.	12/11/04/01/025	21	36	57				C+					3.5	7.0	PASS
146.	12/11/04/01/029	20	20	40							E		1.0	2.0	PASS
147.	12/11/04/01/030	21	44	65		B+							4.5	9.0	PASS
148.	12/11/04/01/033	25	40	65		B+							4.5	9.0	PASS
149.	12/11/04/01/035	20	26	46							D		2.0	4.0	PASS
150.	12/11/04/01/036	21	42	63			B						4.0	8.0	PASS
151.	12/11/04/01/040	22	48	70	A								5.0	10.0	PASS
152.	12/11/04/01/041	20	26	46							D		2.0	4.0	PASS
153.	12/11/04/01/042	21	26	47							D		2.0	4.0	PASS
154.	12/11/04/01/043	20	42	62			B						4.0	8.0	PASS
155.	12/11/04/01/046	20	36	56				C+					3.5	7.0	PASS
156.	12/11/04/01/048	21	28	49							D		2.0	4.0	PASS
157.	12/11/04/01/050	22	50	72	A								5.0	10.0	PASS
158.	12/11/04/01/051	21	44	65		B+							4.5	9.0	PASS
159.	12/11/04/01/052	20	52	72	A								5.0	10.0	PASS
160.	12/11/04/01/053	20	22	42							E		1.0	2.0	PASS
161.	12/11/04/01/054	21	36	57				C+					3.5	7.0	PASS
162.	12/11/04/01/056	20	26	46							D		2.0	4.0	PASS
163.	12/11/04/01/060	21	34	55				C+					3.5	7.0	PASS
164.	12/11/04/01/062	20	56	76	A								5.0	10.0	PASS
165.	12/11/04/01/068	21	44	65		B+							4.5	9.0	PASS
166.	12/11/04/01/070	20	24	44							E		1.0	2.0	PASS
167.	12/11/04/01/072	20	44	64			B						4.0	8.0	PASS
168.	12/11/04/01/074	20	36	56				C+					3.5	7.0	PASS
169.	12/11/04/01/075	20	20	40							E		1.0	2.0	PASS
170.	12/11/04/01/076	19	22	41							E		1.0	2.0	PASS
171.	12/11/04/01/077	20	24	44							E		1.0	2.0	PASS
172.	12/11/04/01/079	26	24	50					C				3.0	6.0	PASS
173.	12/11/04/01/080	26	14	40							E		1.0	2.0	PASS
174.	12/11/04/01/083	20	32	52					C				3.0	6.0	PASS
175.	12/11/04/01/084	28	12	40							E		1.0	2.0	PASS
176.	12/11/04/01/085	20	40	60			B						4.0	8.0	PASS
177.	12/11/04/01/086	20	26	46							D		2.0	4.0	PASS
178.	12/11/04/01/088	20	30	50					C				3.0	6.0	PASS
179.	12/11/04/01/089	22	18	40							E		1.0	2.0	PASS
180.	12/11/04/01/090	22	28	50					C				3.0	6.0	PASS

181.	12/11/04/01/092	21	34	55				C+				3.5	7.0	PASS
182.	12/11/04/01/094	20	20	40						E		1.0	2.0	PASS
183.	12/11/04/01/097	21	40	61			B					4.0	8.0	PASS
184.	12/11/04/01/098	21	44	65		B+						4.5	9.0	PASS
185.	12/11/04/01/100	20	42	62			B					4.0	8.0	PASS
186.	12/11/04/01/101	20	40	60			B					4.0	8.0	PASS
187.	12/11/04/01/104	20	22	42						E		1.0	2.0	PASS
188.	12/11/04/01/105	21	36	57				C+				3.5	7.0	PASS
189.	12/11/04/01/107	22	48	70	A							5.0	10.0	PASS
190.	12/11/04/01/108	20	30	50					C			3.0	6.0	PASS
191.	12/11/04/01/115	22	28	50					C			3.0	6.0	PASS
192.	12/11/04/01/117	21	36	57				C+				3.5	7.0	PASS
193.	12/11/04/01/118	20	34	54					C			3.0	6.0	PASS
194.	12/11/04/01/120	22	40	62			B					4.0	8.0	PASS
195.	12/11/04/01/121	21	50	71	A							5.0	10.0	PASS
196.	12/11/04/01/122	21	44	65		B+						4.5	9.0	PASS
197.	12/11/04/01/123	20	42	62			B					4.0	8.0	PASS
198.	12/11/04/01/124	22	48	70	A							5.0	10.0	PASS
199.	12/11/04/01/125	21	34	55				C+				3.5	7.0	PASS
200.	12/11/04/01/128	20	24	44						E		1.0	2.0	PASS
201.	12/11/04/01/131	20	30	50					C			3.0	6.0	PASS
202.	12/11/04/01/132	26	38	64			B					4.0	8.0	PASS
203.	12/11/04/01/133	26	32	58				C+				3.5	7.0	PASS
204.	12/11/04/01/135	21	44	65		B+						4.5	9.0	PASS
205.	12/11/04/01/136	20	22	42						E		1.0	2.0	PASS
206.	12/11/04/01/137	20	42	62			B					4.0	8.0	PASS
207.	12/11/04/01/138	21	42	63			B					4.0	8.0	PASS
208.	12/11/04/01/140	24	22	46						D		2.0	4.0	PASS
209.	12/11/04/01/142	21	34	55				C+				3.5	7.0	PASS
210.	12/11/04/01/145	22	28	50					C			3.0	6.0	PASS
211.	12/11/04/01/146	21	24	45						D		2.0	4.0	PASS
212.	12/11/04/01/147	20	40	60			B					4.0	8.0	PASS
213.	12/11/04/01/148	22	18	40						E		1.0	2.0	PASS
214.	12/11/04/01/150	21	40	61			B					4.0	8.0	PASS
215.	12/11/04/01/154	20	20	40						E		1.0	2.0	PASS
216.	12/11/04/01/156	22	38	60			B					4.0	8.0	PASS
217.	12/11/04/01/157	20	32	52					C			3.0	6.0	PASS
218.	12/11/04/01/159	20	20	40						E		1.0	2.0	PASS
219.	12/11/04/01/161	20	30	50					C			3.0	6.0	PASS
220.	12/11/04/01/162	20	32	52					C			3.0	6.0	PASS
221.	12/11/04/01/163	26	28	54					C			3.0	6.0	PASS
222.	12/11/04/01/165	20	60	80	A							5.0	10.0	PASS
223.	12/11/04/01/166	21	24	45						D		2.0	4.0	PASS
224.	12/11/04/01/169	21	24	45						D		2.0	4.0	PASS
225.	12/11/04/01/175	22	34	56				C+				3.5	7.0	PASS
226.	12/11/04/01/176	21	28	49						D		2.0	4.0	PASS
227.	12/11/04/01/183	20	20	40						E		1.0	2.0	PASS
228.	12/11/04/01/185	22	38	60			B					4.0	8.0	PASS

229.	12/11/04/01/186	22	38	60			B					4.0	8.0	PASS
230.	12/11/04/01/188	22	34	56				C+				3.5	7.0	PASS
231.	12/11/04/01/189	21	28	49						D		2.0	4.0	PASS
232.	12/11/04/01/190	19	24	43						E		1.0	2.0	PASS
233.	12/11/04/01/191	21	54	75	A							5.0	10.0	PASS
234.	12/11/04/01/192	20	24	44						E		1.0	2.0	PASS
235.	12/11/04/01/199	22	28	50						C		3.0	6.0	PASS
236.	12/11/04/01/205	20	46	66		B+						4.5	9.0	PASS
237.	12/11/04/01/208	20	42	62			B					4.0	8.0	PASS
238.	12/11/04/01/210	20	20	40						E		1.0	2.0	PASS
239.	12/11/04/01/211	24	46	70	A							5.0	10.0	PASS
240.	12/11/04/01/212	20	32	52						C		3.0	6.0	PASS
241.	12/11/04/01/213	21	34	55				C+				3.5	7.0	PASS
242.	12/11/04/01/215	21	44	65		B+						4.5	9.0	PASS
243.	12/11/04/01/216	21	44	65		B+						4.5	9.0	PASS
244.	12/11/04/01/217	20	42	62			B					4.0	8.0	PASS
245.	12/11/04/03/001	21	32	53						C		3.0	6.0	PASS
246.	12/11/04/03/002	20	26	46						D		2.0	4.0	PASS
247.	12/11/04/03/004	20	40	60			B					4.0	8.0	PASS
248.	12/11/04/03/006	21	50	71	A							5.0	10.0	PASS
249.	12/11/04/03/012	20	46	66		B+						4.5	9.0	PASS
250.	12/11/04/03/015	20	40	60			B					4.0	8.0	PASS
251.	12/11/04/03/016	21	34	55				C+				3.5	7.0	PASS
252.	12/11/04/03/018	19	26	45						D		2.0	4.0	PASS
253.	12/11/04/03/019	20	52	72	A							5.0	10.0	PASS
254.	12/11/04/03/020	28	12	40						E		1.0	2.0	PASS
255.	12/11/04/03/021	20	36	56				C+				3.5	7.0	PASS
256.	12/11/04/03/022	20	56	76	A							5.0	10.0	PASS
257.	12/11/04/03/028	20	32	52						C		3.0	6.0	PASS
258.	12/11/04/03/029	21	32	53						C		3.0	6.0	PASS
259.	12/11/04/03/033	20	30	50						C		3.0	6.0	PASS
260.	12/11/04/03/035	20	22	42						E		1.0	2.0	PASS
261.	12/11/04/03/037	22	38	60			B					4.0	8.0	PASS
262.	12/11/04/03/039	20	36	56				C+				3.5	7.0	PASS
	SUMMARY				21	27	38	51	47	27	52	00		262

;