

UNIVERSITY OF MAIDUGURI
(Office of the Vice-Chancellor)
CENTRE FOR DISTANCE LEARNING
DEPARTMENT OF EDUCATION

Second Semester End-of-Course Examination Results

Course Code: **EDU 522**
Course Title: **CURRICULUM & INSTRUCTIONAL DESIGN**
Course Unit(s): **2**

2015/2016 Academic Session

S/No	ID. No.	C.A. Marks	Exam Marks	Total Marks	Grades								GP	U.GP	Remarks
					A	B+	B	C+	C	D	E	F			
1.	09/11/04/04/097	16	37	53					C				3.0	9.0	PASS
2.	09/11/04/04/292	14	37	51					C				3.0	9.0	PASS
3.	10/11/04/04/006	16	51	67		B+							4.5	13.5	PASS
4.	10/11/04/04/008	17	45	62			B						4.0	12.0	PASS
5.	10/11/04/04/014	18	37	55				C+					3.5	10.5	PASS
6.	10/11/04/04/021	17	34	51					C				3.0	9.0	PASS
7.	10/11/04/04/023	15	31	46						D			2.0	6.0	PASS
8.	10/11/04/04/039	14	37	51					C				3.0	9.0	PASS
9.	10/11/04/04/071	15	31	46						D			2.0	6.0	PASS
10.	10/11/04/04/072	15	37	52					C				3.0	9.0	PASS
11.	10/11/04/04/075	15	45	60			B						4.0	12.0	PASS
12.	10/11/04/04/078	13	37	50					C				3.0	9.0	PASS
13.	10/11/04/04/083	20	20	40							E		1.0	3.0	PASS
14.	10/11/04/04/085	17	34	51					C				3.0	9.0	PASS
15.	10/11/04/04/095	17	34	51					C				3.0	9.0	PASS
16.	10/11/04/04/102	15	42	57				C+					3.5	10.5	PASS
17.	10/11/04/04/103	13	37	50					C				3.0	9.0	PASS
18.	10/11/04/04/104	16	34	50					C				3.0	9.0	PASS
19.	10/11/04/04/108	17	45	62			B						4.0	12.0	PASS
20.	10/11/04/04/110	12	28	40							E		1.0	3.0	PASS
21.	10/11/04/04/111	16	40	56				C+					3.5	10.5	PASS
22.	10/11/04/04/112	15	54	69		B+							4.5	13.5	PASS
23.	10/11/04/04/113	16	40	56				C+					3.5	10.5	PASS
24.	10/11/04/04/116	16	40	56				C+					3.5	10.5	PASS
25.	10/11/04/04/119	15	37	52					C				3.0	9.0	PASS
26.	10/11/04/04/123	14	40	54					C				3.0	9.0	PASS
27.	10/11/04/04/125	16	28	44							E		1.0	3.0	PASS
28.	10/11/04/04/126	16	45	61			B						4.0	12.0	PASS
29.	10/11/04/04/127	14	48	62			B						4.0	12.0	PASS
30.	10/11/04/04/128	17	45	62			B						4.0	12.0	PASS
31.	10/11/04/04/139	14	40	54					C				3.0	9.0	PASS
32.	10/11/04/04/140	18	34	52					C				3.0	9.0	PASS
33.	10/11/04/04/151	18	45	63			B						4.0	12.0	PASS
34.	10/11/04/04/152	16	37	53					C				3.0	9.0	PASS
35.	10/11/04/04/153	18	45	63			B						4.0	12.0	PASS

36.	10/11/04/04/154	18	48	66		B+						4.5	13.5	PASS
37.	10/11/04/04/155	16	37	53					C			3.0	9.0	PASS
38.	10/11/04/04/157	14	31	45						D		2.0	6.0	PASS
39.	10/11/04/04/164	17	40	57				C+				3.5	10.5	PASS
40.	10/11/04/04/165	15	25	40						E		1.0	3.0	PASS
41.	10/11/04/04/168	15	31	46						D		2.0	6.0	PASS
42.	10/11/04/04/177	15	37	52					C			3.0	9.0	PASS
43.	10/11/04/04/179	17	37	54					C			3.0	9.0	PASS
44.	10/11/04/04/181	16	37	53					C			3.0	9.0	PASS
45.	10/11/04/04/183	17	40	57				C+				3.5	10.5	PASS
46.	10/11/04/04/187	14	45	59				C+				3.5	10.5	PASS
47.	10/11/04/04/191	16	40	56				C+				3.5	10.5	PASS
48.	10/11/04/04/207	13	45	58				C+				3.5	10.5	PASS
49.	10/11/04/04/210	16	28	44						E		1.0	3.0	PASS
50.	10/11/04/04/214	18	40	58				C+				3.5	10.5	PASS
51.	10/11/04/04/221	18	40	58				C+				3.5	10.5	PASS
52.	10/11/04/04/231	15	37	52					C			3.0	9.0	PASS
53.	10/11/04/04/243	15	28	43						E		1.0	3.0	PASS
54.	10/11/04/04/246	17	42	59				C+				3.5	10.5	PASS
55.	10/11/04/04/250	16	37	53					C			3.0	9.0	PASS
56.	10/11/04/04/254	16	31	47						D		2.0	6.0	PASS
57.	10/11/04/04/257	17	40	57				C+				3.5	10.5	PASS
58.	10/11/04/04/259	16	34	50					C			3.0	9.0	PASS
59.	10/11/04/04/264	15	42	57				C+				3.5	10.5	PASS
60.	10/11/04/04/266	14	42	56				C+				3.5	10.5	PASS
61.	10/11/04/04/277	16	34	50					C			3.0	9.0	PASS
62.	10/11/04/04/281	16	25	41						E		1.0	3.0	PASS
63.	10/11/04/04/282	15	28	43						E		1.0	3.0	PASS
64.	10/11/04/04/286	16	45	61			B					4.0	12.0	PASS
65.	10/11/04/04/291	14	31	45						D		2.0	6.0	PASS
66.	10/11/04/04/294	16	37	53					C			3.0	9.0	PASS
67.	10/11/04/04/296	14	37	51					C			3.0	9.0	PASS
68.	10/11/04/04/305	15	45	60			B					4.0	12.0	PASS
69.	10/11/04/04/306	16	28	44						E		1.0	3.0	PASS
70.	10/11/04/04/308	16	42	58				C+				3.5	10.5	PASS
71.	10/11/04/04/310	15	37	52					C			3.0	9.0	PASS
72.	10/11/04/04/311	18	22	40						E		1.0	3.0	PASS
73.	10/11/04/04/312	16	34	50					C			3.0	9.0	PASS
74.	10/11/04/04/315	16	25	41						E		1.0	3.0	PASS
75.	10/11/04/04/322	15	40	55				C+				3.5	10.5	PASS
76.	10/11/04/04/325	17	40	57				C+				3.5	10.5	PASS
77.	10/11/04/04/334	14	40	54					C			3.0	9.0	PASS
78.	10/11/04/04/335	14	45	59				C+				3.5	10.5	PASS
79.	10/11/04/04/337	18	34	52					C			3.0	9.0	PASS
80.	10/11/04/04/339	17	45	62			B					4.0	12.0	PASS
81.	10/11/04/04/340	15	42	57				C+				3.5	10.5	PASS
82.	10/11/04/04/342	15	31	46						D		2.0	6.0	PASS

83.	10/11/04/04/343	17	42	59				C+					3.5	10.5	PASS
84.	10/11/04/04/344	16	42	58				C+					3.5	10.5	PASS
85.	10/11/04/04/345	13	28	41							E		1.0	3.0	PASS
86.	10/11/04/04/347	20	20	40							E		1.0	3.0	PASS
87.	10/11/04/04/349	15	25	40							E		1.0	3.0	PASS
88.	10/11/04/04/362	16	48	64				B					4.0	12.0	PASS
89.	10/11/04/04/366	15	25	40							E		1.0	3.0	PASS
90.	10/11/04/04/369	16	31	47						D			2.0	6.0	PASS
91.	10/11/04/04/375	16	28	44							E		1.0	3.0	PASS
92.	10/11/04/04/376	17	42	59				C+					3.5	10.5	PASS
93.	10/11/04/04/380	19	34	53					C				3.0	9.0	PASS
94.	10/11/04/04/382	18	40	58				C+					3.5	10.5	PASS
95.	10/11/04/04/384	18	48	66			B+						4.5	13.5	PASS
96.	10/11/04/04/385	15	40	55				C+					3.5	10.5	PASS
97.	10/11/04/04/389	14	34	48						D			2.0	6.0	PASS
98.	10/11/04/04/390	15	25	40							E		1.0	3.0	PASS
99.	10/11/04/04/391	17	45	62				B					4.0	12.0	PASS
100.	10/11/04/04/395	17	40	57				C+					3.5	10.5	PASS
101.	10/11/04/04/396	18	22	40							E		1.0	3.0	PASS
102.	10/11/04/04/397	15	25	40							E		1.0	3.0	PASS
103.	10/11/04/04/398	14	48	62				B					4.0	12.0	PASS
104.	10/11/04/04/399	17	48	65			B+						4.5	13.5	PASS
105.	10/11/04/04/404	17	42	59				C+					3.5	10.5	PASS
106.	10/11/04/04/405	14	37	51					C				3.0	9.0	PASS
107.	10/11/04/04/407	17	48	65			B+						4.5	13.5	PASS
108.	10/11/04/04/408	17	34	51					C				3.0	9.0	PASS
109.	10/11/04/04/410	17	28	45						D			2.0	6.0	PASS
110.	10/11/04/04/411	13	31	44							E		1.0	3.0	PASS
111.	10/11/04/04/412	17	37	54					C				3.0	9.0	PASS
112.	10/11/04/04/414	15	34	49						D			2.0	6.0	PASS
113.	10/11/04/04/419	14	51	65			B+						4.5	13.5	PASS
114.	10/11/04/04/420	18	37	55				C+					3.5	10.5	PASS
115.	10/11/04/04/421	16	34	50					C				3.0	9.0	PASS
116.	10/11/04/04/423	16	40	56				C+					3.5	10.5	PASS
117.	10/11/04/04/424	14	31	45						D			2.0	6.0	PASS
118.	10/11/04/04/429	16	28	44							E		1.0	3.0	PASS
119.	10/11/04/04/430	13	31	44							E		1.0	3.0	PASS
120.	10/11/04/04/437	16	34	50					C				3.0	9.0	PASS
121.	10/11/04/04/438	13	37	50					C				3.0	9.0	PASS
122.	10/11/04/04/442	14	17	31								F	0.0	0.0	FAIL
123.	10/11/04/04/450	15	28	43							E		1.0	3.0	PASS
124.	10/11/04/04/451	13	31	44							E		1.0	3.0	PASS
125.	10/11/04/04/454	17	45	62			B						4.0	12.0	PASS
126.	10/11/04/04/457	15	28	43							E		1.0	3.0	PASS
127.	10/11/04/04/459	17	45	62			B						4.0	12.0	PASS
128.	10/11/04/04/464	18	31	49						D			2.0	6.0	PASS
129.	10/11/04/04/467	15	37	52					C				3.0	9.0	PASS

130.	10/11/04/04/471	13	57	70	A							5.0	15.0	PASS
131.	10/11/04/04/472	13	34	47						D		2.0	6.0	PASS
132.	10/11/04/04/474	15	40	55					C+			3.5	10.5	PASS
133.	10/11/04/04/475	18	28	46						D		2.0	6.0	PASS
134.	12/11/04/04/004	18	45	63					B			4.0	12.0	PASS
135.	12/11/04/04/007	16	31	47						D		2.0	6.0	PASS
136.	12/11/04/04/008	15	40	55					C+			3.5	10.5	PASS
137.	12/11/04/04/013	17	40	57					C+			3.5	10.5	PASS
138.	12/11/04/04/017	13	37	50						C		3.0	9.0	PASS
139.	12/11/04/04/018	18	48	66					B+			4.5	13.5	PASS
140.	12/11/04/04/021	16	25	41							E	1.0	3.0	PASS
141.	12/11/04/04/023	16	31	47						D		2.0	6.0	PASS
142.	12/11/04/04/024	16	37	53						C		3.0	9.0	PASS
143.	12/11/04/04/025	17	31	48						D		2.0	6.0	PASS
144.	12/11/04/04/026	15	28	43							E	1.0	3.0	PASS
145.	12/11/04/04/027	17	57	74	A							5.0	15.0	PASS
146.	12/11/04/04/028	18	40	58					C+			3.5	10.5	PASS
147.	12/11/04/04/032	16	28	44							E	1.0	3.0	PASS
148.	12/11/04/04/033	14	42	56					C+			3.5	10.5	PASS
149.	12/11/04/04/034	15	31	46						D		2.0	6.0	PASS
150.	12/11/04/04/035	17	62	79	A							5.0	15.0	PASS
151.	12/11/04/04/036	18	22	40							E	1.0	3.0	PASS
152.	12/11/04/04/038	16	48	64					B			4.0	12.0	PASS
153.	12/11/04/04/039	19	51	70	A							5.0	15.0	PASS
154.	12/11/04/04/043	16	57	73	A							5.0	15.0	PASS
155.	12/11/04/04/044	17	40	57					C+			3.5	10.5	PASS
156.	12/11/04/04/045	14	34	48						D		2.0	6.0	PASS
157.	12/11/04/04/046	16	45	61					B			4.0	12.0	PASS
158.	12/11/04/04/047	17	28	45						D		2.0	6.0	PASS
159.	12/11/04/04/048	16	42	58					C+			3.5	10.5	PASS
160.	12/11/04/04/049	17	34	51						C		3.0	9.0	PASS
161.	12/11/04/04/050	15	40	55					C+			3.5	10.5	PASS
162.	12/11/04/04/052	18	42	60					B			4.0	12.0	PASS
163.	12/11/04/04/053	18	54	72	A							5.0	15.0	PASS
164.	12/11/04/04/055	16	42	58					C+			3.5	10.5	PASS
165.	12/11/04/04/056	16	51	67					B+			4.5	13.5	PASS
166.	12/11/04/04/058	16	45	61					B			4.0	12.0	PASS
167.	12/11/04/04/059	15	31	46						D		2.0	6.0	PASS
168.	12/11/04/04/060	15	37	52						C		3.0	9.0	PASS
169.	12/11/04/04/062	18	48	66					B+			4.5	13.5	PASS
170.	12/11/04/04/063	16	34	50						C		3.0	9.0	PASS
171.	12/11/04/04/064	18	48	66					B+			4.5	13.5	PASS
172.	12/11/04/04/065	16	48	64					B			4.0	12.0	PASS
173.	12/11/04/04/067	16	28	44							E	1.0	3.0	PASS
174.	12/11/04/04/070	16	40	56					C+			3.5	10.5	PASS
175.	12/11/04/04/072	13	34	47						D		2.0	6.0	PASS
176.	12/11/04/04/073	19	40	59					C+			3.5	10.5	PASS

177.	12/11/04/04/074	16	34	50					C				3.0	9.0	PASS
178.	12/11/04/04/075	18	34	52					C				3.0	9.0	PASS
179.	12/11/04/04/076	15	45	60				B					4.0	12.0	PASS
180.	12/11/04/04/078	15	34	49						D			2.0	6.0	PASS
181.	12/11/04/04/079	14	48	62				B					4.0	12.0	PASS
182.	12/11/04/04/081	19	45	64				B					4.0	12.0	PASS
183.	12/11/04/04/082	18	40	58					C+				3.5	10.5	PASS
184.	12/11/04/04/083	15	42	57					C+				3.5	10.5	PASS
185.	12/11/04/04/085	14	42	56					C+				3.5	10.5	PASS
186.	12/11/04/04/086	16	28	44							E		1.0	3.0	PASS
187.	12/11/04/04/088	17	34	51					C				3.0	9.0	PASS
188.	12/11/04/04/091	16	25	41							E		1.0	3.0	PASS
189.	12/11/04/04/093	14	34	48						D			2.0	6.0	PASS
190.	12/11/04/04/094	15	51	66			B+						4.5	13.5	PASS
191.	12/11/04/04/095	15	31	46						D			2.0	6.0	PASS
192.	12/11/04/04/096	17	34	51					C				3.0	9.0	PASS
193.	12/11/04/04/097	18	28	46						D			2.0	6.0	PASS
194.	12/11/04/04/099	15	25	40							E		1.0	3.0	PASS
195.	12/11/04/04/100	15	34	49						D			2.0	6.0	PASS
196.	12/11/04/04/102	18	22	40							E		1.0	3.0	PASS
197.	12/11/04/04/103	15	25	40							E		1.0	3.0	PASS
198.	12/11/04/04/105	16	34	50					C				3.0	9.0	PASS
199.	12/11/04/04/106	15	40	55					C+				3.5	10.5	PASS
200.	12/11/04/04/108	15	54	69			B+						4.5	13.5	PASS
201.	12/11/04/04/109	17	45	62				B					4.0	12.0	PASS
202.	12/11/04/04/111	18	34	52					C				3.0	9.0	PASS
203.	12/11/04/04/114	16	45	61				B					4.0	12.0	PASS
204.	12/11/04/04/116	18	40	58					C+				3.5	10.5	PASS
205.	12/11/04/04/118	18	51	69			B+						4.5	13.5	PASS
206.	12/11/04/04/119	15	25	40							E		1.0	3.0	PASS
207.	12/11/04/04/122	14	34	48						D			2.0	6.0	PASS
208.	12/11/04/04/126	15	45	60				B					4.0	12.0	PASS
209.	12/11/04/04/127	15	51	66			B+						4.5	13.5	PASS
210.	12/11/04/04/128	14	48	62				B					4.0	12.0	PASS
211.	12/11/04/04/129	15	42	57					C+				3.5	10.5	PASS
212.	12/11/04/04/130	15	25	40							E		1.0	3.0	PASS
213.	12/11/04/04/131	16	45	61				B					4.0	12.0	PASS
214.	12/11/04/04/134	17	54	71		A							5.0	15.0	PASS
215.	12/11/04/04/135	16	45	61				B					4.0	12.0	PASS
216.	12/11/04/04/136	19	57	76		A							5.0	15.0	PASS
217.	12/11/04/04/137	16	31	47						D			2.0	6.0	PASS
218.	12/11/04/04/138	16	45	61				B					4.0	12.0	PASS
219.	12/11/04/04/139	14	40	54					C				3.0	9.0	PASS
220.	12/11/04/04/140	13	42	55					C+				3.5	10.5	PASS
221.	12/11/04/04/141	17	42	59					C+				3.5	10.5	PASS
222.	12/11/04/04/142	19	40	59					C+				3.5	10.5	PASS
223.	12/11/04/04/144	15	34	49						D			2.0	6.0	PASS

224.	12/11/04/04/145	14	31	45						D			2.0	6.0	PASS
225.	12/11/04/04/146	13	45	58				C+					3.5	10.5	PASS
226.	12/11/04/04/148	16	25	41							E		1.0	3.0	PASS
227.	12/11/04/04/152	14	37	51					C				3.0	9.0	PASS
228.	12/11/04/04/153	17	48	65		B+							4.5	13.5	PASS
229.	12/11/04/04/154	13	34	47						D			2.0	6.0	PASS
230.	12/11/04/04/155	16	40	56				C+					3.5	10.5	PASS
231.	12/11/04/04/156	17	40	57				C+					3.5	10.5	PASS
232.	12/11/04/04/157	18	48	66		B+							4.5	13.5	PASS
233.	12/11/04/04/159	15	45	60			B						4.0	12.0	PASS
234.	12/11/04/04/160	19	42	61			B						4.0	12.0	PASS
235.	12/11/04/04/161	19	51	70	A								5.0	15.0	PASS
236.	12/11/04/04/162	16	57	73	A								5.0	15.0	PASS
237.	12/11/04/04/163	16	40	56				C+					3.5	10.5	PASS
238.	12/11/04/04/164	14	31	45						D			2.0	6.0	PASS
239.	12/11/04/04/166	16	37	53					C				3.0	9.0	PASS
240.	12/11/04/04/167	14	31	45						D			2.0	6.0	PASS
241.	12/11/04/04/169	17	34	51					C				3.0	9.0	PASS
242.	12/11/04/04/170	18	42	60			B						4.0	12.0	PASS
243.	12/11/04/04/171	17	40	57				C+					3.5	10.5	PASS
244.	12/11/04/04/173	17	37	54					C				3.0	9.0	PASS
245.	12/11/04/04/176	16	31	47						D			2.0	6.0	PASS
246.	12/11/04/04/178	15	37	52					C				3.0	9.0	PASS
247.	12/11/04/04/179	17	37	54					C				3.0	9.0	PASS
248.	12/11/04/04/180	19	34	53					C				3.0	9.0	PASS
249.	12/11/04/04/181	16	45	61			B						4.0	12.0	PASS
250.	12/11/04/04/182	17	37	54					C				3.0	9.0	PASS
251.	12/11/04/04/183	17	37	54					C				3.0	9.0	PASS
252.	12/11/04/04/184	15	40	55				C+					3.5	10.5	PASS
253.	12/11/04/04/185	16	42	58				C+					3.5	10.5	PASS
254.	12/11/04/04/187	15	34	49						D			2.0	6.0	PASS
255.	12/11/04/04/188	17	40	57				C+					3.5	10.5	PASS
256.	12/11/04/04/189	14	40	54					C				3.0	9.0	PASS
257.	12/11/04/04/192	13	34	47						D			2.0	6.0	PASS
258.	12/11/04/04/193	17	37	54					C				3.0	9.0	PASS
259.	12/11/04/04/196	14	34	48						D			2.0	6.0	PASS
260.	12/11/04/04/197	16	25	41							E		1.0	3.0	PASS
261.	12/11/04/04/198	15	40	55				C+					3.5	10.5	PASS
262.	12/11/04/04/201	17	45	62			B						4.0	12.0	PASS
263.	12/11/04/04/202	17	37	54					C				3.0	9.0	PASS
264.	12/11/04/04/203	14	37	51					C				3.0	9.0	PASS
265.	12/11/04/04/204	16	40	56				C+					3.5	10.5	PASS
266.	12/11/04/04/205	17	51	68		B+							4.5	13.5	PASS
267.	12/11/04/04/206	19	31	50					C				3.0	9.0	PASS
268.	12/11/04/04/208	15	42	57				C+					3.5	10.5	PASS
269.	12/11/04/04/210	16	45	61			B						4.0	12.0	PASS
270.	12/11/04/04/212	15	37	52					C				3.0	9.0	PASS

271.	12/11/04/04/213	19	45	64			B					4.0	12.0	PASS
272.	12/11/04/04/215	16	42	58				C+				3.5	10.5	PASS
273.	12/11/04/04/218	15	31	46						D		2.0	6.0	PASS
274.	12/11/04/04/219	17	40	57				C+				3.5	10.5	PASS
275.	12/11/04/04/222	14	40	54					C			3.0	9.0	PASS
276.	12/11/04/04/224	12	37	49						D		2.0	6.0	PASS
277.	12/11/04/04/228	15	34	49						D		2.0	6.0	PASS
278.	12/11/04/04/229	14	34	48						D		2.0	6.0	PASS
279.	12/11/04/04/230	16	42	58				C+				3.5	10.5	PASS
280.	12/11/04/04/232	15	48	63			B					4.0	12.0	PASS
281.	12/11/04/04/233	16	40	56				C+				3.5	10.5	PASS
282.	12/11/04/04/234	17	42	59				C+				3.5	10.5	PASS
283.	12/11/04/04/235	15	48	63			B					4.0	12.0	PASS
284.	12/11/04/04/237	18	48	66		B+						4.5	13.5	PASS
285.	12/11/04/04/238	15	28	43						E		1.0	3.0	PASS
286.	12/11/04/04/241	14	37	51					C			3.0	9.0	PASS
287.	12/11/04/04/244	16	40	56				C+				3.5	10.5	PASS
288.	12/11/04/04/245	15	37	52					C			3.0	9.0	PASS
289.	12/11/04/04/247	17	48	65		B+						4.5	13.5	PASS
290.	12/11/04/04/248	18	40	58				C+				3.5	10.5	PASS
291.	12/11/04/04/249	16	48	64			B					4.0	12.0	PASS
292.	12/11/04/04/251	16	34	50					C			3.0	9.0	PASS
293.	12/11/04/04/252	16	31	47						D		2.0	6.0	PASS
294.	12/11/04/04/253	18	22	40						E		1.0	3.0	PASS
295.	12/11/04/04/254	14	31	45						D		2.0	6.0	PASS
296.	12/11/04/04/255	18	40	58				C+				3.5	10.5	PASS
297.	12/11/04/04/256	17	37	54					C			3.0	9.0	PASS
298.	12/11/04/04/258	16	40	56				C+				3.5	10.5	PASS
299.	12/11/04/04/259	16	42	58				C+				3.5	10.5	PASS
300.	12/11/04/04/260	18	42	60			B					4.0	12.0	PASS
301.	12/11/04/04/264	15	31	46						D		2.0	6.0	PASS
302.	12/11/04/04/265	16	42	58				C+				3.5	10.5	PASS
303.	12/11/04/04/266	17	48	65		B+						4.5	13.5	PASS
304.	12/11/04/04/267	20	34	54					C			3.0	9.0	PASS
305.	12/11/04/04/268	16	42	58				C+				3.5	10.5	PASS
306.	12/11/04/04/270	18	40	58				C+				3.5	10.5	PASS
307.	12/11/04/04/272	16	25	41						E		1.0	3.0	PASS
308.	12/11/04/04/274	16	31	47						D		2.0	6.0	PASS
309.	12/11/04/04/275	19	31	50					C			3.0	9.0	PASS
310.	12/11/04/04/277	16	34	50					C			3.0	9.0	PASS
311.	12/11/04/04/279	17	28	45						D		2.0	6.0	PASS
312.	12/11/04/04/282	18	22	40						E		1.0	3.0	PASS
313.	12/11/04/04/283	15	31	46						D		2.0	6.0	PASS
314.	12/11/04/04/284	15	31	46						D		2.0	6.0	PASS
315.	12/11/04/04/285	14	42	56				C+				3.5	10.5	PASS
316.	12/11/04/04/292	18	54	72	A							5.0	15.0	PASS
317.	12/11/04/04/293	16	42	58				C+				3.5	10.5	PASS

318.	12/11/04/04/295	17	34	51					C				3.0	9.0	PASS
319.	12/11/04/04/296	15	37	52					C				3.0	9.0	PASS
320.	12/11/04/04/297	18	25	43							E		1.0	3.0	PASS
321.	12/11/04/04/298	16	54	70	A								5.0	15.0	PASS
322.	12/11/04/04/299	16	42	58					C+				3.5	10.5	PASS
323.	12/11/04/04/300	19	51	70	A								5.0	15.0	PASS
324.	12/11/04/04/304	16	31	47						D			2.0	6.0	PASS
325.	12/11/04/04/306	14	34	48						D			2.0	6.0	PASS
326.	12/11/04/04/308	16	54	70	A								5.0	15.0	PASS
327.	12/11/04/04/309	14	34	48						D			2.0	6.0	PASS
328.	12/11/04/04/310	16	40	56					C+				3.5	10.5	PASS
329.	12/11/04/04/314	17	37	54					C				3.0	9.0	PASS
330.	12/11/04/04/316	15	62	77	A								5.0	15.0	PASS
331.	12/11/04/04/317	16	37	53					C				3.0	9.0	PASS
332.	12/11/04/04/318	14	31	45						D			2.0	6.0	PASS
333.	12/11/04/04/319	14	42	56					C+				3.5	10.5	PASS
334.	12/11/04/04/320	16	28	44							E		1.0	3.0	PASS
335.	12/11/04/04/322	17	40	57					C+				3.5	10.5	PASS
336.	12/11/04/04/324	16	40	56					C+				3.5	10.5	PASS
337.	12/11/04/04/325	14	45	59					C+				3.5	10.5	PASS
338.	12/11/04/04/326	18	42	60				B					4.0	12.0	PASS
339.	12/11/04/04/327	14	37	51					C				3.0	9.0	PASS
340.	12/11/04/04/330	16	31	47						D			2.0	6.0	PASS
341.	12/11/04/04/331	16	42	58					C+				3.5	10.5	PASS
342.	12/11/04/04/332	13	40	53					C				3.0	9.0	PASS
343.	12/11/04/04/333	16	40	56					C+				3.5	10.5	PASS
344.	12/11/04/04/334	17	54	71	A								5.0	15.0	PASS
345.	12/11/04/04/336	15	37	52					C				3.0	9.0	PASS
346.	12/11/04/04/337	14	34	48						D			2.0	6.0	PASS
347.	12/11/04/04/338	17	60	77	A								5.0	15.0	PASS
348.	12/11/04/04/339	17	37	54					C				3.0	9.0	PASS
349.	12/11/04/04/341	15	31	46						D			2.0	6.0	PASS
350.	12/11/04/04/344	14	17	31							F		0.0	0.0	FAIL
351.	12/11/04/04/345	20	28	48						D			2.0	6.0	PASS
352.	12/11/04/04/346	16	31	47						D			2.0	6.0	PASS
353.	12/11/04/04/347	16	28	44							E		1.0	3.0	PASS
354.	12/11/04/04/348	20	20	40							E		1.0	3.0	PASS
355.	12/11/04/04/349	14	34	48						D			2.0	6.0	PASS
356.	12/11/04/04/350	16	48	64				B					4.0	12.0	PASS
357.	12/11/04/04/351	15	28	43							E		1.0	3.0	PASS
358.	12/11/04/04/352	17	42	59					C+				3.5	10.5	PASS
359.	12/11/04/04/354	16	40	56					C+				3.5	10.5	PASS
360.	12/11/04/04/356	13	48	61				B					4.0	12.0	PASS
361.	12/11/04/04/357	18	37	55					C+				3.5	10.5	PASS
362.	12/11/04/04/358	15	51	66				B+					4.5	13.5	PASS
363.	12/11/04/04/359	17	34	51					C				3.0	9.0	PASS
364.	12/11/04/04/361	17	37	54					C				3.0	9.0	PASS

365.	12/11/04/04/362	15	42	57				C+				3.5	10.5	PASS
366.	12/11/04/04/363	13	34	47						D		2.0	6.0	PASS
367.	12/11/04/04/365	19	42	61				B				4.0	12.0	PASS
368.	12/11/04/04/366	15	42	57				C+				3.5	10.5	PASS
369.	12/11/04/04/367	13	37	50					C			3.0	9.0	PASS
370.	12/11/04/04/372	14	37	51					C			3.0	9.0	PASS
371.	12/11/04/04/373	18	31	49						D		2.0	6.0	PASS
372.	12/11/04/04/374	17	65	82	A							5.0	15.0	PASS
373.	12/11/04/04/378	18	22	40							E	1.0	3.0	PASS
374.	12/11/04/04/380	15	25	40							E	1.0	3.0	PASS
375.	12/11/04/04/383	16	37	53					C			3.0	9.0	PASS
376.	12/11/04/04/385	17	48	65		B+						4.5	13.5	PASS
377.	12/11/04/04/387	15	31	46						D		2.0	6.0	PASS
378.	12/11/04/04/388	16	37	53					C			3.0	9.0	PASS
379.	12/11/04/04/389	16	42	58					C+			3.5	10.5	PASS
380.	12/11/04/04/391	16	34	50					C			3.0	9.0	PASS
381.	12/11/04/04/392	18	22	40							E	1.0	3.0	PASS
382.	12/11/04/04/394	15	34	49						D		2.0	6.0	PASS
383.	12/11/04/04/395	18	54	72	A							5.0	15.0	PASS
384.	12/11/04/04/397	15	31	46						D		2.0	6.0	PASS
385.	12/11/04/04/398	16	42	58					C+			3.5	10.5	PASS
386.	12/11/04/04/399	13	37	50						C		3.0	9.0	PASS
387.	12/11/04/04/400	18	42	60					B			4.0	12.0	PASS
388.	12/11/04/04/401	16	45	61					B			4.0	12.0	PASS
389.	12/11/04/04/402	13	31	44							E	1.0	3.0	PASS
390.	12/11/04/04/404	15	37	52						C		3.0	9.0	PASS
391.	12/11/04/04/406	14	40	54						C		3.0	9.0	PASS
392.	12/11/04/04/409	16	31	47						D		2.0	6.0	PASS
393.	12/11/04/04/410	17	37	54						C		3.0	9.0	PASS
394.	12/11/04/04/411	16	34	50						C		3.0	9.0	PASS
395.	12/11/04/04/414	14	42	56						C+		3.5	10.5	PASS
396.	12/11/04/04/415	13	31	44							E	1.0	3.0	PASS
397.	12/11/04/04/416	16	42	58						C+		3.5	10.5	PASS
398.	12/11/04/04/417	14	31	45							D	2.0	6.0	PASS
399.	12/11/04/04/418	19	54	73	A							5.0	15.0	PASS
400.	12/11/04/04/421	14	40	54						C		3.0	9.0	PASS
401.	12/11/04/04/423	14	40	54						C		3.0	9.0	PASS
402.	12/11/04/04/425	17	48	65		B+						4.5	13.5	PASS
403.	12/11/04/04/428	17	34	51						C		3.0	9.0	PASS
404.	12/11/04/04/429	16	37	53						C		3.0	9.0	PASS
405.	12/11/04/04/434	14	51	65		B+						4.5	13.5	PASS
406.	12/11/04/04/435	17	34	51						C		3.0	9.0	PASS
407.	12/11/04/04/438	14	28	42							E	1.0	3.0	PASS
408.	12/11/04/04/439	16	57	73	A							5.0	15.0	PASS
409.	12/11/04/04/442	16	31	47							D	2.0	6.0	PASS
410.	12/11/04/04/444	18	37	55							C+	3.5	10.5	PASS
411.	12/11/04/04/445	16	37	53						C		3.0	9.0	PASS

412.	12/11/04/04/447	18	57	75	A							5.0	15.0	PASS
413.	12/11/04/04/448	15	31	46					D			2.0	6.0	PASS
414.	12/11/04/04/449	18	42	60			B					4.0	12.0	PASS
415.	12/11/04/04/450	17	31	48					D			2.0	6.0	PASS
416.	12/11/04/04/455	15	42	57				C+				3.5	10.5	PASS
417.	12/11/04/04/456	20	48	68		B+						4.5	13.5	PASS
418.	12/11/04/04/457	19	34	53					C			3.0	9.0	PASS
419.	12/11/04/04/458	15	37	52					C			3.0	9.0	PASS
420.	12/11/04/04/461	15	45	60			B					4.0	12.0	PASS
421.	12/11/04/04/465	17	31	48					D			2.0	6.0	PASS
422.	12/11/04/04/467	17	28	45					D			2.0	6.0	PASS
423.	12/11/04/04/468	18	60	78	A							5.0	15.0	PASS
424.	12/11/04/04/469	16	31	47					D			2.0	6.0	PASS
425.	12/11/04/04/471	17	48	65		B+						4.5	13.5	PASS
426.	12/11/04/04/472	18	51	69		B+						4.5	13.5	PASS
427.	12/11/04/04/473	14	34	48					D			2.0	6.0	PASS
428.	12/11/04/04/475	14	51	65		B+						4.5	13.5	PASS
429.	12/11/04/04/477	19	37	56				C+				3.5	10.5	PASS
430.	12/11/04/04/478	20	20	40						E		1.0	3.0	PASS
431.	12/11/04/04/479	17	31	48					D			2.0	6.0	PASS
432.	12/11/04/04/481	18	40	58				C+				3.5	10.5	PASS
433.	12/11/04/04/483	18	22	40						E		1.0	3.0	PASS
434.	12/11/04/04/484	16	37	53					C			3.0	9.0	PASS
435.	12/11/04/04/485	19	48	67		B+						4.5	13.5	PASS
436.	12/11/04/04/487	16	31	47					D			2.0	6.0	PASS
437.	12/11/04/04/489	13	34	47					D			2.0	6.0	PASS
438.	12/11/04/04/493	16	40	56				C+				3.5	10.5	PASS
439.	12/11/04/04/496	15	48	63		B						4.0	12.0	PASS
440.	12/11/04/04/497	17	34	51					C			3.0	9.0	PASS
441.	12/11/04/04/498	17	42	59				C+				3.5	10.5	PASS
442.	12/11/04/04/502	17	48	65		B+						4.5	13.5	PASS
443.	12/11/04/04/504	14	28	42						E		1.0	3.0	PASS
444.	12/11/04/04/505	16	34	50					C			3.0	9.0	PASS
445.	12/11/04/04/506	20	34	54					C			3.0	9.0	PASS
446.	12/11/04/04/508	16	57	73	A							5.0	15.0	PASS
447.	12/11/04/04/509	18	31	49					D			2.0	6.0	PASS
448.	12/11/04/04/510	15	37	52					C			3.0	9.0	PASS
449.	12/11/04/04/511	15	31	46					D			2.0	6.0	PASS
450.	12/11/04/04/514	18	22	40						E		1.0	3.0	PASS
451.	12/11/04/04/515	16	37	53					C			3.0	9.0	PASS
452.	12/11/04/04/517	16	40	56				C+				3.5	10.5	PASS
453.	12/11/04/04/518	17	40	57				C+				3.5	10.5	PASS
454.	12/11/04/04/521	14	34	48					D			2.0	6.0	PASS
455.	12/11/04/04/522	18	54	72	A							5.0	15.0	PASS
456.	12/11/04/04/524	17	28	45					D			2.0	6.0	PASS
457.	12/11/04/04/525	14	34	48					D			2.0	6.0	PASS
458.	12/11/04/04/529	17	37	54					C			3.0	9.0	PASS

459.	12/11/04/04/530	16	57	73	A							5.0	15.0	PASS	
460.	12/11/04/04/531	14	40	54					C			3.0	9.0	PASS	
461.	12/11/04/04/533	14	37	51					C			3.0	9.0	PASS	
462.	12/11/04/04/537	16	37	53					C			3.0	9.0	PASS	
463.	12/11/04/04/538	15	54	69		B+						4.5	13.5	PASS	
464.	12/11/04/04/539	17	37	54					C			3.0	9.0	PASS	
465.	12/11/04/04/541	16	40	56					C+			3.5	10.5	PASS	
466.	12/11/04/04/542	16	31	47						D		2.0	6.0	PASS	
467.	12/11/04/04/543	15	28	43							E	1.0	3.0	PASS	
468.	12/11/04/04/544	15	37	52					C			3.0	9.0	PASS	
469.	12/11/04/04/545	16	42	58					C+			3.5	10.5	PASS	
470.	12/11/04/04/546	16	31	47						D		2.0	6.0	PASS	
471.	12/11/04/04/547	15	28	43							E	1.0	3.0	PASS	
472.	12/11/04/04/550	14	34	48						D		2.0	6.0	PASS	
473.	12/11/04/04/551	14	31	45						D		2.0	6.0	PASS	
474.	12/11/04/04/552	16	37	53					C			3.0	9.0	PASS	
475.	12/11/04/04/554	16	51	67		B+						4.5	13.5	PASS	
476.	12/11/04/04/560	17	25	42							E	1.0	3.0	PASS	
SUMMARY					26	33	52	103	113	86	61	2			476

COURSE LECTURER:

Habib, M. A.