

UNIVERSITY OF MAIDUGURI
(Office of the Vice-Chancellor)
CENTRE FOR DISTANCE LEARNING
DEPARTMENT OF EDUCATION

Second Semester End-of-Course Examination Results

Course Code: **EDU 525**
Course Title: **Curriculum and Instruction**
Course Unit(s): **2**

2015/2016 Academic Session

S/No	ID. No.	C.A. Marks	Exam Marks	Total Marks	Grades								GP	U.GP	Remarks
					A	B+	B	C+	C	D	E	F			
1.	08/11/04/02/094	13	32	45						D			2.0	6.0	PASS
2.	09/11/04/02/028	5	40	45						D			2.0	6.0	PASS
3.	09/11/04/02/143	20	36	56				C+					3.5	10.5	PASS
4.	09/11/04/02/171	14	34	48						D			2.0	6.0	PASS
5.	09/11/04/02/202	9	36	45						D			2.0	6.0	PASS
6.	09/11/04/02/276	21	24	45						D			2.0	6.0	PASS
7.	09/11/04/02/356	14	44	58				C+					3.5	10.5	PASS
8.	09/11/04/02/384	14	26	40							E		1.0	3.0	PASS
9.	09/11/04/02/398	12	46	58				C+					3.5	10.5	PASS
10.	09/11/04/02/429	22	26	48						D			2.0	6.0	PASS
11.	10/11/04/02/004	26	48	74	A								5.0	15.0	PASS
12.	10/11/04/02/005	22	46	68		B+							4.5	13.5	PASS
13.	10/11/04/02/009	26	50	76	A								5.0	15.0	PASS
14.	10/11/04/02/010	18	42	60			B						4.0	12.0	PASS
15.	10/11/04/02/011	15	30	45						D			2.0	6.0	PASS
16.	10/11/04/02/013	16	38	54					C				3.0	9.0	PASS
17.	10/11/04/02/016	22	42	64			B						4.0	12.0	PASS
18.	10/11/04/02/017	16	46	62			B						4.0	12.0	PASS
19.	10/11/04/02/018	14	38	52					C				3.0	9.0	PASS
20.	10/11/04/02/020	16	42	58				C+					3.5	10.5	PASS
21.	10/11/04/02/031	24	46	70	A								5.0	15.0	PASS
22.	10/11/04/02/037	12	44	56				C+					3.5	10.5	PASS
23.	10/11/04/02/047	12	48	60			B						4.0	12.0	PASS
24.	10/11/04/02/049	22	56	78	A								5.0	15.0	PASS
25.	10/11/04/02/053	16	50	66		B+							4.5	13.5	PASS
26.	10/11/04/02/057	16	38	54					C				3.0	9.0	PASS
27.	10/11/04/02/059	20	42	62			B						4.0	12.0	PASS
28.	10/11/04/02/061	28	50	78	A								5.0	15.0	PASS
29.	10/11/04/02/064	18	42	60			B						4.0	12.0	PASS
30.	10/11/04/02/067	20	52	72	A								5.0	15.0	PASS
31.	10/11/04/02/069	26	44	70	A								5.0	15.0	PASS

32.	10/11/04/02/072	0	16	16								F	0.0	0.0	FAIL
33.	10/11/04/02/074	16	50	66		B+							4.5	13.5	PASS
34.	10/11/04/02/075	18	52	70	A								5.0	15.0	PASS
35.	10/11/04/02/077	12	36	48							D		2.0	6.0	PASS
36.	10/11/04/02/079	22	52	74	A								5.0	15.0	PASS
37.	10/11/04/02/080	14	54	68		B+							4.5	13.5	PASS
38.	10/11/04/02/081	20	50	70	A								5.0	15.0	PASS
39.	10/11/04/02/082	25	45	70	A								5.0	15.0	PASS
40.	10/11/04/02/085	22	56	78	A								5.0	15.0	PASS
41.	10/11/04/02/088	22	50	72	A								5.0	15.0	PASS
42.	10/11/04/02/091	20	56	76	A								5.0	15.0	PASS
43.	10/11/04/02/093	18	48	66		B+							4.5	13.5	PASS
44.	10/11/04/02/094	16	38	54						C			3.0	9.0	PASS
45.	10/11/04/02/099	16	30	46							D		2.0	6.0	PASS
46.	10/11/04/02/103	16	24	40								E	1.0	3.0	PASS
47.	10/11/04/02/111	18	40	58						C+			3.5	10.5	PASS
48.	10/11/04/02/117	18	36	54							C		3.0	9.0	PASS
49.	10/11/04/02/119	20	42	62						B			4.0	12.0	PASS
50.	10/11/04/02/125	10	40	50							C		3.0	9.0	PASS
51.	10/11/04/02/126	24	44	68		B+							4.5	13.5	PASS
52.	10/11/04/02/127	22	42	64						B			4.0	12.0	PASS
53.	10/11/04/02/128	18	44	62						B			4.0	12.0	PASS
54.	10/11/04/02/134	18	22	40								E	1.0	3.0	PASS
55.	10/11/04/02/145	18	46	64						B			4.0	12.0	PASS
56.	10/11/04/02/150	20	50	70	A								5.0	15.0	PASS
57.	10/11/04/02/154	16	44	60						B			4.0	12.0	PASS
58.	10/11/04/02/155	10	38	48								D	2.0	6.0	PASS
59.	10/11/04/02/158	24	56	80	A								5.0	15.0	PASS
60.	10/11/04/02/160	12	42	54							C		3.0	9.0	PASS
61.	10/11/04/02/163	18	38	56							C+		3.5	10.5	PASS
62.	10/11/04/02/166	22	26	48								D	2.0	6.0	PASS
63.	10/11/04/02/168	14	36	50							C		3.0	9.0	PASS
64.	10/11/04/02/170	20	38	58							C+		3.5	10.5	PASS
65.	10/11/04/02/179	0	48	48								D	2.0	6.0	PASS
66.	10/11/04/02/185	18	40	58							C+		3.5	10.5	PASS
67.	10/11/04/02/186	22	56	78	A								5.0	15.0	PASS
68.	10/11/04/02/190	20	44	64						B			4.0	12.0	PASS
69.	10/11/04/02/192	14	42	56							C+		3.5	10.5	PASS
70.	10/11/04/02/204	20	40	60						B			4.0	12.0	PASS
71.	10/11/04/02/216	18	46	64						B			4.0	12.0	PASS
72.	10/11/04/02/217	18	30	48								D	2.0	6.0	PASS
73.	10/11/04/02/228	18	42	60						B			4.0	12.0	PASS

74.	10/11/04/02/233	20	48	68		B+						4.5	13.5	PASS
75.	10/11/04/02/249	24	48	72	A							5.0	15.0	PASS
76.	10/11/04/02/251	18	42	60			B					4.0	12.0	PASS
77.	10/11/04/02/254	16	38	54					C			3.0	9.0	PASS
78.	10/11/04/02/255	22	24	46						D		2.0	6.0	PASS
79.	10/11/04/02/265	14	44	58				C+				3.5	10.5	PASS
80.	10/11/04/02/275	14	38	52					C			3.0	9.0	PASS
81.	10/11/04/02/276	18	52	70	A							5.0	15.0	PASS
82.	10/11/04/02/284	26	50	76	A							5.0	15.0	PASS
83.	10/11/04/02/286	18	40	58				C+				3.5	10.5	PASS
84.	10/11/04/02/291	15	30	45						D		2.0	6.0	PASS
85.	10/11/04/02/292	16	44	60			B					4.0	12.0	PASS
86.	10/11/04/02/293	16	46	62			B					4.0	12.0	PASS
87.	10/11/04/02/294	18	48	66		B+						4.5	13.5	PASS
88.	10/11/04/02/295	12	36	48						D		2.0	6.0	PASS
89.	10/11/04/02/296	26	52	78	A							5.0	15.0	PASS
90.	10/11/04/02/297	14	44	58				C+				3.5	10.5	PASS
91.	10/11/04/02/299	18	44	62			B					4.0	12.0	PASS
92.	10/11/04/02/313	16	40	56				C+				3.5	10.5	PASS
93.	10/11/04/02/314	14	26	40							E	1.0	3.0	PASS
94.	10/11/04/02/319	18	42	60			B					4.0	12.0	PASS
95.	10/11/04/02/324	12	46	58				C+				3.5	10.5	PASS
96.	10/11/04/02/329	6	44	50					C			3.0	9.0	PASS
97.	10/11/04/02/330	16	38	54					C			3.0	9.0	PASS
98.	10/11/04/02/332	20	46	66		B+						4.5	13.5	PASS
99.	10/11/04/02/337	12	34	46						D		2.0	6.0	PASS
100.	10/11/04/02/338	20	46	66		B+						4.5	13.5	PASS
101.	10/11/04/02/342	26	48	74	A							5.0	15.0	PASS
102.	10/11/04/02/343	20	56	76	A							5.0	15.0	PASS
103.	10/11/04/02/344	10	44	54					C			3.0	9.0	PASS
104.	10/11/04/02/345	16	34	50					C			3.0	9.0	PASS
105.	10/11/04/02/349	20	50	70	A							5.0	15.0	PASS
106.	10/11/04/02/353	22	24	46						D		2.0	6.0	PASS
107.	10/11/04/02/358	14	40	54					C			3.0	9.0	PASS
108.	10/11/04/02/362	0	32	32							F	0.0	0.0	FAIL
109.	10/11/04/02/364	20	56	76	A							5.0	15.0	PASS
110.	10/11/04/02/366	14	34	48						D		2.0	6.0	PASS
111.	10/11/04/02/372	22	52	74	A							5.0	15.0	PASS
112.	10/11/04/02/373	28	58	86	A							5.0	15.0	PASS
113.	10/11/04/02/375	16	48	64			B					4.0	12.0	PASS
114.	10/11/04/02/376	22	38	60			B					4.0	12.0	PASS
115.	10/11/04/02/377	8	44	52					C			3.0	9.0	PASS

116.	10/11/04/02/384	14	42	56				C+					3.5	10.5	PASS
117.	10/11/04/02/387	12	44	56				C+					3.5	10.5	PASS
118.	10/11/04/02/392	22	46	68			B+						4.5	13.5	PASS
119.	10/11/04/02/393	22	42	64			B						4.0	12.0	PASS
120.	10/11/04/02/395	14	42	56				C+					3.5	10.5	PASS
121.	10/11/04/02/397	22	50	72	A								5.0	15.0	PASS
122.	10/11/04/02/399	18	40	58				C+					3.5	10.5	PASS
123.	10/11/04/02/401	24	48	72	A								5.0	15.0	PASS
124.	10/11/04/02/406	14	38	52					C				3.0	9.0	PASS
125.	10/11/04/02/408	24	40	64			B						4.0	12.0	PASS
126.	10/11/04/02/415	14	36	50					C				3.0	9.0	PASS
127.	10/11/04/02/418	10	44	54					C				3.0	9.0	PASS
128.	10/11/04/02/424	16	52	68			B+						4.5	13.5	PASS
129.	10/11/04/02/428	18	40	58				C+					3.5	10.5	PASS
130.	10/11/04/02/429	4	8	12								F	0.0	0.0	FAIL
131.	10/11/04/02/437	16	40	56				C+					3.5	10.5	PASS
132.	10/11/04/02/442	18	36	54					C				3.0	9.0	PASS
133.	10/11/04/02/447	13	32	45						D			2.0	6.0	PASS
134.	10/11/04/02/449	14	58	72	A								5.0	15.0	PASS
135.	10/11/04/02/455	12	52	64			B						4.0	12.0	PASS
136.	10/11/04/02/458	0	38	38								F	0.0	0.0	FAIL
137.	10/11/04/02/461	8	26	34								F	0.0	0.0	FAIL
138.	10/11/04/02/464	18	38	56				C+					3.5	10.5	PASS
139.	10/11/04/02/467	16	42	58				C+					3.5	10.5	PASS
140.	10/11/04/02/468	18	38	56				C+					3.5	10.5	PASS
141.	10/11/04/02/472	12	42	54					C				3.0	9.0	PASS
142.	10/11/04/02/474	14	26	40							E		1.0	3.0	PASS
143.	10/11/04/02/480	16	46	62			B						4.0	12.0	PASS
144.	10/11/04/02/481	14	32	46						D			2.0	6.0	PASS
145.	10/11/04/02/485	14	46	60			B						4.0	12.0	PASS
146.	10/11/04/02/490	16	42	58				C+					3.5	10.5	PASS
147.	10/11/04/02/491	16	50	66			B+						4.5	13.5	PASS
148.	10/11/04/02/511	18	50	68			B+						4.5	13.5	PASS
149.	10/11/04/02/513	15	30	45						D			2.0	6.0	PASS
150.	10/11/04/02/517	16	44	60			B						4.0	12.0	PASS
151.	10/11/04/02/521	16	30	46						D			2.0	6.0	PASS
152.	10/11/04/02/523	20	54	74	A								5.0	15.0	PASS
153.	10/11/04/02/529	0	36	36								F	0.0	0.0	FAIL
154.	10/11/04/02/532	18	42	60			B						4.0	12.0	PASS
155.	10/11/04/02/545	20	56	76	A								5.0	15.0	PASS
156.	10/11/04/02/547	16	36	52					C				3.0	9.0	PASS
157.	10/11/04/02/548	12	44	56				C+					3.5	10.5	PASS

158.	10/11/04/02/554	0	34	34								F	0.0	0.0	FAIL
159.	10/11/04/02/556	16	46	62			B						4.0	12.0	PASS
160.	10/11/04/02/561	28	64	92	A								5.0	15.0	PASS
161.	10/11/04/02/568	5	40	45							D		2.0	6.0	PASS
162.	10/11/04/02/570	20	54	74	A								5.0	15.0	PASS
163.	10/11/04/02/572	24	54	78	A								5.0	15.0	PASS
164.	10/11/04/02/579	20	46	66			B+						4.5	13.5	PASS
165.	10/11/04/02/580	20	36	56							C+		3.5	10.5	PASS
166.	10/11/04/02/585	20	46	66			B+						4.5	13.5	PASS
167.	10/11/04/02/586	22	42	64			B						4.0	12.0	PASS
168.	10/11/04/02/588	20	50	70	A								5.0	15.0	PASS
169.	10/11/04/02/589	16	50	66			B+						4.5	13.5	PASS
170.	10/11/04/02/590	18	54	72	A								5.0	15.0	PASS
171.	10/11/04/02/593	16	46	62			B						4.0	12.0	PASS
172.	10/11/04/02/595	14	40	54							C		3.0	9.0	PASS
173.	10/11/04/02/596	14	46	60			B						4.0	12.0	PASS
174.	10/11/04/02/601	16	50	66			B+						4.5	13.5	PASS
175.	10/11/04/02/605	18	48	66			B+						4.5	13.5	PASS
176.	10/11/04/02/606	16	44	60			B						4.0	12.0	PASS
177.	10/11/04/02/610	18	32	50							C		3.0	9.0	PASS
178.	12/11/04/02/002	28	56	84	A								5.0	15.0	PASS
179.	12/11/04/02/003	16	46	62			B						4.0	12.0	PASS
180.	12/11/04/02/004	18	34	52							C		3.0	9.0	PASS
181.	12/11/04/02/005	12	40	52							C		3.0	9.0	PASS
182.	12/11/04/02/006	16	38	54							C		3.0	9.0	PASS
183.	12/11/04/02/007	14	52	66			B+						4.5	13.5	PASS
184.	12/11/04/02/010	22	38	60			B						4.0	12.0	PASS
185.	12/11/04/02/012	22	48	70	A								5.0	15.0	PASS
186.	12/11/04/02/013	20	48	68			B+						4.5	13.5	PASS
187.	12/11/04/02/014	20	52	72	A								5.0	15.0	PASS
188.	12/11/04/02/015	20	44	64			B						4.0	12.0	PASS
189.	12/11/04/02/016	4	42	46							D		2.0	6.0	PASS
190.	12/11/04/02/018	16	24	40							E		1.0	3.0	PASS
191.	12/11/04/02/019	22	38	60			B						4.0	12.0	PASS
192.	12/11/04/02/022	26	66	92	A								5.0	15.0	PASS
193.	12/11/04/02/023	16	34	50							C		3.0	9.0	PASS
194.	12/11/04/02/024	22	54	76	A								5.0	15.0	PASS
195.	12/11/04/02/025	8	38	46							D		2.0	6.0	PASS
196.	12/11/04/02/026	20	42	62			B						4.0	12.0	PASS
197.	12/11/04/02/028	26	62	88	A								5.0	15.0	PASS
198.	12/11/04/02/029	22	42	64			B						4.0	12.0	PASS
199.	12/11/04/02/030	22	48	70	A								5.0	15.0	PASS

200.	12/11/04/02/031	18	46	64			B					4.0	12.0	PASS
201.	12/11/04/02/034	18	48	66		B+						4.5	13.5	PASS
202.	12/11/04/02/036	14	44	58				C+				3.5	10.5	PASS
203.	12/11/04/02/038	12	34	46						D		2.0	6.0	PASS
204.	12/11/04/02/041	16	46	62			B					4.0	12.0	PASS
205.	12/11/04/02/042	24	52	76	A							5.0	15.0	PASS
206.	12/11/04/02/044	16	40	56				C+				3.5	10.5	PASS
207.	12/11/04/02/045	16	38	54						C		3.0	9.0	PASS
208.	12/11/04/02/046	18	40	58				C+				3.5	10.5	PASS
209.	12/11/04/02/047	22	58	80	A							5.0	15.0	PASS
210.	12/11/04/02/048	22	52	74	A							5.0	15.0	PASS
211.	12/11/04/02/049	20	52	72	A							5.0	15.0	PASS
212.	12/11/04/02/050	13	32	45						D		2.0	6.0	PASS
213.	12/11/04/02/051	14	36	50						C		3.0	9.0	PASS
214.	12/11/04/02/052	16	46	62			B					4.0	12.0	PASS
215.	12/11/04/02/056	16	42	58				C+				3.5	10.5	PASS
216.	12/11/04/02/057	20	48	68		B+						4.5	13.5	PASS
217.	12/11/04/02/059	10	38	48						D		2.0	6.0	PASS
218.	12/11/04/02/061	14	46	60			B					4.0	12.0	PASS
219.	12/11/04/02/065	14	42	56				C+				3.5	10.5	PASS
220.	12/11/04/02/066	9	36	45						D		2.0	6.0	PASS
221.	12/11/04/02/068	24	50	74	A							5.0	15.0	PASS
222.	12/11/04/02/070	22	50	72	A							5.0	15.0	PASS
223.	12/11/04/02/071	17	28	45						D		2.0	6.0	PASS
224.	12/11/04/02/072	18	52	70	A							5.0	15.0	PASS
225.	12/11/04/02/073	16	48	64			B					4.0	12.0	PASS
226.	12/11/04/02/074	24	38	62			B					4.0	12.0	PASS
227.	12/11/04/02/075	14	42	56				C+				3.5	10.5	PASS
228.	12/11/04/02/077	20	64	84	A							5.0	15.0	PASS
229.	12/11/04/02/078	16	36	52						C		3.0	9.0	PASS
230.	12/11/04/02/080	16	48	64			B					4.0	12.0	PASS
231.	12/11/04/02/081	22	58	80	A							5.0	15.0	PASS
232.	12/11/04/02/082	24	60	84	A							5.0	15.0	PASS
233.	12/11/04/02/084	18	56	74	A							5.0	15.0	PASS
234.	12/11/04/02/085	14	46	60			B					4.0	12.0	PASS
235.	12/11/04/02/086	18	38	56				C+				3.5	10.5	PASS
236.	12/11/04/02/087	22	50	72	A							5.0	15.0	PASS
237.	12/11/04/02/089	16	46	62			B					4.0	12.0	PASS
238.	12/11/04/02/090	16	62	78	A							5.0	15.0	PASS
239.	12/11/04/02/091	26	66	92	A							5.0	15.0	PASS
240.	12/11/04/02/092	14	38	52						C		3.0	9.0	PASS
241.	12/11/04/02/093	18	40	58				C+				3.5	10.5	PASS

242.	12/11/04/02/099	14	40	54					C				3.0	9.0	PASS
243.	12/11/04/02/100	18	48	66		B+							4.5	13.5	PASS
244.	12/11/04/02/102	24	52	76	A								5.0	15.0	PASS
245.	12/11/04/02/104	16	50	66		B+							4.5	13.5	PASS
246.	12/11/04/02/107	18	56	74	A								5.0	15.0	PASS
247.	12/11/04/02/109	16	46	62			B						4.0	12.0	PASS
248.	12/11/04/02/110	22	54	76	A								5.0	15.0	PASS
249.	12/11/04/02/112	18	44	62			B						4.0	12.0	PASS
250.	12/11/04/02/113	14	42	56				C+					3.5	10.5	PASS
251.	12/11/04/02/114	12	38	50					C				3.0	9.0	PASS
252.	12/11/04/02/115	18	28	46						D			2.0	6.0	PASS
253.	12/11/04/02/117	22	56	78	A								5.0	15.0	PASS
254.	12/11/04/02/119	14	34	48						D			2.0	6.0	PASS
255.	12/11/04/02/121	24	36	60			B						4.0	12.0	PASS
256.	12/11/04/02/124	24	50	74	A								5.0	15.0	PASS
257.	12/11/04/02/126	24	54	78	A								5.0	15.0	PASS
258.	12/11/04/02/127	22	50	72	A								5.0	15.0	PASS
259.	12/11/04/02/129	24	42	66		B+							4.5	13.5	PASS
260.	12/11/04/02/130	22	44	66		B+							4.5	13.5	PASS
261.	12/11/04/02/133	14	58	72	A								5.0	15.0	PASS
262.	12/11/04/02/134	20	32	52						C			3.0	9.0	PASS
263.	12/11/04/02/136	16	44	60			B						4.0	12.0	PASS
264.	12/11/04/02/137	19	26	45						D			2.0	6.0	PASS
265.	12/11/04/02/140	8	46	54						C			3.0	9.0	PASS
266.	12/11/04/02/141	18	44	62			B						4.0	12.0	PASS
267.	12/11/04/02/142	24	54	78	A								5.0	15.0	PASS
268.	12/11/04/02/143	6	34	40							E		1.0	3.0	PASS
269.	12/11/04/02/144	20	40	60			B						4.0	12.0	PASS
270.	12/11/04/02/145	16	32	48						D			2.0	6.0	PASS
271.	12/11/04/02/147	13	32	45						D			2.0	6.0	PASS
272.	12/11/04/02/149	24	32	56				C+					3.5	10.5	PASS
273.	12/11/04/02/150	12	46	58				C+					3.5	10.5	PASS
274.	12/11/04/02/152	22	50	72	A								5.0	15.0	PASS
275.	12/11/04/02/157	16	44	60			B						4.0	12.0	PASS
276.	12/11/04/02/158	22	44	66		B+							4.5	13.5	PASS
277.	12/11/04/02/159	24	52	76	A								5.0	15.0	PASS
278.	12/11/04/02/160	20	50	70	A								5.0	15.0	PASS
279.	12/11/04/02/161	12	38	50						C			3.0	9.0	PASS
280.	12/11/04/02/162	18	42	60			B						4.0	12.0	PASS
281.	12/11/04/02/164	18	54	72	A								5.0	15.0	PASS
282.	12/11/04/02/165	8	40	48							D		2.0	6.0	PASS
283.	12/11/04/02/166	26	46	72	A								5.0	15.0	PASS

284.	12/11/04/02/168	22	46	68		B+						4.5	13.5	PASS
285.	12/11/04/02/170	14	38	52					C			3.0	9.0	PASS
286.	12/11/04/02/172	24	36	60		B						4.0	12.0	PASS
287.	12/11/04/02/176	22	56	78	A							5.0	15.0	PASS
288.	12/11/04/02/178	16	34	50					C			3.0	9.0	PASS
289.	12/11/04/02/179	20	50	70	A							5.0	15.0	PASS
290.	12/11/04/02/180	18	48	66		B+						4.5	13.5	PASS
291.	12/11/04/02/183	18	44	62		B						4.0	12.0	PASS
292.	12/11/04/02/184	18	54	72	A							5.0	15.0	PASS
293.	12/11/04/02/185	14	44	58					C+			3.5	10.5	PASS
294.	12/11/04/02/188	16	62	78	A							5.0	15.0	PASS
295.	12/11/04/02/190	24	50	74	A							5.0	15.0	PASS
296.	12/11/04/02/191	18	46	64		B						4.0	12.0	PASS
297.	12/11/04/02/194	22	34	56					C+			3.5	10.5	PASS
298.	12/11/04/02/195	18	24	42						E		1.0	3.0	PASS
299.	12/11/04/02/199	13	32	45					D			2.0	6.0	PASS
300.	12/11/04/02/200	0	30	30							F	0.0	0.0	FAIL
301.	12/11/04/02/201	22	50	72	A							5.0	15.0	PASS
302.	12/11/04/02/206	26	0	26							F	0.0	0.0	FAIL
303.	12/11/04/02/210	18	48	66		B+						4.5	13.5	PASS
304.	12/11/04/02/215	22	58	80	A							5.0	15.0	PASS
305.	12/11/04/02/216	0	46	46					D			2.0	6.0	PASS
306.	12/11/04/02/218	18	42	60		B						4.0	12.0	PASS
307.	12/11/04/02/219	22	58	80	A							5.0	15.0	PASS
308.	12/11/04/02/220	12	38	50					C			3.0	9.0	PASS
309.	12/11/04/02/221	26	58	84	A							5.0	15.0	PASS
310.	12/11/04/02/222	14	38	52					C			3.0	9.0	PASS
311.	12/11/04/02/223	0	36	36							F	0.0	0.0	FAIL
312.	12/11/04/02/225	28	54	82	A							5.0	15.0	PASS
313.	12/11/04/02/227	14	32	46					D			2.0	6.0	PASS
314.	12/11/04/02/228	14	44	58					C+			3.5	10.5	PASS
315.	12/11/04/02/229	18	30	48					D			2.0	6.0	PASS
316.	12/11/04/02/232	16	52	68		B+						4.5	13.5	PASS
317.	12/11/04/02/233	13	32	45					D			2.0	6.0	PASS
318.	12/11/04/02/234	20	34	54					C			3.0	9.0	PASS
319.	12/11/04/02/235	20	38	58					C+			3.5	10.5	PASS
320.	12/11/04/02/237	12	36	48					D			2.0	6.0	PASS
321.	12/11/04/02/238	22	54	76	A							5.0	15.0	PASS
322.	12/11/04/02/239	22	62	84	A							5.0	15.0	PASS
323.	12/11/04/02/240	6	40	46					D			2.0	6.0	PASS
324.	12/11/04/02/241	17	28	45					D			2.0	6.0	PASS
325.	12/11/04/02/246	0	48	48					D			2.0	6.0	PASS

326.	12/11/04/02/247	26	60	86	A							5.0	15.0	PASS
327.	12/11/04/02/248	0	40	40						E		1.0	3.0	PASS
328.	12/11/04/02/249	10	44	54					C			3.0	9.0	PASS
329.	12/11/04/02/250	24	54	78	A							5.0	15.0	PASS
330.	12/11/04/02/252	22	40	62			B					4.0	12.0	PASS
331.	12/11/04/02/253	26	54	80	A							5.0	15.0	PASS
332.	12/11/04/02/254	26	56	82	A							5.0	15.0	PASS
333.	12/11/04/02/256	18	46	64			B					4.0	12.0	PASS
334.	12/11/04/02/259	10	48	58					C+			3.5	10.5	PASS
335.	12/11/04/02/260	22	60	82	A							5.0	15.0	PASS
336.	12/11/04/02/264	18	34	52					C			3.0	9.0	PASS
337.	12/11/04/02/265	22	44	66			B+					4.5	13.5	PASS
338.	12/11/04/02/266	18	50	68			B+					4.5	13.5	PASS
339.	12/11/04/02/268	18	46	64			B					4.0	12.0	PASS
340.	12/11/04/02/269	14	36	50					C			3.0	9.0	PASS
341.	12/11/04/02/270	20	38	58					C+			3.5	10.5	PASS
342.	12/11/04/02/272	22	58	80	A							5.0	15.0	PASS
343.	12/11/04/02/275	20	52	72	A							5.0	15.0	PASS
344.	12/11/04/02/276	18	44	62			B					4.0	12.0	PASS
345.	12/11/04/02/277	14	20	34							F	0.0	0.0	FAIL
346.	12/11/04/02/278	20	44	64			B					4.0	12.0	PASS
347.	12/11/04/02/279	18	52	70	A							5.0	15.0	PASS
348.	12/11/04/02/280	14	34	48						D		2.0	6.0	PASS
349.	12/11/04/02/281	18	48	66			B+					4.5	13.5	PASS
350.	12/11/04/02/284	20	54	74	A							5.0	15.0	PASS
351.	12/11/04/02/287	20	46	66			B+					4.5	13.5	PASS
352.	12/11/04/02/296	10	36	46						D		2.0	6.0	PASS
353.	12/11/04/02/297	14	54	68			B+					4.5	13.5	PASS
354.	12/11/04/02/300	10	46	56					C+			3.5	10.5	PASS
355.	12/11/04/02/301	26	62	88	A							5.0	15.0	PASS
356.	12/11/04/02/302	18	42	60			B					4.0	12.0	PASS
357.	12/11/04/02/303	18	44	62			B					4.0	12.0	PASS
358.	12/11/04/02/304	20	56	76	A							5.0	15.0	PASS
359.	12/11/04/02/306	24	52	76	A							5.0	15.0	PASS
360.	12/11/04/02/308	20	52	72	A							5.0	15.0	PASS
361.	12/11/04/02/309	22	52	74	A							5.0	15.0	PASS
362.	12/11/04/02/310	20	46	66			B+					4.5	13.5	PASS
363.	12/11/04/02/314	0	34	34							F	0.0	0.0	FAIL
364.	12/11/04/02/316	24	54	78	A							5.0	15.0	PASS
365.	12/11/04/02/317	16	40	56					C+			3.5	10.5	PASS
366.	12/11/04/02/319	24	56	80	A							5.0	15.0	PASS
367.	12/11/04/02/323	14	42	56					C+			3.5	10.5	PASS

368.	12/11/04/02/327	18	38	56				C+					3.5	10.5	PASS
369.	12/11/04/02/328	18	50	68		B+							4.5	13.5	PASS
370.	12/11/04/02/329	16	48	64			B						4.0	12.0	PASS
371.	12/11/04/02/332	26	54	80	A								5.0	15.0	PASS
372.	12/11/04/02/333	18	58	76	A								5.0	15.0	PASS
373.	12/11/04/02/334	22	56	78	A								5.0	15.0	PASS
374.	12/11/04/02/337	18	38	56				C+					3.5	10.5	PASS
375.	12/11/04/02/338	12	42	54					C				3.0	9.0	PASS
376.	12/11/04/02/339	16	34	50					C				3.0	9.0	PASS
377.	12/11/04/02/340	24	62	86	A								5.0	15.0	PASS
378.	12/11/04/02/348	16	34	50					C				3.0	9.0	PASS
379.	12/11/04/02/349	18	50	68		B+							4.5	13.5	PASS
380.	12/11/04/02/350	20	44	64			B						4.0	12.0	PASS
381.	12/11/04/02/353	20	42	62			B						4.0	12.0	PASS
382.	12/11/04/02/354	16	42	58				C+					3.5	10.5	PASS
383.	12/11/04/02/356	24	28	52					C				3.0	9.0	PASS
384.	12/11/04/02/357	28	48	76	A								5.0	15.0	PASS
385.	12/11/04/02/358	24	60	84	A								5.0	15.0	PASS
386.	12/11/04/02/360	20	56	76	A								5.0	15.0	PASS
387.	12/11/04/02/362	20	25	45						D			2.0	6.0	PASS
388.	12/11/04/02/364	18	28	46						D			2.0	6.0	PASS
389.	12/11/04/02/367	0	28	28								F	0.0	0.0	FAIL
390.	12/11/04/02/370	10	40	50					C				3.0	9.0	PASS
391.	12/11/04/02/371	18	60	78	A								5.0	15.0	PASS
392.	12/11/04/02/372	22	36	58				C+					3.5	10.5	PASS
393.	12/11/04/02/373	18	50	68		B+							4.5	13.5	PASS
394.	12/11/04/02/376	20	46	66		B+							4.5	13.5	PASS
395.	12/11/04/02/377	20	52	72	A								5.0	15.0	PASS
396.	12/11/04/02/381	16	46	62			B						4.0	12.0	PASS
397.	12/11/04/02/387	24	50	74	A								5.0	15.0	PASS
398.	12/11/04/02/390	20	52	72	A								5.0	15.0	PASS
399.	12/11/04/02/393	5	40	45						D			2.0	6.0	PASS
400.	12/11/04/02/397	24	52	76	A								5.0	15.0	PASS
401.	12/11/04/02/398	22	54	76	A								5.0	15.0	PASS
402.	12/11/04/02/399	12	28	40							E		1.0	3.0	PASS
403.	12/11/04/02/400	24	60	84	A								5.0	15.0	PASS
404.	12/11/04/02/402	20	56	76	A								5.0	15.0	PASS
405.	12/11/04/02/403	14	48	62			B						4.0	12.0	PASS
406.	12/11/04/02/404	14	52	66		B+							4.5	13.5	PASS
407.	12/11/04/02/405	16	36	52					C				3.0	9.0	PASS
408.	12/11/04/02/406	24	46	70	A								5.0	15.0	PASS
409.	12/11/04/02/409	18	34	52					C				3.0	9.0	PASS

410.	12/11/04/02/411	18	44	62			B						4.0	12.0	PASS
411.	12/11/04/02/414	12	50	62			B						4.0	12.0	PASS
412.	12/11/04/02/419	22	44	66			B+						4.5	13.5	PASS
413.	12/11/04/02/421	20	26	46							D		2.0	6.0	PASS
414.	12/11/04/02/428	16	48	64			B						4.0	12.0	PASS
415.	12/11/04/02/430	16	44	60			B						4.0	12.0	PASS
416.	12/11/04/02/432	16	44	60			B						4.0	12.0	PASS
SUMMARY					116	44	78	51	52	52	10	13			416