

**UNIVERSITY OF MAIDUGURI**  
**(OFFICE OF THE VICE CHANCELLOR)**  
**CENTRE FOR DISTANCE LEARNING**  
**DEPARTMENT OF PHYSICAL AND HEALTH EDUCATION**  
**Second Semester End-of-Course Examination Results**

**COURSE CODE:** HED 401  
**COURSE TITLE:** Epidemomology and Public Health  
**COURSE UNIT(S):** 2

**2015/2016 ACADEMIC SESSION**

S/No.	ID.No.	CA Marks	Exam Marks	Total Marks	GRADES								GP	U.GP	Remarks
					A	B+	B	C+	C	D	E	F			
1.	10/11/04/04/109	18	33	51					C				3.0	6.0	PASS
2.	10/11/04/04/115	21	19	40							E		1.0	2.0	PASS
3.	10/11/04/04/254	22	19	41							E		1.0	2.0	PASS
4.	10/11/04/04/297	20	25	45						D			2.0	4.0	PASS
5.	10/11/04/04/446	22	19	41							E		1.0	2.0	PASS
6.	10/11/04/04/451	23	32	55				C+					3.5	7.0	PASS
7.	10/11/04/04/453	23	18	41							E		1.0	2.0	PASS
8.	10/11/04/04/464	22	19	41							E		1.0	2.0	PASS
9.	12/11/04/04/002	14	32	46						D			2.0	4.0	PASS
10.	12/11/04/04/003	21	28	49						D			2.0	4.0	PASS
11.	12/11/04/04/005	14	30	44							E		1.0	2.0	PASS
12.	12/11/04/04/006	22	19	41							E		1.0	2.0	PASS
13.	12/11/04/04/009	23	32	55				C+					3.5	7.0	PASS
14.	12/11/04/04/011	23	32	55							E		1.0	2.0	PASS
15.	12/11/04/04/012	18	25	43							E		1.0	2.0	PASS
16.	12/11/04/04/015	24	23	47						D			2.0	4.0	PASS
17.	12/11/04/04/016	21	28	49						D			2.0	4.0	PASS
18.	12/11/04/04/019	24	16	40							E		1.0	2.0	FAIL
19.	12/11/04/04/020	22	23	45						D			2.0	4.0	PASS
20.	12/11/04/04/022	23	25	48						D			2.0	4.0	PASS
21.	12/11/04/04/030	24	30	54					C				3.0	6.0	PASS
22.	12/11/04/04/031	23	19	42							E		1.0	2.0	PASS
23.	12/11/04/04/037	22	21	43							E		1.0	2.0	PASS
24.	12/11/04/04/040	22	23	45						D			2.0	4.0	PASS
25.	12/11/04/04/041	22	25	47						D			2.0	4.0	PASS
26.	12/11/04/04/042	23	26	49						D			2.0	4.0	PASS
27.	12/11/04/04/047	24	26	50					C				3.0	6.0	PASS
28.	12/11/04/04/051	22	14	36								F	0.0	0.0	FAIL
29.	12/11/04/04/054	24	16	40							E		1.0	2.0	FAIL
30.	12/11/04/04/057	22	46	68		B+							4.5	9.0	PASS
31.	12/11/04/04/061	24	16	40							E		1.0	2.0	FAIL
32.	12/11/04/04/066	24	26	50					C				3.0	6.0	PASS
33.	12/11/04/04/068	22	46	68		B+							4.5	9.0	PASS
34.	12/11/04/04/069	22	25	47						D			2.0	4.0	PASS
35.	12/11/04/04/075	22	25	47						D			2.0	4.0	PASS

36.	12/11/04/04/077	21	25	46					D			2.0	4.0	PASS
37.	12/11/04/04/080	23	30	53				C				3.0	6.0	PASS
38.	12/11/04/04/084	24	28	52				C				3.0	6.0	PASS
39.	12/11/04/04/087	22	26	48					D			2.0	4.0	PASS
40.	12/11/04/04/089	20	28	48					D			2.0	4.0	PASS
41.	12/11/04/04/090	22	19	41						E		1.0	2.0	PASS
42.	12/11/04/04/092	23	14	37							F	0.0	0.0	FAIL
43.	12/11/04/04/098	23	28	51				C				3.0	6.0	PASS
44.	12/11/04/04/101	22	21	43						E		1.0	2.0	PASS
45.	12/11/04/04/102	21	21	42						E		1.0	2.0	PASS
46.	12/11/04/04/107	21	19	40						E		1.0	2.0	PASS
47.	12/11/04/04/120	20	26	46					D			2.0	4.0	PASS
48.	12/11/04/04/121	23	18	41						E		1.0	2.0	PASS
49.	12/11/04/04/123	24	16	40						E		1.0	2.0	FAIL
50.	12/11/04/04/124	20	21	41						E		1.0	2.0	PASS
51.	12/11/04/04/143	22	23	45					D			2.0	4.0	PASS
52.	12/11/04/04/145	24	30	54				C				3.0	6.0	PASS
53.	12/11/04/04/146	21	14	35							F	0.0	0.0	FAIL
54.	12/11/04/04/147	23	25	48					D			2.0	4.0	PASS
55.	12/11/04/04/149	24	30	54				C				3.0	6.0	PASS
56.	12/11/04/04/150	25	32	57			C+					3.5	7.0	PASS
57.	12/11/04/04/168	24	26	50				C				3.0	6.0	PASS
58.	12/11/04/04/175	22	14	36							F	0.0	0.0	FAIL
59.	12/11/04/04/191	23	28	51				C				3.0	6.0	PASS
60.	12/11/04/04/194	20	23	43						E		1.0	2.0	PASS
61.	12/11/04/04/195	22	28	50				C				3.0	6.0	PASS
62.	12/11/04/04/211	22	18	40						E		1.0	2.0	FAIL
63.	12/11/04/04/217	22	28	50				C				3.0	6.0	PASS
64.	12/11/04/04/221	20	44	64		B						4.0	8.0	PASS
65.	12/11/04/04/223	21	25	46					D			2.0	4.0	PASS
66.	12/11/04/04/225	22	26	48					D			2.0	4.0	PASS
67.	12/11/04/04/226	20	23	43						E		1.0	2.0	PASS
68.	12/11/04/04/227	21	23	44						E		1.0	2.0	PASS
69.	12/11/04/04/231	23	28	51				C				3.0	6.0	PASS
70.	12/11/04/04/236	22	19	41						E		1.0	2.0	PASS
71.	12/11/04/04/239	20	30	50				C				3.0	6.0	PASS
72.	12/11/04/04/243	20	35	55			C+					3.5	7.0	PASS
73.	12/11/04/04/246	23	30	53				C				3.0	6.0	PASS
74.	12/11/04/04/257	22	26	48					D			2.0	4.0	PASS
75.	12/11/04/04/261	21	39	60			C+					3.5	7.0	PASS
76.	12/11/04/04/262	21	38	59			C+					3.5	7.0	PASS
77.	12/11/04/04/263	23	39	62		B						4.0	8.0	PASS
78.	12/11/04/04/269	20	25	45					D			2.0	4.0	PASS

79.	12/11/04/04/271	20	32	52					C				3.0	6.0	PASS
80.	12/11/04/04/273	22	25	47					D				2.0	4.0	PASS
81.	12/11/04/04/276	24	25	49					D				2.0	4.0	PASS
82.	12/11/04/04/278	20	23	43						E			1.0	2.0	PASS
83.	12/11/04/04/286	21	26	47					D				2.0	4.0	PASS
84.	12/11/04/04/288	23	19	42						E			1.0	2.0	PASS
85.	12/11/04/04/289	20	21	41						E			1.0	2.0	PASS
86.	12/11/04/04/290	22	25	47					D				2.0	4.0	PASS
87.	12/11/04/04/291	22	32	54					C				3.0	6.0	PASS
88.	12/11/04/04/294	23	30	53					C				3.0	6.0	PASS
89.	12/11/04/04/302	23	33	56					C+				3.5	7.0	PASS
90.	12/11/04/04/303	24	33	57					C+				3.5	7.0	PASS
91.	12/11/04/04/305	22	18	40						E			1.0	2.0	FAIL
92.	12/11/04/04/307	21	25	46					D				2.0	4.0	PASS
93.	12/11/04/04/312	21	23	44						E			1.0	2.0	PASS
94.	12/11/04/04/313	22	28	50					C				3.0	6.0	PASS
95.	12/11/04/04/321	21	23	44						E			1.0	2.0	PASS
96.	12/11/04/04/323	23	18	41						E			1.0	2.0	PASS
97.	12/11/04/04/328	20	25	45					D				2.0	4.0	PASS
98.	12/11/04/04/335	24	16	40						E			1.0	2.0	FAIL
99.	12/11/04/04/341	22	19	41						E			1.0	2.0	PASS
100.	12/11/04/04/344	22	18	40						E			1.0	2.0	FAIL
101.	12/11/04/04/353	23	25	48					D				2.0	4.0	PASS
102.	12/11/04/04/360	21	14	35							F		0.0	0.0	FAIL
103.	12/11/04/04/364	22	23	45					D				2.0	4.0	PASS
104.	12/11/04/04/368	23	30	53					C				3.0	6.0	PASS
105.	12/11/04/04/369	24	30	54					C				3.0	6.0	PASS
106.	12/11/04/04/370	24	30	54					C				3.0	6.0	PASS
107.	12/11/04/04/371	21	25	46					D				2.0	4.0	PASS
108.	12/11/04/04/372	20	32	52					C				3.0	6.0	PASS
109.	12/11/04/04/375	22	23	45					D				2.0	4.0	PASS
110.	12/11/04/04/376	22	28	50					C				3.0	6.0	PASS
111.	12/11/04/04/377	21	18	39							F		0.0	0.0	FAIL
112.	12/11/04/04/378	21	19	40						E			1.0	2.0	PASS
113.	12/11/04/04/379	20	21	41						E			1.0	2.0	PASS
114.	12/11/04/04/384	20	23	43						E			1.0	2.0	PASS
115.	12/11/04/04/390	22	18	40						E			1.0	2.0	FAIL
116.	12/11/04/04/393	21	28	49					D				2.0	4.0	PASS
117.	12/11/04/04/396	20	42	62					B				4.0	8.0	PASS
118.	12/11/04/04/405	20	23	43						E			1.0	2.0	PASS
119.	12/11/04/04/407	21	23	44						E			1.0	2.0	PASS
120.	12/11/04/04/408	21	23	44						E			1.0	2.0	PASS
121.	12/11/04/04/412	22	18	40						E			1.0	2.0	FAIL

122.	12/11/04/04/413	20	23	43							E		1.0	2.0	PASS
123.	12/11/04/04/419	24	32	56				C+					3.5	7.0	PASS
124.	12/11/04/04/420	23	39	62				B					4.0	8.0	PASS
125.	12/11/04/04/424	20	14	34								F	0.0	0.0	FAIL
126.	12/11/04/04/430	20	21	41							E		1.0	2.0	PASS
127.	12/11/04/04/431	23	30	53						C			3.0	6.0	PASS
128.	12/11/04/04/432	22	18	40							E		1.0	2.0	FAIL
129.	12/11/04/04/433	20	28	48						D			2.0	4.0	PASS
130.	12/11/04/04/437	20	32	52						C			3.0	6.0	PASS
131.	12/11/04/04/441	21	25	46							D		2.0	4.0	PASS
132.	12/11/04/04/451	20	37	57						C+			3.5	7.0	PASS
133.	12/11/04/04/453	21	26	47							D		2.0	4.0	PASS
134.	12/11/04/04/459	20	32	52						C			3.0	6.0	PASS
135.	12/11/04/04/462	21	19	40							E		1.0	2.0	PASS
136.	12/11/04/04/464	20	23	43							E		1.0	2.0	PASS
137.	12/11/04/04/466	22	23	45							D		2.0	4.0	PASS
138.	12/11/04/04/470	22	28	50						C			3.0	6.0	PASS
139.	12/11/04/04/476	21	26	47							D		2.0	4.0	PASS
140.	12/11/04/04/480	20	14	34							E		1.0	2.0	FAIL
141.	12/11/04/04/482	20	28	48							D		2.0	4.0	PASS
142.	12/11/04/04/490	23	30	53						C			3.0	6.0	PASS
143.	12/11/04/04/494	21	26	47							D		2.0	4.0	PASS
144.	12/11/04/04/495	22	19	41							E		1.0	2.0	PASS
145.	12/11/04/04/499	21	19	40							E		1.0	2.0	PASS
146.	12/11/04/04/501	20	35	55						C+			3.5	7.0	PASS
147.	12/11/04/04/503	20	42	62						B			4.0	8.0	PASS
148.	12/11/04/04/506	21	23	44							E		1.0	2.0	PASS
149.	12/11/04/04/519	22	25	47							D		2.0	4.0	PASS
150.	12/11/04/04/520	20	30	50						C			3.0	6.0	PASS
151.	12/11/04/04/523	21	19	40							E		1.0	2.0	PASS
152.	12/11/04/04/532	23	25	48							D		2.0	4.0	PASS
153.	12/11/04/04/534	22	23	45							D		2.0	4.0	PASS
154.	12/11/04/04/535	20	26	46							D		2.0	4.0	PASS
155.	12/11/04/04/536	24	16	40							E		1.0	2.0	FAIL
156.	12/11/04/04/548	21	19	40							E		1.0	2.0	PASS
157.	12/11/04/04/557	20	14	34								F	0.0	0.0	FAIL
158.	12/11/04/04/558	21	26	47							D		2.0	4.0	PASS
159.	12/11/04/04/559	22	23	45							D		2.0	4.0	PASS
<b>SUMMARY</b>					<b>00</b>	<b>02</b>	<b>05</b>	<b>11</b>	<b>30</b>	<b>46</b>	<b>57</b>	<b>08</b>			<b>159</b>