

UNIVERSITY OF MAIDUGURI
(OFFICE OF THE VICE CHANCELLOR)
CENTRE FOR DISTANCE LEARNING
DEPARTMENT OF PHYSICAL AND HEALTH EDUCATION
Second Semester End-of-Course Examination Results

COURSE CODE: HED 404
COURSE TITLE: International Health and Career in Health Education
COURSE UNIT(S): 2

2015/2016 ACADEMIC SESSION

S/No.	ID.	CA Marks	Exam Marks	Total Marks	GRADES							GP	U.GP	REMA	
					A	B+	B	C+	C	D	E				F
1.	08/11/04/04/051	22	28	50					C				3.0	6.0	PASS
2.	10/11/04/04/103	21	33	54					C				3.0	6.0	PASS
3.	10/11/04/04/109	21	37	58				C+					3.5	7.0	PASS
4.	10/11/04/04/115	20	26	46						D			2.0	4.0	PASS
5.	10/11/04/04/297	22	32	54					C				3.0	6.0	PASS
6.	10/11/04/04/446	21	25	46						D			2.0	4.0	PASS
7.	10/11/04/04/453	21	21	42							E		1.0	2.0	PASS
8.	12/11/04/04/002	20	25	45						D			2.0	4.0	PASS
9.	12/11/04/04/003	22	26	48						D			2.0	4.0	PASS
10.	12/11/04/04/005	23	30	53					C				3.0	6.0	PASS
11.	12/11/04/04/006	23	32	55				C+					3.5	7.0	PASS
12.	12/11/04/04/009	22	32	54					C				3.0	6.0	PASS
13.	12/11/04/04/011	20	23	43							E		1.0	2.0	PASS
14.	12/11/04/04/012	22	18	40							E		1.0	2.0	FAIL
15.	12/11/04/04/015	22	25	47						D			2.0	4.0	PASS
16.	12/11/04/04/016	20	23	43							E		1.0	2.0	PASS
17.	12/11/04/04/019	22	28	50					C				3.0	6.0	PASS
18.	12/11/04/04/020	20	21	41							E		1.0	2.0	PASS
19.	12/11/04/04/022	23	30	53					C				3.0	6.0	PASS
20.	12/11/04/04/030	22	32	54					C				3.0	6.0	PASS
21.	12/11/04/04/031	22	30	52					C				3.0	6.0	PASS
22.	12/11/04/04/037	23	33	56				C+					3.5	7.0	PASS
23.	12/11/04/04/040	20	23	43							E		1.0	2.0	PASS
24.	12/11/04/04/041	23	35	58				C+					3.5	7.0	PASS
25.	12/11/04/04/042	22	19	41							E		1.0	2.0	PASS
26.	12/11/04/04/051	24	30	54					C				3.0	6.0	PASS
27.	12/11/04/04/054	24	30	54					C				3.0	6.0	PASS
28.	12/11/04/04/057	24	42	66		B+							4.5	9.0	PASS
29.	12/11/04/04/061	21	23	44							E		1.0	2.0	PASS
30.	12/11/04/04/066	24	33	57				C+					3.5	7.0	PASS
31.	12/11/04/04/068	22	47	69		B+							4.5	9.0	PASS
32.	12/11/04/04/069	20	21	41							E		1.0	2.0	PASS
33.	12/11/04/04/077	23	28	51					C				3.0	6.0	PASS
34.	12/11/04/04/080	24	33	57				C+					3.5	7.0	PASS
35.	12/11/04/04/084	22	28	50					C				3.0	6.0	PASS

36.	12/11/04/04/087	24	39	63			B					4.0	8.0	PASS
37.	12/11/04/04/089	24	40	64			B					4.0	8.0	PASS
38.	12/11/04/04/090	23	30	53					C			3.0	6.0	PASS
39.	12/11/04/04/092	20	21	41						E		1.0	2.0	PASS
40.	12/11/04/04/098	22	19	41						E		1.0	2.0	PASS
41.	12/11/04/04/101	22	23	45						D		2.0	4.0	PASS
42.	12/11/04/04/107	21	25	46						D		2.0	4.0	PASS
43.	12/11/04/04/120	20	21	41						E		1.0	2.0	PASS
44.	12/11/04/04/121	21	19	40						E		1.0	2.0	PASS
45.	12/11/04/04/123	22	25	47						D		2.0	4.0	PASS
46.	12/11/04/04/124	21	25	46						D		2.0	4.0	PASS
47.	12/11/04/04/143	23	30	53					C			3.0	6.0	PASS
48.	12/11/04/04/147	22	26	48						D		2.0	4.0	PASS
49.	12/11/04/04/149	24	33	57				C+				3.5	7.0	PASS
50.	12/11/04/04/150	24	32	56				C+				3.5	7.0	PASS
51.	12/11/04/04/168	24	32	56				C+				3.5	7.0	PASS
52.	12/11/04/04/175	20	21	41						E		1.0	2.0	PASS
53.	12/11/04/04/191	24	40	64			B					4.0	8.0	PASS
54.	12/11/04/04/194	23	30	53					C			3.0	6.0	PASS
55.	12/11/04/04/195	23	35	58				C+				3.5	7.0	PASS
56.	12/11/04/04/211	22	28	50					C			3.0	6.0	PASS
57.	12/11/04/04/217	23	39	62			B					4.0	8.0	PASS
58.	12/11/04/04/221	24	40	64			B					4.0	8.0	PASS
59.	12/11/04/04/223	23	30	53					C			3.0	6.0	PASS
60.	12/11/04/04/225	23	30	53					C			3.0	6.0	PASS
61.	12/11/04/04/226	20	21	41						E		1.0	2.0	PASS
62.	12/11/04/04/227	21	19	40						E		1.0	2.0	PASS
63.	12/11/04/04/231	23	28	51					C			3.0	6.0	PASS
64.	12/11/04/04/236	24	40	64			B					4.0	8.0	PASS
65.	12/11/04/04/239	23	28	51					C			3.0	6.0	PASS
66.	12/11/04/04/243	23	42	65			B+					4.5	9.0	PASS
67.	12/11/04/04/246	25	40	65			B+					4.5	9.0	PASS
68.	12/11/04/04/257	23	26	49						D		2.0	4.0	PASS
69.	12/11/04/04/261	25	42	67			B+					4.5	9.0	PASS
70.	12/11/04/04/262	22	25	47						D		2.0	4.0	PASS
71.	12/11/04/04/263	24	37	61			B					4.0	8.0	PASS
72.	12/11/04/04/269	23	26	49						D		2.0	4.0	PASS
73.	12/11/04/04/271	25	32	57				C+				3.5	7.0	PASS
74.	12/11/04/04/273	23	30	53					C			3.0	6.0	PASS
75.	12/11/04/04/276	24	30	54					C			3.0	6.0	PASS
76.	12/11/04/04/278	23	28	51					C			3.0	6.0	PASS
77.	12/11/04/04/286	23	26	49						D		2.0	4.0	PASS
78.	12/11/04/04/288	22	25	47						D		2.0	4.0	PASS

79.	12/11/04/04/289	23	25	48					D			2.0	4.0	PASS
80.	12/11/04/04/290	21	25	46					D			2.0	4.0	PASS
81.	12/11/04/04/291	21	25	46					D			2.0	4.0	PASS
82.	12/11/04/04/294	24	33	57				C+				3.5	7.0	PASS
83.	12/11/04/04/302	24	32	56				C+				3.5	7.0	PASS
84.	12/11/04/04/303	25	35	60			B					4.0	8.0	PASS
85.	12/11/04/04/305	24	30	54					C			3.0	6.0	PASS
86.	12/11/04/04/307	24	32	56				C+				3.5	7.0	PASS
87.	12/11/04/04/312	24	37	61			B					4.0	8.0	PASS
88.	12/11/04/04/313	22	23	45					D			2.0	4.0	PASS
89.	12/11/04/04/321	22	25	47					D			2.0	4.0	PASS
90.	12/11/04/04/323	20	21	41						E		1.0	2.0	PASS
91.	12/11/04/04/328	22	35	57				C+				3.5	7.0	PASS
92.	12/11/04/04/335	22	18	40						E		1.0	2.0	FAIL
93.	12/11/04/04/353	20	21	41						E		1.0	2.0	PASS
94.	12/11/04/04/360	22	18	40						E		1.0	2.0	FAIL
95.	12/11/04/04/364	24	40	64			B					4.0	8.0	PASS
96.	12/11/04/04/368	23	30	53					C			3.0	6.0	PASS
97.	12/11/04/04/369	23	40	63			B			D		4.0	8.0	PASS
98.	12/11/04/04/370	22	41	63			B					4.0	8.0	PASS
99.	12/11/04/04/371	24	37	61			B					4.0	8.0	PASS
100.	12/11/04/04/375	23	28	51					C			3.0	6.0	PASS
101.	12/11/04/04/376	24	16	40						E		1.0	2.0	FAIL
102.	12/11/04/04/377	22	18	40						E		1.0	2.0	FAIL
103.	12/11/04/04/379	22	26	48					D			2.0	4.0	PASS
104.	12/11/04/04/384	20	21	41						E		1.0	2.0	PASS
105.	12/11/04/04/390	24	16	40						E		1.0	2.0	FAIL
106.	12/11/04/04/393	23	28	51					C			3.0	6.0	PASS
107.	12/11/04/04/396	22	30	52					C			3.0	6.0	PASS
108.	12/11/04/04/405	22	18	40						E		1.0	2.0	FAIL
109.	12/11/04/04/407	21	25	46					D			2.0	4.0	PASS
110.	12/11/04/04/408	22	26	48					D			2.0	4.0	PASS
111.	12/11/04/04/412	22	18	40						E		1.0	2.0	FAIL
112.	12/11/04/04/413	24	33	57				C+				3.5	7.0	PASS
113.	12/11/04/04/419	22	18	40						E		1.0	2.0	FAIL
114.	12/11/04/04/420	23	30	53					C			3.0	6.0	PASS
115.	12/11/04/04/424	20	14	34							F	0.0	0.0	FAIL
116.	12/11/04/04/430	21	23	44						E		1.0	2.0	PASS
117.	12/11/04/04/431	24	35	59				C+				3.5	7.0	PASS
118.	12/11/04/04/432	20	21	41						E		1.0	2.0	PASS
119.	12/11/04/04/433	20	12	32							F	0.0	0.0	FAIL
120.	12/11/04/04/437	23	28	51					C			3.0	6.0	PASS
121.	12/11/04/04/441	23	30	53					C			3.0	6.0	PASS

122.	12/11/04/04/451	22	26	48						D			2.0	4.0	PASS
123.	12/11/04/04/453	23	28	51					C				3.0	6.0	PASS
124.	12/11/04/04/459	22	26	48						D			2.0	4.0	PASS
125.	12/11/04/04/462	24	33	57				C+					3.5	7.0	PASS
126.	12/11/04/04/464	23	33	56				C+					3.5	7.0	PASS
127.	12/11/04/04/466	23	28	51					C				3.0	6.0	PASS
128.	12/11/04/04/470	22	23	45						D			2.0	4.0	PASS
129.	12/11/04/04/476	21	25	46						D			2.0	4.0	PASS
130.	12/11/04/04/480	20	12	32							F		0.0	0.0	FAIL
131.	12/11/04/04/482	24	26	50					C				3.0	6.0	PASS
132.	12/11/04/04/490	24	35	59				C+					3.5	7.0	PASS
133.	12/11/04/04/494	24	35	59				C+					3.5	7.0	PASS
134.	12/11/04/04/495	22	26	48						D			2.0	4.0	PASS
135.	12/11/04/04/499	21	19	40							E		1.0	2.0	PASS
136.	12/11/04/04/501	23	28	51					C				3.0	6.0	PASS
137.	12/11/04/04/503	24	39	63			B						4.0	8.0	PASS
138.	12/11/04/04/519	20	21	41							E		1.0	2.0	PASS
139.	12/11/04/04/520	24	35	59				C+					3.5	7.0	PASS
140.	12/11/04/04/523	24	16	40							E		1.0	2.0	FAIL
141.	12/11/04/04/532	20	23	43							E		1.0	2.0	PASS
142.	12/11/04/04/534	22	25	47						D			2.0	4.0	PASS
143.	12/11/04/04/535	21	19	40							E		1.0	2.0	PASS
144.	12/11/04/04/536	22	18	40							E		1.0	2.0	FAIL
145.	12/11/04/04/548	20	21	41							E		1.0	2.0	PASS
146.	12/11/04/04/557	21	19	40							E		1.0	2.0	PASS
147.	12/11/04/04/558	21	23	44							E		1.0	2.0	PASS
148.	12/11/04/04/559	23	26	49						D			2.0	4.0	PASS
SUMMARY					0	5	14	22	36	31	38	3			149