

**UNIVERSITY OF MAIDUGURI**  
**(OFFICE OF THE VICE-CHANCELLOR)**  
**CENTRE FOR DISTANCE LEARNING**

**Department of Physical and Health Education**

**Second Semester End-of-Course Examination Results**

**Course Code: HED 410**

**Course Title: Epidemiology and Public Health**

**Course Unit(s):**

**2**

**2015/2016 ACADEMIC SESSION**

S/No.	ID. No.	CA	Exam	TOTAL	Grades								GP	U.GP	Remarks
		Marks	Marks	Marks	A	B+	B	C+	C	D	E	F			
1.	10/11/04/04/109	18	40	58				C+					3.5	7.0	PASS
2.	10/11/04/04/115	15	31	46						D			2.0	4.0	PASS
3.	10/11/04/04/123	18	40	58				C+					3.5	7.0	PASS
4.	10/11/04/04/297	15	31	46						D			2.0	4.0	PASS
5.	10/11/04/04/396	17	33	50						C			3.0	6.0	PASS
6.	10/11/04/04/446	19	41	60			B						4.0	8.0	PASS
7.	10/11/04/04/453	20	25	41							E		1.0	2.0	PASS
8.	12/11/04/04/002	21	47	67		B+							4.5	9.0	PASS
9.	12/11/04/04/003	22	51	73	A								5.0	10.0	PASS
10.	12/11/04/04/005	19	43	62			B						4.0	8.0	PASS
11.	12/11/04/04/006	18	40	58				C+					3.5	7.0	PASS
12.	12/11/04/04/009	21	47	67		B+							4.5	9.0	PASS
13.	12/11/04/04/011	19	41	60			B						4.0	8.0	PASS
14.	12/11/04/04/012	20	45	65		B+							4.5	9.0	PASS
15.	12/11/04/04/015	19	41	60			B						4.0	8.0	PASS
16.	12/11/04/04/016	21	49	71	A								5.0	10.0	PASS
17.	12/11/04/04/019	19	43	62			B						4.0	8.0	PASS
18.	12/11/04/04/020	21	48	69		B+							4.5	9.0	PASS
19.	12/11/04/04/022	20	44	64			B						4.0	8.0	PASS
20.	12/11/04/04/028	18	37	55				C+					3.5	7.0	PASS
21.	12/11/04/04/030	20	45	65		B+							4.5	9.0	PASS
22.	12/11/04/04/031	19	43	62			B						4.0	8.0	PASS
23.	12/11/04/04/037	19	43	62			B						4.0	8.0	PASS
24.	12/11/04/04/040	16	25	41							E		1.0	2.0	PASS
25.	12/11/04/04/041	20	44	64			B						4.0	8.0	PASS
26.	12/11/04/04/042	15	31	46						D			2.0	4.0	PASS
27.	12/11/04/04/051	22	51	73	A								5.0	10.0	PASS
28.	12/11/04/04/054	19	43	62			B						4.0	8.0	PASS
29.	12/11/04/04/057	22	52	74	A								5.0	10.0	PASS
30.	12/11/04/04/061	18	40	58				C+					3.5	7.0	PASS
31.	12/11/04/04/066	21	48	69		B+							4.5	9.0	PASS
32.	12/11/04/04/068	23	53	76	A								5.0	10.0	PASS
33.	12/11/04/04/069	19	43	62			B						4.0	8.0	PASS
34.	12/11/04/04/077	19	41	60			B						4.0	8.0	PASS
35.	12/11/04/04/080	22	51	73	A								5.0	10.0	PASS
36.	12/11/04/04/084	21	49	71	A								5.0	10.0	PASS
37.	12/11/04/04/087	20	45	65		B+							4.5	9.0	PASS
38.	12/11/04/04/089	21	48	69		B+							4.5	9.0	PASS
39.	12/11/04/04/090	20	44	64			B						4.0	8.0	PASS
40.	12/11/04/04/092	16	29	45						D			2.0	4.0	PASS
41.	12/11/04/04/098	21	47	67		B+							4.5	9.0	PASS
42.	12/11/04/04/101	18	37	55				C+					3.5	7.0	PASS
43.	12/11/04/04/107	18	40	58				C+					3.5	7.0	PASS
44.	12/11/04/04/119	18	39	57				C+					3.5	7.0	PASS
45.	12/11/04/04/120	14	28	42							E		1.0	2.0	PASS
46.	12/11/04/04/121	19	41	60			B						4.0	8.0	PASS
47.	12/11/04/04/123	20	45	65		B+							4.5	9.0	PASS
48.	12/11/04/04/124	20	44	64			B						4.0	8.0	PASS

49.	12/11/04/04/143	21	48	69		B+						4.5	9.0	PASS
50.	12/11/04/04/147	19	43	62		B						4.0	8.0	PASS
51.	12/11/04/04/149	19	41	60		B						4.0	8.0	PASS
52.	12/11/04/04/150	18	37	55				C+				3.5	7.0	PASS
53.	12/11/04/04/168	20	45	65		B+						4.5	9.0	PASS
54.	12/11/04/04/175	18	40	58				C+				3.5	7.0	PASS
55.	12/11/04/04/191	21	49	71	A							5.0	10.0	PASS
56.	12/11/04/04/194	20	45	65		B+						4.5	9.0	PASS
57.	12/11/04/04/195	19	41	60			B					4.0	8.0	PASS
58.	12/11/04/04/211	21	47	67		B+						4.5	9.0	PASS
59.	12/11/04/04/217	20	45	65		B+						4.5	9.0	PASS
60.	12/11/04/04/221	22	52	74	A							5.0	10.0	PASS
61.	12/11/04/04/223	21	49	71	A							5.0	10.0	PASS
62.	12/11/04/04/225	17	36	53					C			3.0	6.0	PASS
63.	12/11/04/04/226	18	37	55				C+				3.5	7.0	PASS
64.	12/11/04/04/227	17	36	53					C			3.0	6.0	PASS
65.	12/11/04/04/231	21	49	71	A							5.0	10.0	PASS
66.	12/11/04/04/236	20	44	64			B					4.0	8.0	PASS
67.	12/11/04/04/239	20	45	65		B+						4.5	9.0	PASS
68.	12/11/04/04/243	24	56	80	A							5.0	10.0	PASS
69.	12/11/04/04/246	20	45	65		B+						4.5	9.0	PASS
70.	12/11/04/04/257	19	41	60			B					4.0	8.0	PASS
71.	12/11/04/04/261	23	53	76	A							5.0	10.0	PASS
72.	12/11/04/04/262	19	43	62			B					4.0	8.0	PASS
73.	12/11/04/04/263	19	43	62			B					4.0	8.0	PASS
74.	12/11/04/04/265	18	40	58				C+				3.5	7.0	PASS
75.	12/11/04/04/269	21	48	69		B+						4.5	9.0	PASS
76.	12/11/04/04/271	21	48	69		B+						4.5	9.0	PASS
77.	12/11/04/04/273	19	41	60			B					4.0	8.0	PASS
78.	12/11/04/04/276	18	37	55				C+				3.5	7.0	PASS
79.	12/11/04/04/278	20	45	65		B+						4.5	9.0	PASS
80.	12/11/04/04/286	17	35	51					C			3.0	6.0	PASS
81.	12/11/04/04/288	19	43	62			B					4.0	8.0	PASS
82.	12/11/04/04/289	19	41	60			B					4.0	8.0	PASS
83.	12/11/04/04/290	20	45	65		B+						4.5	9.0	PASS
84.	12/11/04/04/291	18	40	58				C+				3.5	7.0	PASS
85.	12/11/04/04/294	17	36	53					C			3.0	6.0	PASS
86.	12/11/04/04/302	20	45	65		B+						4.5	9.0	PASS
87.	12/11/04/04/303	16	32	48						D		2.0	4.0	PASS
88.	12/11/04/04/305	19	43	62			B					4.0	8.0	PASS
89.	12/11/04/04/307	21	49	71	A							5.0	10.0	PASS
90.	12/11/04/04/312	19	43	62			B					4.0	8.0	PASS
91.	12/11/04/04/313	19	41	60			B					4.0	8.0	PASS
92.	12/11/04/04/321	18	39	57				C+				3.5	7.0	PASS
93.	12/11/04/04/323	18	39	57				C+				3.5	7.0	PASS
94.	12/11/04/04/328	20	44	64			B					4.0	8.0	PASS
95.	12/11/04/04/335	19	41	60			B					4.0	8.0	PASS
96.	12/11/04/04/353	20	45	65		B+						4.5	9.0	PASS
97.	12/11/04/04/360	18	37	55				C+				3.5	7.0	PASS
98.	12/11/04/04/364	19	43	62			B					4.0	8.0	PASS
99.	12/11/04/04/368	18	40	58				C+				3.5	7.0	PASS
100.	12/11/04/04/369	18	37	55				C+				3.5	7.0	PASS
101.	12/11/04/04/370	19	43	62			B					4.0	8.0	PASS
102.	12/11/04/04/371	19	43	62			B					4.0	8.0	PASS
103.	12/11/04/04/375	20	45	65		B+						4.5	9.0	PASS
104.	12/11/04/04/376	19	41	60			B					4.0	8.0	PASS
105.	12/11/04/04/377	20	45	65		B+						4.5	9.0	PASS

106.	12/11/04/04/379	18	40	58				C+					3.5	7.0	PASS
107.	12/11/04/04/384	16	32	48						D			2.0	4.0	PASS
108.	12/11/04/04/390	18	37	55				C+					3.5	7.0	PASS
109.	12/11/04/04/393	20	44	64				B					4.0	8.0	PASS
110.	12/11/04/04/396	19	41	60				B					4.0	8.0	PASS
111.	12/11/04/04/405	18	37	55				C+					3.5	7.0	PASS
112.	12/11/04/04/407	20	44	64				B					4.0	8.0	PASS
113.	12/11/04/04/408	16	32	48						D			2.0	4.0	PASS
114.	12/11/04/04/412	19	43	62				B					4.0	8.0	PASS
115.	12/11/04/04/413	18	40	58				C+					3.5	7.0	PASS
116.	12/11/04/04/419	18	40	58				C+					3.5	7.0	PASS
117.	12/11/04/04/420	20	44	64				B					4.0	8.0	PASS
118.	12/11/04/04/424	17	36	53						C			3.0	6.0	PASS
119.	12/11/04/04/430	18	37	55				C+					3.5	7.0	PASS
120.	12/11/04/04/431	21	47	67			B+						4.5	9.0	PASS
121.	12/11/04/04/432	20	44	64				B					4.0	8.0	PASS
122.	12/11/04/04/433	21	47	67				B+					4.5	9.0	PASS
123.	12/11/04/04/437	18	37	55				C+					3.5	7.0	PASS
124.	12/11/04/04/441	17	36	53						C			3.0	6.0	PASS
125.	12/11/04/04/451	19	43	62				B					4.0	8.0	PASS
126.	12/11/04/04/453	18	39	57				C+					3.5	7.0	PASS
127.	12/11/04/04/459	20	44	64				B					4.0	8.0	PASS
128.	12/11/04/04/462	19	41	60				B					4.0	8.0	PASS
129.	12/11/04/04/464	19	43	62				B					4.0	8.0	PASS
130.	12/11/04/04/466	19	43	62				B					4.0	8.0	PASS
131.	12/11/04/04/470	22	51	73	A								5.0	10.0	PASS
132.	12/11/04/04/476	21	48	69			B+						4.5	9.0	PASS
133.	12/11/04/04/480	19	41	60				B					4.0	8.0	PASS
134.	12/11/04/04/482	20	45	65				B+					4.5	9.0	PASS
135.	12/11/04/04/490	21	49	71	A								5.0	10.0	PASS
136.	12/11/04/04/494	22	51	73	A								5.0	10.0	PASS
137.	12/11/04/04/495	20	44	64				B					4.0	8.0	PASS
138.	12/11/04/04/499	18	37	55				C+					3.5	7.0	PASS
139.	12/11/04/04/501	18	39	57				C+					3.5	7.0	PASS
140.	12/11/04/04/503	22	51	73	A								5.0	10.0	PASS
141.	12/11/04/04/519	19	43	62				B					4.0	8.0	PASS
142.	12/11/04/04/520	21	48	69			B+						4.5	9.0	PASS
143.	12/11/04/04/523	17	33	50						C			3.0	6.0	PASS
144.	12/11/04/04/532	17	33	50						C			3.0	6.0	PASS
145.	12/11/04/04/534	20	45	65			B+						4.5	9.0	PASS
146.	12/11/04/04/535	14	28	42							E		1.0	2.0	PASS
147.	12/11/04/04/536	18	39	57				C+					3.5	7.0	PASS
148.	12/11/04/04/548	14	28	42							E		1.0	2.0	PASS
149.	12/11/04/04/557	16	32	48						D			2.0	4.0	PASS
150.	12/11/04/04/558	17	36	53						C			3.0	6.0	PASS
151.	12/11/04/04/559	20	44	64				B					4.0	8.0	PASS
	<b>SUMMARY</b>				<b>18</b>	<b>31</b>	<b>49</b>	<b>30</b>	<b>10</b>	<b>08</b>	<b>05</b>	<b>00</b>			<b>151</b>

0	18	40	58
0	15	31	46
0	18	40	58
0	15	31	46
0	17	33	50
0	19	41	60
0	16	25	41
0	21	47	67
0	22	51	73
0	19	43	62
0	18	40	58
0	21	47	67
0	19	41	60
0	20	45	65
0	19	41	60
0	21	49	71
0	19	43	62
0	21	48	69
0	20	44	64
0	18	37	55
0	20	45	65
0	19	43	62
0	19	43	62
0	16	25	41
0	20	44	64
0	15	31	46
0	22	51	73
0	19	43	62
0	22	52	74
0	18	40	58
0	21	48	69
0	23	53	76
0	19	43	62
0	19	41	60
0	22	51	73
0	21	49	71
0	20	45	65
0	21	48	69
0	20	44	64
0	16	29	45
0	21	47	67
0	18	37	55
0	18	40	58
0	18	39	57
0	14	28	42
0	19	41	60
0	20	45	65
0	20	44	64

0	21	48	69
0	19	43	62
0	19	41	60
0	18	37	55
0	20	45	65
0	18	40	58
0	21	49	71
0	20	45	65
0	19	41	60
0	21	47	67
0	20	45	65
0	22	52	74
0	21	49	71
0	17	36	53
0	18	37	55
0	17	36	53
0	21	49	71
0	20	44	64
0	20	45	65
0	24	56	80
0	20	45	65
0	19	41	60
0	23	53	76
0	19	43	62
0	19	43	62
0	18	40	58
0	21	48	69
0	21	48	69
0	19	41	60
0	18	37	55
0	20	45	65
0	17	35	51
0	19	43	62
0	19	41	60
0	20	45	65
0	18	40	58
0	17	36	53
0	20	45	65
0	16	32	48
0	19	43	62
0	21	49	71
0	19	43	62
0	19	41	60
0	18	39	57
0	18	39	57
0	20	44	64
0	19	41	60
0	20	45	65
0	18	37	55
0	19	43	62
0	18	40	58
0	18	37	55
0	19	43	62
0	19	43	62
0	20	45	65
0	19	41	60
0	20	45	65

0	18	40	58
0	16	32	48
0	18	37	55
0	20	44	64
0	19	41	60
0	18	37	55
0	20	44	64
0	16	32	48
0	19	43	62
0	18	40	58
0	18	40	58
0	20	44	64
0	17	36	53
0	18	37	55
0	21	47	67
0	20	44	64
0	21	47	67
0	18	37	55
0	17	36	53
0	19	43	62
0	18	39	57
0	20	44	64
0	19	41	60
0	19	43	62
0	19	43	62
0	22	51	73
0	21	48	69
0	19	41	60
0	20	45	65
0	21	49	71
0	22	51	73
0	20	44	64
0	18	37	55
0	18	39	57
0	22	51	73
0	19	43	62
0	21	48	69
0	17	33	50
0	17	33	50
0	20	45	65
0	14	28	42
0	18	39	57
0	14	28	42
0	16	32	48
0	17	36	53
0	20	44	64