

UNIVERSITY OF MAIDUGURI
(OFFICE OF THE VICE-CHANCELLOR)

CENTRE FOR DISTANCE LEARNING

Department of Public Administration

Second Semester End-of-Course Examination Results

Course Code: PAD 402
Course Title: Entrepreneurial Development
Course Units: 2

2015/2016 ACADEMIC SESSION

S/No.	ID. No.	C.A. Marks	Exam Marks	Total Marks	Grades								GP	U.GP	Remarks
					A	B+	B	C+	C	D	E	F			
1.	10/11/07/05/149	10	42	52					C				3.0	6.0	PASS
2.	10/11/07/05/222	19	22	41							E		1.0	2.0	PASS
3.	12/11/07/03/005	14	56	70	A								5.0	10.0	PASS
4.	12/11/07/03/008	16	54	70	A								5.0	10.0	PASS
5.	12/11/07/03/012	15	62	77	A								5.0	10.0	PASS
6.	12/11/07/03/015	15	36	51					C				3.0	6.0	PASS
7.	12/11/07/03/017	16	34	50					C				3.0	6.0	PASS
8.	12/11/07/03/028	16	24	40							E		1.0	2.0	PASS
9.	12/11/07/03/034	15	36	51					C				3.0	6.0	PASS
10.	12/11/07/03/052	14	34	48						D			2.0	4.0	PASS
11.	12/11/07/03/053	15	32	47						D			2.0	4.0	PASS
12.	12/11/07/03/055	15	42	57				C+					3.5	7.0	PASS
13.	12/11/07/03/059	16	38	54					C				3.0	6.0	PASS
14.	12/11/07/03/065	14	28	42							E		1.0	2.0	PASS
15.	12/11/07/03/068	16	50	66		B+							4.5	9.0	PASS
16.	12/11/07/03/070	14	44	58				C+					3.5	7.0	PASS
17.	12/11/07/03/076	10	34	44							E		1.0	2.0	PASS
18.	12/11/07/03/077	15	64	79	A								5.0	10.0	PASS
19.	12/11/07/03/081	20	20	40							E		1.0	2.0	PASS
20.	12/11/07/03/086	15	30	45						D			2.0	4.0	PASS
21.	12/11/07/03/098	18	24	42							E		1.0	2.0	PASS
22.	12/11/07/03/100	14	44	58				C+					3.5	7.0	PASS
23.	12/11/07/03/101	10	60	70	A								5.0	10.0	PASS
24.	12/11/07/03/103	16	30	46						D			2.0	4.0	PASS
25.	12/11/07/03/105	15	64	79	A								5.0	10.0	PASS
26.	12/11/07/03/106	14	52	66		B+							4.5	9.0	PASS
27.	12/11/07/03/108	14	46	60			B						4.0	8.0	PASS
28.	12/11/07/03/116	15	38	53					C				3.0	6.0	PASS
29.	12/11/07/03/117	10	34	44							E		1.0	2.0	PASS

30.	12/11/07/03/124	16	44	60			B					4.0	8.0	PASS
31.	12/11/07/03/126	14	40	54					C			3.0	6.0	PASS
32.	12/11/07/03/132	14	36	50					C			3.0	6.0	PASS
33.	12/11/07/03/134	16	50	66		B+						4.5	9.0	PASS
34.	12/11/07/03/135	14	44	58					C+			3.5	7.0	PASS
35.	12/11/07/03/138	15	50	65		B+						4.5	9.0	PASS
36.	12/11/07/03/148	15	54	69		B+						4.5	9.0	PASS
37.	12/11/07/03/157	14	64	78	A							5.0	10.0	PASS
38.	12/11/07/03/166	16	58	74	A							5.0	10.0	PASS
39.	12/11/07/03/169	20	20	40						E		1.0	2.0	PASS
40.	12/11/07/03/171	15	40	55					C+			3.5	7.0	PASS
41.	12/11/07/03/178	14	52	66		B+						4.5	9.0	PASS
42.	12/11/07/03/184	10	34	44						E		1.0	2.0	PASS
43.	12/11/07/03/186	16	36	52					C			3.0	6.0	PASS
44.	12/11/07/03/189	15	26	41						E		1.0	2.0	PASS
45.	12/11/07/03/190	15	46	61			B					4.0	8.0	PASS
46.	12/11/07/03/195	15	40	55					C+			3.5	7.0	PASS
47.	12/11/07/03/199	16	40	56					C+			3.5	7.0	PASS
48.	12/11/07/03/200	14	42	56					C+			3.5	7.0	PASS
49.	12/11/07/03/202	14	38	52					C			3.0	6.0	PASS
50.	12/11/07/03/206	15	54	69		B+						4.5	9.0	PASS
51.	12/11/07/03/208	15	26	41						E		1.0	2.0	PASS
52.	12/11/07/03/211	14	58	72	A							5.0	10.0	PASS
53.	12/11/07/03/213	15	48	63			B					4.0	8.0	PASS
54.	12/11/07/03/219	16	36	52					C			3.0	6.0	PASS
55.	12/11/07/03/220	14	54	68		B+						4.5	9.0	PASS
56.	12/11/07/03/222	20	20	40						E		1.0	2.0	PASS
57.	12/11/07/03/225	10	34	44						E		1.0	2.0	PASS
58.	12/11/07/03/235	18	24	42						E		1.0	2.0	PASS
59.	12/11/07/03/236	15	44	59					C+			3.5	7.0	PASS
60.	12/11/07/03/238	16	48	64			B					4.0	8.0	PASS
61.	12/11/07/03/239	10	34	44						E		1.0	2.0	PASS
62.	12/11/07/03/245	14	16	30							F	0.0	0.0	FAIL
63.	12/11/07/03/251	16	30	46					D			2.0	4.0	PASS
64.	12/11/07/03/259	15	26	41						E		1.0	2.0	PASS
65.	12/11/07/03/260	18	24	42						E		1.0	2.0	PASS
66.	12/11/07/03/264	14	40	54					C			3.0	6.0	PASS
67.	12/11/07/03/265	16	56	72	A							5.0	10.0	PASS
68.	12/11/07/03/268	19	22	41						E		1.0	2.0	PASS
69.	12/11/07/03/270	14	46	60			B					4.0	8.0	PASS
70.	12/11/07/03/272	15	34	49						D		2.0	4.0	PASS
71.	12/11/07/03/275	16	34	50					C			3.0	6.0	PASS

72.	12/11/07/03/285	18	22	40						E		1.0	2.0	PASS
73.	12/11/07/03/286	22	18	40						E		1.0	2.0	PASS
74.	12/11/07/03/290	14	48	62			B					4.0	8.0	PASS
75.	12/11/07/03/294	16	48	64			B					4.0	8.0	PASS
76.	12/11/07/03/295	15	36	51					C			3.0	6.0	PASS
77.	12/11/07/03/296	16	28	44						E		1.0	2.0	PASS
78.	12/11/07/03/298	10	52	62			B					4.0	8.0	PASS
79.	12/11/07/03/302	14	60	74	A							5.0	10.0	PASS
80.	12/11/07/03/303	15	38	53					C			3.0	6.0	PASS
81.	12/11/07/03/307	10	62	72	A							5.0	10.0	PASS
82.	12/11/07/03/312	15	54	69		B+						4.5	9.0	PASS
83.	12/11/07/03/314	14	50	64			B					4.0	8.0	PASS
84.	12/11/07/03/317	16	24	40						E		1.0	2.0	PASS
85.	12/11/07/03/319	14	30	44						E		1.0	2.0	PASS
86.	12/11/07/03/324	15	62	77	A							5.0	10.0	PASS
87.	12/11/07/03/325	16	46	62			B					4.0	8.0	PASS
88.	12/11/07/03/326	14	54	68		B+						4.5	9.0	PASS
89.	12/11/07/03/327	15	56	71	A							5.0	10.0	PASS
90.	12/11/07/03/333	20	20	40						E		1.0	2.0	PASS
91.	12/11/07/03/334	15	30	45						D		2.0	4.0	PASS
92.	12/11/07/03/344	22	18	40						E		1.0	2.0	PASS
93.	12/11/07/03/345	14	52	66		B+						4.5	9.0	PASS
94.	12/11/07/03/346	10	40	50					C			3.0	6.0	PASS
95.	12/11/07/03/354	15	50	65		B+						4.5	9.0	PASS
96.	12/11/07/03/355	16	54	70	A							5.0	10.0	PASS
97.	12/11/07/03/356	14	40	54					C			3.0	6.0	PASS
98.	12/11/07/03/364	15	38	53					C			3.0	6.0	PASS
99.	12/11/07/03/365	15	36	51					C			3.0	6.0	PASS
100.	12/11/07/03/367	15	50	65		B+						4.5	9.0	PASS
101.	12/11/07/03/370	10	38	48						D		2.0	4.0	PASS
102.	12/11/07/03/377	14	26	40						E		1.0	2.0	PASS
103.	12/11/07/03/385	16	48	64			B					4.0	8.0	PASS
104.	12/11/07/03/387	22	18	40						E		1.0	2.0	PASS
105.	12/11/07/03/388	18	24	42						E		1.0	2.0	PASS
106.	12/11/07/03/398	20	36	56				C+				3.5	7.0	PASS
107.	12/11/07/03/403	16	54	70	A							5.0	10.0	PASS
108.	12/11/07/03/404	16	38	54					C			3.0	6.0	PASS
109.	12/11/07/03/410	14	44	58				C+				3.5	7.0	PASS
110.	12/11/07/03/411	15	48	63			B					4.0	8.0	PASS
111.	12/11/07/03/413	14	32	46						D		2.0	4.0	PASS
112.	12/11/07/03/415	16	30	46						D		2.0	4.0	PASS
113.	12/11/07/03/420	16	56	72	A							5.0	10.0	PASS

114.	12/11/07/03/426	10	40	50					C				3.0	6.0	PASS
115.	12/11/07/03/430	14	52	66		B+							4.5	9.0	PASS
116.	12/11/07/03/431	21	20	41							E		1.0	2.0	PASS
117.	12/11/07/03/432	14	28	42							E		1.0	2.0	PASS
118.	12/11/07/03/433	14	38	52					C				3.0	6.0	PASS
119.	12/11/07/03/434	14	46	60			B						4.0	8.0	PASS
120.	12/11/07/03/439	15	32	47							D		2.0	4.0	PASS
121.	12/11/07/03/451	16	56	72	A								5.0	10.0	PASS
122.	12/11/07/03/452	16	66	82	A								5.0	10.0	PASS
123.	12/11/07/03/453	15	46	61			B						4.0	8.0	PASS
124.	12/11/07/03/455	15	60	75	A								5.0	10.0	PASS
125.	12/11/07/03/456	15	32	47							D		2.0	4.0	PASS
126.	12/11/07/03/457	10	40	50					C				3.0	6.0	PASS
127.	12/11/07/03/458	16	66	82	A								5.0	10.0	PASS
128.	12/11/07/03/459	16	38	54					C				3.0	6.0	PASS
129.	12/11/07/03/461	14	28	42							E		1.0	2.0	PASS
130.	12/11/07/03/466	10	38	48							D		2.0	4.0	PASS
131.	12/11/07/03/469	16	56	72	A								5.0	10.0	PASS
132.	12/11/07/03/470	14	52	66		B+							4.5	9.0	PASS
133.	12/11/07/03/473	15	40	55					C+				3.5	7.0	PASS
134.	12/11/07/03/476	14	42	56					C+				3.5	7.0	PASS
135.	12/11/07/03/483	20	20	40							E		1.0	2.0	PASS
136.	12/11/07/03/484	15	36	51					C				3.0	6.0	PASS
137.	12/11/07/03/486	16	50	66		B+							4.5	9.0	PASS
138.	12/11/07/03/490	14	34	48							D		2.0	4.0	PASS
139.	12/11/07/03/495	14	36	50					C				3.0	6.0	PASS
140.	12/11/07/03/497	14	46	60			B						4.0	8.0	PASS
141.	12/11/07/03/498	14	42	56					C+				3.5	7.0	PASS
142.	12/11/07/03/499	16	60	76	A								5.0	10.0	PASS
143.	12/11/07/03/500	16	42	58					C+				3.5	7.0	PASS
144.	12/11/07/03/501	14	48	62			B						4.0	8.0	PASS
145.	12/11/07/03/503	10	30	40							E		1.0	2.0	PASS
146.	12/11/07/03/504	14	52	66		B+							4.5	9.0	PASS
147.	12/11/07/03/509	18	24	42							E		1.0	2.0	PASS
148.	12/11/07/03/512	16	36	52					C				3.0	6.0	PASS
149.	12/11/07/03/519	14	44	58					C+				3.5	7.0	PASS
150.	12/11/07/03/522	16	38	54					C				3.0	6.0	PASS
151.	12/11/07/03/525	14	46	60			B						4.0	8.0	PASS
152.	12/11/07/03/531	16	38	54					C				3.0	6.0	PASS
153.	12/11/07/03/532	15	62	77	A								5.0	10.0	PASS
154.	12/11/07/03/534	15	38	53					C				3.0	6.0	PASS
155.	12/11/07/03/545	14	54	68		B+							4.5	9.0	PASS

156.	12/11/07/03/546	10	48	58				C+					3.5	7.0	PASS
157.	12/11/07/03/553	15	60	75	A								5.0	10.0	PASS
158.	12/11/07/03/554	14	48	62				B					4.0	8.0	PASS
159.	12/11/07/03/555	16	50	66		B+							4.5	9.0	PASS
160.	12/11/07/03/556	16	42	58				C+					3.5	7.0	PASS
161.	12/11/07/03/560	16	36	52					C				3.0	6.0	PASS
162.	12/11/07/03/563	14	46	60				B					4.0	8.0	PASS
163.	12/11/07/03/567	15	46	61				B					4.0	8.0	PASS
164.	12/11/07/03/569	16	32	48						D			2.0	4.0	PASS
165.	12/11/07/03/573	14	52	66		B+							4.5	9.0	PASS
166.	12/11/07/03/574	16	56	72	A								5.0	10.0	PASS
167.	12/11/07/03/575	18	22	40						E			1.0	2.0	PASS
168.	12/11/07/03/577	16	46	62				B					4.0	8.0	PASS
169.	12/11/07/03/580	15	44	59				C+					3.5	7.0	PASS
170.	12/11/07/03/582	15	56	71	A								5.0	10.0	PASS
171.	12/11/07/03/583	14	28	42						E			1.0	2.0	PASS
172.	12/11/07/03/584	14	30	44						E			1.0	2.0	PASS
173.	12/11/07/03/587	10	38	48						D			2.0	4.0	PASS
174.	12/11/07/03/588	10	30	40						E			1.0	2.0	PASS
175.	12/11/07/03/589	10	52	62				B					4.0	8.0	PASS
	Summary:				27	20	23	19	31	16	38	01			175

