

UNIVERSITY OF MAIDUGURI
(OFFICE OF THE VICE-CHANCELLOR)

Centre for Distance Learning
Department of Accounting

First Semester End-of-Course Examination Results

Course Code: **ACC 403**
Course Title: **Planning and Control I**
Course Unit(s): **3**

2015/2016 Academic Session

S/No.	ID. No.	C.A. Marks	EXAM Marks	TOTAL Marks	Grades										GP	U.GP	Remarks
					A	B+	B	C+	C	D	E	F					
1.	08/11/07/01/019	23	24	47						D			2.0	6.0	PASS		
2.	09/11/07/01/020	25	30	55				C+					3.5	10.5	PASS		
3.	10/11/07/01/020	24	26	50					C				3.0	9.0	PASS		
4.	10/11/07/01/034	23	22	45						D			2.0	6.0	PASS		
5.	10/11/07/01/035	24	26	50					C				3.0	9.0	PASS		
6.	10/11/07/01/038	25	30	55				C+					3.5	10.5	PASS		
7.	10/11/07/01/057	21	24	45						D			2.0	6.0	PASS		
8.	10/11/07/01/083	22	34	56				C+					3.5	10.5	PASS		
9.	10/11/07/01/096	21	34	55				C+					3.5	10.5	PASS		
10.	10/11/07/01/101	25	20	45						D			2.0	6.0	PASS		
11.	10/11/07/01/102	23	32	55				C+					3.5	10.5	PASS		
12.	10/11/07/01/108	24	28	52					C				3.0	9.0	PASS		
13.	10/11/07/01/114	25	30	55				C+					3.5	10.5	PASS		
14.	10/11/07/01/134	23	18	41							E		1.0	3.0	PASS		
15.	10/11/07/01/140	24	28	52					C				3.0	9.0	PASS		
16.	10/11/07/01/147	23	32	55				C+					3.5	10.5	PASS		
17.	10/11/07/01/152	21	34	55				C+					3.5	10.5	PASS		
18.	12/11/07/01/002	22	48	70	A								5.0	15.0	PASS		
19.	12/11/07/01/003	23	32	55				C+					3.5	10.5	PASS		
20.	12/11/07/01/004	21	24	45						D			2.0	6.0	PASS		
21.	12/11/07/01/014	24	26	50					C				3.0	9.0	PASS		
22.	12/11/07/01/015	21	30	51					C				3.0	9.0	PASS		
23.	12/11/07/01/017	21	34	55				C+					3.5	10.5	PASS		
24.	12/11/07/01/030	25	30	55				C+					3.5	10.5	PASS		
25.	12/11/07/01/031	24	26	50					C				3.0	9.0	PASS		
26.	12/11/07/01/033	23	22	45						D			2.0	6.0	PASS		
27.	12/11/07/01/034	23	30	53					C				3.0	9.0	PASS		
28.	12/11/07/01/036	24	28	52					C				3.0	9.0	PASS		
29.	12/11/07/01/037	21	34	55				C+					3.5	10.5	PASS		
30.	12/11/07/01/039	25	40	65		B+							4.5	13.5	PASS		
31.	12/11/07/01/042	21	30	51					C				3.0	9.0	PASS		
32.	12/11/07/01/051	22	38	60			B						4.0	12.0	PASS		
33.	12/11/07/01/052	21	20	41							E		1.0	3.0	PASS		
34.	12/11/07/01/054	23	28	51					C				3.0	9.0	PASS		
35.	12/11/07/01/055	21	24	45						D			2.0	6.0	PASS		

36.	12/11/07/01/056	23	30	53					C				3.0	9.0	PASS
37.	12/11/07/01/059	20	30	50					C				3.0	9.0	PASS
38.	12/11/07/01/062	24	18	42							E		1.0	3.0	PASS
39.	12/11/07/01/064	23	38	61			B						4.0	12.0	PASS
40.	12/11/07/01/065	23	22	45							D		2.0	6.0	PASS
41.	12/11/07/01/070	25	46	71	A								5.0	15.0	PASS
42.	12/11/07/01/079	24	48	72	A								5.0	15.0	PASS
43.	12/11/07/01/081	21	24	45							D		2.0	6.0	PASS
44.	12/11/07/01/086	24	36	60			B						4.0	12.0	PASS
45.	12/11/07/01/087	23	32	55					C+				3.5	10.5	PASS
46.	12/11/07/01/091	23	32	55					C+				3.5	10.5	PASS
47.	12/11/07/01/102	22	28	50					C				3.0	9.0	PASS
48.	12/11/07/01/106	24	36	60			B						4.0	12.0	PASS
49.	12/11/07/01/112	25	40	65		B+							4.5	13.5	PASS
50.	12/11/07/01/115	23	22	45							D		2.0	6.0	PASS
51.	12/11/07/01/116	22	30	52					C				3.0	9.0	PASS
52.	12/11/07/01/117	21	30	51					C				3.0	9.0	PASS
53.	12/11/07/01/119	23	44	67		B+							4.5	13.5	PASS
54.	12/11/07/01/120	22	30	52					C				3.0	9.0	PASS
55.	12/11/07/01/123	21	24	45							D		2.0	6.0	PASS
56.	12/11/07/01/124	23	28	51					C				3.0	9.0	PASS
57.	12/11/07/01/126	23	27	50					C				3.0	9.0	PASS
58.	12/11/07/01/127	24	26	50					C				3.0	9.0	PASS
59.	12/11/07/01/129	24	28	52					C				3.0	9.0	PASS
60.	12/11/07/01/131	22	20	42							E		1.0	3.0	PASS
61.	12/11/07/01/132	23	42	65		B+							4.5	13.5	PASS
62.	12/11/07/01/133	22	28	50					C				3.0	9.0	PASS
63.	12/11/07/01/134	24	26	50					C				3.0	9.0	PASS
64.	12/11/07/01/135	21	24	45							D		2.0	6.0	PASS
65.	12/11/07/01/136	20	32	52					C				3.0	9.0	PASS
66.	12/11/07/01/138	21	34	55					C+				3.5	10.5	PASS
67.	12/11/07/01/142	23	27	50					C				3.0	9.0	PASS
68.	12/11/07/01/146	24	26	50					C				3.0	9.0	PASS
69.	12/11/07/01/147	22	28	50					C				3.0	9.0	PASS
70.	12/11/07/01/154	24	28	52					C				3.0	9.0	PASS
71.	12/11/07/01/155	21	24	45							D		2.0	6.0	PASS
72.	12/11/07/01/157	24	36	60			B						4.0	12.0	PASS
73.	12/11/07/01/160	23	38	61			B						4.0	12.0	PASS
74.	12/11/07/01/161	20	30	50					C				3.0	9.0	PASS
75.	12/11/07/01/165	21	30	51					C				3.0	9.0	PASS
76.	12/11/07/01/168	20	30	50					C				3.0	9.0	PASS
77.	12/11/07/01/170	24	36	60			B						4.0	12.0	PASS
78.	12/11/07/01/171	24	18	42							E		1.0	3.0	PASS
79.	12/11/07/01/174	24	26	50					C				3.0	9.0	PASS
80.	12/11/07/01/177	20	30	50					C				3.0	9.0	PASS

81.	12/11/07/01/179	24	26	50					C				3.0	9.0	PASS
82.	12/11/07/01/182	24	46	70	A								5.0	15.0	PASS
83.	12/11/07/01/189	23	38	61			B						4.0	12.0	PASS
84.	12/11/07/01/190	22	38	60			B						4.0	12.0	PASS
85.	12/11/07/01/191	20	30	50					C				3.0	9.0	PASS
86.	12/11/07/01/194	21	22	43							E		1.0	3.0	PASS
87.	12/11/07/01/198	22	28	50					C				3.0	9.0	PASS
88.	12/11/07/01/202	23	38	61			B						4.0	12.0	PASS
89.	12/11/07/01/217	20	30	50					C				3.0	9.0	PASS
90.	12/11/07/01/218	23	38	61			B						4.0	12.0	PASS
91.	12/11/07/01/221	25	26	51					C				3.0	9.0	PASS
92.	12/11/07/01/222	24	36	60			B						4.0	12.0	PASS
93.	12/11/07/01/228	21	34	55					C+				3.5	10.5	PASS
94.	12/11/07/01/231	22	38	60			B						4.0	12.0	PASS
95.	12/11/07/01/232	24	26	50					C				3.0	9.0	PASS
96.	12/11/07/01/236	23	28	51					C				3.0	9.0	PASS
97.	12/11/07/01/239	20	30	50					C				3.0	9.0	PASS
98.	12/11/07/01/255	23	48	71	A								5.0	15.0	PASS
99.	12/11/07/01/257	21	34	55					C+				3.5	10.5	PASS
100.	12/11/07/01/259	22	28	50					C				3.0	9.0	PASS
101.	12/11/07/01/260	21	20	41							E		1.0	3.0	PASS
102.	12/11/07/01/261	21	24	45						D			2.0	6.0	PASS
103.	12/11/07/01/262	21	30	51					C				3.0	9.0	PASS
104.	12/11/07/01/265	23	28	51					C				3.0	9.0	PASS
105.	12/11/07/01/266	20	26	46						D			2.0	6.0	PASS
106.	12/11/07/01/268	21	20	41							E		1.0	3.0	PASS
107.	12/11/07/01/270	22	26	48						D			2.0	6.0	PASS
108.	12/11/07/01/271	23	32	55					C+				3.5	10.5	PASS
109.	12/11/07/01/273	26	50	76	A								5.0	15.0	PASS
110.	12/11/07/01/277	23	26	49						D			2.0	6.0	PASS
111.	12/11/07/01/278	20	30	50					C				3.0	9.0	PASS
112.	12/11/07/01/281	22	26	48						D			2.0	6.0	PASS
113.	12/11/07/01/286	21	34	55					C+				3.5	10.5	PASS
114.	12/11/07/01/287	21	24	45						D			2.0	6.0	PASS
115.	12/11/07/01/288	20	26	46						D			2.0	6.0	PASS
116.	12/11/07/01/291	20	30	50					C				3.0	9.0	PASS
117.	12/11/07/01/292	22	30	52					C				3.0	9.0	PASS
118.	12/11/07/01/296	23	30	53					C				3.0	9.0	PASS
119.	12/11/07/01/299	23	28	51					C				3.0	9.0	PASS
120.	12/11/07/01/309	20	10	30							F		0.0	0.0	FAIL
121.	12/11/07/01/310	21	32	53					C				3.0	9.0	PASS
122.	12/11/07/01/311	23	28	51					C				3.0	9.0	PASS
123.	12/11/07/01/316	21	10	31							F		0.0	0.0	FAIL
124.	12/11/07/01/318	21	34	55					C+				3.5	10.5	PASS
125.	12/11/07/01/320	22	24	46						D			2.0	6.0	PASS

126.	12/11/07/01/321	20	22	42							E		1.0	3.0	PASS
127.	12/11/07/01/329	21	32	53					C				3.0	9.0	PASS
128.	12/11/07/01/333	21	24	45						D			2.0	6.0	PASS
129.	12/11/07/01/334	21	12	33								F	0.0	0.0	FAIL
SUMMARY					06	04	13	20	52	22	09	03			129

0	23	24	47
0	25	30	55
0	24	26	50
0	23	22	45
0	24	26	50
0	25	30	55
0	21	24	45
0	22	34	56
0	21	34	55
0	25	20	45
0	23	32	55
0	24	28	52
0	25	30	55
0	23	18	41
0	24	28	52
0	23	32	55
0	21	34	55
0	22	48	70
0	23	32	55
0	21	24	45
0	24	26	50
0	21	30	51
0	21	34	55
0	25	30	55
0	24	26	50
0	23	22	45
0	23	30	53
0	24	28	52
0	21	34	55
0	25	40	65
0	21	30	51
0	22	38	60
0	21	20	41
0	23	28	51
0	21	24	45

0	23	30	53
0	20	30	50
0	24	18	42
0	23	38	61
0	23	22	45
0	25	46	71
0	24	48	72
0	21	24	45
0	24	36	60
0	23	32	55
0	23	32	55
0	22	28	50
0	24	36	60
0	25	40	65
0	23	22	45
0	22	30	52
0	21	30	51
0	23	44	67
0	22	30	52
0	21	24	45
0	23	28	51
0	23	27	50
0	24	26	50
0	24	28	52
0	22	20	42
0	23	42	65
0	22	28	50
0	24	26	50
0	21	24	45
0	20	32	52
0	21	34	55
0	23	27	50
0	24	26	50
0	22	28	50
0	24	28	52
0	21	24	45
0	24	36	60
0	23	38	61
0	20	30	50
0	21	30	51
0	20	30	50
0	24	36	60
0	24	18	42
0	24	26	50
0	20	30	50

0	24	26	50
0	24	46	70
0	23	38	61
0	22	38	60
0	20	30	50
0	21	22	43
0	22	28	50
0	23	38	61
0	20	30	50
0	23	38	61
0	25	26	51
0	24	36	60
0	21	34	55
0	22	38	60
0	24	26	50
0	23	28	51
0	20	30	50
0	23	48	71
0	21	34	55
0	22	28	50
0	21	20	41
0	21	24	45
0	21	30	51
0	23	28	51
0	20	26	46
0	21	20	41
0	22	26	48
0	23	32	55
0	26	50	76
0	23	26	49
0	20	30	50
0	22	26	48
0	21	34	55
0	21	24	45
0	20	26	46
0	20	30	50
0	22	30	52
0	23	30	53
0	23	28	51
0	20	10	30
0	21	32	53
0	23	28	51
0	21	10	31
0	21	34	55
0	22	24	46

0	20	22	42
0	21	32	53
0	21	24	45
0	21	12	33