

**UNIVERSITY OF MAIDUGURI**  
(OFFICE OF THE VICE-CHANCELLOR)

**Centre for Distance Learning**

**Department of Accounting**

**First Semester End-of-Course Examination Results**

Course Code: **ACC 501**  
Course Title: **Planning and Control II**  
Course Unit(s): **3**

**2015/2016 Academic Session**

S/No.	ID. No.	C.A. Marks	EXAM Marks	TOTAL Marks	Grades										GP	U.GP	Remarks
					A	B+	B	C+	C	D	E	F					
1.	08/11/07/01/025	23	27	50					C				3.0	9.0	PASS		
2.	08/11/07/01/033	23	32	55				C+				3.5	10.5	PASS			
3.	09/11/07/01/020	20	22	42							E	1.0	3.0	PASS			
4.	09/11/07/01/070	18	00	18								F	0.0	0.0	FAIL		
5.	09/11/07/01/096	22	28	50					C			3.0	9.0	PASS			
6.	09/11/07/01/106	15	00	15								F	0.0	0.0	FAIL		
7.	09/11/07/01/120	16	00	16								F	0.0	0.0	FAIL		
8.	10/11/07/01/002	19	23	42							E	1.0	3.0	PASS			
9.	10/11/07/01/017	24	38	62			B					4.0	12.0	PASS			
10.	10/11/07/01/025	20	31	51					C			3.0	9.0	PASS			
11.	10/11/07/01/026	14	00	14								F	0.0	0.0	FAIL		
12.	10/11/07/01/028	20	25	45						D		2.0	6.0	PASS			
13.	10/11/07/01/029	22	31	53					C			3.0	9.0	PASS			
14.	10/11/07/01/030	20	23	43							E	1.0	3.0	PASS			
15.	10/11/07/01/031	23	25	48						D		2.0	6.0	PASS			
16.	10/11/07/01/033	15	00	15								F	0.0	0.0	FAIL		
17.	10/11/07/01/034	12	00	12								F	0.0	0.0	FAIL		
18.	10/11/07/01/035	20	22	42							E	1.0	3.0	PASS			
19.	10/11/07/01/045	22	28	50					C			3.0	9.0	PASS			
20.	10/11/07/01/050	21	29	50					C			3.0	9.0	PASS			
21.	10/11/07/01/054	15	00	15								F	0.0	0.0	FAIL		
22.	10/11/07/01/057	21	25	46						D		2.0	6.0	PASS			
23.	10/11/07/01/083	23	24	47						D		2.0	6.0	PASS			
24.	10/11/07/01/085	22	28	50					C			3.0	9.0	PASS			
25.	10/11/07/01/086	13	00	13								F	0.0	0.0	FAIL		
26.	10/11/07/01/096	24	26	50					C			3.0	9.0	PASS			
27.	10/11/07/01/098	23	29	52					C			3.0	9.0	PASS			
28.	10/11/07/01/102	12	00	12								F	0.0	0.0	FAIL		
29.	10/11/07/01/108	25	25	50					C			3.0	9.0	PASS			
30.	10/11/07/01/120	26	36	62			B					4.0	12.0	PASS			
31.	10/11/07/01/129	20	26	46						D		2.0	6.0	PASS			
32.	10/11/07/01/131	22	23	45						D		2.0	6.0	PASS			
33.	10/11/07/01/134	21	24	45						D		2.0	6.0	PASS			
34.	10/11/07/01/136	22	32	54					C			3.0	9.0	PASS			
35.	10/11/07/01/141	21	30	51					C			3.0	9.0	PASS			

36.	10/11/07/01/147	21	29	50				C			3.0	9.0	PASS
37.	10/11/07/01/152	23	24	47				D			2.0	6.0	PASS
38.	10/11/07/01/154	22	29	51				C			3.0	9.0	PASS
39.	10/11/07/01/155	22	28	50				C			3.0	9.0	PASS
40.	10/11/07/01/156	24	37	61			B				4.0	12.0	PASS
41.	12/11/07/01/001	24	26	50				C			3.0	9.0	PASS
42.	12/11/07/01/004	21	25	46				D			2.0	6.0	PASS
43.	12/11/07/01/006	22	28	50				C			3.0	9.0	PASS
44.	12/11/07/01/007	20	30	50				C			3.0	9.0	PASS
45.	12/11/07/01/008	22	28	50				C			3.0	9.0	PASS
46.	12/11/07/01/009	21	27	48				D			2.0	6.0	PASS
47.	12/11/07/01/010	20	27	47				D			2.0	6.0	PASS
48.	12/11/07/01/012	22	34	56			C+				3.5	10.5	PASS
49.	12/11/07/01/013	21	33	54				C			3.0	9.0	PASS
50.	12/11/07/01/015	20	25	45				D			2.0	6.0	PASS
51.	12/11/07/01/016	23	26	49				D			2.0	6.0	PASS
52.	12/11/07/01/018	22	28	50				C			3.0	9.0	PASS
53.	12/11/07/01/019	21	24	45				D			2.0	6.0	PASS
54.	12/11/07/01/020	23	27	50				C			3.0	9.0	PASS
55.	12/11/07/01/021	21	30	51				C			3.0	9.0	PASS
56.	12/11/07/01/022	20	26	46				D			2.0	6.0	PASS
57.	12/11/07/01/024	20	30	50				C			3.0	9.0	PASS
58.	12/11/07/01/027	21	40	61			B				4.0	12.0	PASS
59.	12/11/07/01/028	13	00	13						F	0.0	0.0	FAIL
60.	12/11/07/01/032	20	25	45				D			2.0	6.0	PASS
61.	12/11/07/01/034	23	29	52				C			3.0	9.0	PASS
62.	12/11/07/01/035	23	25	48				D			2.0	6.0	PASS
63.	12/11/07/01/038	21	24	45				D			2.0	6.0	PASS
64.	12/11/07/01/041	26	39	65			B+				4.5	13.5	PASS
65.	12/11/07/01/042	26	34	60			B				4.0	12.0	PASS
66.	12/11/07/01/043	25	35	60			B				4.0	12.0	PASS
67.	12/11/07/01/044	26	41	67			B+				4.5	13.5	PASS
68.	12/11/07/01/045	12	00	12						F	0.0	0.0	FAIL
69.	12/11/07/01/046	22	38	60			B				4.0	12.0	PASS
70.	12/11/07/01/047	21	41	62			B				4.0	12.0	PASS
71.	12/11/07/01/048	22	37	59				C+			3.5	10.5	PASS
72.	12/11/07/01/053	23	37	60			B				4.0	12.0	PASS
73.	12/11/07/01/056	21	39	60			B				4.0	12.0	PASS
74.	12/11/07/01/057	23	37	60			B				4.0	12.0	PASS
75.	12/11/07/01/058	22	38	60			B				4.0	12.0	PASS
76.	12/11/07/01/059	24	36	60			B				4.0	12.0	PASS
77.	12/11/07/01/062	21	33	54				C			3.0	9.0	PASS
78.	12/11/07/01/063	11	00	11						F	0.0	0.0	FAIL
79.	12/11/07/01/064	10	00	10						F	0.0	0.0	FAIL
80.	12/11/07/01/066	23	37	60			B				4.0	12.0	PASS

81.	12/11/07/01/067	22	36	58			C+					3.5	10.5	PASS
82.	12/11/07/01/068	23	37	60			B					4.0	12.0	PASS
83.	12/11/07/01/069	25	35	60			B					4.0	12.0	PASS
84.	12/11/07/01/071	10	00	10							F	0.0	0.0	FAIL
85.	12/11/07/01/072	23	37	60			B					4.0	12.0	PASS
86.	12/11/07/01/073	24	35	59			C+					3.5	10.5	PASS
87.	12/11/07/01/074	23	37	60			B					4.0	12.0	PASS
88.	12/11/07/01/077	23	32	55			C+					3.5	10.5	PASS
89.	12/11/07/01/078	21	34	55			C+					3.5	10.5	PASS
90.	12/11/07/01/080	23	37	60			B					4.0	12.0	PASS
91.	12/11/07/01/081	21	35	56			C+					3.5	10.5	PASS
92.	12/11/07/01/082	24	36	60			B					4.0	12.0	PASS
93.	12/11/07/01/083	21	35	56			C+					3.5	10.5	PASS
94.	12/11/07/01/084	22	33	55			C+					3.5	10.5	PASS
95.	12/11/07/01/085	24	36	60			B					4.0	12.0	PASS
96.	12/11/07/01/088	21	34	55			C+					3.5	10.5	PASS
97.	12/11/07/01/089	21	31	52				C				3.0	9.0	PASS
98.	12/11/07/01/090	22	32	54				C				3.0	9.0	PASS
99.	12/11/07/01/091	21	35	56			C+					3.5	10.5	PASS
100.	12/11/07/01/092	22	38	60			B					4.0	12.0	PASS
101.	12/11/07/01/094	25	25	50				C				3.0	9.0	PASS
102.	12/11/07/01/095	22	38	60			B					4.0	12.0	PASS
103.	12/11/07/01/097	23	43	66		B+						4.5	13.5	PASS
104.	12/11/07/01/100	23	32	55			C+					3.5	10.5	PASS
105.	12/11/07/01/101	11	00	11							F	0.0	0.0	FAIL
106.	12/11/07/01/102	23	37	60			B					4.0	12.0	PASS
107.	12/11/07/01/103	25	36	61			B					4.0	12.0	PASS
108.	12/11/07/01/104	21	36	57			C+					3.5	10.5	PASS
109.	12/11/07/01/105	23	42	65		B+						4.5	13.5	PASS
110.	12/11/07/01/108	14	00	14							F	0.0	0.0	FAIL
111.	12/11/07/01/109	23	35	58			C+					3.5	10.5	PASS
112.	12/11/07/01/110	22	41	63			B					4.0	12.0	PASS
113.	12/11/07/01/111	23	39	62			B					4.0	12.0	PASS
114.	12/11/07/01/113	25	36	61			B					4.0	12.0	PASS
115.	12/11/07/01/115	21	34	55			C+					3.5	10.5	PASS
116.	12/11/07/01/117	23	37	60			B					4.0	12.0	PASS
117.	12/11/07/01/118	21	37	58			C+					3.5	10.5	PASS
118.	12/11/07/01/120	13	00	13							F	0.0	0.0	FAIL
119.	12/11/07/01/121	21	39	60			B					4.0	12.0	PASS
120.	12/11/07/01/122	21	36	57			C+					3.5	10.5	PASS
121.	12/11/07/01/125	22	41	63			B					4.0	12.0	PASS
122.	12/11/07/01/128	23	35	58			C+					3.5	10.5	PASS
123.	12/11/07/01/129	12	00	12							F	0.0	0.0	FAIL
124.	12/11/07/01/130	13	00	13							F	0.0	0.0	FAIL
125.	12/11/07/01/132	23	37	60			B					4.0	12.0	PASS

126.	12/11/07/01/136	24	37	61		B					4.0	12.0	PASS
127.	12/11/07/01/137	23	39	62		B					4.0	12.0	PASS
128.	12/11/07/01/139	12	00	12						F	0.0	0.0	FAIL
129.	12/11/07/01/140	21	34	55			C+				3.5	10.5	PASS
130.	12/11/07/01/141	23	40	63		B					4.0	12.0	PASS
131.	12/11/07/01/143	21	41	62		B					4.0	12.0	PASS
132.	12/11/07/01/145	21	33	54				C			3.0	9.0	PASS
133.	12/11/07/01/147	22	33	55			C+				3.5	10.5	PASS
134.	12/11/07/01/148	23	38	61		B					4.0	12.0	PASS
135.	12/11/07/01/149	25	38	63		B					4.0	12.0	PASS
136.	12/11/07/01/150	23	45	68		B+					4.5	13.5	PASS
137.	12/11/07/01/151	21	35	56			C+				3.5	10.5	PASS
138.	12/11/07/01/152	24	36	60		B					4.0	12.0	PASS
139.	12/11/07/01/154	22	33	55			C+				3.5	10.5	PASS
140.	12/11/07/01/156	21	36	57			C+				3.5	10.5	PASS
141.	12/11/07/01/157	23	38	61		B					4.0	12.0	PASS
142.	12/11/07/01/158	11	00	11						F	0.0	0.0	FAIL
143.	12/11/07/01/159	22	33	55			C+				3.5	10.5	PASS
144.	12/11/07/01/161	22	38	60		B					4.0	12.0	PASS
145.	12/11/07/01/162	15	00	15						F	0.0	0.0	FAIL
146.	12/11/07/01/172	23	35	58			C+				3.5	10.5	PASS
147.	12/11/07/01/173	23	38	61		B					4.0	12.0	PASS
148.	12/11/07/01/175	22	35	57			C+				3.5	10.5	PASS
149.	12/11/07/01/176	17	00	17						F	0.0	0.0	FAIL
150.	12/11/07/01/178	22	38	60		B					4.0	12.0	PASS
151.	12/11/07/01/180	20	36	56			C+				3.5	10.5	PASS
152.	12/11/07/01/181	23	37	60		B					4.0	12.0	PASS
153.	12/11/07/01/184	23	42	65		B+					4.5	13.5	PASS
154.	12/11/07/01/185	25	43	68		B+					4.5	13.5	PASS
155.	12/11/07/01/188	22	36	58			C+				3.5	10.5	PASS
156.	12/11/07/01/190	24	36	60		B					4.0	12.0	PASS
157.	12/11/07/01/194	21	37	58			C+				3.5	10.5	PASS
158.	12/11/07/01/196	22	38	60		B					4.0	12.0	PASS
159.	12/11/07/01/197	21	32	53				C			3.0	9.0	PASS
160.	12/11/07/01/201	21	34	55			C+				3.5	10.5	PASS
161.	12/11/07/01/204	10	00	10						F	0.0	0.0	FAIL
162.	12/11/07/01/207	21	34	55			C+				3.5	10.5	PASS
163.	12/11/07/01/208	23	32	55			C+				3.5	10.5	PASS
164.	12/11/07/01/209	21	44	65		B+					4.5	13.5	PASS
165.	12/11/07/01/210	10	00	10						F	0.0	0.0	FAIL
166.	12/11/07/01/212	24	36	60		B					4.0	12.0	PASS
167.	12/11/07/01/213	22	31	53				C			3.0	9.0	PASS
168.	12/11/07/01/214	20	32	52				C			3.0	9.0	PASS
169.	12/11/07/01/215	21	32	53				C			3.0	9.0	PASS
170.	12/11/07/01/219	22	38	60		B					4.0	12.0	PASS

171.	12/11/07/01/220	21	34	55			C+				3.5	10.5	PASS
172.	12/11/07/01/223	20	35	55			C+				3.5	10.5	PASS
173.	12/11/07/01/224	20	41	61			B				4.0	12.0	PASS
174.	12/11/07/01/225	25	35	60			B				4.0	12.0	PASS
175.	12/11/07/01/226	21	35	56			C+				3.5	10.5	PASS
176.	12/11/07/01/229	21	39	60			B				4.0	12.0	PASS
177.	12/11/07/01/230	10	00	10						F	0.0	0.0	FAIL
178.	12/11/07/01/231	21	34	55			C+				3.5	10.5	PASS
179.	12/11/07/01/234	12	00	12						F	0.0	0.0	FAIL
180.	12/11/07/01/235	23	37	60			B				4.0	12.0	PASS
181.	12/11/07/01/237	21	36	57			C+				3.5	10.5	PASS
182.	12/11/07/01/238	23	37	60			B				4.0	12.0	PASS
183.	12/11/07/01/240	20	40	60			B				4.0	12.0	PASS
184.	12/11/07/01/241	22	43	65		B+					4.5	13.5	PASS
185.	12/11/07/01/242	13	00	13						F	0.0	0.0	FAIL
186.	12/11/07/01/243	10	00	10						F	0.0	0.0	FAIL
187.	12/11/07/01/244	20	32	52				C			3.0	9.0	PASS
188.	12/11/07/01/247	23	37	60			B				4.0	12.0	PASS
189.	12/11/07/01/248	21	40	61			B				4.0	12.0	PASS
190.	12/11/07/01/249	21	34	55			C+				3.5	10.5	PASS
191.	12/11/07/01/250	13	00	13						F	0.0	0.0	FAIL
192.	12/11/07/01/254	21	39	60			B				4.0	12.0	PASS
193.	12/11/07/01/256	20	32	52				C			3.0	9.0	PASS
194.	12/11/07/01/258	20	41	61			B				4.0	12.0	PASS
195.	12/11/07/01/263	19	31	50				C			3.0	9.0	PASS
196.	12/11/07/01/264	21	39	60			B				4.0	12.0	PASS
197.	12/11/07/01/266	20	36	56			C+				3.5	10.5	PASS
198.	12/11/07/01/267	22	39	61			B				4.0	12.0	PASS
199.	12/11/07/01/271	21	34	55			C+				3.5	10.5	PASS
200.	12/11/07/01/272	20	33	53				C			3.0	9.0	PASS
201.	12/11/07/01/274	19	32	51				C			3.0	9.0	PASS
202.	12/11/07/01/275	19	31	50				C			3.0	9.0	PASS
203.	12/11/07/01/276	20	35	55			C+				3.5	10.5	PASS
204.	12/11/07/01/277	19	36	55			C+				3.5	10.5	PASS
205.	12/11/07/01/278	10	00	10						F	0.0	0.0	FAIL
206.	12/11/07/01/280	20	36	56			C+				3.5	10.5	PASS
207.	12/11/07/01/282	22	38	60			B				4.0	12.0	PASS
208.	12/11/07/01/283	23	37	60			B				4.0	12.0	PASS
209.	12/11/07/01/284	11	00	11						F	0.0	0.0	FAIL
210.	12/11/07/01/286	20	36	56			C+				3.5	10.5	PASS
211.	12/11/07/01/287	18	39	57			C+				3.5	10.5	PASS
212.	12/11/07/01/288	20	32	52				C			3.0	9.0	PASS
213.	12/11/07/01/290	21	35	56			C+				3.5	10.5	PASS
214.	12/11/07/01/294	22	40	62			B				4.0	12.0	PASS
215.	12/11/07/01/297	24	35	59			C+				3.5	10.5	PASS

216.	12/11/07/01/301	20	35	55				C+					3.5	10.5	PASS
217.	12/11/07/01/303	20	35	55				C+					3.5	10.5	PASS
218.	12/11/07/01/304	20	35	55				C+					3.5	10.5	PASS
219.	12/11/07/01/305	19	31	50					C				3.0	9.0	PASS
220.	12/11/07/01/306	19	42	61				B					4.0	12.0	PASS
221.	12/11/07/01/311	22	38	60				B					4.0	12.0	PASS
222.	12/11/07/01/314	21	34	55				C+					3.5	10.5	PASS
223.	12/11/07/01/315	20	36	56				C+					3.5	10.5	PASS
224.	12/11/07/01/317	23	37	60				B					4.0	12.0	PASS
225.	12/11/07/01/322	21	42	63				B					4.0	12.0	PASS
226.	12/11/07/01/324	23	37	60				B					4.0	12.0	PASS
227.	12/11/07/01/325	23	37	60				B					4.0	12.0	PASS
228.	12/11/07/01/330	22	36	58				C+					3.5	10.5	PASS
229.	12/11/07/01/331	21	34	55				C+					3.5	10.5	PASS
230.	12/11/07/01/332	20	36	56				C+					3.5	10.5	PASS
<b>SUMMARY</b>					<b>00</b>	<b>09</b>	<b>69</b>	<b>56</b>	<b>42</b>	<b>18</b>	<b>04</b>	<b>32</b>			<b>230</b>

0	23	27	50
0	23	32	55
0	20	22	42
0	18	0	18
0	22	28	50
0	15	0	15
0	16	0	16
0	19	23	42
0	24	38	62
0	20	31	51
0	14	0	14
0	20	25	45
0	22	31	53
0	20	23	43
0	23	25	48
0	15	0	15
0	12	0	12
0	20	22	42
0	22	28	50
0	21	29	50
0	15	0	15
0	21	25	46
0	23	24	47
0	22	28	50
0	13	0	13
0	24	26	50
0	23	29	52
0	12	0	12
0	25	25	50
0	26	36	62
0	20	26	46
0	22	23	45
0	21	24	45
0	22	32	54
0	21	30	51

0	21	29	50
0	23	24	47
0	22	29	51
0	22	28	50
0	24	37	61
0	24	26	50
0	21	25	46
0	22	28	50
0	20	30	50
0	22	28	50
0	21	27	48
0	20	27	47
0	22	34	56
0	21	33	54
0	20	25	45
0	23	26	49
0	22	28	50
0	21	24	45
0	23	27	50
0	21	30	51
0	20	26	46
0	20	30	50
0	21	40	61
0	13	0	13
0	20	25	45
0	23	29	52
0	23	25	48
0	21	24	45
0	26	39	65
0	26	34	60
0	25	35	60
0	26	41	67
0	12	0	12
0	22	38	60
0	21	41	62
0	22	37	59
0	23	37	60
0	21	39	60
0	23	37	60
0	22	38	60
0	24	36	60
0	21	33	54
0	11	0	11
0	10	0	10
0	23	37	60



0	22	36	58
0	23	37	60
0	25	35	60
0	10	0	10
0	23	37	60
0	24	35	59
0	23	37	60
0	23	32	55
0	21	34	55
0	23	37	60
0	21	35	56
0	24	36	60
0	21	35	56
0	22	33	55
0	24	36	60
0	21	34	55
0	21	31	52
0	22	32	54
0	21	35	56
0	22	38	60
0	25	25	50
0	22	38	60
0	23	43	66
0	23	32	55
0	11	0	11
0	23	37	60
0	25	36	61
0	21	36	57
0	23	42	65
0	14	0	14
0	23	35	58
0	22	41	63
0	23	39	62
0	25	36	61
0	21	34	55
0	23	37	60
0	21	37	58
0	13	0	13
0	21	39	60
0	21	36	57
0	22	41	63
0	23	35	58
0	12	0	12
0	13	0	13
0	23	37	60

0	24	37	61
0	23	39	62
0	12	0	12
0	21	34	55
0	23	40	63
0	21	41	62
0	21	33	54
0	22	33	55
0	23	38	61
0	25	38	63
0	23	45	68
0	21	35	56
0	24	36	60
0	22	33	55
0	21	36	57
0	23	38	61
0	11	0	11
0	22	33	55
0	22	38	60
0	15	0	15
0	23	35	58
0	23	38	61
0	22	35	57
0	17	0	17
0	22	38	60
0	20	36	56
0	23	37	60
0	23	42	65
0	25	43	68
0	22	36	58
0	24	36	60
0	21	37	58
0	22	38	60
0	21	32	53
0	21	34	55
0	10	0	10
0	21	34	55
0	23	32	55
0	21	44	65
0	10	0	10
0	24	36	60
0	22	31	53
0	20	32	52
0	21	32	53
0	22	38	60

0	21	34	55
0	20	35	55
0	20	41	61
0	25	35	60
0	21	35	56
0	21	39	60
0	10	0	10
0	21	34	55
0	12	0	12
0	23	37	60
0	21	36	57
0	23	37	60
0	20	40	60
0	22	43	65
0	13	0	13
0	10	0	10
0	20	32	52
0	23	37	60
0	21	40	61
0	21	34	55
0	13	0	13
0	21	39	60
0	20	32	52
0	20	41	61
0	19	31	50
0	21	39	60
0	20	36	56
0	22	39	61
0	21	34	55
0	20	33	53
0	19	32	51
0	19	31	50
0	20	35	55
0	19	36	55
0	10	0	10
0	20	36	56
0	22	38	60
0	23	37	60
0	11	0	11
0	20	36	56
0	18	39	57
0	20	32	52
0	21	35	56
0	22	40	62
0	24	35	59

0	20	35	55
0	20	35	55
0	20	35	55
0	19	31	50
0	19	42	61
0	22	38	60
0	21	34	55
0	20	36	56
0	23	37	60
0	21	42	63
0	23	37	60
0	23	37	60
0	22	36	58
0	21	34	55
0	20	36	56