

**UNIVERSITY OF MAIDUGURI**  
(OFFICE OF THE VICE-CHANCELLOR)

**Centre for Distance Learning**  
**Department of Accounting**

**First Semester End-of-Course Examination Results**

Course Code: **ACC 502**

Course Title: **Public Sector Accounting II**

Course Unit(s): **3**

**2015/2016 Academic Session**

S/No.	ID. No.	C.A. Marks	EXAM Marks	TOTAL Marks	Grades										GP	U.GP	Remarks
					A	B+	B	C+	C	D	E	F					
1.	08/11/07/01/033	18	25	43								E		1.0	2.0	PASS	
2.	09/11/07/01/020	24	19	43								E		1.0	2.0	PASS	
3.	09/11/07/01/070	26	17	43								E		1.0	2.0	PASS	
4.	09/11/07/01/120	21	37	58				C+						3.5	7.0	PASS	
5.	10/11/07/01/002	22	31	53					C					3.0	6.0	PASS	
6.	10/11/07/01/017	18	25	43								E		1.0	2.0	PASS	
7.	10/11/07/01/025	24	19	43								E		1.0	2.0	PASS	
8.	10/11/07/01/026	22	53	75	A									5.0	10.0	PASS	
9.	10/11/07/01/028	22	31	53					C					3.0	6.0	PASS	
10.	10/11/07/01/029	23	35	58				C+						3.5	7.0	PASS	
11.	10/11/07/01/030	21	47	68		B+								4.5	9.0	PASS	
12.	10/11/07/01/031	20	43	63			B							4.0	8.0	PASS	
13.	10/11/07/01/033	19	39	58				C+						3.5	7.0	PASS	
14.	10/11/07/01/034	20	33	53					C					3.0	6.0	PASS	
15.	10/11/07/01/035	17	27	44								E		1.0	2.0	PASS	
16.	10/11/07/01/038	18	25	43								E		1.0	2.0	PASS	
17.	10/11/07/01/045	19	45	64			B							4.0	8.0	PASS	
18.	10/11/07/01/054	20	43	63			B							4.0	8.0	PASS	
19.	10/11/07/01/057	21	49	70	A									5.0	10.0	PASS	
20.	10/11/07/01/062	19	41	60			B							4.0	8.0	PASS	
21.	10/11/07/01/083	19	35	54					C					3.0	6.0	PASS	
22.	10/11/07/01/085	18	15	33								F		0.0	0.0	FAIL	
23.	10/11/07/01/086	17	15	32								F		0.0	0.0	FAIL	
24.	10/11/07/01/096	20	23	43								E		1.0	2.0	PASS	
25.	10/11/07/01/098	22	21	43								E		1.0	2.0	PASS	
26.	10/11/07/01/101	18	29	47						D				2.0	4.0	PASS	
27.	10/11/07/01/102	19	35	54					C					3.0	6.0	PASS	
28.	10/11/07/01/108	21	43	64			B							4.0	8.0	PASS	
29.	10/11/07/01/120	18	15	33								F		0.0	0.0	FAIL	
30.	10/11/07/01/129	22	21	43								E		1.0	2.0	PASS	
31.	10/11/07/01/131	19	35	54					C					3.0	6.0	PASS	
32.	10/11/07/01/134	20	33	53					C					3.0	6.0	PASS	
33.	10/11/07/01/136	18	37	55				C+						3.5	7.0	PASS	
34.	10/11/07/01/141	18	14	32								F		0.0	0.0	FAIL	
35.	10/11/07/01/147	20	23	43								E		1.0	2.0	PASS	
36.	10/11/07/01/152	18	25	43								E		1.0	2.0	PASS	
37.	10/11/07/01/154	26	17	43								E		1.0	2.0	PASS	
38.	10/11/07/01/155	18	41	59				C+						3.5	7.0	PASS	
39.	10/11/07/01/156	21	33	54					C					3.0	6.0	PASS	

40.	12/11/07/01/001	19	14	33							F	0.0	0.0	FAIL
41.	12/11/07/01/004	17	13	30							F	0.0	0.0	FAIL
42.	12/11/07/01/006	24	19	43						E		1.0	2.0	PASS
43.	12/11/07/01/007	17	24	41						E		1.0	2.0	PASS
44.	12/11/07/01/008	22	59	81	A							5.0	10.0	PASS
45.	12/11/07/01/009	22	31	53					C			3.0	6.0	PASS
46.	12/11/07/01/010	20	33	53					C			3.0	6.0	PASS
47.	12/11/07/01/012	23	63	86	A							5.0	10.0	PASS
48.	12/11/07/01/013	21	57	78	A							5.0	10.0	PASS
49.	12/11/07/01/015	20	23	43						E		1.0	2.0	PASS
50.	12/11/07/01/016	21	47	68		B+						4.5	9.0	PASS
51.	12/11/07/01/018	21	57	78	A							5.0	10.0	PASS
52.	12/11/07/01/019	18	24	42						E		1.0	2.0	PASS
53.	12/11/07/01/020	19	41	60			B					4.0	8.0	PASS
54.	12/11/07/01/021	19	45	64			B					4.0	8.0	PASS
55.	12/11/07/01/022	19	49	68		B+						4.5	9.0	PASS
56.	12/11/07/01/024	17	24	41						E		1.0	2.0	PASS
57.	12/11/07/01/027	21	37	58				C+				3.5	7.0	PASS
58.	12/11/07/01/028	20	51	71	A							5.0	10.0	PASS
59.	12/11/07/01/032	20	23	43						E		1.0	2.0	PASS
60.	12/11/07/01/034	22	51	73	A							5.0	10.0	PASS
61.	12/11/07/01/035	19	14	33							F	0.0	0.0	FAIL
62.	12/11/07/01/038	18	29	47						D		2.0	4.0	PASS
63.	12/11/07/01/041	18	25	43						E		1.0	2.0	PASS
64.	12/11/07/01/042	22	21	43						E		1.0	2.0	PASS
65.	12/11/07/01/043	26	17	43						E		1.0	2.0	PASS
66.	12/11/07/01/044	20	33	53					C			3.0	6.0	PASS
67.	12/11/07/01/045	19	22	41						E		1.0	2.0	PASS
68.	12/11/07/01/046	24	19	43						E		1.0	2.0	PASS
69.	12/11/07/01/047	22	31	53					C			3.0	6.0	PASS
70.	12/11/07/01/048	17	15	32							F	0.0	0.0	FAIL
71.	12/11/07/01/053	20	33	53					C			3.0	6.0	PASS
72.	12/11/07/01/056	17	15	32							F	0.0	0.0	FAIL
73.	12/11/07/01/057	23	35	58				C+				3.5	7.0	PASS
74.	12/11/07/01/058	22	63	85	A							5.0	10.0	PASS
75.	12/11/07/01/059	24	19	43						E		1.0	2.0	PASS
76.	12/11/07/01/062	19	22	41						E		1.0	2.0	PASS
77.	12/11/07/01/063	17	15	32							F	0.0	0.0	FAIL
78.	12/11/07/01/064	20	57	77	A							5.0	10.0	PASS
79.	12/11/07/01/066	19	35	54					C			3.0	6.0	PASS
80.	12/11/07/01/067	20	51	71	A							5.0	10.0	PASS
81.	12/11/07/01/068	19	45	64			B					4.0	8.0	PASS
82.	12/11/07/01/069	18	13	31							F	0.0	0.0	FAIL
83.	12/11/07/01/071	19	45	64			B					4.0	8.0	PASS
84.	12/11/07/01/072	18	25	43						E		1.0	2.0	PASS
85.	12/11/07/01/073	19	39	58				C+				3.5	7.0	PASS
86.	12/11/07/01/074	19	22	41						E		1.0	2.0	PASS
87.	12/11/07/01/077	20	23	43						E		1.0	2.0	PASS
88.	12/11/07/01/078	18	35	53					C			3.0	6.0	PASS
89.	12/11/07/01/080	19	29	48						D		2.0	4.0	PASS

90.	12/11/07/01/081	19	37	56				C+				3.5	7.0	PASS	
91.	12/11/07/01/082	21	27	48						D		2.0	4.0	PASS	
92.	12/11/07/01/083	15	13	28								F	0.0	0.0	FAIL
93.	12/11/07/01/084	22	31	53					C			3.0	6.0	PASS	
94.	12/11/07/01/085	18	27	45						D		2.0	4.0	PASS	
95.	12/11/07/01/088	24	29	53					C			3.0	6.0	PASS	
96.	12/11/07/01/089	21	27	48						D		2.0	4.0	PASS	
97.	12/11/07/01/090	19	27	46						D		2.0	4.0	PASS	
98.	12/11/07/01/091	17	13	30								F	0.0	0.0	FAIL
99.	12/11/07/01/092	21	53	74	A							5.0	10.0	PASS	
100.	12/11/07/01/094	20	45	65		B+						4.5	9.0	PASS	
101.	12/11/07/01/095	20	33	53					C			3.0	6.0	PASS	
102.	12/11/07/01/097	19	31	50					C			3.0	6.0	PASS	
103.	12/11/07/01/100	18	29	47						D		2.0	4.0	PASS	
104.	12/11/07/01/101	22	21	43							E	1.0	2.0	PASS	
105.	12/11/07/01/102	21	37	58				C+				3.5	7.0	PASS	
106.	12/11/07/01/103	19	41	60			B					4.0	8.0	PASS	
107.	12/11/07/01/104	21	27	48						D		2.0	4.0	PASS	
108.	12/11/07/01/105	19	22	41							E	1.0	2.0	PASS	
109.	12/11/07/01/108	20	47	67		B+						4.5	9.0	PASS	
110.	12/11/07/01/109	20	51	71	A							5.0	10.0	PASS	
111.	12/11/07/01/110	18	25	43							E	1.0	2.0	PASS	
112.	12/11/07/01/111	24	19	43							E	1.0	2.0	PASS	
113.	12/11/07/01/113	17	15	32								F	0.0	0.0	FAIL
114.	12/11/07/01/115	18	25	43							E	1.0	2.0	PASS	
115.	12/11/07/01/117	20	35	55				C+				3.5	7.0	PASS	
116.	12/11/07/01/118	20	49	69		B+						4.5	9.0	PASS	
117.	12/11/07/01/120	18	27	45						D		2.0	4.0	PASS	
118.	12/11/07/01/121	17	27	44							E	1.0	2.0	PASS	
119.	12/11/07/01/122	19	22	41							E	1.0	2.0	PASS	
120.	12/11/07/01/125	22	37	59				C+				3.5	7.0	PASS	
121.	12/11/07/01/128	18	37	55				C+				3.5	7.0	PASS	
122.	12/11/07/01/129	20	23	43							E	1.0	2.0	PASS	
123.	12/11/07/01/130	18	23	41							E	1.0	2.0	PASS	
124.	12/11/07/01/132	18	27	45						D		2.0	4.0	PASS	
125.	12/11/07/01/136	19	35	54					C			3.0	6.0	PASS	
126.	12/11/07/01/137	21	37	58				C+				3.5	7.0	PASS	
127.	12/11/07/01/139	19	41	60			B					4.0	8.0	PASS	
128.	12/11/07/01/140	20	49	69		B+						4.5	9.0	PASS	
129.	12/11/07/01/141	20	43	63			B					4.0	8.0	PASS	
130.	12/11/07/01/143	20	33	53					C			3.0	6.0	PASS	
131.	12/11/07/01/145	26	17	43							E	1.0	2.0	PASS	
132.	12/11/07/01/147	20	23	43							E	1.0	2.0	PASS	
133.	12/11/07/01/148	21	57	78	A							5.0	10.0	PASS	
134.	12/11/07/01/149	19	37	56				C+				3.5	7.0	PASS	
135.	12/11/07/01/150	20	23	43							E	1.0	2.0	PASS	
136.	12/11/07/01/151	18	23	41							E	1.0	2.0	PASS	
137.	12/11/07/01/152	20	43	63			B					4.0	8.0	PASS	
138.	12/11/07/01/154	18	35	53					C			3.0	6.0	PASS	
139.	12/11/07/01/156	20	23	43							E	1.0	2.0	PASS	

140.	12/11/07/01/157	21	45	66		B+						4.5	9.0	PASS
141.	12/11/07/01/158	21	27	48					D			2.0	4.0	PASS
142.	12/11/07/01/159	22	31	53				C				3.0	6.0	PASS
143.	12/11/07/01/161	19	37	56				C+				3.5	7.0	PASS
144.	12/11/07/01/162	19	29	48					D			2.0	4.0	PASS
145.	12/11/07/01/172	20	43	63			B					4.0	8.0	PASS
146.	12/11/07/01/173	20	43	63			B					4.0	8.0	PASS
147.	12/11/07/01/175	21	43	64			B					4.0	8.0	PASS
148.	12/11/07/01/176	17	17	34							F	0.0	0.0	FAIL
149.	12/11/07/01/178	19	37	56				C+				3.5	7.0	PASS
150.	12/11/07/01/180	21	47	68			B+					4.5	9.0	PASS
151.	12/11/07/01/181	19	41	60			B					4.0	8.0	PASS
152.	12/11/07/01/184	18	39	57				C+				3.5	7.0	PASS
153.	12/11/07/01/185	22	65	87	A							5.0	10.0	PASS
154.	12/11/07/01/188	18	23	41						E		1.0	2.0	PASS
155.	12/11/07/01/190	21	53	74	A							5.0	10.0	PASS
156.	12/11/07/01/194	21	27	48					D			2.0	4.0	PASS
157.	12/11/07/01/196	17	15	32							F	0.0	0.0	FAIL
158.	12/11/07/01/197	20	23	43						E		1.0	2.0	PASS
159.	12/11/07/01/201	18	13	31							F	0.0	0.0	FAIL
160.	12/11/07/01/204	17	29	46					D			2.0	4.0	PASS
161.	12/11/07/01/207	19	39	58				C+				3.5	7.0	PASS
162.	12/11/07/01/208	24	19	43						E		1.0	2.0	PASS
163.	12/11/07/01/209	18	35	53					C			3.0	6.0	PASS
164.	12/11/07/01/210	22	31	53					C			3.0	6.0	PASS
165.	12/11/07/01/212	19	41	60			B					4.0	8.0	PASS
166.	12/11/07/01/213	18	23	41						E		1.0	2.0	PASS
167.	12/11/07/01/214	19	25	44						E		1.0	2.0	PASS
168.	12/11/07/01/215	17	27	44						E		1.0	2.0	PASS
169.	12/11/07/01/219	20	33	53					C			3.0	6.0	PASS
170.	12/11/07/01/220	20	49	69			B+					4.5	9.0	PASS
171.	12/11/07/01/223	22	21	43						E		1.0	2.0	PASS
172.	12/11/07/01/224	20	33	53					C			3.0	6.0	PASS
173.	12/11/07/01/225	24	19	43						E		1.0	2.0	PASS
174.	12/11/07/01/226	22	21	43						E		1.0	2.0	PASS
175.	12/11/07/01/229	20	55	75	A							5.0	10.0	PASS
176.	12/11/07/01/230	25	18	43						E		1.0	2.0	PASS
177.	12/11/07/01/231	18	23	41						E		1.0	2.0	PASS
178.	12/11/07/01/234	20	23	43						E		1.0	2.0	PASS
179.	12/11/07/01/235	21	57	78	A							5.0	10.0	PASS
180.	12/11/07/01/237	20	43	63			B					4.0	8.0	PASS
181.	12/11/07/01/238	22	41	63			B					4.0	8.0	PASS
182.	12/11/07/01/240	20	23	43						E		1.0	2.0	PASS
183.	12/11/07/01/241	20	51	71	A							5.0	10.0	PASS
184.	12/11/07/01/242	18	39	57				C+				3.5	7.0	PASS
185.	12/11/07/01/243	22	31	53					C			3.0	6.0	PASS
186.	12/11/07/01/244	19	35	54					C			3.0	6.0	PASS
187.	12/11/07/01/247	20	45	65			B+					4.5	9.0	PASS
188.	12/11/07/01/248	17	17	34							F	0.0	0.0	FAIL
189.	12/11/07/01/249	18	27	45						D		2.0	4.0	PASS

190.	12/11/07/01/250	17	17	34								F	0.0	0.0	FAIL	
191.	12/11/07/01/254	23	51	74	A								5.0	10.0	PASS	
192.	12/11/07/01/256	19	29	48						D			2.0	4.0	PASS	
193.	12/11/07/01/258	20	33	53						C			3.0	6.0	PASS	
194.	12/11/07/01/263	17	15	32									F	0.0	0.0	FAIL
195.	12/11/07/01/264	19	39	58						C+			3.5	7.0	PASS	
196.	12/11/07/01/266	22	31	53						C			3.0	6.0	PASS	
197.	12/11/07/01/267	21	57	78	A								5.0	10.0	PASS	
198.	12/11/07/01/271	22	21	43								E	1.0	2.0	PASS	
199.	12/11/07/01/272	20	43	63						B			4.0	8.0	PASS	
200.	12/11/07/01/274	18	25	43								E	1.0	2.0	PASS	
201.	12/11/07/01/275	17	27	44								E	1.0	2.0	PASS	
202.	12/11/07/01/276	18	27	45								D	2.0	4.0	PASS	
203.	12/11/07/01/277	16	27	43								E	1.0	2.0	PASS	
204.	12/11/07/01/278	22	51	73	A								5.0	10.0	PASS	
205.	12/11/07/01/280	19	25	44								E	1.0	2.0	PASS	
206.	12/11/07/01/282	17	13	30									F	0.0	0.0	FAIL
207.	12/11/07/01/283	20	43	63						B			4.0	8.0	PASS	
208.	12/11/07/01/284	20	43	63						B			4.0	8.0	PASS	
209.	12/11/07/01/286	19	37	56								C+	3.5	7.0	PASS	
210.	12/11/07/01/287	18	29	47								D	2.0	4.0	PASS	
211.	12/11/07/01/288	20	33	53								C	3.0	6.0	PASS	
212.	12/11/07/01/290	20	43	63						B			4.0	8.0	PASS	
213.	12/11/07/01/294	19	37	56								C+	3.5	7.0	PASS	
214.	12/11/07/01/297	18	23	41								E	1.0	2.0	PASS	
215.	12/11/07/01/301	22	24	46								D	2.0	4.0	PASS	
216.	12/11/07/01/303	20	39	59								C+	3.5	7.0	PASS	
217.	12/11/07/01/304	24	19	43								E	1.0	2.0	PASS	
218.	12/11/07/01/305	20	23	43								E	1.0	2.0	PASS	
219.	12/11/07/01/306	20	43	63						B			4.0	8.0	PASS	
220.	12/11/07/01/311	20	43	63						B			4.0	8.0	PASS	
221.	12/11/07/01/314	19	39	58								C+	3.5	7.0	PASS	
222.	12/11/07/01/315	18	29	47								D	2.0	4.0	PASS	
223.	12/11/07/01/317	18	35	53								C	3.0	6.0	PASS	
224.	12/11/07/01/322	17	13	30									F	0.0	0.0	FAIL
225.	12/11/07/01/324	24	39	63						B			4.0	8.0	PASS	
226.	12/11/07/01/325	18	16	34									F	0.0	0.0	FAIL
227.	12/11/07/01/330	21	37	58								C+	3.5	7.0	PASS	
228.	12/11/07/01/331	20	29	49								D	2.0	4.0	PASS	
229.	12/11/07/01/332	20	33	53								C	3.0	6.0	PASS	
<b>SUMMARY</b>					<b>22</b>	<b>11</b>	<b>27</b>	<b>26</b>	<b>34</b>	<b>22</b>	<b>64</b>	<b>23</b>			<b>229</b>	

;

0	18	25	43
0	24	19	43
0	26	17	43
0	21	37	58
0	22	31	53
0	18	25	43
0	24	19	43
0	22	53	75
0	22	31	53
0	23	35	58
0	21	47	68
0	20	43	63
0	19	39	58
0	20	33	53
0	17	27	44
0	18	25	43
0	19	45	64
0	20	43	63
0	21	49	70
0	19	41	60
0	19	35	54
0	18	15	33
0	17	15	32
0	20	23	43
0	22	21	43
0	18	29	47
0	19	35	54
0	21	43	64
0	18	15	33
0	22	21	43
0	19	35	54
0	20	33	53
0	18	37	55
0	18	14	32
0	20	23	43
0	18	25	43
0	26	17	43
0	18	41	59
0	21	33	54

0	19	14	33
0	17	13	30
0	24	19	43
0	17	24	41
0	22	59	81
0	22	31	53
0	20	33	53
0	23	63	86
0	21	57	78
0	20	23	43
0	21	47	68
0	21	57	78
0	18	24	42
0	19	41	60
0	19	45	64
0	19	49	68
0	17	24	41
0	21	37	58
0	20	51	71
0	20	23	43
0	22	51	73
0	19	14	33
0	18	29	47
0	18	25	43
0	22	21	43
0	26	17	43
0	20	33	53
0	19	22	41
0	24	19	43
0	22	31	53
0	17	15	32
0	20	33	53
0	17	15	32
0	23	35	58
0	22	63	85
0	24	19	43
0	19	22	41
0	17	15	32
0	20	57	77
0	19	35	54
0	20	51	71
0	19	45	64
0	18	13	31
0	19	45	64
0	18	25	43
0	19	39	58
0	19	22	41
0	20	23	43
0	18	35	53
0	19	29	48

0	19	37	56
0	21	27	48
0	15	13	28
0	22	31	53
0	18	27	45
0	24	29	53
0	21	27	48
0	19	27	46
0	17	13	30
0	21	53	74
0	20	45	65
0	20	33	53
0	19	31	50
0	18	29	47
0	22	21	43
0	21	37	58
0	19	41	60
0	21	27	48
0	19	22	41
0	20	47	67
0	20	51	71
0	18	25	43
0	24	19	43
0	17	15	32
0	18	25	43
0	20	35	55
0	20	49	69
0	18	27	45
0	17	27	44
0	19	22	41
0	22	37	59
0	18	37	55
0	20	23	43
0	18	23	41
0	18	27	45
0	19	35	54
0	21	37	58
0	19	41	60
0	20	49	69
0	20	43	63
0	20	33	53
0	26	17	43
0	20	23	43
0	21	57	78
0	19	37	56
0	20	23	43
0	18	23	41
0	20	43	63
0	18	35	53
0	20	23	43



0	21	45	66
0	21	27	48
0	22	31	53
0	19	37	56
0	19	29	48
0	20	43	63
0	20	43	63
0	21	43	64
0	17	17	34
0	19	37	56
0	21	47	68
0	19	41	60
0	18	39	57
0	22	65	87
0	18	23	41
0	21	53	74
0	21	27	48
0	17	15	32
0	20	23	43
0	18	13	31
0	17	29	46
0	19	39	58
0	24	19	43
0	18	35	53
0	22	31	53
0	19	41	60
0	18	23	41
0	19	25	44
0	17	27	44
0	20	33	53
0	20	49	69
0	22	21	43
0	20	33	53
0	24	19	43
0	22	21	43
0	20	55	75
0	25	18	43
0	18	23	41
0	20	23	43
0	21	57	78
0	20	43	63
0	22	41	63
0	20	23	43
0	20	51	71
0	18	39	57
0	22	31	53
0	19	35	54
0	20	45	65
0	17	17	34
0	18	27	45

0	17	17	34
0	23	51	74
0	19	29	48
0	20	33	53
0	17	15	32
0	19	39	58
0	22	31	53
0	21	57	78
0	22	21	43
0	20	43	63
0	18	25	43
0	17	27	44
0	18	27	45
0	16	27	43
0	22	51	73
0	19	25	44
0	17	13	30
0	20	43	63
0	20	43	63
0	19	37	56
0	18	29	47
0	20	33	53
0	20	43	63
0	19	37	56
0	18	23	41
0	22	24	46
0	20	39	59
0	24	19	43
0	20	23	43
0	20	43	63
0	20	43	63
0	19	39	58
0	18	29	47
0	18	35	53
0	17	13	30
0	24	39	63
0	18	16	34
0	21	37	58
0	20	29	49
0	20	33	53