

UNIVERSITY OF MAIDUGURI
(OFFICE OF THE VICE-CHANCELLOR)

Centre for Distance Learning
Department of Accounting

First Semester End-of-Course Examination Results

Course Code: **ACC 503**
Course Title: **Auditing II**
Course Unit(s): **3**

2015/2016 Academic

S/No.	ID. No.	C.A. Marks	EXAM Marks	TOTAL Marks	Grades										GP	U.GP
					A	B+	B	C+	C	D	E	F				
1.	08/11/07/01/033	23	19	42							E		1.0	2.0		
2.	09/11/07/01/020	15	12	27								F	0.0	0.0		
3.	09/11/07/01/070	21	24	45						D			2.0	4.0		
4.	09/11/07/01/120	23	19	42							E		1.0	2.0		
5.	10/11/07/01/002	23	44	67		B+							4.5	9.0		
6.	10/11/07/01/017	22	30	52					C				3.0	6.0		
7.	10/11/07/01/025	22	31	53					C				3.0	6.0		
8.	10/11/07/01/026	23	24	47						D			2.0	4.0		
9.	10/11/07/01/028	22	21	43							E		1.0	2.0		
10.	10/11/07/01/029	24	23	47						D			2.0	4.0		
11.	10/11/07/01/030	23	19	42							E		1.0	2.0		
12.	10/11/07/01/031	23	37	60			B						4.0	8.0		
13.	10/11/07/01/033	24	24	48						D			2.0	4.0		
14.	10/11/07/01/034	16	14	30								F	0.0	0.0		
15.	10/11/07/01/035	21	26	47						D			2.0	4.0		
16.	10/11/07/01/038	24	19	43							E		1.0	2.0		
17.	10/11/07/01/045	25	17	42							E		1.0	2.0		
18.	10/11/07/01/054	23	30	53					C				3.0	6.0		
19.	10/11/07/01/057	23	21	44							E		1.0	2.0		
20.	10/11/07/01/083	25	17	42							E		1.0	2.0		
21.	10/11/07/01/085	18	16	34								F	0.0	0.0		
22.	10/11/07/01/086	17	16	33								F	0.0	0.0		
23.	10/11/07/01/096	24	19	43							E		1.0	2.0		
24.	10/11/07/01/098	20	33	53					C				3.0	6.0		
25.	10/11/07/01/102	19	14	33								F	0.0	0.0		
26.	10/11/07/01/108	18	12	30								F	0.0	0.0		
27.	10/11/07/01/120	24	28	52					C				3.0	6.0		
28.	10/11/07/01/129	25	17	42							E		1.0	2.0		
29.	10/11/07/01/131	25	28	53					C				3.0	6.0		
30.	10/11/07/01/134	24	30	54					C				3.0	6.0		
31.	10/11/07/01/136	23	31	54					C				3.0	6.0		
32.	10/11/07/01/141	22	30	52					C				3.0	6.0		
33.	10/11/07/01/147	22	24	46						D			2.0	4.0		
34.	10/11/07/01/152	21	21	42							E		1.0	2.0		
35.	10/11/07/01/154	24	19	43							E		1.0	2.0		
36.	10/11/07/01/155	24	33	57				C+					3.5	7.0		
37.	10/11/07/01/156	24	44	68		B+							4.5	9.0		

38.	12/11/07/01/001	17	16	33								F	0.0	0.0
39.	12/11/07/01/004	22	26	48					D				2.0	4.0
40.	12/11/07/01/006	23	24	47					D				2.0	4.0
41.	12/11/07/01/007	24	35	59				C+					3.5	7.0
42.	12/11/07/01/008	24	33	57				C+					3.5	7.0
43.	12/11/07/01/009	23	26	49					D				2.0	4.0
44.	12/11/07/01/010	23	19	42						E			1.0	2.0
45.	12/11/07/01/012	18	14	32								F	0.0	0.0
46.	12/11/07/01/013	24	30	54				C					3.0	6.0
47.	12/11/07/01/015	24	19	43						E			1.0	2.0
48.	12/11/07/01/016	24	35	59				C+					3.5	7.0
49.	12/11/07/01/018	21	21	42						E			1.0	2.0
50.	12/11/07/01/019	19	14	33								F	0.0	0.0
51.	12/11/07/01/020	22	30	52				C					3.0	6.0
52.	12/11/07/01/021	24	35	59				C+					3.5	7.0
53.	12/11/07/01/022	23	21	44						E			1.0	2.0
54.	12/11/07/01/024	24	35	59				C+					3.5	7.0
55.	12/11/07/01/027	23	30	53				C					3.0	6.0
56.	12/11/07/01/028	22	33	55				C+					3.5	7.0
57.	12/11/07/01/032	23	24	47					D				2.0	4.0
58.	12/11/07/01/034	24	33	57				C+					3.5	7.0
59.	12/11/07/01/035	22	21	43						E			1.0	2.0
60.	12/11/07/01/038	19	22	41						E			1.0	2.0
61.	12/11/07/01/041	25	37	62				B					4.0	8.0
62.	12/11/07/01/042	21	21	42						E			1.0	2.0
63.	12/11/07/01/043	24	23	47					D				2.0	4.0
64.	12/11/07/01/044	24	19	43						E			1.0	2.0
65.	12/11/07/01/045	20	14	34								F	0.0	0.0
66.	12/11/07/01/046	25	38	63				B					4.0	8.0
67.	12/11/07/01/047	22	21	43						E			1.0	2.0
68.	12/11/07/01/048	23	19	42						E			1.0	2.0
69.	12/11/07/01/053	24	28	52				C					3.0	6.0
70.	12/11/07/01/056	21	21	42						E			1.0	2.0
71.	12/11/07/01/057	25	17	42						E			1.0	2.0
72.	12/11/07/01/058	24	31	55				C+					3.5	7.0
73.	12/11/07/01/059	22	23	45					D				2.0	4.0
74.	12/11/07/01/062	23	19	42						E			1.0	2.0
75.	12/11/07/01/063	22	21	43						E			1.0	2.0
76.	12/11/07/01/064	20	12	32								F	0.0	0.0
77.	12/11/07/01/066	19	12	31								F	0.0	0.0
78.	12/11/07/01/067	18	24	42						E			1.0	2.0
79.	12/11/07/01/068	19	23	42						E			1.0	2.0
80.	12/11/07/01/069	20	23	43						E			1.0	2.0
81.	12/11/07/01/071	23	31	54				C					3.0	6.0
82.	12/11/07/01/072	19	23	42						E			1.0	2.0
83.	12/11/07/01/073	22	26	48					D				2.0	4.0
84.	12/11/07/01/074	16	14	30								F	0.0	0.0

85.	12/11/07/01/077	25	17	42							E		1.0	2.0
86.	12/11/07/01/078	20	23	43							E		1.0	2.0
87.	12/11/07/01/080	17	12	29								F	0.0	0.0
88.	12/11/07/01/081	20	21	41							E		1.0	2.0
89.	12/11/07/01/082	25	40	65		B+							4.5	9.0
90.	12/11/07/01/083	20	14	34								F	0.0	0.0
91.	12/11/07/01/084	18	14	32								F	0.0	0.0
92.	12/11/07/01/085	19	24	43							E		1.0	2.0
93.	12/11/07/01/088	17	12	29								F	0.0	0.0
94.	12/11/07/01/089	21	21	42							E		1.0	2.0
95.	12/11/07/01/090	20	23	43							E		1.0	2.0
96.	12/11/07/01/091	23	19	42							E		1.0	2.0
97.	12/11/07/01/092	20	12	32								F	0.0	0.0
98.	12/11/07/01/094	20	24	44							E		1.0	2.0
99.	12/11/07/01/095	19	23	42							E		1.0	2.0
100.	12/11/07/01/097	23	33	56			C+						3.5	7.0
101.	12/11/07/01/100	21	23	44							E		1.0	2.0
102.	12/11/07/01/101	21	24	45							D		2.0	4.0
103.	12/11/07/01/102	18	12	30								F	0.0	0.0
104.	12/11/07/01/103	22	23	45							D		2.0	4.0
105.	12/11/07/01/104	20	24	44							E		1.0	2.0
106.	12/11/07/01/105	20	23	43							E		1.0	2.0
107.	12/11/07/01/108	24	35	59			C+						3.5	7.0
108.	12/11/07/01/109	22	21	43							E		1.0	2.0
109.	12/11/07/01/110	24	37	61			B						4.0	8.0
110.	12/11/07/01/111	24	38	62			B						4.0	8.0
111.	12/11/07/01/113	26	17	43							E		1.0	2.0
112.	12/11/07/01/115	17	14	31								F	0.0	0.0
113.	12/11/07/01/117	24	26	50				C					3.0	6.0
114.	12/11/07/01/118	24	28	52				C					3.0	6.0
115.	12/11/07/01/120	25	42	67		B+							4.5	9.0
116.	12/11/07/01/121	25	17	42							E		1.0	2.0
117.	12/11/07/01/122	19	22	41							E		1.0	2.0
118.	12/11/07/01/125	24	33	57			C+						3.5	7.0
119.	12/11/07/01/128	17	16	33								F	0.0	0.0
120.	12/11/07/01/129	22	30	52				C					3.0	6.0
121.	12/11/07/01/130	18	16	34								F	0.0	0.0
122.	12/11/07/01/132	25	33	58			C+						3.5	7.0
123.	12/11/07/01/136	22	26	48							D		2.0	4.0
124.	12/11/07/01/137	23	30	53				C					3.0	6.0
125.	12/11/07/01/139	21	21	42							E		1.0	2.0
126.	12/11/07/01/140	26	17	43							E		1.0	2.0
127.	12/11/07/01/141	17	24	41							E		1.0	2.0
128.	12/11/07/01/143	21	21	42							E		1.0	2.0
129.	12/11/07/01/145	22	23	45							D		2.0	4.0
130.	12/11/07/01/147	24	33	57			C+						3.5	7.0
131.	12/11/07/01/148	17	12	29								F	0.0	0.0

132.	12/11/07/01/149	25	37	62			B					4.0	8.0
133.	12/11/07/01/150	21	30	51				C				3.0	6.0
134.	12/11/07/01/151	18	12	30							F	0.0	0.0
135.	12/11/07/01/152	19	14	33							F	0.0	0.0
136.	12/11/07/01/154	20	24	44					E			1.0	2.0
137.	12/11/07/01/156	22	33	55			C+					3.5	7.0
138.	12/11/07/01/157	23	30	53				C				3.0	6.0
139.	12/11/07/01/158	22	21	43					E			1.0	2.0
140.	12/11/07/01/159	19	22	41					E			1.0	2.0
141.	12/11/07/01/161	21	31	52				C				3.0	6.0
142.	12/11/07/01/162	25	37	62			B					4.0	8.0
143.	12/11/07/01/172	24	28	52				C				3.0	6.0
144.	12/11/07/01/173	25	17	42					E			1.0	2.0
145.	12/11/07/01/175	24	19	43					E			1.0	2.0
146.	12/11/07/01/176	23	24	47					D			2.0	4.0
147.	12/11/07/01/178	22	28	50				C				3.0	6.0
148.	12/11/07/01/180	19	12	31							F	0.0	0.0
149.	12/11/07/01/181	22	26	48					D			2.0	4.0
150.	12/11/07/01/184	23	31	54				C				3.0	6.0
151.	12/11/07/01/185	22	31	53				C				3.0	6.0
152.	12/11/07/01/188	22	24	46					D			2.0	4.0
153.	12/11/07/01/190	23	30	53				C				3.0	6.0
154.	12/11/07/01/194	24	28	52				C				3.0	6.0
155.	12/11/07/01/196	24	35	59			C+					3.5	7.0
156.	12/11/07/01/197	25	17	42					E			1.0	2.0
157.	12/11/07/01/201	25	17	42					E			1.0	2.0
158.	12/11/07/01/204	19	22	41					E			1.0	2.0
159.	12/11/07/01/207	20	28	48					D			2.0	4.0
160.	12/11/07/01/208	22	31	53				C				3.0	6.0
161.	12/11/07/01/209	26	44	70	A							5.0	10.0
162.	12/11/07/01/210	18	16	34							F	0.0	0.0
163.	12/11/07/01/212	25	17	42					E			1.0	2.0
164.	12/11/07/01/213	23	19	42					E			1.0	2.0
165.	12/11/07/01/214	22	21	43					E			1.0	2.0
166.	12/11/07/01/215	25	17	42					E			1.0	2.0
167.	12/11/07/01/219	26	17	43					E			1.0	2.0
168.	12/11/07/01/220	24	21	45					D			2.0	4.0
169.	12/11/07/01/223	24	23	47					D			2.0	4.0
170.	12/11/07/01/224	25	17	42					E			1.0	2.0
171.	12/11/07/01/225	25	30	55			C+					3.5	7.0
172.	12/11/07/01/226	21	21	42					E			1.0	2.0
173.	12/11/07/01/229	25	17	42					E			1.0	2.0
174.	12/11/07/01/230	20	22	42					E			1.0	2.0
175.	12/11/07/01/231	21	26	47					D			2.0	4.0
176.	12/11/07/01/234	23	30	53				C				3.0	6.0
177.	12/11/07/01/235	22	21	43					E			1.0	2.0
178.	12/11/07/01/237	23	21	44					E			1.0	2.0

179.	12/11/07/01/238	24	28	52					C				3.0	6.0
180.	12/11/07/01/240	24	33	57					C+				3.5	7.0
181.	12/11/07/01/241	18	14	32								F	0.0	0.0
182.	12/11/07/01/242	23	19	42							E		1.0	2.0
183.	12/11/07/01/243	26	17	43							E		1.0	2.0
184.	12/11/07/01/244	25	17	42							E		1.0	2.0
185.	12/11/07/01/247	24	26	50					C				3.0	6.0
186.	12/11/07/01/248	25	38	63					B				4.0	8.0
187.	12/11/07/01/249	25	17	42							E		1.0	2.0
188.	12/11/07/01/250	19	22	41							E		1.0	2.0
189.	12/11/07/01/254	24	40	64					B				4.0	8.0
190.	12/11/07/01/256	22	23	45							D		2.0	4.0
191.	12/11/07/01/258	17	16	33								F	0.0	0.0
192.	12/11/07/01/263	23	21	44							E		1.0	2.0
193.	12/11/07/01/264	23	28	51					C				3.0	6.0
194.	12/11/07/01/266	23	35	58					C+				3.5	7.0
195.	12/11/07/01/267	21	31	52					C				3.0	6.0
196.	12/11/07/01/271	21	26	47							D		2.0	4.0
197.	12/11/07/01/272	24	19	43							E		1.0	2.0
198.	12/11/07/01/274	23	19	42							E		1.0	2.0
199.	12/11/07/01/275	24	19	43							E		1.0	2.0
200.	12/11/07/01/276	17	14	31								F	0.0	0.0
201.	12/11/07/01/277	26	17	43							E		1.0	2.0
202.	12/11/07/01/278	23	19	42							E		1.0	2.0
203.	12/11/07/01/280	21	23	44							E		1.0	2.0
204.	12/11/07/01/282	22	35	57					C+				3.5	7.0
205.	12/11/07/01/283	18	16	34								F	0.0	0.0
206.	12/11/07/01/284	25	40	65					B+				4.5	9.0
207.	12/11/07/01/286	22	30	52					C				3.0	6.0
208.	12/11/07/01/287	19	14	33								F	0.0	0.0
209.	12/11/07/01/288	20	24	44							E		1.0	2.0
210.	12/11/07/01/290	24	19	43							E		1.0	2.0
211.	12/11/07/01/294	24	35	59					C+				3.5	7.0
212.	12/11/07/01/297	21	24	45							D		2.0	4.0
213.	12/11/07/01/301	25	17	42							E		1.0	2.0
214.	12/11/07/01/303	25	40	65					B+				4.5	9.0
215.	12/11/07/01/304	24	19	43							E		1.0	2.0
216.	12/11/07/01/305	23	21	44							E		1.0	2.0
217.	12/11/07/01/306	19	24	43							E		1.0	2.0
218.	12/11/07/01/311	20	23	43							E		1.0	2.0
219.	12/11/07/01/314	17	14	31								F	0.0	0.0
220.	12/11/07/01/315	18	16	34								F	0.0	0.0
221.	12/11/07/01/317	19	23	42							E		1.0	2.0
222.	12/11/07/01/322	25	17	42							E		1.0	2.0
223.	12/11/07/01/324	21	24	45							D		2.0	4.0
224.	12/11/07/01/325	22	30	52					C				3.0	6.0
225.	12/11/07/01/330	20	28	48							D		2.0	4.0

226.	12/11/07/01/331	21	21	42							E		1.0	2.0
227.	12/11/07/01/332	22	21	43							E		1.0	2.0
SUMMARY					01	06	09	21	35	29	92	34		

Session

<u>Remarks</u>				
PASS	0	23	19	42
FAIL	0	15	12	27
PASS	0	21	24	45
PASS	0	23	19	42
PASS	0	23	44	67
PASS	0	22	30	52
PASS	0	22	31	53
PASS	0	23	24	47
PASS	0	22	21	43
PASS	0	24	23	47
PASS	0	23	19	42
PASS	0	23	37	60
PASS	0	24	24	48
FAIL	0	16	14	30
PASS	0	21	26	47
PASS	0	24	19	43
PASS	0	25	17	42
PASS	0	23	30	53
PASS	0	23	21	44
PASS	0	25	17	42
FAIL	0	18	16	34
FAIL	0	17	16	33
PASS	0	24	19	43
PASS	0	20	33	53
FAIL	0	19	14	33
FAIL	0	18	12	30
PASS	0	24	28	52
PASS	0	25	17	42
PASS	0	25	28	53
PASS	0	24	30	54
PASS	0	23	31	54
PASS	0	22	30	52
PASS	0	22	24	46
PASS	0	21	21	42
PASS	0	24	19	43
PASS	0	24	33	57
PASS	0	24	44	68

FAIL	0	17	16	33
PASS	0	22	26	48
PASS	0	23	24	47
PASS	0	24	35	59
PASS	0	24	33	57
PASS	0	23	26	49
PASS	0	23	19	42
FAIL	0	18	14	32
PASS	0	24	30	54
PASS	0	24	19	43
PASS	0	24	35	59
PASS	0	21	21	42
FAIL	0	19	14	33
PASS	0	22	30	52
PASS	0	24	35	59
PASS	0	23	21	44
PASS	0	24	35	59
PASS	0	23	30	53
PASS	0	22	33	55
PASS	0	23	24	47
PASS	0	24	33	57
PASS	0	22	21	43
PASS	0	19	22	41
PASS	0	25	37	62
PASS	0	21	21	42
PASS	0	24	23	47
PASS	0	24	19	43
FAIL	0	20	14	34
PASS	0	25	38	63
PASS	0	22	21	43
PASS	0	23	19	42
PASS	0	24	28	52
PASS	0	21	21	42
PASS	0	25	17	42
PASS	0	24	31	55
PASS	0	22	23	45
PASS	0	23	19	42
PASS	0	22	21	43
FAIL	0	20	12	32
FAIL	0	19	12	31
PASS	0	18	24	42
PASS	0	19	23	42
PASS	0	20	23	43
PASS	0	23	31	54
PASS	0	19	23	42
PASS	0	22	26	48
FAIL	0	16	14	30

PASS	0	25	17	42
PASS	0	20	23	43
FAIL	0	17	12	29
PASS	0	20	21	41
PASS	0	25	40	65
FAIL	0	20	14	34
FAIL	0	18	14	32
PASS	0	19	24	43
FAIL	0	17	12	29
PASS	0	21	21	42
PASS	0	20	23	43
PASS	0	23	19	42
FAIL	0	20	12	32
PASS	0	20	24	44
PASS	0	19	23	42
PASS	0	23	33	56
PASS	0	21	23	44
PASS	0	21	24	45
FAIL	0	18	12	30
PASS	0	22	23	45
PASS	0	20	24	44
PASS	0	20	23	43
PASS	0	24	35	59
PASS	0	22	21	43
PASS	0	24	37	61
PASS	0	24	38	62
PASS	0	26	17	43
FAIL	0	17	14	31
PASS	0	24	26	50
PASS	0	24	28	52
PASS	0	25	42	67
PASS	0	25	17	42
PASS	0	19	22	41
PASS	0	24	33	57
FAIL	0	17	16	33
PASS	0	22	30	52
FAIL	0	18	16	34
PASS	0	25	33	58
PASS	0	22	26	48
PASS	0	23	30	53
PASS	0	21	21	42
PASS	0	26	17	43
PASS	0	17	24	41
PASS	0	21	21	42
PASS	0	22	23	45
PASS	0	24	33	57
FAIL	0	17	12	29

PASS	0	25	37	62
PASS	0	21	30	51
FAIL	0	18	12	30
FAIL	0	19	14	33
PASS	0	20	24	44
PASS	0	22	33	55
PASS	0	23	30	53
PASS	0	22	21	43
PASS	0	19	22	41
PASS	0	21	31	52
PASS	0	25	37	62
PASS	0	24	28	52
PASS	0	25	17	42
PASS	0	24	19	43
PASS	0	23	24	47
PASS	0	22	28	50
FAIL	0	19	12	31
PASS	0	22	26	48
PASS	0	23	31	54
PASS	0	22	31	53
PASS	0	22	24	46
PASS	0	23	30	53
PASS	0	24	28	52
PASS	0	24	35	59
PASS	0	25	17	42
PASS	0	25	17	42
PASS	0	19	22	41
PASS	0	20	28	48
PASS	0	22	31	53
PASS	0	26	44	70
FAIL	0	18	16	34
PASS	0	25	17	42
PASS	0	23	19	42
PASS	0	22	21	43
PASS	0	25	17	42
PASS	0	26	17	43
PASS	0	24	21	45
PASS	0	24	23	47
PASS	0	25	17	42
PASS	0	25	30	55
PASS	0	21	21	42
PASS	0	25	17	42
PASS	0	20	22	42
PASS	0	21	26	47
PASS	0	23	30	53
PASS	0	22	21	43
PASS	0	23	21	44

PASS	0	24	28	52
PASS	0	24	33	57
FAIL	0	18	14	32
PASS	0	23	19	42
PASS	0	26	17	43
PASS	0	25	17	42
PASS	0	24	26	50
PASS	0	25	38	63
PASS	0	25	17	42
PASS	0	19	22	41
PASS	0	24	40	64
PASS	0	22	23	45
FAIL	0	17	16	33
PASS	0	23	21	44
PASS	0	23	28	51
PASS	0	23	35	58
PASS	0	21	31	52
PASS	0	21	26	47
PASS	0	24	19	43
PASS	0	23	19	42
PASS	0	24	19	43
FAIL	0	17	14	31
PASS	0	26	17	43
PASS	0	23	19	42
PASS	0	21	23	44
PASS	0	22	35	57
FAIL	0	18	16	34
PASS	0	25	40	65
PASS	0	22	30	52
FAIL	0	19	14	33
PASS	0	20	24	44
PASS	0	24	19	43
PASS	0	24	35	59
PASS	0	21	24	45
PASS	0	25	17	42
PASS	0	25	40	65
PASS	0	24	19	43
PASS	0	23	21	44
PASS	0	19	24	43
PASS	0	20	23	43
FAIL	0	17	14	31
FAIL	0	18	16	34
PASS	0	19	23	42
PASS	0	25	17	42
PASS	0	21	24	45
PASS	0	22	30	52
PASS	0	20	28	48

PASS
PASS
227

0	21	21	42
0	22	21	43