

UNIVERSITY OF MAIDUGURI
(OFFICE OF THE VICE-CHANCELLOR)
Centre for Distance Learning

Department of Arabic and Islamic Studies
First Semester End-of-Course Examination Results

Course Code: **ARA 510**
Course Title: **Selected Topics in Arabic Grammar**
Course Unit(s): **2**

2015/2016 Academic Session

S/No.	ID. No.	C.A. Marks	Exam Marks	Total Marks	Grades								GP	U.GP	Remarks
					A	B+	B	C+	C	D	E	F			
1.	08/11/03/01/028	20	02	22								F	0.0	0.0	FAIL
2.	09/11/03/01/046	22	26	48						D			2.0	4.0	PASS
3.	10/11/03/01/008	25	44	69		B+							4.5	9.0	PASS
4.	10/11/03/01/010	18	38	56				C+					3.5	7.0	PASS
5.	10/11/03/01/013	18	25	43							E		1.0	2.0	PASS
6.	10/11/03/01/014	20	35	55				C+					3.5	7.0	PASS
7.	10/11/03/01/030	22	43	65		B+							4.5	9.0	PASS
8.	10/11/03/01/032	18	24	42							E		1.0	2.0	PASS
9.	10/11/03/01/033	17	31	48						D			2.0	4.0	PASS
10.	10/11/03/01/114	20	21	41							E		1.0	2.0	PASS
11.	10/11/03/01/128	21	25	46						D			2.0	4.0	PASS
12.	10/11/03/01/131	20	22	42							E		1.0	2.0	PASS
13.	10/11/03/01/133	23	35	58				C+					3.5	7.0	PASS
14.	12/11/03/01/001	20	31	51					C				3.0	6.0	PASS
15.	12/11/03/01/002	25	35	60			B						4.0	8.0	PASS
16.	12/11/03/01/004	26	30	56				C+					3.5	7.0	PASS
17.	12/11/03/01/008	25	36	61			B						4.0	8.0	PASS
18.	12/11/03/01/009	26	44	70	A								5.0	10.0	PASS
19.	12/11/03/01/011	20	35	55				C+					3.5	7.0	PASS
20.	12/11/03/01/012	21	33	54					C				3.0	6.0	PASS
21.	12/11/03/01/015	22	28	50					C				3.0	6.0	PASS
22.	12/11/03/01/016	23	43	66		B+							4.5	9.0	PASS
23.	12/11/03/01/017	20	30	50					C				3.0	6.0	PASS
24.	12/11/03/01/020	20	28	48						D			2.0	4.0	PASS
25.	12/11/03/01/022	18	35	53					C				3.0	6.0	PASS
26.	12/11/03/01/023	17	44	61			B						4.0	8.0	PASS
27.	12/11/03/01/024	19	35	54					C				3.0	6.0	PASS
28.	12/11/03/01/025	16	15	31								F	0.0	0.0	FAIL
29.	12/11/03/01/026	20	40	60			B						4.0	8.0	PASS
30.	12/11/03/01/027	18	25	43							E		1.0	2.0	PASS
31.	12/11/03/01/028	17	27	44							E		1.0	2.0	PASS
32.	12/11/03/01/031	15	39	54					C				3.0	6.0	PASS

33.	12/11/03/01/032	18	24	42						E		1.0	2.0	PASS
34.	12/11/03/01/033	21	32	53				C				3.0	6.0	PASS
35.	12/11/03/01/034	22	40	62			B					4.0	8.0	PASS
36.	12/11/03/01/035	18	35	53				C				3.0	6.0	PASS
37.	12/11/03/01/037	17	33	50				C				3.0	6.0	PASS
38.	12/11/03/01/038	15	28	43						E		1.0	2.0	PASS
39.	12/11/03/01/039	18	33	51				C				3.0	6.0	PASS
40.	12/11/03/01/043	15	28	43						E		1.0	2.0	PASS
41.	12/11/03/01/044	20	36	56				C+				3.5	7.0	PASS
42.	12/11/03/01/045	21	55	76	A							5.0	10.0	PASS
43.	12/11/03/01/046	20	46	66		B+						4.5	9.0	PASS
44.	12/11/03/01/048	16	26	42						E		1.0	2.0	PASS
45.	12/11/03/01/049	15	39	54				C				3.0	6.0	PASS
46.	12/11/03/01/050	15	28	43						E		1.0	2.0	PASS
47.	12/11/03/01/056	17	37	54				C				3.0	6.0	PASS
48.	12/11/03/01/057	18	48	66		B+						4.5	9.0	PASS
49.	12/11/03/01/063	18	53	71	A							5.0	10.0	PASS
50.	12/11/03/01/064	20	30	50				C				3.0	6.0	PASS
51.	12/11/03/01/069	17	61	78	A							5.0	10.0	PASS
52.	12/11/03/01/070	20	57	77	A							5.0	10.0	PASS
53.	12/11/03/01/071	18	30	48						D		2.0	4.0	PASS
54.	12/11/03/01/074	20	40	60			B					4.0	8.0	PASS
55.	12/11/03/01/078	18	30	48						D		2.0	4.0	PASS
56.	12/11/03/01/079	17	48	65		B+						4.5	9.0	PASS
57.	12/11/03/01/081	16	48	64			B					4.0	8.0	PASS
58.	12/11/03/01/087	20	44	64			B					4.0	8.0	PASS
59.	12/11/03/01/093	15	15	30							F	0.0	0.0	FAIL
60.	12/11/03/01/094	18	43	61			B					4.0	8.0	PASS
61.	12/11/03/01/096	16	32	48						D		2.0	4.0	PASS
62.	12/11/03/01/099	16	28	44						E		1.0	2.0	PASS
63.	12/11/03/01/100	20	33	53				C				3.0	6.0	PASS
64.	12/11/03/01/107	18	26	44						E		1.0	2.0	PASS
65.	12/11/03/01/111	17	24	41						E		1.0	2.0	PASS
66.	12/11/03/01/112	16	26	42						E		1.0	2.0	PASS
67.	12/11/03/01/113	15	30	45						D		2.0	4.0	PASS
68.	12/11/03/01/123	16	26	42						E		1.0	2.0	PASS
69.	12/11/03/01/128	15	28	43						E		1.0	2.0	PASS
70.	12/11/03/01/130	20	36	56				C+				3.5	7.0	PASS
71.	12/11/03/01/132	18	28	46						D		2.0	4.0	PASS
72.	12/11/03/01/133	16	25	41						E		1.0	2.0	PASS
73.	12/11/03/01/136	20	33	53				C				3.0	6.0	PASS
74.	12/11/03/01/137	18	23	41						E		1.0	2.0	PASS

75.	12/11/03/01/138	18	28	46						D			2.0	4.0	PASS
76.	12/11/03/01/139	17	31	48						D			2.0	4.0	PASS
77.	12/11/03/01/143	17	24	41							E		1.0	2.0	PASS
78.	12/11/03/01/144	20	45	65		B+							4.5	9.0	PASS
79.	12/11/03/01/145	21	43	64			B						4.0	8.0	PASS
80.	12/11/03/01/148	20	35	55				C+					3.5	7.0	PASS
81.	12/11/03/01/150	18	23	41							E		1.0	2.0	PASS
82.	12/11/03/01/151	18	31	49						D			2.0	4.0	PASS
83.	12/11/03/01/154	19	28	47						D			2.0	4.0	PASS
84.	12/11/03/01/157	20	41	61			B						4.0	8.0	PASS
85.	12/11/03/01/164	20	45	65		B+							4.5	9.0	PASS
86.	12/11/03/01/166	18	36	54					C				3.0	6.0	PASS
87.	09/11/04/02/384	18	33	51					C				3.0	6.0	PASS
88.	09/11/04/02/0429	16	15	31								F	0.0	0.0	FAIL
89.	10/11/04/02/011	18	24	42							E		1.0	2.0	PASS
90.	10/11/04/02/016	16	15	31								F	0.0	0.0	FAIL
91.	10/11/04/02/196	20	35	55				C+					3.5	7.0	PASS
92.	10/11/04/02/197	18	30	48						D			2.0	4.0	PASS
93.	10/11/04/02/255	18	23	41							E		1.0	2.0	PASS
94.	10/11/04/02/356	17	26	43							E		1.0	2.0	PASS
95.	10/11/04/02/442	18	36	54					C				3.0	6.0	PASS
96.	12/11/04/02/480	15	30	45						D			2.0	4.0	PASS
97.	12/11/04/02/004	16	36	52					C				3.0	6.0	PASS
98.	12/11/04/02/018	18	24	42							E		1.0	2.0	PASS
99.	12/11/04/02/025	20	60	80	A								5.0	10.0	PASS
100.	12/11/04/02/038	18	26	44							E		1.0	2.0	PASS
101.	12/11/04/02/045	16	35	51					C				3.0	6.0	PASS
102.	12/11/04/02/046	20	30	50					C				3.0	6.0	PASS
103.	12/11/04/02/050	20	45	65		B+							4.5	9.0	PASS
104.	12/11/04/02/051	18	28	46						D			2.0	4.0	PASS
105.	12/11/04/02/059	16	15	31								F	0.0	0.0	FAIL
106.	12/11/04/02/060	18	38	56				C+					3.5	7.0	PASS
107.	12/11/04/02/061	15	18	33								F	0.0	0.0	FAIL
108.	12/11/04/02/071	18	28	46						D			2.0	4.0	PASS
109.	12/11/04/02/072	16	31	47						D			2.0	4.0	PASS
110.	12/11/04/02/077	20	35	55				C+					3.5	7.0	PASS
111.	12/11/04/02/082	21	47	68		B+							4.5	9.0	PASS
112.	12/11/04/02/086	15	28	43							E		1.0	2.0	PASS
113.	12/11/04/02/092	18	38	56				C+					3.5	7.0	PASS
114.	12/11/04/02/099	16	25	41							E		1.0	2.0	PASS
115.	12/11/04/02/109	20	35	55				C+					3.5	7.0	PASS
116.	12/11/04/02/114	17	24	41							E		1.0	2.0	PASS

117.	12/11/04/02/126	20	48	68		B+						4.5	9.0	PASS
118.	12/11/04/02/132	18	38	56				C+				3.5	7.0	PASS
119.	12/11/04/02/137	16	25	41						E		1.0	2.0	PASS
120.	12/11/04/02/143	15	18	33							F	0.0	0.0	FAIL
121.	12/11/04/02/145	15	13	28							F	0.0	0.0	FAIL
122.	12/11/04/02/147	20	38	58				C+				3.5	7.0	PASS
123.	12/11/04/02/150	20	40	60				B				4.0	8.0	PASS
124.	12/11/04/02/159	18	35	53					C			3.0	6.0	PASS
125.	12/11/04/02/161	16	25	41						E		1.0	2.0	PASS
126.	12/11/04/02/178	15	18	33							F	0.0	0.0	FAIL
127.	12/11/04/02/195	16	25	41						E		1.0	2.0	PASS
128.	12/11/04/02/199	20	33	53					C			3.0	6.0	PASS
129.	12/11/04/02/220	17	35	52					C			3.0	6.0	PASS
130.	12/11/04/02/222	15	30	45						D		2.0	4.0	PASS
131.	12/11/04/02/228	16	25	41						E		1.0	2.0	PASS
132.	12/11/04/02/231	18	30	48						D		2.0	4.0	PASS
133.	12/11/04/02/240	20	38	58					C+			3.5	7.0	PASS
134.	12/11/04/02/241	15	15	30							F	0.0	0.0	FAIL
135.	12/11/04/02/245	18	30	48						D		2.0	4.0	PASS
136.	12/11/04/02/246	20	40	60					B			4.0	8.0	PASS
137.	12/11/04/02/248	20	38	58					C+			3.5	7.0	PASS
138.	12/11/04/02/249	16	38	54					C			3.0	6.0	PASS
139.	12/11/04/02/252	21	50	71	A							5.0	10.0	PASS
140.	12/11/04/02/264	18	35	53					C			3.0	6.0	PASS
141.	12/11/04/02/266	20	45	65					B+			4.5	9.0	PASS
142.	12/11/04/02/296	16	18	34							F	0.0	0.0	FAIL
143.	12/11/04/02/300	18	34	52					C			3.0	6.0	PASS
144.	12/11/04/02/308	20	40	60					B			4.0	8.0	PASS
145.	12/11/04/02/323	20	43	63					B			4.0	8.0	PASS
146.	12/11/04/02/327	18	33	51					C			3.0	6.0	PASS
147.	12/11/04/02/353	16	28	44						E		1.0	2.0	PASS
148.	12/11/04/02/356	15	26	41						E		1.0	2.0	PASS
149.	12/11/04/02/362	16	25	41						E		1.0	2.0	PASS
150.	12/11/04/02/364	18	39	57					C+			3.5	7.0	PASS
	SUMMAARY				7	12	15	18	29	21	36	12		150

0	20	2	22
0	22	26	48
0	25	44	69
0	18	38	56
0	18	25	43
0	20	35	55
0	22	43	65
0	18	24	42
0	17	31	48
0	20	21	41
0	21	25	46
0	20	22	42
0	23	35	58
0	20	31	51
0	25	35	60
0	26	30	56
0	25	36	61
0	26	44	70
0	20	35	55
0	21	33	54
0	22	28	50
0	23	43	66
0	20	30	50
0	20	28	48
0	18	35	53
0	17	44	61
0	19	35	54
0	16	15	31
0	20	40	60
0	18	25	43
0	17	27	44
0	15	39	54

0	18	24	42
0	21	32	53
0	22	40	62
0	18	35	53
0	17	33	50
0	15	28	43
0	18	33	51
0	15	28	43
0	20	36	56
0	21	55	76
0	20	46	66
0	16	26	42
0	15	39	54
0	15	28	43
0	17	37	54
0	18	48	66
0	18	53	71
0	20	30	50
0	17	61	78
0	20	57	77
0	18	30	48
0	20	40	60
0	18	30	48
0	17	48	65
0	16	48	64
0	20	44	64
0	15	15	30
0	18	43	61
0	16	32	48
0	16	28	44
0	20	33	53
0	18	26	44
0	17	24	41
0	16	26	42
0	15	30	45
0	16	26	42
0	15	28	43
0	20	36	56
0	18	28	46
0	16	25	41
0	20	33	53
0	18	23	41

0	18	28	46
0	17	31	48
0	17	24	41
0	20	45	65
0	21	43	64
0	20	35	55
0	18	23	41
0	18	31	49
0	19	28	47
0	20	41	61
0	20	45	65
0	18	36	54
0	18	33	51
0	16	15	31
0	18	24	42
0	16	15	31
0	20	35	55
0	18	30	48
0	18	23	41
0	17	26	43
0	18	36	54
0	15	30	45
0	16	36	52
0	18	24	42
0	20	60	80
0	18	26	44
0	16	35	51
0	20	30	50
0	20	45	65
0	18	28	46
0	16	15	31
0	18	38	56
0	15	18	33
0	18	28	46
0	16	31	47
0	20	35	55
0	21	47	68
0	15	28	43
0	18	38	56
0	16	25	41
0	20	35	55
0	17	24	41

0	20	48	68
0	18	38	56
0	16	25	41
0	15	18	33
0	15	13	28
0	20	38	58
0	20	40	60
0	18	35	53
0	16	25	41
0	15	18	33
0	16	25	41
0	20	33	53
0	17	35	52
0	15	30	45
0	16	25	41
0	18	30	48
0	20	38	58
0	15	15	30
0	18	30	48
0	20	40	60
0	20	38	58
0	16	38	54
0	21	50	71
0	18	35	53
0	20	45	65
0	16	18	34
0	18	34	52
0	20	40	60
0	20	43	63
0	18	33	51
0	16	28	44
0	15	26	41
0	16	25	41
0	18	39	57