

UNIVERSITY OF MAIDUGURI
(OFFICE OF THE VICE-CHANCELLOR)

Centre for Distance Learning

Department of Continuing Education and Extension Services

First Semester End-of-Course Examination Results

course Code: CEA 101
course Title: Introduction to Adult Educatio
course Unit(s): 2

2015/2016 Academic Session

S/No.	ID. No.	C.A.	EXAM	TOTAL	GRADES							Remarks
		Marks	Marks	Marks	A	B	C	D	F	GP	U.GP	
1.	09/11/04/01/165	19	31	50			C			3.0	6.0	PASS
2.	10/11/04/03/027	21	29	50			C			3.0	6.0	PASS
3.	12/11/04/01/063	22	23	45				D		2.0	4.0	PASS
4.	14/11/04/01/022	20	31	51			C			3.0	6.0	PASS
5.	14/11/04/01/025	20	18	38					F	0.0	0.0	FAIL
6.	14/11/04/01/027	19	33	52			C			3.0	6.0	PASS
7.	14/11/04/01/031	20	25	45				D		2.0	4.0	PASS
8.	14/11/04/01/041	18	33	51			C			3.0	6.0	PASS
9.	14/11/04/01/091	22	23	45				D		2.0	4.0	PASS
10.	14/11/04/01/164	18	27	45				D		2.0	4.0	PASS
11.	14/11/04/01/186	18	27	45				D		2.0	4.0	PASS
12.	14/11/04/01/207	20	25	45				D		2.0	4.0	PASS
13.	14/11/04/01/234	18	18	36					F	0.0	0.0	FAIL
14.	14/11/04/01/254	22	23	45				D		2.0	4.0	PASS
15.	14/11/04/01/266	18	13	31					F	0.0	0.0	FAIL
16.	14/11/04/01/294	24	21	45				D		2.0	4.0	PASS
17.	14/11/04/01/311	19	27	46				D		2.0	4.0	PASS
18.	14/11/04/01/312	18	29	47				D		2.0	4.0	PASS
19.	14/11/04/01/317	20	18	38					F	0.0	0.0	FAIL
20.	14/11/04/01/341	20	25	45				D		2.0	4.0	PASS
21.	14/11/04/01/342	18	19	37					F	0.0	0.0	FAIL
22.	14/11/04/01/346	22	23	45				D		2.0	4.0	PASS
23.	14/11/04/01/348	18	14	32					F	0.0	0.0	FAIL
24.	14/11/04/01/354	18	18	36					F	0.0	0.0	FAIL
25.	14/11/07/03/231	24	21	45				D		2.0	4.0	PASS
26.	15/11/04/01/001	19	31	50			C			3.0	6.0	PASS
27.	15/11/04/01/003	19	33	52			C			3.0	6.0	PASS
28.	15/11/04/01/011	20	33	53			C			3.0	6.0	PASS
29.	15/11/04/01/015	22	23	45				D		2.0	4.0	PASS
30.	15/11/04/01/016	20	37	57			C			3.0	6.0	PASS
31.	15/11/04/01/021	25	35	60		B				4.0	8.0	PASS
32.	15/11/04/01/023	18	29	47				D		2.0	4.0	PASS
33.	15/11/04/01/024	20	41	61		B				4.0	8.0	PASS

34.	15/11/04/01/027	23	29	52			C			3.0	6.0	PASS
35.	15/11/04/01/028	19	16	35					F	0.0	0.0	FAIL
36.	15/11/04/01/034	22	39	61		B				4.0	8.0	PASS
37.	15/11/04/01/039	22	23	45				D		2.0	4.0	PASS
38.	15/11/04/01/045	19	31	50			C			3.0	6.0	PASS
39.	15/11/04/01/047	24	21	45				D		2.0	4.0	PASS
40.	15/11/04/01/049	21	25	46				D		2.0	4.0	PASS
41.	15/11/04/01/050	19	33	52			C			3.0	6.0	PASS
42.	15/11/04/01/051	18	37	55			C			3.0	6.0	PASS
43.	15/11/04/01/053	20	18	38					F	0.0	0.0	FAIL
44.	15/11/04/01/057	24	21	45				D		2.0	4.0	PASS
45.	15/11/04/01/058	18	29	47				D		2.0	4.0	PASS
46.	15/11/04/01/060	18	35	53			C			3.0	6.0	PASS
47.	15/11/04/01/063	18	18	36					F	0.0	0.0	FAIL
48.	15/11/04/01/069	20	43	63		B				4.0	8.0	PASS
49.	15/11/04/01/071	18	29	47				D		2.0	4.0	PASS
50.	15/11/04/01/074	19	41	60		B				4.0	8.0	PASS
51.	15/11/04/01/080	24	21	45				D		2.0	4.0	PASS
52.	15/11/04/01/082	20	14	34					F	0.0	0.0	FAIL
53.	15/11/04/01/083	21	29	50			C			3.0	6.0	PASS
54.	15/11/04/01/085	20	35	55			C			3.0	6.0	PASS
55.	15/11/04/01/088	19	37	56			C			3.0	6.0	PASS
56.	15/11/04/01/092	21	39	60		B				4.0	8.0	PASS
57.	15/11/04/01/093	21	35	56			C			3.0	6.0	PASS
58.	15/11/04/01/096	20	41	61		B				4.0	8.0	PASS
59.	15/11/04/01/098	18	29	47				D		2.0	4.0	PASS
60.	15/11/04/01/100	21	41	62		B				4.0	8.0	PASS
61.	15/11/04/01/101	18	27	45				D		2.0	4.0	PASS
62.	15/11/04/01/103	19	19	38					F	0.0	0.0	FAIL
63.	15/11/04/01/104	22	23	45				D		2.0	4.0	PASS
64.	15/11/04/01/110	20	18	38					F	0.0	0.0	FAIL
65.	15/11/04/01/111	18	16	34					F	0.0	0.0	FAIL
66.	15/11/04/01/113	19	27	46				D		2.0	4.0	PASS
67.	15/11/04/01/117	20	37	57			C			3.0	6.0	PASS
68.	15/11/04/01/126	18	19	37					F	0.0	0.0	FAIL
69.	15/11/04/01/130	20	35	55			C			3.0	6.0	PASS
70.	15/11/04/01/133	19	41	60		B				4.0	8.0	PASS
71.	15/11/04/01/143	20	27	47				D		2.0	4.0	PASS
72.	15/11/04/01/154	21	39	60		B				4.0	8.0	PASS
73.	15/11/04/01/158	18	33	51			C			3.0	6.0	PASS
74.	15/11/04/01/161	19	18	37					F	0.0	0.0	FAIL
75.	15/11/04/01/166	20	27	47				D		2.0	4.0	PASS
76.	15/11/04/01/167	19	31	50			C			3.0	6.0	PASS
77.	15/11/04/01/170	20	25	45				D		2.0	4.0	PASS

78.	15/11/04/01/171	24	21	45			D		2.0	4.0	PASS
79.	15/11/04/01/172	22	35	57			C		3.0	6.0	PASS
80.	15/11/04/01/173	23	47	70	A				5.0	10.0	PASS
81.	15/11/04/01/174	20	25	45			D		2.0	4.0	PASS
82.	15/11/04/01/177	20	00	20				F	0.0	0.0	FAIL
83.	15/11/04/01/178	24	21	45			D		2.0	4.0	PASS
84.	15/11/04/01/180	22	23	45			D		2.0	4.0	PASS
85.	15/11/04/01/186	19	27	46			D		2.0	4.0	PASS
86.	15/11/04/01/187	18	35	53			C		3.0	6.0	PASS
87.	15/11/04/01/190	21	37	58			C		3.0	6.0	PASS
88.	15/11/04/01/198	18	37	55			C		3.0	6.0	PASS
89.	15/11/04/01/201	19	41	60		B			4.0	8.0	PASS
90.	15/11/04/01/205	18	29	47			D		2.0	4.0	PASS
91.	15/11/04/01/209	18	29	47			D		2.0	4.0	PASS
92.	15/11/04/01/211	18	14	32				F	0.0	0.0	FAIL
93.	15/11/04/01/213	20	25	45			D		2.0	4.0	PASS
94.	15/11/04/01/215	20	35	55			C		3.0	6.0	PASS
95.	15/11/04/01/218	19	53	72	A				5.0	10.0	PASS
96.	15/11/04/01/218	21	35	56			C		3.0	6.0	PASS
97.	15/11/04/01/220	19	31	50			C		3.0	6.0	PASS
98.	15/11/04/01/221	22	23	45			D		2.0	4.0	PASS
99.	15/11/04/01/224	23	27	50			C		3.0	6.0	PASS
100.	15/11/04/01/226	20	37	57			C		3.0	6.0	PASS
101.	15/11/04/01/227	20	27	47			D		2.0	4.0	PASS
102.	15/11/04/01/228	20	25	45			D		2.0	4.0	PASS
103.	15/11/04/01/235	20	25	45			D		2.0	4.0	PASS
104.	15/11/04/01/241	18	18	36				F	0.0	0.0	FAIL
105.	15/11/04/01/242	25	45	70	A				5.0	10.0	PASS
106.	15/11/04/01/243	20	45	65		B			4.0	8.0	PASS
107.	15/11/04/01/246	20	25	45			D		2.0	4.0	PASS
108.	15/11/04/01/250	24	21	45			D		2.0	4.0	PASS
109.	15/11/04/01/252	24	21	45			D		2.0	4.0	PASS
110.	15/11/04/01/254	20	25	45			D		2.0	4.0	PASS
111.	15/11/04/01/255	19	37	56			C		3.0	6.0	PASS
112.	15/11/04/01/257	22	23	45			D		2.0	4.0	PASS
113.	15/11/04/01/261	19	29	48			D		2.0	4.0	PASS
114.	15/11/04/01/264	20	25	45			D		2.0	4.0	PASS
115.	15/11/04/01/265	18	39	57			C		3.0	6.0	PASS
116.	15/11/04/01/266	22	23	45			D		2.0	4.0	PASS
117.	15/11/04/01/269	22	23	45			D		2.0	4.0	PASS
118.	15/11/04/01/270	20	25	45			D		2.0	4.0	PASS
119.	15/11/04/01/274	20	27	47			D		2.0	4.0	PASS
120.	15/11/04/01/275	18	35	53			C		3.0	6.0	PASS
121.	15/11/04/01/278	20	25	45			D		2.0	4.0	PASS

122.	15/11/04/01/279	19	31	50			C			3.0	6.0	PASS
123.	15/11/04/01/280	19	37	56			C			3.0	6.0	PASS
124.	15/11/04/01/282	18	19	37					F	0.0	0.0	FAIL
125.	15/11/04/01/283	22	23	45				D		2.0	4.0	PASS
126.	15/11/04/01/286	22	23	45				D		2.0	4.0	PASS
127.	15/11/04/01/290	20	10	30					F	0.0	0.0	FAIL
128.	15/11/04/01/293	21	39	60		B				4.0	8.0	PASS
129.	15/11/04/01/295	18	19	37					F	0.0	0.0	FAIL
130.	15/11/04/01/296	20	16	36					F	0.0	0.0	FAIL
131.	15/11/04/01/299	19	14	33					F	0.0	0.0	FAIL
132.	15/11/04/01/301	20	19	39					F	0.0	0.0	FAIL
133.	15/11/04/01/302	20	25	45				D		2.0	4.0	PASS
134.	15/11/04/01/303	22	23	45				D		2.0	4.0	PASS
135.	15/11/04/01/307	18	39	57			C			3.0	6.0	PASS
136.	15/11/04/01/313	20	58	78	A					5.0	10.0	PASS
137.	15/11/04/01/315	18	18	36					F	0.0	0.0	FAIL
138.	15/11/04/01/316	19	37	56			C			3.0	6.0	PASS
139.	15/11/04/01/317	20	33	53			C			3.0	6.0	PASS
140.	15/11/04/01/320	21	39	60		B				4.0	8.0	PASS
141.	15/11/04/01/322	22	23	45				D		2.0	4.0	PASS
142.	15/11/04/01/325	19	43	62		B				4.0	8.0	PASS
143.	15/11/04/01/328	19	39	58			C			3.0	6.0	PASS
144.	15/11/04/01/333	20	19	39					F	0.0	0.0	FAIL
145.	15/11/04/01/334	24	21	45				D		2.0	4.0	PASS
146.	15/11/04/01/335	24	21	45				D		2.0	4.0	PASS
147.	15/11/04/01/337	25	31	56			C			3.0	6.0	PASS
148.	15/11/04/01/342	23	33	56			C			3.0	6.0	PASS
149.	15/11/04/01/343	20	33	53			C			3.0	6.0	PASS
150.	15/11/04/01/345	20	25	45				D		2.0	4.0	PASS
151.	15/11/04/01/351	18	45	63		B				4.0	8.0	PASS
152.	15/11/04/01/353	18	27	45				D		2.0	4.0	PASS
153.	15/11/04/01/354	18	33	51			C			3.0	6.0	PASS
154.	15/11/04/01/355	18	27	45				D		2.0	4.0	PASS
155.	15/11/04/01/361	21	37	58			C			3.0	6.0	PASS
156.	15/11/04/01/363	20	31	51			C			3.0	6.0	PASS
157.	15/11/04/01/364	21	29	50			C			3.0	6.0	PASS
158.	15/11/04/01/366	22	29	51			C			3.0	6.0	PASS
159.	15/11/04/01/369	20	25	45				D		2.0	4.0	PASS
160.	15/11/04/01/372	20	19	39					F	0.0	0.0	FAIL
161.	15/11/04/01/377	22	35	57			C			3.0	6.0	PASS
162.	15/11/04/01/381	19	29	48				D		2.0	4.0	PASS
163.	15/11/04/01/385	20	35	55			C			3.0	6.0	PASS
164.	15/11/04/01/388	19	31	50			C			3.0	6.0	PASS
165.	15/11/04/01/389	21	45	66		B				4.0	8.0	PASS

166.	15/11/04/01/390	20	19	39					F	0.0	0.0	FAIL
167.	15/11/04/01/391	23	30	53			C			3.0	6.0	PASS
168.	15/11/04/01/393	25	20	45				D		2.0	4.0	PASS
169.	15/11/04/01/555	16	38	54			C			3.0	6.0	PASS
170.	15/11/04/01/558	00	00	00					F	5.0	10.0	PASS
171.	15/11/04/01/568	21	40	61		B				4.0	8.0	PASS
172.	15/11/04/01/569	21	24	45				D		2.0	4.0	PASS
173.	15/11/04/01/570	25	26	51			C			3.0	6.0	PASS
174.	15/11/04/01/572	16	38	54			C			3.0	6.0	PASS
175.	15/11/04/01/574	25	40	65		B				4.0	8.0	PASS
176.	15/11/04/01/587	23	10	33					F	0.0	0.0	FAIL
177.	15/11/04/01/588	25	22	47				D		2.0	4.0	PASS
178.	15/11/04/01/589	17	34	51			C			3.0	6.0	PASS
179.	15/11/04/01/591	19	34	53			C			3.0	6.0	PASS
180.	15/11/04/01/593	21	26	47				D		2.0	4.0	PASS
181.	15/11/04/01/595	27	28	55			C			3.0	6.0	PASS
182.	15/11/04/01/597	27	40	67		B				4.0	8.0	PASS
183.	15/11/04/01/599	23	28	51			C			3.0	6.0	PASS
184.	15/11/04/01/605	00	12	12					F	0.0	0.0	FAIL
185.	15/11/04/01/609	21	24	45				D		2.0	4.0	PASS
186.	15/11/04/01/610	25	22	47				D		2.0	4.0	PASS
187.	15/11/04/01/615	23	22	45				D		2.0	4.0	PASS
188.	15/11/04/01/616	27	36	63		B				4.0	8.0	PASS
189.	15/11/04/01/619	27	38	65		B				4.0	8.0	PASS
190.	15/11/04/01/620	25	20	45				D		2.0	4.0	PASS
191.	15/11/04/01/622	22	28	50			C			3.0	6.0	PASS
192.	15/11/04/01/624	23	24	47				D		2.0	4.0	PASS
193.	15/11/04/01/628	18	28	46				D		2.0	4.0	PASS
194.	15/11/04/01/630	00	16	16					F	0.0	0.0	FAIL
195.	15/11/04/01/631	23	30	53			C			3.0	6.0	PASS
196.	15/11/04/01/634	21	24	45				D		2.0	4.0	PASS
197.	15/11/04/01/648	37	30	67		B				4.0	8.0	PASS
198.	15/11/04/01/653	13	06	19					F	0.0	0.0	FAIL
199.	15/11/04/01/654	27	26	53			C			3.0	6.0	PASS
200.	15/11/04/01/659	28	34	62		B				4.0	8.0	PASS
201.	15/11/04/01/661	27	18	45				D		2.0	4.0	PASS
202.	15/11/04/01/664	20	34	54			C			3.0	6.0	PASS
203.	15/11/04/01/665	25	36	61		B				4.0	8.0	PASS
204.	15/11/04/01/666	23	26	49				D		2.0	4.0	PASS
205.	15/11/04/01/667	27	24	51			C			3.0	6.0	PASS
206.	15/11/04/01/668	23	32	55			C			3.0	6.0	PASS
207.	15/11/04/01/672	23	34	57			C			3.0	6.0	PASS
208.	15/11/04/01/674	25	38	63		B				4.0	8.0	PASS
209.	15/11/04/01/675	24	36	60		B				4.0	8.0	PASS

210.	15/11/04/01/677	25	28	53			C			3.0	6.0	PASS
211.	15/11/04/01/679	21	32	53			C			3.0	6.0	PASS
212.	15/11/04/01/683	23	28	51			C			3.0	6.0	PASS
213.	15/11/04/01/684	25	22	47				D		2.0	4.0	PASS
214.	15/11/04/01/687	25	22	47				D		2.0	4.0	PASS
215.	15/11/04/01/688	28	32	60		B				4.0	8.0	PASS
216.	15/11/04/01/692	21	10	31					F	0.0	0.0	FAIL
217.	15/11/04/01/694	25	36	61		B				4.0	8.0	PASS
218.	15/11/04/01/695	20	26	46				D		2.0	4.0	PASS
219.	15/11/04/01/704	28	00	28					F	0.0	0.0	FAIL
220.	15/11/04/01/706	21	25	46				D		2.0	4.0	PASS
221.	15/11/04/01/707	25	26	51			C			3.0	6.0	PASS
222.	15/11/04/01/708	23	22	45				D		2.0	4.0	PASS
223.	15/11/04/01/711	19	00	19					F	0.0	0.0	FAIL
224.	15/11/04/01/714	27	36	63		B				4.0	8.0	PASS
225.	15/11/04/01/720	26	19	45				D		2.0	4.0	PASS
226.	15/11/04/01/721	23	22	45				D		2.0	4.0	PASS
227.	15/11/04/01/727	27	00	27					F	0.0	0.0	FAIL
228.	15/11/04/01/728	19	34	53			C			3.0	6.0	PASS
229.	15/11/04/01/729	23	22	45				D		2.0	4.0	PASS
230.	15/11/04/01/730	25	32	57			C			3.0	6.0	PASS
231.	15/11/04/01/731	18	30	48				D		2.0	4.0	PASS
232.	15/11/04/01/732	25	20	45				D		2.0	4.0	PASS
233.	15/11/04/01/733	28	28	56			C			3.0	6.0	PASS
234.	15/11/04/01/740	25	24	49				D		2.0	4.0	PASS
235.	15/11/04/01/744	25	32	57			C			3.0	6.0	PASS
236.	15/11/04/01/745	28	30	58			C			3.0	6.0	PASS
237.	15/11/04/01/750	25	30	55			C			3.0	6.0	PASS
238.	15/11/04/01/752	20	30	50			C			3.0	6.0	PASS
239.	15/11/04/01/754	22	28	50			C			3.0	6.0	PASS
240.	15/11/04/01/756	27	36	63		B				4.0	8.0	PASS
241.	15/11/04/01/760	28	32	60		B				4.0	8.0	PASS
242.	15/11/04/01/762	23	30	53			C			3.0	6.0	PASS
243.	15/11/04/01/763	24	21	45				D		2.0	4.0	PASS
244.	15/11/04/01/764	23	22	45				D		2.0	4.0	PASS
245.	15/11/04/01/766	00	04	04					F	5.0	10.0	PASS
246.	15/11/04/01/767	22	24	46				D		2.0	4.0	PASS
247.	15/11/04/01/770	25	26	51			C			3.0	6.0	PASS
248.	15/11/04/01/781	15	38	53			C			3.0	6.0	PASS
249.	15/11/04/01/782	25	42	67		B				4.0	8.0	PASS
250.	15/11/04/01/787	22	38	60		B				4.0	8.0	PASS
251.	15/11/04/01/788	23	28	51			C			3.0	6.0	PASS
252.	15/11/04/01/789	23	26	49				D		2.0	4.0	PASS
253.	15/11/04/01/793	21	32	53			C			3.0	6.0	PASS

254.	15/11/04/01/963	21	24	45				D		2.0	4.0	PASS
255.	15/11/04/02/266	17	50	67		B				4.0	8.0	PASS
SUMMARY					04	35	83	94	39			255

0	19	31	50
0	21	29	50
0	22	23	45
0	20	31	51
0	20	18	38
0	19	33	52
0	20	25	45
0	18	33	51
0	22	23	45
0	18	27	45
0	18	27	45
0	20	25	45
0	18	18	36
0	22	23	45
0	18	13	31
0	24	21	45
0	19	27	46
0	18	29	47
0	20	18	38
0	20	25	45
0	18	19	37
0	22	23	45
0	18	14	32
0	18	18	36
0	24	21	45
0	19	31	50
0	19	33	52
0	20	33	53
0	22	23	45
0	20	37	57
0	25	35	60
0	18	29	47
0	20	41	61

0	23	29	52
0	19	16	35
0	22	39	61
0	22	23	45
0	19	31	50
0	24	21	45
0	21	25	46
0	19	33	52
0	18	37	55
0	20	18	38
0	24	21	45
0	18	29	47
0	18	35	53
0	18	18	36
0	20	43	63
0	18	29	47
0	19	41	60
0	24	21	45
0	20	14	34
0	21	29	50
0	20	35	55
0	19	37	56
0	21	39	60
0	21	35	56
0	20	41	61
0	18	29	47
0	21	41	62
0	18	27	45
0	19	19	38
0	22	23	45
0	20	18	38
0	18	16	34
0	19	27	46
0	20	37	57
0	18	19	37
0	20	35	55
0	19	41	60
0	20	27	47
0	21	39	60
0	18	33	51
0	19	18	37
0	20	27	47
0	19	31	50
0	20	25	45

0	24	21	45
0	22	35	57
0	23	47	70
0	20	25	45
0	20	0	20
0	24	21	45
0	22	23	45
0	19	27	46
0	18	35	53
0	21	37	58
0	18	37	55
0	19	41	60
0	18	29	47
0	18	29	47
0	18	14	32
0	20	25	45
0	20	35	55
0	19	53	72
0	21	35	56
0	19	31	50
0	22	23	45
0	23	27	50
0	20	37	57
0	20	27	47
0	20	25	45
0	20	25	45
0	18	18	36
0	25	45	70
0	20	45	65
0	20	25	45
0	24	21	45
0	24	21	45
0	20	25	45
0	19	37	56
0	22	23	45
0	19	29	48
0	20	25	45
0	18	39	57
0	22	23	45
0	22	23	45
0	20	25	45
0	20	27	47
0	18	35	53
0	20	25	45

0	19	31	50
0	19	37	56
0	18	19	37
0	22	23	45
0	22	23	45
0	20	10	30
0	21	39	60
0	18	19	37
0	20	16	36
0	19	14	33
0	20	19	39
0	20	25	45
0	22	23	45
0	18	39	57
0	20	58	78
0	18	18	36
0	19	37	56
0	20	33	53
0	21	39	60
0	22	23	45
0	19	43	62
0	19	39	58
0	20	19	39
0	24	21	45
0	24	21	45
0	25	31	56
0	23	33	56
0	20	33	53
0	20	25	45
0	18	45	63
0	18	27	45
0	18	33	51
0	18	27	45
0	21	37	58
0	20	31	51
0	21	29	50
0	22	29	51
0	20	25	45
0	20	19	39
0	22	35	57
0	19	29	48
0	20	35	55
0	19	31	50
0	21	45	66

0	20	19	39
0	23	30	53
0	25	20	45
0	16	38	54
0	0	0	0
0	21	40	61
0	21	24	45
0	25	26	51
0	16	38	54
0	25	40	65
0	23	10	33
0	25	22	47
0	17	34	51
0	19	34	53
0	21	26	47
0	27	28	55
0	27	40	67
0	23	28	51
0	0	12	12
0	21	24	45
0	25	22	47
0	23	22	45
0	27	36	63
0	27	38	65
0	25	20	45
0	22	28	50
0	23	24	47
0	18	28	46
0	0	16	16
0	23	30	53
0	21	24	45
0	37	30	67
0	13	6	19
0	27	26	53
0	28	34	62
0	27	18	45
0	20	34	54
0	25	36	61
0	23	26	49
0	27	24	51
0	23	32	55
0	23	34	57
0	25	38	63
0	24	36	60

0	25	28	53
0	21	32	53
0	23	28	51
0	25	22	47
0	25	22	47
0	28	32	60
0	21	10	31
0	25	36	61
0	20	26	46
0	28	0	28
0	21	25	46
0	25	26	51
0	23	22	45
0	19	0	19
0	27	36	63
0	26	19	45
0	23	22	45
0	27	0	27
0	19	34	53
0	23	22	45
0	25	32	57
0	18	30	48
0	25	20	45
0	28	28	56
0	25	24	49
0	25	32	57
0	28	30	58
0	25	30	55
0	20	30	50
0	22	28	50
0	27	36	63
0	28	32	60
0	23	30	53
0	24	21	45
0	23	22	45
0	0	4	4
0	22	24	46
0	25	26	51
0	15	38	53
0	25	42	67
0	22	38	60
0	23	28	51
0	23	26	49
0	21	32	53

0	21	24	45
0	17	50	67