

**UNIVERSITY OF MAIDUGURI**  
**(OFFICE OF THE VICE-CHANCELLOR)**

**Centre for Distance Learning**  
**Department of Continuing Education and Extension Services**  
**First Semester End-of-Course Examination Results**

**course Code:** CEA 103  
**course Title:** Introduction to Foundation of Adult Education  
**course Unit(s):** 2

**2015/2016 Academic**

S/No.	ID. No.	C.A.	EXAM	TOTAL	GRADES						
		Marks	Marks	Marks	A	B	C	D	F	GP	U.GP
1.	09/11/04/01/183	17	50	67		B				4.0	8.0
2.	14/11/04/01/007	20	26	46				D		2.0	4.0
3.	14/11/04/01/041	18	38	56			C			3.0	6.0
4.	14/11/04/01/164	18	18	36					F	0.0	0.0
5.	14/11/04/01/230	20	28	48				D		2.0	4.0
6.	14/11/04/01/234	27	34	61		B				4.0	8.0
7.	14/11/04/01/241	18	34	52			C			3.0	6.0
8.	14/11/04/01/252	18	50	68		B				4.0	8.0
9.	14/11/04/01/293	18	32	50			C			3.0	6.0
10.	14/11/04/01/294	19	28	47				D		2.0	4.0
11.	14/11/04/01/345	18	46	64		B				4.0	8.0
12.	14/11/04/01/346	18	56	74	A					5.0	10.0
13.	15/11/04/01/001	19	38	57			C			3.0	6.0
14.	15/11/04/01/003	18	46	64		B				4.0	8.0
15.	15/11/04/01/011	18	48	66		B				4.0	8.0
16.	15/11/04/01/015	17	28	45				D		2.0	4.0
17.	15/11/04/01/016	18	44	62		B				4.0	8.0
18.	15/11/04/01/021	18	38	56			C			3.0	6.0
19.	15/11/04/01/023	20	36	56			C			3.0	6.0
20.	15/11/04/01/027	20	36	56			C			3.0	6.0
21.	15/11/04/01/028	20	42	62		B				4.0	8.0
22.	15/11/04/01/034	20	48	68		B				4.0	8.0
23.	15/11/04/01/039	10	44	54			C			3.0	6.0
24.	15/11/04/01/045	23	22	45				D		2.0	4.0
25.	15/11/04/01/047	18	30	48				D		2.0	4.0
26.	15/11/04/01/049	18	36	54			C			3.0	6.0
27.	15/11/04/01/050	20	52	72	A					5.0	10.0
28.	15/11/04/01/051	20	52	72	A					5.0	10.0
29.	15/11/04/01/053	18	32	50			C			3.0	6.0
30.	15/11/04/01/057	18	32	50			C			3.0	6.0
31.	15/11/04/01/058	18	32	50			C			3.0	6.0
32.	15/11/04/01/060	19	08	27					F	0.0	0.0
33.	15/11/04/01/063	19	44	63		B				4.0	8.0

34.	15/11/04/01/069	19	32	51			C			3.0	6.0
35.	15/11/04/01/071	18	48	66		B				4.0	8.0
36.	15/11/04/01/074	19	56	75	A					5.0	10.0
37.	15/11/04/01/080	10	50	60		B				4.0	8.0
38.	15/11/04/01/082	18	44	62		B				4.0	8.0
39.	15/11/04/01/083	19	48	67		B				4.0	8.0
40.	15/11/04/01/085	19	48	67		B				4.0	8.0
41.	15/11/04/01/088	19	38	57			C			3.0	6.0
42.	15/11/04/01/092	10	42	52			C			3.0	6.0
43.	15/11/04/01/093	17	42	59			C			3.0	6.0
44.	15/11/04/01/096	18	36	54			C			3.0	6.0
45.	15/11/04/01/098	18	42	60		B				4.0	8.0
46.	15/11/04/01/100	20	44	64		B				4.0	8.0
47.	15/11/04/01/101	18	54	72	A					5.0	10.0
48.	15/11/04/01/103	18	28	46				D		2.0	4.0
49.	15/11/04/01/104	20	38	58			C			3.0	6.0
50.	15/11/04/01/110	18	20	38					F	0.0	0.0
51.	15/11/04/01/111	19	26	45				D		2.0	4.0
52.	15/11/04/01/113	20	30	50			C			3.0	6.0
53.	15/11/04/01/117	18	48	66		B				4.0	8.0
54.	15/11/04/01/126	19	38	57			C			3.0	6.0
55.	15/11/04/01/130	18	48	66		B				4.0	8.0
56.	15/11/04/01/133	19	46	65		B				4.0	8.0
57.	15/11/04/01/143	19	38	57			C			3.0	6.0
58.	15/11/04/01/154	19	44	63		B				4.0	8.0
59.	15/11/04/01/158	15	46	61		B				4.0	8.0
60.	15/11/04/01/161	18	18	36					F	0.0	0.0
61.	15/11/04/01/166	19	34	53			C			3.0	6.0
62.	15/11/04/01/167	20	44	64		B				4.0	8.0
63.	15/11/04/01/170	20	48	68		B				4.0	8.0
64.	15/11/04/01/171	05	40	45				D		2.0	4.0
65.	15/11/04/01/172	20	50	70	A					5.0	10.0
66.	15/11/04/01/173	18	46	64		B				4.0	8.0
67.	15/11/04/01/174	18	50	68		B				4.0	8.0
68.	15/11/04/01/177	20	40	60		B				4.0	8.0
69.	15/11/04/01/178	18	58	76	A					5.0	10.0
70.	15/11/04/01/180	19	42	61		B				4.0	8.0
71.	15/11/04/01/186	19	46	65		B				4.0	8.0
72.	15/11/04/01/187	19	50	69		B				4.0	8.0
73.	15/11/04/01/190	20	36	56			C			3.0	6.0
74.	15/11/04/01/198	18	44	62		B				4.0	8.0
75.	15/11/04/01/201	18	46	64		B				4.0	8.0
76.	15/11/04/01/205	15	54	69		B				4.0	8.0
77.	15/11/04/01/209	19	38	57			C			3.0	6.0

78.	15/11/04/01/211	19	38	57			C			3.0	6.0
79.	15/11/04/01/213	18	46	64		B				4.0	8.0
80.	15/11/04/01/215	19	42	61		B				4.0	8.0
81.	15/11/04/01/218	19	56	75	A					5.0	10.0
82.	15/11/04/01/218	18	38	56			C			3.0	6.0
83.	15/11/04/01/220	18	58	76	A					5.0	10.0
84.	15/11/04/01/221	19	52	71	A					5.0	10.0
85.	15/11/04/01/224	18	44	62		B				4.0	8.0
86.	15/11/04/01/226	18	32	50			C			3.0	6.0
87.	15/11/04/01/227	18	42	60		B				4.0	8.0
88.	15/11/04/01/228	20	44	64		B				4.0	8.0
89.	15/11/04/01/235	18	42	60		B				4.0	8.0
90.	15/11/04/01/241	18	38	56			C			3.0	6.0
91.	15/11/04/01/242	21	58	79	A					5.0	10.0
92.	15/11/04/01/243	00	60	60		B				4.0	8.0
93.	15/11/04/01/246	19	46	65		B				4.0	8.0
94.	15/11/04/01/250	19	38	57			C			3.0	6.0
95.	15/11/04/01/252	21	24	45				D		2.0	4.0
96.	15/11/04/01/254	12	00	12					F	0.0	0.0
97.	15/11/04/01/255	19	44	63		B				4.0	8.0
98.	15/11/04/01/257	19	48	67		B				4.0	8.0
99.	15/11/04/01/261	19	52	71	A					5.0	10.0
100.	15/11/04/01/265	15	00	15					F	0.0	0.0
101.	15/11/04/01/266	18	44	62		B				4.0	8.0
102.	15/11/04/01/269	00	48	48				D		2.0	4.0
103.	15/11/04/01/270	18	58	76	A					5.0	10.0
104.	15/11/04/01/275	20	60	80	A					5.0	10.0
105.	15/11/04/01/278	19	34	53			C			3.0	6.0
106.	15/11/04/01/280	19	48	67		B				4.0	8.0
107.	15/11/04/01/282	12	14	26					F	0.0	0.0
108.	15/11/04/01/283	20	26	46				D		2.0	4.0
109.	15/11/04/01/286	11	34	45				D		2.0	4.0
110.	15/11/04/01/290	20	28	48				D		2.0	4.0
111.	15/11/04/01/293	20	36	56			C			3.0	6.0
112.	15/11/04/01/295	20	10	30					F	0.0	0.0
113.	15/11/04/01/296	19	10	29					F	0.0	0.0
114.	15/11/04/01/299	20	18	38					F	0.0	0.0
115.	15/11/04/01/301	13	32	45				D		2.0	4.0
116.	15/11/04/01/302	20	36	56			C			3.0	6.0
117.	15/11/04/01/303	20	30	50			C			3.0	6.0
118.	15/11/04/01/307	18	54	72	A					5.0	10.0
119.	15/11/04/01/313	20	60	80	A					5.0	10.0
120.	15/11/04/01/315	18	50	68		B				4.0	8.0
121.	15/11/04/01/316	11	34	45				D		2.0	4.0

122.	15/11/04/01/317	18	54	72	A					5.0	10.0
123.	15/11/04/01/320	13	0	13					F	0.0	0.0
124.	15/11/04/01/322	20	56	76	A					5.0	10.0
125.	15/11/04/01/328	18	48	66		B				4.0	8.0
126.	15/11/04/01/333	18	32	50			C			3.0	6.0
127.	15/11/04/01/334	18	08	26					F	0.0	0.0
128.	15/11/04/01/335	23	22	45				D		2.0	4.0
129.	15/11/04/01/337	05	54	59			C			3.0	6.0
130.	15/11/04/01/342	12	00	12					F	0.0	0.0
131.	15/11/04/01/343	20	40	60		B				4.0	8.0
132.	15/11/04/01/345	18	44	62		B				4.0	8.0
133.	15/11/04/01/351	16	56	72	A					5.0	10.0
134.	15/11/04/01/353	17	44	61		B				4.0	8.0
135.	15/11/04/01/354	18	48	66		B				4.0	8.0
136.	15/11/04/01/355	20	36	56			C			3.0	6.0
137.	15/11/04/01/361	10	42	52			C			3.0	6.0
138.	15/11/04/01/363	21	30	51			C			3.0	6.0
139.	15/11/04/01/364	21	00	21					F	0.0	0.0
140.	15/11/04/01/366	13	00	13					F	0.0	0.0
141.	15/11/04/01/369	21	24	45				D		2.0	4.0
142.	15/11/04/01/372	18	32	50			C			3.0	6.0
143.	15/11/04/01/377	19	42	61		B				4.0	8.0
144.	15/11/04/01/381	18	54	72	A					5.0	10.0
145.	15/11/04/01/385	10	40	50			C			3.0	6.0
146.	15/11/04/01/388	15	38	53			C			3.0	6.0
147.	15/11/04/01/390	18	48	66		B				4.0	8.0
148.	15/11/04/01/391	20	44	64		B				4.0	8.0
149.	15/11/04/01/393	21	44	65		B				4.0	8.0
150.	15/11/04/01/555	20	46	66		B				4.0	8.0
151.	15/11/04/01/558	19	46	65		B				4.0	8.0
152.	15/11/04/01/568	20	48	68		B				4.0	8.0
153.	15/11/04/01/569	20	56	76	A					5.0	10.0
154.	15/11/04/01/570	20	48	68		B				4.0	8.0
155.	15/11/04/01/572	20	46	66		B				4.0	8.0
156.	15/11/04/01/574	18	48	66		B				4.0	8.0
157.	15/11/04/01/584	20	52	72	A					5.0	10.0
158.	15/11/04/01/588	18	46	64		B				4.0	8.0
159.	15/11/04/01/589	21	44	65		B				4.0	8.0
160.	15/11/04/01/591	18	50	68		B				4.0	8.0
161.	15/11/04/01/593	21	40	61		B				4.0	8.0
162.	15/11/04/01/595	21	46	67		B				4.0	8.0
163.	15/11/04/01/597	20	40	60		B				4.0	8.0
164.	15/11/04/01/599	19	50	69		B				4.0	8.0

165.	15/11/04/01/605	20	50	70	A					5.0	10.0
166.	15/11/04/01/609	20	48	68		B				4.0	8.0
167.	15/11/04/01/610	20	54	74	A					5.0	10.0
168.	15/11/04/01/615	20	46	66		B				4.0	8.0
169.	15/11/04/01/616	18	46	64		B				4.0	8.0
170.	15/11/04/01/619	21	44	65		B				4.0	8.0
171.	15/11/04/01/620	19	52	71	A					5.0	10.0
172.	15/11/04/01/622	21	46	67		B				4.0	8.0
173.	15/11/04/01/624	20	48	68		B				4.0	8.0
174.	15/11/04/01/628	21	44	65		B				4.0	8.0
175.	15/11/04/01/630	20	48	68		B				4.0	8.0
176.	15/11/04/01/631	20	30	50			C			3.0	6.0
177.	15/11/04/01/634	18	50	68		B				4.0	8.0
178.	15/11/04/01/648	21	44	65		B				4.0	8.0
179.	15/11/04/01/653	20	48	68		B				4.0	8.0
180.	15/11/04/01/654	20	46	66		B				4.0	8.0
181.	15/11/04/01/659	20	46	66		B				4.0	8.0
182.	15/11/04/01/661	20	54	74	A					5.0	10.0
183.	15/11/04/01/664	18	50	68		B				4.0	8.0
184.	15/11/04/01/666	20	48	68		B				4.0	8.0
185.	15/11/04/01/667	19	48	67		B				4.0	8.0
186.	15/11/04/01/668	20	42	62		B				4.0	8.0
187.	15/11/04/01/672	21	46	67		B				4.0	8.0
188.	15/11/04/01/674	22	48	70	A					5.0	10.0
189.	15/11/04/01/675	19	44	63		B				4.0	8.0
190.	15/11/04/01/677	20	50	70	A					5.0	10.0
191.	15/11/04/01/679	18	46	64		B				4.0	8.0
192.	15/11/04/01/683	18	59	77	A					5.0	10.0
193.	15/11/04/01/684	22	44	66		B				4.0	8.0
194.	15/11/04/01/687	19	52	71	A					5.0	10.0
195.	15/11/04/01/688	20	46	66		B				4.0	8.0
196.	15/11/04/01/692	19	48	67		B				4.0	8.0
197.	15/11/04/01/695	21	36	57			C			3.0	6.0
198.	15/11/04/01/704	21	52	73	A					5.0	10.0
199.	15/11/04/01/706	20	46	66		B				4.0	8.0
200.	15/11/04/01/707	19	44	63		B				4.0	8.0
201.	15/11/04/01/708	21	34	55			C			3.0	6.0
202.	15/11/04/01/711	20	46	66		B				4.0	8.0
203.	15/11/04/01/714	21	42	63		B				4.0	8.0
204.	15/11/04/01/720	19	44	63		B				4.0	8.0

205.	15/11/04/01/727	20	50	70	A					5.0	10.0
206.	15/11/04/01/728	20	52	72	A					5.0	10.0
207.	15/11/04/01/729	20	46	66		B				4.0	8.0
208.	15/11/04/01/730	20	52	72	A					5.0	10.0
209.	15/11/04/01/731	21	42	63		B				4.0	8.0
210.	15/11/04/01/732	20	48	68		B				4.0	8.0
211.	15/11/04/01/733	22	40	62		B				4.0	8.0
212.	15/11/04/01/740	18	48	66		B				4.0	8.0
213.	15/11/04/01/744	20	42	62		B				4.0	8.0
214.	15/11/04/01/745	18	40	58			C			3.0	6.0
215.	15/11/04/01/750	21	44	65		B				4.0	8.0
216.	15/11/04/01/752	20	50	70	A					5.0	10.0
217.	15/11/04/01/754	18	42	60		B				4.0	8.0
218.	15/11/04/01/755	19	46	65		B				4.0	8.0
219.	15/11/04/01/756	19	46	65		B				4.0	8.0
220.	15/11/04/01/760	18	46	64		B				4.0	8.0
221.	15/11/04/01/762	20	46	66		B				4.0	8.0
222.	15/11/04/01/763	19	50	69		B				4.0	8.0
223.	15/11/04/01/764	21	44	65		B				4.0	8.0
224.	15/11/04/01/766	21	46	67		B				4.0	8.0
225.	15/11/04/01/767	20	48	68		B				4.0	8.0
226.	15/11/04/01/768	18	48	66		B				4.0	8.0
227.	15/11/04/01/769	20	42	62		B				4.0	8.0
228.	15/11/04/01/770	21	32	53			C			3.0	6.0
229.	15/11/04/01/781	21	40	61		B				4.0	8.0
230.	15/11/04/01/782	21	46	67		B				4.0	8.0
231.	15/11/04/01/786	20	48	68		B				4.0	8.0
232.	15/11/04/01/787	18	46	64		B				4.0	8.0
233.	15/11/04/01/788	20	52	72	A					5.0	10.0
234.	15/11/04/01/789	20	50	70	A					5.0	10.0
235.	15/11/04/01/793	19	48	67		B				4.0	8.0
236.	15/11/04/01/963	20	52	72	A					5.0	10.0
<b>SUMMARY</b>					<b>38</b>	<b>119</b>	<b>46</b>	<b>18</b>	<b>15</b>		

## Session

Remarks				
PASS	0	17	50	67
PASS	0	20	26	46
PASS	0	18	38	56
FAIL	0	18	18	36
PASS	0	20	28	48
PASS	0	27	34	61
PASS	0	18	34	52
PASS	0	18	50	68
PASS	0	18	32	50
PASS	0	19	28	47
PASS	0	18	46	64
PASS	0	18	56	74
PASS	0	19	38	57
PASS	0	18	46	64
PASS	0	18	48	66
PASS	0	17	28	45
PASS	0	18	44	62
PASS	0	18	38	56
PASS	0	20	36	56
PASS	0	20	36	56
PASS	0	20	42	62
PASS	0	20	48	68
PASS	0	10	44	54
PASS	0	23	22	45
PASS	0	18	30	48
PASS	0	18	36	54
PASS	0	20	52	72
PASS	0	20	52	72
PASS	0	18	32	50
PASS	0	18	32	50
PASS	0	18	32	50
FAIL	0	19	8	27
PASS	0	19	44	63

PASS	0	19	32	51
PASS	0	18	48	66
PASS	0	19	56	75
PASS	0	10	50	60
PASS	0	18	44	62
PASS	0	19	48	67
PASS	0	19	48	67
PASS	0	19	38	57
PASS	0	10	42	52
PASS	0	17	42	59
PASS	0	18	36	54
PASS	0	18	42	60
PASS	0	20	44	64
PASS	0	18	54	72
PASS	0	18	28	46
PASS	0	20	38	58
FAIL	0	18	20	38
PASS	0	19	26	45
PASS	0	20	30	50
PASS	0	18	48	66
PASS	0	19	38	57
PASS	0	18	48	66
PASS	0	19	46	65
PASS	0	19	38	57
PASS	0	19	44	63
PASS	0	15	46	61
FAIL	0	18	18	36
PASS	0	19	34	53
PASS	0	20	44	64
PASS	0	20	48	68
PASS	0	5	40	45
PASS	0	20	50	70
PASS	0	18	46	64
PASS	0	18	50	68
PASS	0	20	40	60
PASS	0	18	58	76
PASS	0	19	42	61
PASS	0	19	46	65
PASS	0	19	50	69
PASS	0	20	36	56
PASS	0	18	44	62
PASS	0	18	46	64
PASS	0	15	54	69
PASS	0	19	38	57



PASS	0	19	38	57
PASS	0	18	46	64
PASS	0	19	42	61
PASS	0	19	56	75
PASS	0	18	38	56
PASS	0	18	58	76
PASS	0	19	52	71
PASS	0	18	44	62
PASS	0	18	32	50
PASS	0	18	42	60
PASS	0	20	44	64
PASS	0	18	42	60
PASS	0	18	38	56
PASS	0	21	58	79
PASS	0	0	60	60
PASS	0	19	46	65
PASS	0	19	38	57
PASS	0	21	24	45
FAIL	0	12	00	12
PASS	0	19	44	63
PASS	0	19	48	67
PASS	0	19	52	71
FAIL	0	15	00	15
PASS	0	18	44	62
PASS	0	0	48	48
PASS	0	18	58	76
PASS	0	20	60	80
PASS	0	19	34	53
PASS	0	19	48	67
FAIL	0	12	14	26
PASS	0	20	26	46
PASS	0	11	34	45
PASS	0	20	28	48
PASS	0	20	36	56
FAIL	0	20	10	30
FAIL	0	19	10	29
FAIL	0	20	18	38
PASS	0	13	32	45
PASS	0	20	36	56
PASS	0	20	30	50
PASS	0	18	54	72
PASS	0	20	60	80
PASS	0	18	50	68
PASS	0	11	34	45

PASS	0	18	54	72
FAIL	0	13	0	13
PASS	0	20	56	76
PASS	0	18	48	66
PASS	0	18	32	50
FAIL	0	18	8	26
PASS	0	23	22	45
PASS	0	5	54	59
FAIL	0	12	00	12
PASS	0	20	40	60
PASS	0	18	44	62
PASS	0	16	56	72
PASS	0	17	44	61
PASS	0	18	48	66
PASS	0	20	36	56
PASS	0	10	42	52
PASS	0	21	30	51
FAIL	0	21	00	21
FAIL	0	13	00	13
PASS	0	21	24	45
PASS	0	18	32	50
PASS	0	19	42	61
PASS	0	18	54	72
PASS	0	10	40	50
PASS	0	15	38	53
PASS	0	18	48	66
PASS	0	20	44	64
PASS	0	21	44	65
PASS	0	20	46	66
PASS	0	19	46	65
PASS	0	20	48	68
PASS	0	20	56	76
PASS	0	20	48	68
PASS	0	20	46	66
PASS	0	18	48	66
PASS	0	20	52	72
PASS	0	18	46	64
PASS	0	21	44	65
PASS	0	18	50	68
PASS	0	21	40	61
PASS	0	21	46	67
PASS	0	20	40	60
PASS	0	19	50	69

PASS	0	20	50	70
PASS	0	20	48	68
PASS	0	20	54	74
PASS	0	20	46	66
PASS	0	18	46	64
PASS	0	21	44	65
PASS	0	19	52	71
PASS	0	21	46	67
PASS	0	20	48	68
PASS	0	21	44	65
PASS	0	20	48	68
PASS	0	20	30	50
PASS	0	18	50	68
PASS	0	21	44	65
PASS	0	20	48	68
PASS	0	20	46	66
PASS	0	20	46	66
PASS	0	20	54	74
PASS	0	18	50	68
PASS	0	20	48	68
PASS	0	19	48	67
PASS	0	20	42	62
PASS	0	21	46	67
PASS	0	22	48	70
PASS	0	19	44	63
PASS	0	20	50	70
PASS	0	18	46	64
PASS	0	18	59	77
PASS	0	22	44	66
PASS	0	19	52	71
PASS	0	20	46	66
PASS	0	19	48	67
PASS	0	21	36	57
PASS	0	21	52	73
PASS	0	20	46	66
PASS	0	19	44	63
PASS	0	21	34	55
PASS	0	20	46	66
PASS	0	21	42	63
PASS	0	19	44	63

PASS	0	20	50	70
PASS	0	20	52	72
PASS	0	20	46	66
PASS	0	20	52	72
PASS	0	21	42	63
PASS	0	20	48	68
PASS	0	22	40	62
PASS	0	18	48	66
PASS	0	20	42	62
PASS	0	18	40	58
PASS	0	21	44	65
PASS	0	20	50	70
PASS	0	18	42	60
PASS	0	19	46	65
PASS	0	19	46	65
PASS	0	18	46	64
PASS	0	20	46	66
PASS	0	19	50	69
PASS	0	21	44	65
PASS	0	21	46	67
PASS	0	20	48	68
PASS	0	18	48	66
PASS	0	20	42	62
PASS	0	21	32	53
PASS	0	21	40	61
PASS	0	21	46	67
PASS	0	20	48	68
PASS	0	18	46	64
PASS	0	20	52	72
PASS	0	20	50	70
PASS	0	19	48	67
PASS	0	20	52	72
236				