

UNIVERSITY OF MAIDUGURI
(OFFICE OF THE VICE-CHANCELLOR)

Centre for Distance Learning

Department of Continuing Education and Extension Services

First Semester End-of-Course Examination Results

Course Code: **CEA 501**
Course Title: **Community Education**
Course Unit(s): **2**

2015/2016 Academic Session

S/No.	ID. No.	C.A. Marks	EXAM Marks	TOTAL Marks	GRADES										GP	U.GP	Remarks
					A	B+	B	C+	C	D	E	F					
1.	09/11/04/01/107	21	40	61			B						4.0	8.0	PASS		
2.	09/11/04/01/131	23	02	25								F	0.0	0.0	FAIL		
3.	09/11/04/01/139	23	32	55				C+					3.5	7.0	PASS		
4.	10/11/04/01/001	21	49	70	A								5.0	10.0	PASS		
5.	10/11/04/01/002	21	32	53					C				3.0	6.0	PASS		
6.	10/11/04/01/003	22	26	48						D			2.0	4.0	PASS		
7.	10/11/04/01/004	21	37	58				C+					3.5	7.0	PASS		
8.	10/11/04/01/005	22	26	48						D			2.0	4.0	PASS		
9.	10/11/04/01/006	21	42	63			B						4.0	8.0	PASS		
10.	10/11/04/01/008	13	30	43							E		1.0	2.0	PASS		
11.	10/11/04/01/009	23	18	41							E		1.0	2.0	PASS		
12.	10/11/04/01/011	22	35	57				C+					3.5	7.0	PASS		
13.	10/11/04/01/012	23	19	42							E		1.0	2.0	PASS		
14.	10/11/04/01/022	23	33	56				C+					3.5	7.0	PASS		
15.	10/11/04/01/025	22	35	57				C+					3.5	7.0	PASS		
16.	10/11/04/01/029	12	37	49						D			2.0	4.0	PASS		
17.	10/11/04/01/032	24	18	42							E		1.0	2.0	PASS		
18.	10/11/04/01/034	23	25	48						D			2.0	4.0	PASS		
19.	10/11/04/01/035	20	47	67		B+							4.5	9.0	PASS		
20.	10/11/04/01/043	21	37	58				C+					3.5	7.0	PASS		
21.	10/11/04/01/046	23	39	62			B						4.0	8.0	PASS		
22.	10/11/04/01/047	24	39	63			B						4.0	8.0	PASS		
23.	10/11/04/01/048	21	33	54					C				3.0	6.0	PASS		
24.	10/11/04/01/049	23	30	53					C				3.0	6.0	PASS		
25.	10/11/04/01/050	21	00	21								F	0.0	0.0	FAIL		
26.	10/11/04/01/051	22	35	57				C+					3.5	7.0	PASS		
27.	10/11/04/01/054	23	39	62			B						4.0	8.0	PASS		
28.	10/11/04/01/056	24	39	63			B						4.0	8.0	PASS		
29.	10/11/04/01/057	22	32	54					C				3.0	6.0	PASS		
30.	10/11/04/01/059	22	26	48						D			2.0	4.0	PASS		
31.	10/11/04/01/060	23	33	56				C+					3.5	7.0	PASS		
32.	10/11/04/01/063	21	32	53					C				3.0	6.0	PASS		
33.	10/11/04/01/066	22	42	64			B						4.0	8.0	PASS		
34.	10/11/04/01/067	21	40	61			B						4.0	8.0	PASS		
35.	10/11/04/01/069	24	18	42							E		1.0	2.0	PASS		
36.	10/11/04/01/071	22	33	55				C+					3.5	7.0	PASS		
37.	10/11/04/01/073	23	19	42							E		1.0	2.0	PASS		

38.	10/11/04/01/075	21	23	44						E		1.0	2.0	PASS
39.	10/11/04/01/083	23	37	60			B					4.0	8.0	PASS
40.	10/11/04/01/084	23	40	63			B					4.0	8.0	PASS
41.	10/11/04/01/090	21	37	58				C+				3.5	7.0	PASS
42.	10/11/04/01/091	22	35	57				C+				3.5	7.0	PASS
43.	10/11/04/01/092	21	40	61			B					4.0	8.0	PASS
44.	10/11/04/01/097	15	26	41						E		1.0	2.0	PASS
45.	10/11/04/01/100	21	00	21							F	0.0	0.0	FAIL
46.	10/11/04/01/102	20	21	41						E		1.0	2.0	PASS
47.	10/11/04/01/108	23	37	60			B					4.0	8.0	PASS
48.	10/11/04/01/110	23	33	56				C+				3.5	7.0	PASS
49.	10/11/04/01/111	11	42	53					C			3.0	6.0	PASS
50.	10/11/04/01/113	22	32	54					C			3.0	6.0	PASS
51.	10/11/04/01/115	21	40	61			B					4.0	8.0	PASS
52.	10/11/04/01/118	22	40	62			B					4.0	8.0	PASS
53.	10/11/04/01/121	23	33	56				C+				3.5	7.0	PASS
54.	10/11/04/01/122	24	26	50					C			3.0	6.0	PASS
55.	10/11/04/01/124	21	37	58				C+				3.5	7.0	PASS
56.	10/11/04/01/125	22	30	52					C			3.0	6.0	PASS
57.	10/11/04/01/129	23	37	60			B					4.0	8.0	PASS
58.	10/11/04/01/130	21	30	51					C			3.0	6.0	PASS
59.	10/11/04/01/131	20	00	20							F	0.0	0.0	FAIL
60.	10/11/04/01/132	20	00	20							F	0.0	0.0	FAIL
61.	10/11/04/01/135	23	40	63			B					4.0	8.0	PASS
62.	10/11/04/01/139	24	26	50					C			3.0	6.0	PASS
63.	10/11/04/01/141	24	23	47						D		2.0	4.0	PASS
64.	10/11/04/01/142	21	44	65			B+					4.5	9.0	PASS
65.	10/11/04/01/144	23	40	63			B					4.0	8.0	PASS
66.	10/11/04/01/146	22	25	47						D		2.0	4.0	PASS
67.	10/11/04/01/147	23	28	51					C			3.0	6.0	PASS
68.	10/11/04/01/148	23	32	55				C+				3.5	7.0	PASS
69.	10/11/04/01/151	23	43	66			B+					4.5	9.0	PASS
70.	10/11/04/01/152	10	37	47						D		2.0	4.0	PASS
71.	10/11/04/01/156	23	23	46						D		2.0	4.0	PASS
72.	10/11/04/01/158	22	39	61			B					4.0	8.0	PASS
73.	10/11/04/01/159	24	26	50					C			3.0	6.0	PASS
74.	10/11/04/01/160	24	28	52					C			3.0	6.0	PASS
75.	10/11/04/01/161	22	26	48						D		2.0	4.0	PASS
76.	10/11/04/01/169	23	44	67			B+					4.5	9.0	PASS
77.	10/11/04/01/174	10	35	45						D		2.0	4.0	PASS
78.	10/11/04/01/175	23	33	56				C+				3.5	7.0	PASS
79.	10/11/04/01/176	22	39	61			B					4.0	8.0	PASS
80.	10/11/04/01/178	22	33	55				C+				3.5	7.0	PASS
81.	10/11/04/01/184	21	47	68			B+					4.5	9.0	PASS
82.	10/11/04/01/185	23	39	62			B					4.0	8.0	PASS
83.	10/11/04/01/186	10	39	49						D		2.0	4.0	PASS
84.	10/11/04/01/190	23	21	44						E		1.0	2.0	PASS
85.	10/11/04/01/193	21	32	53					C			3.0	6.0	PASS

86.	10/11/04/01/194	23	19	42						E		1.0	2.0	PASS	
87.	10/11/04/01/195	24	26	50					C			3.0	6.0	PASS	
88.	10/11/04/01/197	23	37	60			B					4.0	8.0	PASS	
89.	10/11/04/01/198	22	32	54					C			3.0	6.0	PASS	
90.	10/11/04/01/199	23	35	58					C+			3.5	7.0	PASS	
91.	10/11/04/01/201	24	33	57					C+			3.5	7.0	PASS	
92.	10/11/04/01/202	23	23	46						D		2.0	4.0	PASS	
93.	10/11/04/01/207	21	26	47						D		2.0	4.0	PASS	
94.	10/11/04/01/220	21	44	65			B+					4.5	9.0	PASS	
95.	10/11/04/01/222	12	30	42							E	1.0	2.0	PASS	
96.	10/11/04/01/223	22	30	52					C			3.0	6.0	PASS	
97.	10/11/04/01/226	11	37	48						D		2.0	4.0	PASS	
98.	10/11/04/01/227	24	30	54					C			3.0	6.0	PASS	
99.	10/11/04/01/229	23	35	58					C+			3.5	7.0	PASS	
100.	10/11/04/01/240	20	26	46						D		2.0	4.0	PASS	
101.	10/11/04/01/241	22	26	48						D		2.0	4.0	PASS	
102.	10/11/04/01/242	21	26	47						D		2.0	4.0	PASS	
103.	10/11/04/01/243	21	30	51					C			3.0	6.0	PASS	
104.	10/11/04/01/245	23	18	41							E	1.0	2.0	PASS	
105.	10/11/04/01/249	12	32	44							E	1.0	2.0	PASS	
106.	10/11/04/01/251	23	18	41							E	1.0	2.0	PASS	
107.	10/11/04/01/254	23	30	53					C			3.0	6.0	PASS	
108.	10/11/04/01/255	24	40	64			B					4.0	8.0	PASS	
109.	10/11/04/01/258	23	44	67			B+					4.5	9.0	PASS	
110.	10/11/04/01/259	23	23	46						D		2.0	4.0	PASS	
111.	10/11/04/01/260	22	23	45						D		2.0	4.0	PASS	
112.	10/11/04/01/268	22	21	43							E	1.0	2.0	PASS	
113.	10/11/04/01/273	21	32	53					C			3.0	6.0	PASS	
114.	10/11/04/01/279	24	26	50					C			3.0	6.0	PASS	
115.	10/11/04/01/282	24	18	42							E	1.0	2.0	PASS	
116.	10/11/04/01/284	23	37	60			B					4.0	8.0	PASS	
117.	10/11/04/01/292	24	23	47						D		2.0	4.0	PASS	
118.	10/11/04/01/300	23	28	51					C			3.0	6.0	PASS	
119.	10/11/04/01/301	21	00	21								F	0.0	0.0	FAIL
120.	10/11/04/01/302	22	39	61			B					4.0	8.0	PASS	
121.	10/11/04/01/304	23	35	58					C+			3.5	7.0	PASS	
122.	10/11/04/01/305	23	18	41							E	1.0	2.0	PASS	
123.	10/11/04/01/307	23	32	55					C+			3.5	7.0	PASS	
124.	10/11/04/01/309	10	35	45						D		2.0	4.0	PASS	
125.	10/11/04/01/310	21	35	56					C+			3.5	7.0	PASS	
126.	10/11/04/03/001	22	28	50					C			3.0	6.0	PASS	
127.	10/11/04/03/005	23	21	44							E	1.0	2.0	PASS	
128.	10/11/04/03/006	22	19	41							E	1.0	2.0	PASS	
129.	10/11/04/03/007	23	30	53					C			3.0	6.0	PASS	
130.	10/11/04/03/013	11	30	41							E	1.0	2.0	PASS	
131.	10/11/04/03/014	24	40	64			B					4.0	8.0	PASS	
132.	10/11/04/03/017	17	24	41							E	1.0	2.0	PASS	
133.	10/11/04/03/022	23	42	65			B+					4.5	9.0	PASS	

134.	10/11/04/03/025	23	28	51					C				3.0	6.0	PASS
135.	10/11/04/03/027	24	30	54					C				3.0	6.0	PASS
136.	10/11/04/03/030	21	33	54					C				3.0	6.0	PASS
137.	10/11/04/03/031	23	32	55					C+				3.5	7.0	PASS
138.	10/11/04/03/035	23	21	44							E		1.0	2.0	PASS
139.	10/11/04/03/036	22	28	50					C				3.0	6.0	PASS
140.	10/11/04/03/037	21	32	53					C				3.0	6.0	PASS
141.	12/11/04/01/002	23	35	58					C+				3.5	7.0	PASS
142.	12/11/04/01/005	23	30	53					C				3.0	6.0	PASS
143.	12/11/04/01/006	22	46	68		B+							4.5	9.0	PASS
144.	12/11/04/01/007	22	07	29								F	0.0	0.0	FAIL
145.	12/11/04/01/013	23	23	46						D			2.0	4.0	PASS
146.	12/11/04/01/015	22	35	57					C+				3.5	7.0	PASS
147.	12/11/04/01/016	23	30	53					C				3.0	6.0	PASS
148.	12/11/04/01/020	21	39	60			B						4.0	8.0	PASS
149.	12/11/04/01/021	20	35	55					C+				3.5	7.0	PASS
150.	12/11/04/01/023	23	30	53					C				3.0	6.0	PASS
151.	12/11/04/01/024	22	33	55					C+				3.5	7.0	PASS
152.	12/11/04/01/025	23	19	42							E		1.0	2.0	PASS
153.	12/11/04/01/029	23	25	48						D			2.0	4.0	PASS
154.	12/11/04/01/030	21	02	23								F	0.0	0.0	FAIL
155.	12/11/04/01/033	22	33	55					C+				3.5	7.0	PASS
156.	12/11/04/01/035	24	26	50					C				3.0	6.0	PASS
157.	12/11/04/01/036	21	47	68		B+							4.5	9.0	PASS
158.	12/11/04/01/040	22	46	68		B+							4.5	9.0	PASS
159.	12/11/04/01/041	21	25	46						D			2.0	4.0	PASS
160.	12/11/04/01/042	22	02	24								F	0.0	0.0	FAIL
161.	12/11/04/01/043	21	39	60			B						4.0	8.0	PASS
162.	12/11/04/01/045	22	23	45						D			2.0	4.0	PASS
163.	12/11/04/01/046	22	40	62			B						4.0	8.0	PASS
164.	12/11/04/01/048	23	35	58					C+				3.5	7.0	PASS
165.	12/11/04/01/050	23	47	70	A								5.0	10.0	PASS
166.	12/11/04/01/051	22	42	64			B						4.0	8.0	PASS
167.	12/11/04/01/052	24	33	57					C+				3.5	7.0	PASS
168.	12/11/04/01/053	23	25	48						D			2.0	4.0	PASS
169.	12/11/04/01/054	22	40	62			B						4.0	8.0	PASS
170.	12/11/04/01/056	24	26	50					C				3.0	6.0	PASS
171.	12/11/04/01/060	23	37	60			B						4.0	8.0	PASS
172.	12/11/04/01/062	21	39	60			B						4.0	8.0	PASS
173.	12/11/04/01/068	22	35	57					C+				3.5	7.0	PASS
174.	12/11/04/01/069	20	00	20								F	0.0	0.0	FAIL
175.	12/11/04/01/070	23	25	48						D			2.0	4.0	PASS
176.	12/11/04/01/072	21	39	60			B						4.0	8.0	PASS
177.	12/11/04/01074	21	35	56					C+				3.5	7.0	PASS
178.	12/11/04/01/075	22	39	61			B						4.0	8.0	PASS
179.	12/11/04/01/076	24	23	47						D			2.0	4.0	PASS
180.	12/11/04/01/077	22	21	43							E		1.0	2.0	PASS
181.	12/11/04/01/079	24	26	50					C				3.0	6.0	PASS

182.	12/11/04/01/080	23	23	46					D			2.0	4.0	PASS
183.	12/11/04/01/083	24	28	52					C			3.0	6.0	PASS
184.	12/11/04/01/084	20	25	45					D			2.0	4.0	PASS
185.	12/11/04/01/085	24	26	50					C			3.0	6.0	PASS
186.	12/11/04/01/086	23	19	42						E		1.0	2.0	PASS
187.	12/11/04/01/087	22	21	43						E		1.0	2.0	PASS
188.	12/11/04/01/088	22	33	55				C+				3.5	7.0	PASS
189.	12/11/04/01/089	24	23	47					D			2.0	4.0	PASS
190.	12/11/04/01/090	23	37	60			B					4.0	8.0	PASS
191.	12/11/04/01/092	22	44	66		B+						4.5	9.0	PASS
192.	12/11/04/01/094	22	20	42						E		1.0	2.0	PASS
193.	12/11/04/01/095	22	00	22							F	0.0	0.0	FAIL
194.	12/11/04/01/097	24	46	70	A							5.0	10.0	PASS
195.	12/11/04/01/098	23	30	53					C			3.0	6.0	PASS
196.	12/11/04/01/100	23	22	45					D			2.0	4.0	PASS
197.	12/11/04/01/101	24	37	61			B					4.0	8.0	PASS
198.	12/11/04/01/103	10	32	42						E		1.0	2.0	PASS
199.	12/11/04/01/104	23	19	42						E		1.0	2.0	PASS
200.	12/11/04/01/105	25	25	50					C			3.0	6.0	PASS
201.	12/11/04/01/108	24	28	52					C			3.0	6.0	PASS
202.	12/11/04/01/115	24	26	50					C			3.0	6.0	PASS
203.	12/11/04/01/117	25	35	60			B					4.0	8.0	PASS
204.	12/11/04/01/118	22	33	55				C+				3.5	7.0	PASS
205.	12/11/04/01/120	24	40	64			B					4.0	8.0	PASS
206.	12/11/04/01/121	24	39	63			B					4.0	8.0	PASS
207.	12/11/04/01/122	25	35	60			B					4.0	8.0	PASS
208.	12/11/04/01/123	10	37	47					D			2.0	4.0	PASS
209.	12/11/04/01/124	22	39	61			B					4.0	8.0	PASS
210.	12/11/04/01/125	23	37	60			B					4.0	8.0	PASS
211.	12/11/04/01/126	20	00	20							F	0.0	0.0	FAIL
212.	12/11/04/01/128	15	26	41						E		1.0	2.0	PASS
213.	12/11/04/01/131	11	32	43						E		1.0	2.0	PASS
214.	12/11/04/01/132	10	47	57				C+				3.5	7.0	PASS
215.	12/11/04/01/133	23	37	60			B					4.0	8.0	PASS
216.	12/11/04/01/135	22	35	57				C+				3.5	7.0	PASS
217.	12/11/04/01/136	23	23	46					D			2.0	4.0	PASS
218.	12/11/04/01/137	23	37	60			B					4.0	8.0	PASS
219.	12/11/04/01/138	22	40	62			B					4.0	8.0	PASS
220.	12/11/04/01/140	23	18	41						E		1.0	2.0	PASS
221.	12/11/04/01/142	24	40	64			B					4.0	8.0	PASS
222.	12/11/04/01/145	23	33	56				C+				3.5	7.0	PASS
223.	12/11/04/01/146	20	25	45					D			2.0	4.0	PASS
224.	12/11/04/01/147	21	32	53					C			3.0	6.0	PASS
225.	12/11/04/01/148	25	16	41						E		1.0	2.0	PASS
226.	12/11/04/01/150	10	39	49					D			2.0	4.0	PASS
227.	12/11/04/01/154	23	18	41						E		1.0	2.0	PASS
228.	12/11/04/01/156	24	37	61			B					4.0	8.0	PASS
229.	12/11/04/01/157	23	32	55				C+				3.5	7.0	PASS

230.	12/11/04/01/158	22	33	55				C+					3.5	7.0	PASS
231.	12/11/04/01/159	21	20	41							E		1.0	2.0	PASS
232.	12/11/04/01/161	22	28	50					C				3.0	6.0	PASS
233.	12/11/04/01/162	24	37	61				B					4.0	8.0	PASS
234.	12/11/04/01/163	23	23	46						D			2.0	4.0	PASS
235.	12/11/04/01/165	11	47	58				C+					3.5	7.0	PASS
236.	12/11/04/01/166	23	21	44							E		1.0	2.0	PASS
237.	12/11/04/01/169	10	42	52					C				3.0	6.0	PASS
238.	12/11/04/01/175	24	18	42							E		1.0	2.0	PASS
239.	12/11/04/01/176	24	23	47						D			2.0	4.0	PASS
240.	12/11/04/01/182	11	05	16								F	0.0	0.0	FAIL
241.	12/11/04/01/183	20	37	57				C+					3.5	7.0	PASS
242.	12/11/04/01/185	21	37	58				C+					3.5	7.0	PASS
243.	12/11/04/01/186	20	37	57				C+					3.5	7.0	PASS
244.	12/11/04/01/187	14	28	42							E		1.0	2.0	PASS
245.	12/11/04/01/188	10	40	50					C				3.0	6.0	PASS
246.	12/11/04/01/189	21	33	54					C				3.0	6.0	PASS
247.	12/11/04/01/190	20	40	60				B					4.0	8.0	PASS
248.	12/11/04/01/191	23	42	65				B+					4.5	9.0	PASS
249.	12/11/04/01/192	20	25	45						D			2.0	4.0	PASS
250.	12/11/04/01/193	21	33	54					C				3.0	6.0	PASS
251.	12/11/04/01/199	23	25	48						D			2.0	4.0	PASS
252.	12/11/04/01/205	20	30	50					C				3.0	6.0	PASS
253.	12/11/04/01/208	24	44	68				B+					4.5	9.0	PASS
254.	12/11/04/01/210	23	25	48						D			2.0	4.0	PASS
255.	12/11/04/01/211	21	36	57				C+					3.5	7.0	PASS
256.	12/11/04/01/212	25	26	51					C				3.0	6.0	PASS
257.	12/11/04/01/213	23	33	56				C+					3.5	7.0	PASS
258.	12/11/04/01/215	20	33	53					C				3.0	6.0	PASS
259.	12/11/04/01/216	25	25	50					C				3.0	6.0	PASS
260.	12/11/04/01/217	20	37	57				C+					3.5	7.0	PASS
261.	12/11/04/03/001	21	39	60				B					4.0	8.0	PASS
262.	12/11/04/03/002	24	26	50					C				3.0	6.0	PASS
263.	12/11/04/03/004	26	39	65				B+					4.5	9.0	PASS
264.	12/11/04/03/006	26	35	61				B					4.0	8.0	PASS
265.	12/11/04/03/012	23	32	55				C+					3.5	7.0	PASS
266.	12/11/04/03/015	23	47	70	A								5.0	10.0	PASS
267.	12/11/04/03/016	20	32	52					C				3.0	6.0	PASS
268.	12/11/04/03/018	24	28	52					C				3.0	6.0	PASS
269.	12/11/04/03/019	23	47	70	A								5.0	10.0	PASS
270.	12/11/04/03/020	24	23	47						D			2.0	4.0	PASS
271.	12/11/04/03/021	23	33	56				C+					3.5	7.0	PASS
272.	12/11/04/03/022	24	39	63				B					4.0	8.0	PASS
273.	12/11/04/03/028	22	35	57				C+					3.5	7.0	PASS
274.	12/11/04/03/029	23	35	58				C+					3.5	7.0	PASS
275.	12/11/04/03/033	20	42	62				B					4.0	8.0	PASS
276.	12/11/04/03/035	16	26	42							E		1.0	2.0	PASS
277.	12/11/04/03/037	25	35	60				B					4.0	8.0	PASS

278.	12/11/04/03/039	24	26	50					C				3.0	6.0	PASS
	Summary:				05	15	54	51	57	43	40	13			278

0	21	40	61
0	23	2	25
0	23	32	55
0	21	49	70
0	21	32	53
0	22	26	48
0	21	37	58
0	22	26	48
0	21	42	63
0	13	30	43
0	23	18	41
0	22	35	57
0	23	19	42
0	23	33	56
0	22	35	57
0	12	37	49
0	24	18	42
0	23	25	48
0	20	47	67
0	21	37	58
0	23	39	62
0	24	39	63
0	21	33	54
0	23	30	53
0	21	0	21
0	22	35	57
0	23	39	62
0	24	39	63
0	22	32	54
0	22	26	48
0	23	33	56
0	21	32	53
0	22	42	64
0	21	40	61
0	24	18	42
0	22	33	55
0	23	19	42

0	21	23	44
0	23	37	60
0	23	40	63
0	21	37	58
0	22	35	57
0	21	40	61
0	15	26	41
0	21	0	21
0	20	21	41
0	23	37	60
0	23	33	56
0	11	42	53
0	22	32	54
0	21	40	61
0	22	40	62
0	23	33	56
0	24	26	50
0	21	37	58
0	22	30	52
0	23	37	60
0	21	30	51
0	20	0	20
0	20	0	20
0	23	40	63
0	24	26	50
0	24	23	47
0	21	44	65
0	23	40	63
0	22	25	47
0	23	28	51
0	23	32	55
0	23	43	66
0	10	37	47
0	23	23	46
0	22	39	61
0	24	26	50
0	24	28	52
0	22	26	48
0	23	44	67
0	10	35	45
0	23	33	56
0	22	39	61
0	22	33	55
0	21	47	68
0	23	39	62
0	10	39	49
0	23	21	44
0	21	32	53

0	23	19	42
0	24	26	50
0	23	37	60
0	22	32	54
0	23	35	58
0	24	33	57
0	23	23	46
0	21	26	47
0	21	44	65
0	12	30	42
0	22	30	52
0	11	37	48
0	24	30	54
0	23	35	58
0	20	26	46
0	22	26	48
0	21	26	47
0	21	30	51
0	23	18	41
0	12	32	44
0	23	18	41
0	23	30	53
0	24	40	64
0	23	44	67
0	23	23	46
0	22	23	45
0	22	21	43
0	21	32	53
0	24	26	50
0	24	18	42
0	23	37	60
0	24	23	47
0	23	28	51
0	21	0	21
0	22	39	61
0	23	35	58
0	23	18	41
0	23	32	55
0	10	35	45
0	21	35	56
0	22	28	50
0	23	21	44
0	22	19	41
0	23	30	53
0	11	30	41
0	24	40	64
0	17	24	41
0	23	42	65

0	23	28	51
0	24	30	54
0	21	33	54
0	23	32	55
0	23	21	44
0	22	28	50
0	21	32	53
0	23	35	58
0	23	30	53
0	22	46	68
0	22	7	29
0	23	23	46
0	22	35	57
0	23	30	53
0	21	39	60
0	20	35	55
0	23	30	53
0	22	33	55
0	23	19	42
0	23	25	48
0	21	2	23
0	22	33	55
0	24	26	50
0	21	47	68
0	22	46	68
0	21	25	46
0	22	2	24
0	21	39	60
0	22	23	45
0	22	40	62
0	23	35	58
0	23	47	70
0	22	42	64
0	24	33	57
0	23	25	48
0	22	40	62
0	24	26	50
0	23	37	60
0	21	39	60
0	22	35	57
0	20	0	20
0	23	25	48
0	21	39	60
0	21	35	56
0	22	39	61
0	24	23	47
0	22	21	43
0	24	26	50

0	23	23	46
0	24	28	52
0	20	25	45
0	24	26	50
0	23	19	42
0	22	21	43
0	22	33	55
0	24	23	47
0	23	37	60
0	22	44	66
0	22	20	42
0	22	0	22
0	24	46	70
0	23	30	53
0	23	22	45
0	24	37	61
0	10	32	42
0	23	19	42
0	25	25	50
0	24	28	52
0	24	26	50
0	25	35	60
0	22	33	55
0	24	40	64
0	24	39	63
0	25	35	60
0	10	37	47
0	22	39	61
0	23	37	60
0	20	0	20
0	15	26	41
0	11	32	43
0	10	47	57
0	23	37	60
0	22	35	57
0	23	23	46
0	23	37	60
0	22	40	62
0	23	18	41
0	24	40	64
0	23	33	56
0	20	25	45
0	21	32	53
0	25	16	41
0	10	39	49
0	23	18	41
0	24	37	61
0	23	32	55

0	22	33	55
0	21	20	41
0	22	28	50
0	24	37	61
0	23	23	46
0	11	47	58
0	23	21	44
0	10	42	52
0	24	18	42
0	24	23	47
0	11	5	16
0	20	37	57
0	21	37	58
0	20	37	57
0	14	28	42
0	10	40	50
0	21	33	54
0	20	40	60
0	23	42	65
0	20	25	45
0	21	33	54
0	23	25	48
0	20	30	50
0	24	44	68
0	23	25	48
0	21	36	57
0	25	26	51
0	23	33	56
0	20	33	53
0	25	25	50
0	20	37	57
0	21	39	60
0	24	26	50
0	26	39	65
0	26	35	61
0	23	32	55
0	23	47	70
0	20	32	52
0	24	28	52
0	23	47	70
0	24	23	47
0	23	33	56
0	24	39	63
0	22	35	57
0	23	35	58
0	20	42	62
0	16	26	42
0	25	35	60

0	24	26	50
---	----	----	----