

**UNIVERSITY OF MAIDUGURI**  
(OFFICE OF THE VICE-CHANCELLOR)

**Centre for Distance Learning**

**Department of Continuing Education and Extension Services**

**First Semester End-of-Course Examination Results**

Course Code: **CEA 502**

Course Title: **Issues and Problems of Adult Education**

Course Unit(s): **2**

**2015/2016 Academic Session**

S/No.	ID. No.	C.A. Marks	EXAM Marks	TOTAL Marks	Grades										GP	U.GP	Remarks
					A	B+	B	C+	C	D	E	F					
1.	09/11/04/01/006	18	44	62			B						4.0	8.0	PASS		
2.	09/11/04/01/107	20	40	60			B						4.0	8.0	PASS		
3.	09/11/04/01/131	18	38	56				C+					3.5	7.0	PASS		
4.	09/11/04/01/139	19	42	61			B						4.0	8.0	PASS		
5.	09/11/04/03/022	18	51	69		B+							4.5	9.0	PASS		
6.	10/11/04/01/001	16	51	67		B+							4.5	9.0	PASS		
7.	10/11/04/01/002	17	46	63			B						4.0	8.0	PASS		
8.	10/11/04/01/003	18	44	62			B						4.0	8.0	PASS		
9.	10/11/04/01/004	12	38	50					C				3.0	6.0	PASS		
10.	10/11/04/01/005	16	54	70	A								5.0	10.0	PASS		
11.	10/11/04/01/006	10	32	42							E		1.0	2.0	PASS		
12.	10/11/04/01/008	16	52	68		B+							4.5	9.0	PASS		
13.	10/11/04/01/009	18	44	62			B						4.0	8.0	PASS		
14.	10/11/04/01/011	16	34	50					C				3.0	6.0	PASS		
15.	10/11/04/01/012	18	38	56				C+					3.5	7.0	PASS		
16.	10/11/04/01/022	19	42	61			B						4.0	8.0	PASS		
17.	10/11/04/01/025	17	46	63			B						4.0	8.0	PASS		
18.	10/11/04/01/029	18	24	42							E		1.0	2.0	PASS		
19.	10/11/04/01/032	16	38	54					C				3.0	6.0	PASS		
20.	10/11/04/01/034	25	46	71	A								5.0	10.0	PASS		
21.	10/11/04/01/035	16	48	64			B						4.0	8.0	PASS		
22.	10/11/04/01/043	18	44	62			B						4.0	8.0	PASS		
23.	10/11/04/01/046	13	34	47						D			2.0	4.0	PASS		
24.	10/11/04/01/047	16	48	64			B						4.0	8.0	PASS		
25.	10/11/04/01/048	19	42	61			B						4.0	8.0	PASS		
26.	10/11/04/01/049	18	44	62			B						4.0	8.0	PASS		
27.	10/11/04/01/051	19	42	61			B						4.0	8.0	PASS		
28.	10/11/04/01/054	17	46	63			B						4.0	8.0	PASS		
29.	10/11/04/01/056	19	52	71	A								5.0	10.0	PASS		
30.	10/11/04/01/057	16	42	58				C+					3.5	7.0	PASS		
31.	10/11/04/01/059	19	42	61			B						4.0	8.0	PASS		
32.	10/11/04/01/060	18	44	62			B						4.0	8.0	PASS		
33.	10/11/04/01/063	15	34	49						D			2.0	4.0	PASS		
34.	10/11/04/01/066	18	50	68		B+							4.5	9.0	PASS		

35.	10/11/04/01/067	20	54	74	A							5.0	10.0	PASS
36.	10/11/04/01/069	16	48	64			B					4.0	8.0	PASS
37.	10/11/04/01/071	15	38	53					C			3.0	6.0	PASS
38.	10/11/04/01/073	10	10	20							F	0.0	0.0	FAIL
39.	10/11/04/01/075	16	34	50					C			3.0	6.0	PASS
40.	10/11/04/01/083	15	38	53					C			3.0	6.0	PASS
41.	10/11/04/01/084	19	44	63			B					4.0	8.0	PASS
42.	10/11/04/01/090	20	40	60			B					4.0	8.0	PASS
43.	10/11/04/01/091	18	56	74	A							5.0	10.0	PASS
44.	10/11/04/01/092	19	56	75	A							5.0	10.0	PASS
45.	10/11/04/01/097	18	44	62			B					4.0	8.0	PASS
46.	10/11/04/01/102	15	30	45					D			2.0	4.0	PASS
47.	10/11/04/01/108	19	50	69		B+						4.5	9.0	PASS
48.	10/11/04/01/110	18	48	66		B+						4.5	9.0	PASS
49.	10/11/04/01/111	19	48	67		B+						4.5	9.0	PASS
50.	10/11/04/01/113	16	48	64			B					4.0	8.0	PASS
51.	10/11/04/01/115	20	52	72	A							5.0	10.0	PASS
52.	10/11/04/01/118	17	48	65		B+						4.5	9.0	PASS
53.	10/11/04/01/121	18	48	66		B+						4.5	9.0	PASS
54.	10/11/04/01/122	19	42	61			B					4.0	8.0	PASS
55.	10/11/04/01/124	18	54	72	A							5.0	10.0	PASS
56.	10/11/04/01/125	18	46	64			B					4.0	8.0	PASS
57.	10/11/04/01/129	17	46	63			B					4.0	8.0	PASS
58.	10/11/04/01/130	20	40	60			B					4.0	8.0	PASS
59.	10/11/04/01/135	17	48	65		B+						4.5	9.0	PASS
60.	10/11/04/01/139	19	42	61			B					4.0	8.0	PASS
61.	10/11/04/01/141	20	40	60			B					4.0	8.0	PASS
62.	10/11/04/01/142	19	48	67		B+						4.5	9.0	PASS
63.	10/11/04/01/144	18	48	66		B+						4.5	9.0	PASS
64.	10/11/04/01/146	18	44	62			B					4.0	8.0	PASS
65.	10/11/04/01/147	25	32	57				C+				3.5	7.0	PASS
66.	10/11/04/01/148	19	34	53					C			3.0	6.0	PASS
67.	10/11/04/01/151	20	52	72	A							5.0	10.0	PASS
68.	10/11/04/01/152	18	50	68		B+						4.5	9.0	PASS
69.	10/11/04/01/156	20	40	60			B					4.0	8.0	PASS
70.	10/11/04/01/158	19	50	69		B+						4.5	9.0	PASS
71.	10/11/04/01/159	17	38	55				C+				3.5	7.0	PASS
72.	10/11/04/01/160	20	40	60			B					4.0	8.0	PASS
73.	10/11/04/01/161	20	40	60			B					4.0	8.0	PASS
74.	10/11/04/01/169	19	54	73	A							5.0	10.0	PASS
75.	10/11/04/01/174	18	48	66		B+						4.5	9.0	PASS
76.	10/11/04/01/175	15	50	65		B+						4.5	9.0	PASS
77.	10/11/04/01/176	18	44	62			B					4.0	8.0	PASS
78.	10/11/04/01/178	19	46	65		B+						4.5	9.0	PASS

79.	10/11/04/01/184	15	52	67		B+						4.5	9.0	PASS
80.	10/11/04/01/185	17	46	63			B					4.0	8.0	PASS
81.	10/11/04/01/186	16	50	66		B+						4.5	9.0	PASS
82.	10/11/04/01/190	18	52	70	A							5.0	10.0	PASS
83.	10/11/04/01/193	19	52	71	A							5.0	10.0	PASS
84.	10/11/04/01/194	20	40	60			B					4.0	8.0	PASS
85.	10/11/04/01/195	19	42	61			B					4.0	8.0	PASS
86.	10/11/04/01/197	17	52	69		B+						4.5	9.0	PASS
87.	10/11/04/01/198	12	34	46						D		2.0	4.0	PASS
88.	10/11/04/01/199	15	36	51						C		3.0	6.0	PASS
89.	10/11/04/01/201	17	54	71	A							5.0	10.0	PASS
90.	10/11/04/01/202	19	42	61			B					4.0	8.0	PASS
91.	10/11/04/01/207	15	30	45						D		2.0	4.0	PASS
92.	10/11/04/01/220	16	38	54						C		3.0	6.0	PASS
93.	10/11/04/01/222	19	44	63			B					4.0	8.0	PASS
94.	10/11/04/01/223	19	46	65		B+						4.5	9.0	PASS
95.	10/11/04/01/226	18	44	62			B					4.0	8.0	PASS
96.	10/11/04/01/227	15	36	51						C		3.0	6.0	PASS
97.	10/11/04/01/229	10	34	44						E		1.0	2.0	PASS
98.	10/11/04/01/240	20	40	60			B					4.0	8.0	PASS
99.	10/11/04/01/241	19	42	61			B					4.0	8.0	PASS
100.	10/11/04/01/242	20	42	62			B					4.0	8.0	PASS
101.	10/11/04/01/243	20	54	74	A							5.0	10.0	PASS
102.	10/11/04/01/245	15	38	53						C		3.0	6.0	PASS
103.	10/11/04/01/249	17	46	63			B					4.0	8.0	PASS
104.	10/11/04/01/251	12	38	50						C		3.0	6.0	PASS
105.	10/11/04/01/254	10	36	46						D		2.0	4.0	PASS
106.	10/11/04/01/255	16	48	64			B					4.0	8.0	PASS
107.	10/11/04/01/258	17	48	65		B+						4.5	9.0	PASS
108.	10/11/04/01/259	18	36	54						C		3.0	6.0	PASS
109.	10/11/04/01/260	17	46	63			B					4.0	8.0	PASS
110.	10/11/04/01/268	16	36	52						C		3.0	6.0	PASS
111.	10/11/04/01/273	18	50	68		B+						4.5	9.0	PASS
112.	10/11/04/01/279	14	32	46						D		2.0	4.0	PASS
113.	10/11/04/01/281	12	34	46						D		2.0	4.0	PASS
114.	10/11/04/01/282	12	30	42						E		1.0	2.0	PASS
115.	10/11/04/01/284	20	40	60			B					4.0	8.0	PASS
116.	10/11/04/01/292	16	48	64			B					4.0	8.0	PASS
117.	10/11/04/01/300	19	52	71	A							5.0	10.0	PASS
118.	10/11/04/01/301	16	48	64			B					4.0	8.0	PASS
119.	10/11/04/01/302	16	38	54						C		3.0	6.0	PASS
120.	10/11/04/01/304	18	44	62			B					4.0	8.0	PASS
121.	10/11/04/01/305	20	40	60			B					4.0	8.0	PASS
122.	10/11/04/01/307	18	44	62			B					4.0	8.0	PASS

123.	10/11/04/01/310	12	36	48						D			2.0	4.0	PASS
124.	10/11/04/03/001	19	50	69		B+							4.5	9.0	PASS
125.	10/11/04/03/005	16	34	50					C				3.0	6.0	PASS
126.	10/11/04/03/006	18	38	56				C+					3.5	7.0	PASS
127.	10/11/04/03/007	15	36	51					C				3.0	6.0	PASS
128.	10/11/04/03/013	20	40	60			B						4.0	8.0	PASS
129.	10/11/04/03/014	20	40	60			B						4.0	8.0	PASS
130.	10/11/04/03/017	16	36	52					C				3.0	6.0	PASS
131.	10/11/04/03/022	19	52	71	A								5.0	10.0	PASS
132.	10/11/04/03/025	16	48	64			B						4.0	8.0	PASS
133.	10/11/04/03/027	17	46	63			B						4.0	8.0	PASS
134.	10/11/04/03/030	17	46	63			B						4.0	8.0	PASS
135.	10/11/04/03/031	18	46	64			B						4.0	8.0	PASS
136.	10/11/04/03/035	12	34	46						D			2.0	4.0	PASS
137.	10/11/04/03/036	10	34	44							E		1.0	2.0	PASS
138.	10/11/04/03/037	20	40	60			B						4.0	8.0	PASS
139.	12/11/04/01/002	18	44	62			B						4.0	8.0	PASS
140.	12/11/04/01/005	15	36	51					C				3.0	6.0	PASS
141.	12/11/04/01/006	17	54	71	A								5.0	10.0	PASS
142.	12/11/04/01/007	20	22	42							E		1.0	2.0	PASS
143.	12/11/04/01/013	12	30	42							E		1.0	2.0	PASS
144.	12/11/04/01/015	17	46	63			B						4.0	8.0	PASS
145.	12/11/04/01/016	17	46	63			B						4.0	8.0	PASS
146.	12/11/04/01/020	20	40	60			B						4.0	8.0	PASS
147.	12/11/04/01/021	17	46	63			B						4.0	8.0	PASS
148.	12/11/04/01/023	20	40	60			B						4.0	8.0	PASS
149.	12/11/04/01/024	17	46	63			B						4.0	8.0	PASS
150.	12/11/04/01/025	20	40	60			B						4.0	8.0	PASS
151.	12/11/04/01/029	15	36	51					C				3.0	6.0	PASS
152.	12/11/04/01/030	19	42	61			B						4.0	8.0	PASS
153.	12/11/04/01/033	15	50	65		B+							4.5	9.0	PASS
154.	12/11/04/01/035	20	40	60			B						4.0	8.0	PASS
155.	12/11/04/01/036	15	52	67		B+							4.5	9.0	PASS
156.	12/11/04/01/040	16	54	70	A								5.0	10.0	PASS
157.	12/11/04/01/041	16	38	54					C				3.0	6.0	PASS
158.	12/11/04/01/042	17	50	67		B+							4.5	9.0	PASS
159.	12/11/04/01/043	16	48	64			B						4.0	8.0	PASS
160.	12/11/04/01/045	12	30	42							E		1.0	2.0	PASS
161.	12/11/04/01/046	17	54	71	A								5.0	10.0	PASS
162.	12/11/04/01/048	19	42	61			B						4.0	8.0	PASS
163.	12/11/04/01/050	18	44	62			B						4.0	8.0	PASS
164.	12/11/04/01/051	14	52	66		B+							4.5	9.0	PASS
165.	12/11/04/01/052	19	42	61			B						4.0	8.0	PASS
166.	12/11/04/01/053	17	46	63			B						4.0	8.0	PASS

167.	12/11/04/01/054	18	44	62			B					4.0	8.0	PASS
168.	12/11/04/01/056	16	28	44						E		1.0	2.0	PASS
169.	12/11/04/01/060	20	40	60			B					4.0	8.0	PASS
170.	12/11/04/01/062	18	56	74	A							5.0	10.0	PASS
171.	12/11/04/01/068	20	40	60			B					4.0	8.0	PASS
172.	12/11/04/01/070	19	42	61			B					4.0	8.0	PASS
173.	12/11/04/01/072	17	46	63			B					4.0	8.0	PASS
174.	12/11/04/01/074	20	40	60			B					4.0	8.0	PASS
175.	12/11/04/01/075	17	46	63			B					4.0	8.0	PASS
176.	12/11/04/01/076	16	26	42						E		1.0	2.0	PASS
177.	12/11/04/01/077	19	42	61			B					4.0	8.0	PASS
178.	12/11/04/01/079	19	42	61			B					4.0	8.0	PASS
179.	12/11/04/01/080	20	42	62			B					4.0	8.0	PASS
180.	12/11/04/01/083	18	44	62			B					4.0	8.0	PASS
181.	12/11/04/01/084	20	40	60			B					4.0	8.0	PASS
182.	12/11/04/01/085	18	38	56				C+				3.5	7.0	PASS
183.	12/11/04/01/086	15	32	47						D		2.0	4.0	PASS
184.	12/11/04/01/087	15	36	51					C			3.0	6.0	PASS
185.	12/11/04/01/088	17	36	53					C			3.0	6.0	PASS
186.	12/11/04/01/089	18	38	56				C+				3.5	7.0	PASS
187.	12/11/04/01/090	20	42	62			B					4.0	8.0	PASS
188.	12/11/04/01/092	19	44	63			B					4.0	8.0	PASS
189.	12/11/04/01/094	18	44	62			B					4.0	8.0	PASS
190.	12/11/04/01/097	17	46	63			B					4.0	8.0	PASS
191.	12/11/04/01/098	17	46	63			B					4.0	8.0	PASS
192.	12/11/04/01/100	14	28	42						E		1.0	2.0	PASS
193.	12/11/04/01/101	19	42	61			B					4.0	8.0	PASS
194.	12/11/04/01/103	17	54	71	A							5.0	10.0	PASS
195.	12/11/04/01/104	14	30	44						E		1.0	2.0	PASS
196.	12/11/04/01/105	15	34	49						D		2.0	4.0	PASS
197.	12/11/04/01/108	19	44	63			B					4.0	8.0	PASS
198.	12/11/04/01/115	20	40	60			B					4.0	8.0	PASS
199.	12/11/04/01/117	19	42	61			B					4.0	8.0	PASS
200.	12/11/04/01/118	18	46	64			B					4.0	8.0	PASS
201.	12/11/04/01/120	10	48	58				C+				3.5	7.0	PASS
202.	12/11/04/01/121	12	42	54					C			3.0	6.0	PASS
203.	12/11/04/01/122	20	32	52					C			3.0	6.0	PASS
204.	12/11/04/01/123	20	42	62			B					4.0	8.0	PASS
205.	12/11/04/01/124	15	40	55				C+				3.5	7.0	PASS
206.	12/11/04/01/125	18	46	64			B					4.0	8.0	PASS
207.	12/11/04/01/128	15	50	65		B+						4.5	9.0	PASS
208.	12/11/04/01/131	12	36	48						D		2.0	4.0	PASS
209.	12/11/04/01/132	20	50	70	A							5.0	10.0	PASS
210.	12/11/04/01/133	18	44	62			B					4.0	8.0	PASS

211.	12/11/04/01/135	18	44	62			B					4.0	8.0	PASS
212.	12/11/04/01/136	20	40	60			B					4.0	8.0	PASS
213.	12/11/04/01/137	16	58	74	A							5.0	10.0	PASS
214.	12/11/04/01/138	16	48	64			B					4.0	8.0	PASS
215.	12/11/04/01/140	10	12	22							F	0.0	0.0	FAIL
216.	12/11/04/01/142	14	42	56				C+				3.5	7.0	PASS
217.	12/11/04/01/145	20	40	60			B					4.0	8.0	PASS
218.	12/11/04/01/146	18	34	52					C			3.0	6.0	PASS
219.	12/11/04/01/147	18	44	62			B					4.0	8.0	PASS
220.	12/11/04/01/148	15	30	45						D		2.0	4.0	PASS
221.	12/11/04/01/150	17	46	63			B					4.0	8.0	PASS
222.	12/11/04/01/154	18	40	58				C+				3.5	7.0	PASS
223.	12/11/04/01/156	16	52	68		B+						4.5	9.0	PASS
224.	12/11/04/01/157	19	42	61			B					4.0	8.0	PASS
225.	12/11/04/01/158	17	34	51					C			3.0	6.0	PASS
226.	12/11/04/01/159	16	30	46						D		2.0	4.0	PASS
227.	12/11/04/01/161	18	36	54					C			3.0	6.0	PASS
228.	12/11/04/01/162	18	50	68		B+						4.5	9.0	PASS
229.	12/11/04/01/163	15	50	65		B+						4.5	9.0	PASS
230.	12/11/04/01/165	16	58	74	A							5.0	10.0	PASS
231.	12/11/04/01/166	15	34	49						D		2.0	4.0	PASS
232.	12/11/04/01/169	17	36	53					C			3.0	6.0	PASS
233.	12/11/04/01/175	19	38	57				C+				3.5	7.0	PASS
234.	12/11/04/01/176	19	42	61			B					4.0	8.0	PASS
235.	12/11/04/01/183	20	44	64			B					4.0	8.0	PASS
236.	12/11/04/01/185	16	50	66		B+						4.5	9.0	PASS
237.	12/11/04/01/186	18	44	62			B					4.0	8.0	PASS
238.	12/11/04/01/187	19	42	61			B					4.0	8.0	PASS
239.	12/11/04/01/188	20	40	60			B					4.0	8.0	PASS
240.	12/11/04/01/189	25	28	53					C			3.0	6.0	PASS
241.	12/11/04/01/190	21	44	65		B+						4.5	9.0	PASS
242.	12/11/04/01/191	18	54	72	A							5.0	10.0	PASS
243.	12/11/04/01/192	20	40	60			B					4.0	8.0	PASS
244.	12/11/04/01/193	19	46	65		B+						4.5	9.0	PASS
245.	12/11/04/01/199	19	42	61			B					4.0	8.0	PASS
246.	12/11/04/01/205	20	50	70	A							5.0	10.0	PASS
247.	12/11/04/01/208	20	56	76	A							5.0	10.0	PASS
248.	12/11/04/01/210	18	24	42						E		1.0	2.0	PASS
249.	12/11/04/01/211	15	62	77	A							5.0	10.0	PASS
250.	12/11/04/01/212	12	40	52					C			3.0	6.0	PASS
251.	12/11/04/01/213	19	50	69		B+						4.5	9.0	PASS
252.	12/11/04/01/215	20	46	66		B+						4.5	9.0	PASS
253.	12/11/04/01/216	19	56	75	A							5.0	10.0	PASS
254.	12/11/04/01/217	20	52	72	A							5.0	10.0	PASS

255.	12/11/04/03/001	19	52	71	A							5.0	10.0	PASS
256.	12/11/04/03/002	19	38	57				C+				3.5	7.0	PASS
257.	12/11/04/03/004	17	46	63			B					4.0	8.0	PASS
258.	12/11/04/03/006	25	45	70	A							5.0	10.0	PASS
259.	12/11/04/03/012	18	44	62			B					4.0	8.0	PASS
260.	12/11/04/03/015	15	50	65		B+						4.5	9.0	PASS
261.	12/11/04/03/016	17	46	63			B					4.0	8.0	PASS
262.	12/11/04/03/018	20	40	60			B					4.0	8.0	PASS
263.	12/11/04/03/019	14	52	66		B+						4.5	9.0	PASS
264.	12/11/04/03/020	12	36	48						D		2.0	4.0	PASS
265.	12/11/04/03/021	10	36	46						D		2.0	4.0	PASS
266.	12/11/04/03/022	18	56	74	A							5.0	10.0	PASS
267.	12/11/04/03/028	16	48	64			B					4.0	8.0	PASS
268.	12/11/04/03/029	20	40	60			B					4.0	8.0	PASS
269.	12/11/04/03/033	12	34	46						D		2.0	4.0	PASS
270.	12/11/04/03/035	20	22	42						E		1.0	2.0	PASS
271.	12/11/04/03/037	19	44	63			B					4.0	8.0	PASS
272.	12/11/04/03/039	18	50	68		B+						4.5	9.0	PASS
	<b>Summary:</b>				<b>33</b>	<b>40</b>	<b>119</b>	<b>14</b>	<b>31</b>	<b>19</b>	<b>14</b>	<b>02</b>		<b>272</b>

0	18	44	62
0	20	40	60
0	18	38	56
0	19	42	61
0	18	51	69
0	16	51	67
0	17	46	63
0	18	44	62
0	12	38	50
0	16	54	70
0	10	32	42
0	16	52	68
0	18	44	62
0	16	34	50
0	18	38	56
0	19	42	61
0	17	46	63
0	18	24	42
0	16	38	54
0	25	46	71
0	16	48	64
0	18	44	62
0	13	34	47
0	16	48	64
0	19	42	61
0	18	44	62
0	19	42	61
0	17	46	63
0	19	52	71
0	16	42	58
0	19	42	61
0	18	44	62
0	15	34	49
0	18	50	68

0	20	54	74
0	16	48	64
0	15	38	53
0	10	10	20
0	16	34	50
0	15	38	53
0	19	44	63
0	20	40	60
0	18	56	74
0	19	56	75
0	18	44	62
0	15	30	45
0	19	50	69
0	18	48	66
0	19	48	67
0	16	48	64
0	20	52	72
0	17	48	65
0	18	48	66
0	19	42	61
0	18	54	72
0	18	46	64
0	17	46	63
0	20	40	60
0	17	48	65
0	19	42	61
0	20	40	60
0	19	48	67
0	18	48	66
0	18	44	62
0	25	32	57
0	19	34	53
0	20	52	72
0	18	50	68
0	20	40	60
0	19	50	69
0	17	38	55
0	20	40	60
0	20	40	60
0	19	54	73
0	18	48	66
0	15	50	65
0	18	44	62
0	19	46	65

0	15	52	67
0	17	46	63
0	16	50	66
0	18	52	70
0	19	52	71
0	20	40	60
0	19	42	61
0	17	52	69
0	12	34	46
0	15	36	51
0	17	54	71
0	19	42	61
0	15	30	45
0	16	38	54
0	19	44	63
0	19	46	65
0	18	44	62
0	15	36	51
0	10	34	44
0	20	40	60
0	19	42	61
0	20	42	62
0	20	54	74
0	15	38	53
0	17	46	63
0	12	38	50
0	10	36	46
0	16	48	64
0	17	48	65
0	18	36	54
0	17	46	63
0	16	36	52
0	18	50	68
0	14	32	46
0	12	34	46
0	12	30	42
0	20	40	60
0	16	48	64
0	19	52	71
0	16	48	64
0	16	38	54
0	18	44	62
0	20	40	60
0	18	44	62

0	12	36	48
0	19	50	69
0	16	34	50
0	18	38	56
0	15	36	51
0	20	40	60
0	20	40	60
0	16	36	52
0	19	52	71
0	16	48	64
0	17	46	63
0	17	46	63
0	18	46	64
0	12	34	46
0	10	34	44
0	20	40	60
0	18	44	62
0	15	36	51
0	17	54	71
0	20	22	42
0	12	30	42
0	17	46	63
0	17	46	63
0	20	40	60
0	17	46	63
0	20	40	60
0	17	46	63
0	20	40	60
0	15	36	51
0	19	42	61
0	15	50	65
0	20	40	60
0	15	52	67
0	16	54	70
0	16	38	54
0	17	50	67
0	16	48	64
0	12	30	42
0	17	54	71
0	19	42	61
0	18	44	62
0	14	52	66
0	19	42	61
0	17	46	63

0	18	44	62
0	16	28	44
0	20	40	60
0	18	56	74
0	20	40	60
0	19	42	61
0	17	46	63
0	20	40	60
0	17	46	63
0	16	26	42
0	19	42	61
0	19	42	61
0	20	42	62
0	18	44	62
0	20	40	60
0	18	38	56
0	15	32	47
0	15	36	51
0	17	36	53
0	18	38	56
0	20	42	62
0	19	44	63
0	18	44	62
0	17	46	63
0	17	46	63
0	14	28	42
0	19	42	61
0	17	54	71
0	14	30	44
0	15	34	49
0	19	44	63
0	20	40	60
0	19	42	61
0	18	46	64
0	10	48	58
0	12	42	54
0	20	32	52
0	20	42	62
0	15	40	55
0	18	46	64
0	15	50	65
0	12	36	48
0	20	50	70
0	18	44	62

0	18	44	62
0	20	40	60
0	16	58	74
0	16	48	64
0	10	12	22
0	14	42	56
0	20	40	60
0	18	34	52
0	18	44	62
0	15	30	45
0	17	46	63
0	18	40	58
0	16	52	68
0	19	42	61
0	17	34	51
0	16	30	46
0	18	36	54
0	18	50	68
0	15	50	65
0	16	58	74
0	15	34	49
0	17	36	53
0	19	38	57
0	19	42	61
0	20	44	64
0	16	50	66
0	18	44	62
0	19	42	61
0	20	40	60
0	25	28	53
0	21	44	65
0	18	54	72
0	20	40	60
0	19	46	65
0	19	42	61
0	20	50	70
0	20	56	76
0	18	24	42
0	15	62	77
0	12	40	52
0	19	50	69
0	20	46	66
0	19	56	75
0	20	52	72

0	19	52	71
0	19	38	57
0	17	46	63
0	25	45	70
0	18	44	62
0	15	50	65
0	17	46	63
0	20	40	60
0	14	52	66
0	12	36	48
0	10	36	46
0	18	56	74
0	16	48	64
0	20	40	60
0	12	34	46
0	20	22	42
0	19	44	63
0	18	50	68