

UNIVERSITY OF MAIDUGURI
(OFFICE OF THE VICE-CHANCELLOR)

Centre for Distance Learning

Department of Continuing Education and Extension Services

First Semester End-of-Course Examination Results

Course Code: **CEA 504**

Course Title: **Women and Developmet**

Course Unit(s): **2**

2015/2016 Academic Session

S/No.	ID. No.	C.A. Marks	EXAM Marks	TOTAL Marks	Grades							GP	U.GP	Remarks	
					A	B+	B	C+	C	D	E				F
1.	09/11/04/01/006	25	46	71	A								5.0	10.0	PASS
2.	09/11/04/01/107	18	44	62			B						4.0	8.0	PASS
3.	09/11/04/01/131	20	39	59				C+					3.5	7.0	PASS
4.	09/11/04/01/139	19	49	68		B+							4.5	9.0	PASS
5.	09/11/04/03/022	23	42	65		B+							4.5	9.0	PASS
6.	10/11/04/01/001	20	51	71	A								5.0	10.0	PASS
7.	10/11/04/01/002	18	37	55				C+					3.5	7.0	PASS
8.	10/11/04/01/003	19	37	56				C+					3.5	7.0	PASS
9.	10/11/04/01/004	21	44	65		B+							4.5	9.0	PASS
10.	10/11/04/01/005	20	47	67		B+							4.5	9.0	PASS
11.	10/11/04/01/006	19	39	58				C+					3.5	7.0	PASS
12.	10/11/04/01/008	27	35	62			B						4.0	8.0	PASS
13.	10/11/04/01/009	25	46	71	A								5.0	10.0	PASS
14.	10/11/04/01/011	20	42	62			B						4.0	8.0	PASS
15.	10/11/04/01/012	21	42	63			B						4.0	8.0	PASS
16.	10/11/04/01/022	25	46	71	A								5.0	10.0	PASS
17.	10/11/04/01/025	18	35	53					C				3.0	6.0	PASS
18.	10/11/04/01/029	20	53	73	A								5.0	10.0	PASS
19.	10/11/04/01/032	18	42	60			B						4.0	8.0	PASS
20.	10/11/04/01/034	20	40	60			B						4.0	8.0	PASS
21.	10/11/04/01/035	19	42	61			B						4.0	8.0	PASS
22.	10/11/04/01/043	18	42	60			B						4.0	8.0	PASS
23.	10/11/04/01/046	20	53	73	A								5.0	10.0	PASS
24.	10/11/04/01/047	21	40	61			B						4.0	8.0	PASS
25.	10/11/04/01/048	20	40	60			B						4.0	8.0	PASS
26.	10/11/04/01/049	25	46	71	A								5.0	10.0	PASS
27.	10/11/04/01/051	18	35	53					C				3.0	6.0	PASS
28.	10/11/04/01/054	22	44	66		B+							4.5	9.0	PASS
29.	10/11/04/01/056	20	51	71	A								5.0	10.0	PASS
30.	10/11/04/01/057	23	47	70	A								5.0	10.0	PASS
31.	10/11/04/01/059	21	39	60			B						4.0	8.0	PASS
32.	10/11/04/01/060	25	46	71	A								5.0	10.0	PASS
33.	10/11/04/01/063	18	32	50					C				3.0	6.0	PASS
34.	10/11/04/01/066	22	44	66		B+							4.5	9.0	PASS

35.	10/11/04/01/067	20	51	71	A							5.0	10.0	PASS
36.	10/11/04/01/069	25	46	71	A							5.0	10.0	PASS
37.	10/11/04/01/071	20	53	73	A							5.0	10.0	PASS
38.	10/11/04/01/073	19	37	56				C+				3.5	7.0	PASS
39.	10/11/04/01/075	20	42	62				B				4.0	8.0	PASS
40.	10/11/04/01/083	20	51	71	A							5.0	10.0	PASS
41.	10/11/04/01/084	25	47	72	A							5.0	10.0	PASS
42.	10/11/04/01/090	20	40	60				B				4.0	8.0	PASS
43.	10/11/04/01/091	23	44	67				B+				4.5	9.0	PASS
44.	10/11/04/01/092	19	58	77	A							5.0	10.0	PASS
45.	10/11/04/01/097	20	40	60				B				4.0	8.0	PASS
46.	10/11/04/01/102	19	37	56				C+				3.5	7.0	PASS
47.	10/11/04/01/110	20	40	60				B				4.0	8.0	PASS
48.	10/11/04/01/111	25	42	67				B+				4.5	9.0	PASS
49.	10/11/04/01/113	20	44	64				B				4.0	8.0	PASS
50.	10/11/04/01/115	21	58	79	A							5.0	10.0	PASS
51.	10/11/04/01/118	22	44	66				B+				4.5	9.0	PASS
52.	10/11/04/01/121	23	44	67				B+				4.5	9.0	PASS
53.	10/11/04/01/122	22	39	61				B				4.0	8.0	PASS
54.	10/11/04/01/124	23	39	62				B				4.0	8.0	PASS
55.	10/11/04/01/125	19	56	75	A							5.0	10.0	PASS
56.	10/11/04/01/129	20	40	60				B				4.0	8.0	PASS
57.	10/11/04/01/130	19	37	56				C+				3.5	7.0	PASS
58.	10/11/04/01/135	20	53	73	A							5.0	10.0	PASS
59.	10/11/04/01/139	19	35	54						C		3.0	6.0	PASS
60.	10/11/04/01/141	20	40	60				B				4.0	8.0	PASS
61.	10/11/04/01/142	19	54	73	A							5.0	10.0	PASS
62.	10/11/04/01/144	21	44	65				B+				4.5	9.0	PASS
63.	10/11/04/01/146	20	40	60				B				4.0	8.0	PASS
64.	10/11/04/01/147	18	39	57						C+		3.5	7.0	PASS
65.	10/11/04/01/148	18	35	53						C		3.0	6.0	PASS
66.	10/11/04/01/151	20	52	72	A							5.0	10.0	PASS
67.	10/11/04/01/152	23	44	67				B+				4.5	9.0	PASS
68.	10/11/04/01/156	19	37	56						C+		3.5	7.0	PASS
69.	10/11/04/01/158	21	44	65				B+				4.5	9.0	PASS
70.	10/11/04/01/159	20	40	60				B				4.0	8.0	PASS
71.	10/11/04/01/160	23	42	65				B+				4.5	9.0	PASS
72.	10/11/04/01/161	20	42	62				B				4.0	8.0	PASS
73.	10/11/04/01/169	20	54	74	A							5.0	10.0	PASS
74.	10/11/04/01/174	24	47	71	A							5.0	10.0	PASS
75.	10/11/04/01/175	21	44	65				B+				4.5	9.0	PASS
76.	10/11/04/01/176	20	51	71	A							5.0	10.0	PASS
77.	10/11/04/01/178	25	46	71	A							5.0	10.0	PASS
78.	10/11/04/01/184	20	54	74	A							5.0	10.0	PASS

79.	10/11/04/01/185	21	49	70	A							5.0	10.0	PASS
80.	10/11/04/01/186	21	39	60			B					4.0	8.0	PASS
81.	10/11/04/01/190	18	42	60			B					4.0	8.0	PASS
82.	10/11/04/01/193	19	42	61			B					4.0	8.0	PASS
83.	10/11/04/01/194	21	39	60			B					4.0	8.0	PASS
84.	10/11/04/01/195	25	46	71	A							5.0	10.0	PASS
85.	10/11/04/01/197	22	49	71	A							5.0	10.0	PASS
86.	10/11/04/01/198	19	37	56				C+				3.5	7.0	PASS
87.	10/11/04/01/199	20	42	62			B					4.0	8.0	PASS
88.	10/11/04/01/201	23	47	70	A							5.0	10.0	PASS
89.	10/11/04/01/202	20	40	60			B					4.0	8.0	PASS
90.	10/11/04/01/207	20	21	41						E		1.0	2.0	PASS
91.	10/11/04/01/220	20	37	57				C+				3.5	7.0	PASS
92.	10/11/04/01/222	25	46	71	A							5.0	10.0	PASS
93.	10/11/04/01/223	25	47	72	A							5.0	10.0	PASS
94.	10/11/04/01/226	19	37	56				C+				3.5	7.0	PASS
95.	10/11/04/01/227	21	44	65		B+						4.5	9.0	PASS
96.	10/11/04/01/229	22	49	71	A							5.0	10.0	PASS
97.	10/11/04/01/240	27	35	62			B					4.0	8.0	PASS
98.	10/11/04/01/241	20	40	60			B					4.0	8.0	PASS
99.	10/11/04/01/242	21	40	61			B					4.0	8.0	PASS
100.	10/11/04/01/243	20	30	50					C			3.0	6.0	PASS
101.	10/11/04/01/245	18	42	60			B					4.0	8.0	PASS
102.	10/11/04/01/249	25	46	71	A							5.0	10.0	PASS
103.	10/11/04/01/251	19	35	54					C			3.0	6.0	PASS
104.	10/11/04/01/254	25	46	71	A							5.0	10.0	PASS
105.	10/11/04/01/255	20	51	71	A							5.0	10.0	PASS
106.	10/11/04/01/258	19	53	72	A							5.0	10.0	PASS
107.	10/11/04/01/259	20	33	53					C			3.0	6.0	PASS
108.	10/11/04/01/260	21	44	65		B+						4.5	9.0	PASS
109.	10/11/04/01/268	22	44	66		B+						4.5	9.0	PASS
110.	10/11/04/01/273	19	37	56				C+				3.5	7.0	PASS
111.	10/11/04/01/279	22	44	66		B+						4.5	9.0	PASS
112.	10/11/04/01/281	20	40	60			B					4.0	8.0	PASS
113.	10/11/04/01/282	21	46	67		B+						4.5	9.0	PASS
114.	10/11/04/01/284	20	51	71	A							5.0	10.0	PASS
115.	10/11/04/01/292	23	47	70	A							5.0	10.0	PASS
116.	10/11/04/01/300	22	39	61			B					4.0	8.0	PASS
117.	10/11/04/01/301	24	39	63			B					4.0	8.0	PASS
118.	10/11/04/01/302	20	40	60			B					4.0	8.0	PASS
119.	10/11/04/01/304	21	54	75	A							5.0	10.0	PASS
120.	10/11/04/01/305	20	33	53					C			3.0	6.0	PASS
121.	10/11/04/01/307	24	46	70	A							5.0	10.0	PASS
122.	10/11/04/01/310	20	40	60			B					4.0	8.0	PASS

123.	10/11/04/03/001	19	32	51					C				3.0	6.0	PASS
124.	10/11/04/03/005	21	35	56				C+					3.5	7.0	PASS
125.	10/11/04/03/006	20	42	62				B					4.0	8.0	PASS
126.	10/11/04/03/007	20	40	60				B					4.0	8.0	PASS
127.	10/11/04/03/013	20	46	66				B+					4.5	9.0	PASS
128.	10/11/04/03/014	19	53	72	A								5.0	10.0	PASS
129.	10/11/04/03/017	20	42	62				B					4.0	8.0	PASS
130.	10/11/04/03/022	20	56	76	A								5.0	10.0	PASS
131.	10/11/04/03/025	21	40	61				B					4.0	8.0	PASS
132.	10/11/04/03/027	22	46	68				B+					4.5	9.0	PASS
133.	10/11/04/03/030	21	47	68				B+					4.5	9.0	PASS
134.	10/11/04/03/031	21	44	65				B+					4.5	9.0	PASS
135.	10/11/04/03/035	20	37	57				C+					3.5	7.0	PASS
136.	10/11/04/03/036	20	42	62				B					4.0	8.0	PASS
137.	10/11/04/03/037	21	40	61				B					4.0	8.0	PASS
138.	12/11/04/01/002	20	53	73	A								5.0	10.0	PASS
139.	12/11/04/01/005	20	42	62				B					4.0	8.0	PASS
140.	12/11/04/01/006	19	53	72	A								5.0	10.0	PASS
141.	12/11/04/01/007	22	23	45					D				2.0	4.0	PASS
142.	12/11/04/01/013	20	42	62				B					4.0	8.0	PASS
143.	12/11/04/01/015	22	49	71	A								5.0	10.0	PASS
144.	12/11/04/01/016	23	47	70	A								5.0	10.0	PASS
145.	12/11/04/01/020	21	39	60				B					4.0	8.0	PASS
146.	12/11/04/01/021	19	53	72	A								5.0	10.0	PASS
147.	12/11/04/01/023	27	44	71	A								5.0	10.0	PASS
148.	12/11/04/01/024	20	46	66				B+					4.5	9.0	PASS
149.	12/11/04/01/025	19	32	51					C				3.0	6.0	PASS
150.	12/11/04/01/029	20	42	62				B					4.0	8.0	PASS
151.	12/11/04/01/030	20	40	60				B					4.0	8.0	PASS
152.	12/11/04/01/033	21	51	72	A								5.0	10.0	PASS
153.	12/11/04/01/035	20	42	62				B					4.0	8.0	PASS
154.	12/11/04/01/036	21	49	70	A								5.0	10.0	PASS
155.	12/11/04/01/040	20	51	71	A								5.0	10.0	PASS
156.	12/11/04/01/041	21	44	65				B+					4.5	9.0	PASS
157.	12/11/04/01/042	22	44	66				B+					4.5	9.0	PASS
158.	12/11/04/01/043	20	46	66				B+					4.5	9.0	PASS
159.	12/11/04/01/045	19	37	56				C+					3.5	7.0	PASS
160.	12/11/04/01/046	20	51	71	A								5.0	10.0	PASS
161.	12/11/04/01/048	19	39	58				C+					3.5	7.0	PASS
162.	12/11/04/01/050	21	49	70	A								5.0	10.0	PASS
163.	12/11/04/01/051	20	44	64				B					4.0	8.0	PASS
164.	12/11/04/01/052	20	51	71	A								5.0	10.0	PASS
165.	12/11/04/01/053	22	46	68				B+					4.5	9.0	PASS
166.	12/11/04/01/054	19	39	58				C+					3.5	7.0	PASS

167.	12/11/04/01/056	20	44	64			B						4.0	8.0	PASS
168.	12/11/04/01/060	20	47	67		B+							4.5	9.0	PASS
169.	12/11/04/01/062	19	53	72	A								5.0	10.0	PASS
170.	12/11/04/01/068	22	49	71	A								5.0	10.0	PASS
171.	12/11/04/01/070	20	35	55				C+					3.5	7.0	PASS
172.	12/11/04/01/072	21	35	56				C+					3.5	7.0	PASS
173.	12/11/04/01/074	20	39	59				C+					3.5	7.0	PASS
174.	12/11/04/01/075	20	35	55				C+					3.5	7.0	PASS
175.	12/11/04/01/076	21	35	56				C+					3.5	7.0	PASS
176.	12/11/04/01/077	20	35	55				C+					3.5	7.0	PASS
177.	12/11/04/01/079	20	42	62			B						4.0	8.0	PASS
178.	12/11/04/01/080	21	42	63			B						4.0	8.0	PASS
179.	12/11/04/01/083	20	35	55				C+					3.5	7.0	PASS
180.	12/11/04/01/084	21	42	63			B						4.0	8.0	PASS
181.	12/11/04/01/085	20	42	62			B						4.0	8.0	PASS
182.	12/11/04/01/086	21	40	61			B						4.0	8.0	PASS
183.	12/11/04/01/087	21	39	60			B						4.0	8.0	PASS
184.	12/11/04/01/088	19	37	56				C+					3.5	7.0	PASS
185.	12/11/04/01/089	20	39	59				C+					3.5	7.0	PASS
186.	12/11/04/01/090	21	49	70	A								5.0	10.0	PASS
187.	12/11/04/01/092	25	46	71	A								5.0	10.0	PASS
188.	12/11/04/01/094	20	42	62			B						4.0	8.0	PASS
189.	12/11/04/01/097	22	49	71	A								5.0	10.0	PASS
190.	12/11/04/01/098	22	46	68		B+							4.5	9.0	PASS
191.	12/11/04/01/100	23	47	70	A								5.0	10.0	PASS
192.	12/11/04/01/101	18	42	60			B						4.0	8.0	PASS
193.	12/11/04/01/103	20	51	71	A								5.0	10.0	PASS
194.	12/11/04/01/104	20	40	60			B						4.0	8.0	PASS
195.	12/11/04/01/105	21	42	63			B						4.0	8.0	PASS
196.	12/11/04/01/108	20	35	55				C+					3.5	7.0	PASS
197.	12/11/04/01/115	22	49	71	A								5.0	10.0	PASS
198.	12/11/04/01/117	20	42	62			B						4.0	8.0	PASS
199.	12/11/04/01/118	21	49	70	A								5.0	10.0	PASS
200.	12/11/04/01/120	23	47	70	A								5.0	10.0	PASS
201.	12/11/04/01/121	22	44	66		B+							4.5	9.0	PASS
202.	12/11/04/01/122	21	46	67		B+							4.5	9.0	PASS
203.	12/11/04/01/123	20	51	71	A								5.0	10.0	PASS
204.	12/11/04/01/124	21	44	65		B+							4.5	9.0	PASS
205.	12/11/04/01/125	20	42	62			B						4.0	8.0	PASS
206.	12/11/04/01/128	21	42	63			B						4.0	8.0	PASS
207.	12/11/04/01/131	22	44	66		B+							4.5	9.0	PASS
208.	12/11/04/01/132	20	51	71	A								5.0	10.0	PASS
209.	12/11/04/01/133	20	33	53					C				3.0	6.0	PASS
210.	12/11/04/01/135	21	47	68		B+							4.5	9.0	PASS

211.	12/11/04/01/136	21	44	65		B+							4.5	9.0	PASS
212.	12/11/04/01/137	21	49	70	A								5.0	10.0	PASS
213.	12/11/04/01/138	20	56	76	A								5.0	10.0	PASS
214.	12/11/04/01/140	24	21	45						D			2.0	4.0	PASS
215.	12/11/04/01/142	20	42	62			B						4.0	8.0	PASS
216.	12/11/04/01/145	21	44	65		B+							4.5	9.0	PASS
217.	12/11/04/01/146	23	47	70	A								5.0	10.0	PASS
218.	12/11/04/01/147	20	40	60			B						4.0	8.0	PASS
219.	12/11/04/01/148	22	28	50						C			3.0	6.0	PASS
220.	12/11/04/01/150	19	37	56				C+					3.5	7.0	PASS
221.	12/11/04/01/154	20	42	62			B						4.0	8.0	PASS
222.	12/11/04/01/156	20	35	55				C+					3.5	7.0	PASS
223.	12/11/04/01/157	18	42	60			B						4.0	8.0	PASS
224.	12/11/04/01/158	20	44	64			B						4.0	8.0	PASS
225.	12/11/04/01/159	19	42	61			B						4.0	8.0	PASS
226.	12/11/04/01/161	20	37	57				C+					3.5	7.0	PASS
227.	12/11/04/01/162	20	42	62			B						4.0	8.0	PASS
228.	12/11/04/01/163	21	42	63			B						4.0	8.0	PASS
229.	12/11/04/01/165	20	61	81	A								5.0	10.0	PASS
230.	12/11/04/01/166	20	35	55				C+					3.5	7.0	PASS
231.	12/11/04/01/169	19	33	52						C			3.0	6.0	PASS
232.	12/11/04/01/175	21	39	60			B						4.0	8.0	PASS
233.	12/11/04/01/176	25	46	71	A								5.0	10.0	PASS
234.	12/11/04/01/183	23	37	60			B						4.0	8.0	PASS
235.	12/11/04/01/185	22	39	61			B						4.0	8.0	PASS
236.	12/11/04/01/186	25	47	72	A								5.0	10.0	PASS
237.	12/11/04/01/187	23	42	65		B+							4.5	9.0	PASS
238.	12/11/04/01/188	20	35	55				C+					3.5	7.0	PASS
239.	12/11/04/01/189	22	39	61			B						4.0	8.0	PASS
240.	12/11/04/01/190	23	39	62			B						4.0	8.0	PASS
241.	12/11/04/01/191	20	42	62			B						4.0	8.0	PASS
242.	12/11/04/01/192	22	44	66		B+							4.5	9.0	PASS
243.	12/11/04/01/193	21	44	65		B+							4.5	9.0	PASS
244.	12/11/04/01/199	22	39	61			B						4.0	8.0	PASS
245.	12/11/04/01/205	20	46	66		B+							4.5	9.0	PASS
246.	12/11/04/01/208	19	46	65		B+							4.5	9.0	PASS
247.	12/11/04/01/210	24	19	43							E		1.0	2.0	PASS
248.	12/11/04/01/211	20	53	73	A								5.0	10.0	PASS
249.	12/11/04/01/212	24	21	45							D		2.0	4.0	PASS
250.	12/11/04/01/213	20	33	53							C		3.0	6.0	PASS
251.	12/11/04/01/215	20	32	52							C		3.0	6.0	PASS
252.	12/11/04/01/216	22	39	61			B						4.0	8.0	PASS
253.	12/11/04/01/217	20	51	71	A								5.0	10.0	PASS
254.	12/11/04/03/001	20	56	76	A								5.0	10.0	PASS

255.	12/11/04/03/002	20	44	64			B					4.0	8.0	PASS
256.	12/11/04/03/004	20	51	71	A							5.0	10.0	PASS
257.	12/11/04/03/006	21	40	61			B					4.0	8.0	PASS
258.	12/11/04/03/012	20	53	73	A							5.0	10.0	PASS
259.	12/11/04/03/015	20	47	67		B+						4.5	9.0	PASS
260.	12/11/04/03/016	22	39	61			B					4.0	8.0	PASS
261.	12/11/04/03/018	20	37	57				C+				3.5	7.0	PASS
262.	12/11/04/03/019	20	56	76	A							5.0	10.0	PASS
263.	12/11/04/03/020	21	39	60			B					4.0	8.0	PASS
264.	12/11/04/03/021	20	40	60			B					4.0	8.0	PASS
265.	12/11/04/03/022	20	51	71	A							5.0	10.0	PASS
266.	12/11/04/03/028	19	53	72	A							5.0	10.0	PASS
267.	12/11/04/03/029	22	49	71	A							5.0	10.0	PASS
268.	12/11/04/03/033	20	40	60			B					4.0	8.0	PASS
269.	12/11/04/03/035	21	42	63			B					4.0	8.0	PASS
270.	12/11/04/03/037	20	47	67		B+						4.5	9.0	PASS
271.	12/11/04/03/039	21	39	60			B					4.0	8.0	PASS
	Summary:				82	45	89	34	16	03	02	00		271

0	25	46	71
0	18	44	62
0	20	39	59
0	19	49	68
0	23	42	65
0	20	51	71
0	18	37	55
0	19	37	56
0	21	44	65
0	20	47	67
0	19	39	58
0	27	35	62
0	25	46	71
0	20	42	62
0	21	42	63
0	25	46	71
0	18	35	53
0	20	53	73
0	18	42	60
0	20	40	60
0	19	42	61
0	18	42	60
0	20	53	73
0	21	40	61
0	20	40	60
0	25	46	71
0	18	35	53
0	22	44	66
0	20	51	71
0	23	47	70
0	21	39	60
0	25	46	71
0	18	32	50
0	22	44	66

0	20	51	71
0	25	46	71
0	20	53	73
0	19	37	56
0	20	42	62
0	20	51	71
0	25	47	72
0	20	40	60
0	23	44	67
0	19	58	77
0	20	40	60
0	19	37	56
0	20	40	60
0	25	42	67
0	20	44	64
0	21	58	79
0	22	44	66
0	23	44	67
0	22	39	61
0	23	39	62
0	19	56	75
0	20	40	60
0	19	37	56
0	20	53	73
0	19	35	54
0	20	40	60
0	19	54	73
0	21	44	65
0	20	40	60
0	18	39	57
0	18	35	53
0	20	52	72
0	23	44	67
0	19	37	56
0	21	44	65
0	20	40	60
0	23	42	65
0	20	42	62
0	20	54	74
0	24	47	71
0	21	44	65
0	20	51	71
0	25	46	71
0	20	54	74

0	21	49	70
0	21	39	60
0	18	42	60
0	19	42	61
0	21	39	60
0	25	46	71
0	22	49	71
0	19	37	56
0	20	42	62
0	23	47	70
0	20	40	60
0	20	21	41
0	20	37	57
0	25	46	71
0	25	47	72
0	19	37	56
0	21	44	65
0	22	49	71
0	27	35	62
0	20	40	60
0	21	40	61
0	20	30	50
0	18	42	60
0	25	46	71
0	19	35	54
0	25	46	71
0	20	51	71
0	19	53	72
0	20	33	53
0	21	44	65
0	22	44	66
0	19	37	56
0	22	44	66
0	20	40	60
0	21	46	67
0	20	51	71
0	23	47	70
0	22	39	61
0	24	39	63
0	20	40	60
0	21	54	75
0	20	33	53
0	24	46	70
0	20	40	60

0	19	32	51
0	21	35	56
0	20	42	62
0	20	40	60
0	20	46	66
0	19	53	72
0	20	42	62
0	20	56	76
0	21	40	61
0	22	46	68
0	21	47	68
0	21	44	65
0	20	37	57
0	20	42	62
0	21	40	61
0	20	53	73
0	20	42	62
0	19	53	72
0	22	23	45
0	20	42	62
0	22	49	71
0	23	47	70
0	21	39	60
0	19	53	72
0	27	44	71
0	20	46	66
0	19	32	51
0	20	42	62
0	20	40	60
0	21	51	72
0	20	42	62
0	21	49	70
0	20	51	71
0	21	44	65
0	22	44	66
0	20	46	66
0	19	37	56
0	20	51	71
0	19	39	58
0	21	49	70
0	20	44	64
0	20	51	71
0	22	46	68
0	19	39	58

0	20	44	64
0	20	47	67
0	19	53	72
0	22	49	71
0	20	35	55
0	21	35	56
0	20	39	59
0	20	35	55
0	21	35	56
0	20	35	55
0	20	42	62
0	21	42	63
0	20	35	55
0	21	42	63
0	20	42	62
0	21	40	61
0	21	39	60
0	19	37	56
0	20	39	59
0	21	49	70
0	25	46	71
0	20	42	62
0	22	49	71
0	22	46	68
0	23	47	70
0	18	42	60
0	20	51	71
0	20	40	60
0	21	42	63
0	20	35	55
0	22	49	71
0	20	42	62
0	21	49	70
0	23	47	70
0	22	44	66
0	21	46	67
0	20	51	71
0	21	44	65
0	20	42	62
0	21	42	63
0	22	44	66
0	20	51	71
0	20	33	53
0	21	47	68

0	21	44	65
0	21	49	70
0	20	56	76
0	24	21	45
0	20	42	62
0	21	44	65
0	23	47	70
0	20	40	60
0	22	28	50
0	19	37	56
0	20	42	62
0	20	35	55
0	18	42	60
0	20	44	64
0	19	42	61
0	20	37	57
0	20	42	62
0	21	42	63
0	20	61	81
0	20	35	55
0	19	33	52
0	21	39	60
0	25	46	71
0	23	37	60
0	22	39	61
0	25	47	72
0	23	42	65
0	20	35	55
0	22	39	61
0	23	39	62
0	20	42	62
0	22	44	66
0	21	44	65
0	22	39	61
0	20	46	66
0	19	46	65
0	24	19	43
0	20	53	73
0	24	21	45
0	20	33	53
0	20	32	52
0	22	39	61
0	20	51	71
0	20	56	76

0	20	44	64
0	20	51	71
0	21	40	61
0	20	53	73
0	20	47	67
0	22	39	61
0	20	37	57
0	20	56	76
0	21	39	60
0	20	40	60
0	20	51	71
0	19	53	72
0	22	49	71
0	20	40	60
0	21	42	63
0	20	47	67
0	21	39	60
0			