

UNIVERSITY OF MAIDUGURI
(OFFICE OF THE VICE-CHANCELLOR)

Centre for Distance Learning
Department of Health Education

First Semester End-of-Course Examination Results

course Code: HED 107
course Title: Accident Prevention and Safety Education
course Unit(s): 2

2015/2016 Academic Session

S/No.	ID. No.	C.A.	EXAM	TOTAL	GRADES							Remarks
		Marks	Marks	Marks	A	B	C	D	F	GP	U.GP	
1.	14/11/04/04/693	15	30	45				D		2.0	4.0	PASS
2.	14/11/04/04/824	15	38	53			C			3.0	6.0	PASS
3.	14/11/04/04/897	16	52	68		B				4.0	8.0	PASS
4.	15/11/04/04/002	20	45	65		B				4.0	8.0	PASS
5.	15/11/04/04/009	18	50	68		B				4.0	8.0	PASS
6.	15/11/04/04/013	14	50	64		B				4.0	8.0	PASS
7.	15/11/04/04/014	18	44	62		B				4.0	8.0	PASS
8.	15/11/04/04/018	20	50	70	A					5.0	10.0	PASS
9.	15/11/04/04/020	18	40	58			C			3.0	6.0	PASS
10.	15/11/04/04/023	18	40	58			C			3.0	6.0	PASS
11.	15/11/04/04/026	16	50	66		B				4.0	8.0	PASS
12.	15/11/04/04/027	18	46	64		B				4.0	8.0	PASS
13.	15/11/04/04/029	20	54	74	A					5.0	10.0	PASS
14.	15/11/04/04/030	18	52	70	A					5.0	10.0	PASS
15.	15/11/04/04/034	18	38	56			C			3.0	6.0	PASS
16.	15/11/04/04/036	20	50	70	A					5.0	10.0	PASS
17.	15/11/04/04/038	16	52	68		B				4.0	8.0	PASS
18.	15/11/04/04/039	20	44	64		B				4.0	8.0	PASS
19.	15/11/04/04/040	15	30	45				D		2.0	4.0	PASS
20.	15/11/04/04/043	14	46	60		B				4.0	8.0	PASS
21.	15/11/04/04/044	20	36	56			C			3.0	6.0	PASS
22.	15/11/04/04/045	18	50	68		B				4.0	8.0	PASS
23.	15/11/04/04/046	18	34	52			C			3.0	6.0	PASS
24.	15/11/04/04/048	10	40	50			C			3.0	6.0	PASS
25.	15/11/04/04/049	18	52	70	A					5.0	10.0	PASS
26.	15/11/04/04/050	18	34	52			C			3.0	6.0	PASS
27.	15/11/04/04/053	18	35	53			C			3.0	6.0	PASS
28.	15/11/04/04/054	10	00	10					F	0.0	0.0	FAIL
29.	15/11/04/04/055	16	29	45				D		2.0	4.0	PASS
30.	15/11/04/04/056	14	42	56			C			3.0	6.0	PASS
31.	15/11/04/04/056	14	54	68		B				4.0	8.0	PASS

32.	15/11/04/04/058	18	40	58			C			3.0	6.0	PASS
33.	15/11/04/04/061	18	40	58			C			3.0	6.0	PASS
34.	15/11/04/04/062	16	46	62		B				4.0	8.0	PASS
35.	15/11/04/04/064	18	50	68		B				4.0	8.0	PASS
36.	15/11/04/04/066	18	38	56			C			3.0	6.0	PASS
37.	15/11/04/04/067	16	42	58			C			3.0	6.0	PASS
38.	15/11/04/04/068	18	50	68		B				4.0	8.0	PASS
39.	15/11/04/04/070	18	44	62		B				4.0	8.0	PASS
40.	15/11/04/04/073	18	56	74	A					5.0	10.0	PASS
41.	15/11/04/04/074	18	46	64		B				4.0	8.0	PASS
42.	15/11/04/04/076	18	36	54			C			3.0	6.0	PASS
43.	15/11/04/04/077	16	56	72	A					5.0	10.0	PASS
44.	15/11/04/04/078	16	44	60		B				4.0	8.0	PASS
45.	15/11/04/04/080	16	48	64		B				4.0	8.0	PASS
46.	15/11/04/04/083	12	40	52			C			3.0	6.0	PASS
47.	15/11/04/04/085	20	52	72	A					5.0	10.0	PASS
48.	15/11/04/04/086	16	52	68		B				4.0	8.0	PASS
49.	15/11/04/04/088	16	40	56			C			3.0	6.0	PASS
50.	15/11/04/04/090	20	52	72	A					5.0	10.0	PASS
51.	15/11/04/04/091	18	36	54			C			3.0	6.0	PASS
52.	15/11/04/04/092	20	52	72	A					5.0	10.0	PASS
53.	15/11/04/04/093	16	42	58			C			3.0	6.0	PASS
54.	15/11/04/04/094	18	52	70	A					5.0	10.0	PASS
55.	15/11/04/04/096	02	56	58			C			3.0	6.0	PASS
56.	15/11/04/04/099	18	50	68		B				4.0	8.0	PASS
57.	15/11/04/04/100	18	42	60		B				4.0	8.0	PASS
58.	15/11/04/04/1000	18	56	74	A					5.0	10.0	PASS
59.	15/11/04/04/1001	20	46	66		B				4.0	8.0	PASS
60.	15/11/04/04/1002	18	42	60		B				4.0	8.0	PASS
61.	15/11/04/04/1003	18	50	68		B				4.0	8.0	PASS
62.	15/11/04/04/1004	20	50	70	A					5.0	10.0	PASS
63.	15/11/04/04/1005	16	34	50			C			3.0	6.0	PASS
64.	15/11/04/04/1008	20	52	72	A					5.0	10.0	PASS
65.	15/11/04/04/1009	16	30	46				D		2.0	4.0	PASS
66.	15/11/04/04/1011	20	52	72	A					5.0	10.0	PASS
67.	15/11/04/04/1012	20	50	70	A					5.0	10.0	PASS
68.	15/11/04/04/1015	14	50	64		B				4.0	8.0	PASS
69.	15/11/04/04/1017	20	40	60		B				4.0	8.0	PASS
70.	15/11/04/04/1018	14	38	52			C			3.0	6.0	PASS
71.	15/11/04/04/1019	16	32	48				D		2.0	4.0	PASS
72.	15/11/04/04/1020	14	48	62		B				4.0	8.0	PASS
73.	15/11/04/04/1021	12	50	62		B				4.0	8.0	PASS

74.	15/11/04/04/1023	16	00	16					F	0.0	0.0	FAIL
75.	15/11/04/04/1024	18	38	56			C			3.0	6.0	PASS
76.	15/11/04/04/1025	18	38	56			C			3.0	6.0	PASS
77.	15/11/04/04/1026	18	48	66		B				4.0	8.0	PASS
78.	15/11/04/04/1027	15	30	45				D		2.0	4.0	PASS
79.	15/11/04/04/1028	18	46	64		B				4.0	8.0	PASS
80.	15/11/04/04/1029	16	34	50			C			3.0	6.0	PASS
81.	15/11/04/04/103	18	50	68		B				4.0	8.0	PASS
82.	15/11/04/04/1031	20	46	66		B				4.0	8.0	PASS
83.	15/11/04/04/1032	18	46	64		B				4.0	8.0	PASS
84.	15/11/04/04/1035	18	48	66		B				4.0	8.0	PASS
85.	15/11/04/04/1038	10	42	52			C			3.0	6.0	PASS
86.	15/11/04/04/1039	18	44	62		B				4.0	8.0	PASS
87.	15/11/04/04/104	18	48	66		B				4.0	8.0	PASS
88.	15/11/04/04/1043	14	36	50			C			3.0	6.0	PASS
89.	15/11/04/04/1044	14	48	62		B				4.0	8.0	PASS
90.	15/11/04/04/1045	16	32	48				D		2.0	4.0	PASS
91.	15/11/04/04/1047	10	52	62		B				4.0	8.0	PASS
92.	15/11/04/04/1048	19	26	45				D		2.0	4.0	PASS
93.	15/11/04/04/1049	20	50	70	A					5.0	10.0	PASS
94.	15/11/04/04/1053	14	44	58			C			3.0	6.0	PASS
95.	15/11/04/04/1054	22	52	74	A					5.0	10.0	PASS
96.	15/11/04/04/1056	16	44	60		B				4.0	8.0	PASS
97.	15/11/04/04/1057	20	40	60		B				4.0	8.0	PASS
98.	15/11/04/04/1059	18	42	60		B				4.0	8.0	PASS
99.	15/11/04/04/1059	18	56	74	A					5.0	10.0	PASS
100.	15/11/04/04/1060	14	36	50			C			3.0	6.0	PASS
101.	15/11/04/04/1061	17	28	45				D		2.0	4.0	PASS
102.	15/11/04/04/1062	16	44	60		B				4.0	8.0	PASS
103.	15/11/04/04/1065	10	42	52			C			3.0	6.0	PASS
104.	15/11/04/04/1067	16	50	66		B				4.0	8.0	PASS
105.	15/11/04/04/1068	16	36	52			C			3.0	6.0	PASS
106.	15/11/04/04/1069	16	38	54			C			3.0	6.0	PASS
107.	15/11/04/04/1072	10	50	60		B				4.0	8.0	PASS
108.	15/11/04/04/1074	14	42	56			C			3.0	6.0	PASS
109.	15/11/04/04/1076	14	32	46				D		2.0	4.0	PASS
110.	15/11/04/04/1077	16	48	64		B				4.0	8.0	PASS
111.	15/11/04/04/1078	14	42	56			C			3.0	6.0	PASS
112.	15/11/04/04/1079	16	38	54			C			3.0	6.0	PASS
113.	15/11/04/04/108	14	58	72	A					5.0	10.0	PASS
114.	15/11/04/04/1080	16	34	50			C			3.0	6.0	PASS
115.	15/11/04/04/1084	14	44	58			C			3.0	6.0	PASS

116.	15/11/04/04/1086	14	50	64		B				4.0	8.0	PASS
117.	15/11/04/04/1090	16	50	66		B				4.0	8.0	PASS
118.	15/11/04/04/1091	16	52	68		B				4.0	8.0	PASS
119.	15/11/04/04/1093	14	40	54			C			3.0	6.0	PASS
120.	15/11/04/04/1095	16	29	45				D		2.0	4.0	PASS
121.	15/11/04/04/1098	20	50	70	A					5.0	10.0	PASS
122.	15/11/04/04/1105	20	50	70	A					5.0	10.0	PASS
123.	15/11/04/04/1106	20	38	58			C			3.0	6.0	PASS
124.	15/11/04/04/1107	14	42	56			C			3.0	6.0	PASS
125.	15/11/04/04/1108	16	56	72	A					5.0	10.0	PASS
126.	15/11/04/04/1109	10	42	52			C			3.0	6.0	PASS
127.	15/11/04/04/1111	16	50	66		B				4.0	8.0	PASS
128.	15/11/04/04/1112	16	42	58			C			3.0	6.0	PASS
129.	15/11/04/04/1114	18	46	64		B				4.0	8.0	PASS
130.	15/11/04/04/1115	14	42	56			C			3.0	6.0	PASS
131.	15/11/04/04/1119	14	42	56			C			3.0	6.0	PASS
132.	15/11/04/04/1121	16	46	62		B				4.0	8.0	PASS
133.	15/11/04/04/1122	18	44	62		B				4.0	8.0	PASS
134.	15/11/04/04/1123	20	50	70	A					5.0	10.0	PASS
135.	15/11/04/04/1124	18	56	74	A					5.0	10.0	PASS
136.	15/11/04/04/1125	14	54	68		B				4.0	8.0	PASS
137.	15/11/04/04/1126	16	48	64		B				4.0	8.0	PASS
138.	15/11/04/04/1128	16	52	68		B				4.0	8.0	PASS
139.	15/11/04/04/1129	16	42	58			C			3.0	6.0	PASS
140.	15/11/04/04/1131	17	28	45				D		2.0	4.0	PASS
141.	15/11/04/04/1135	14	38	52			C			3.0	6.0	PASS
142.	15/11/04/04/1136	12	54	66		B				4.0	8.0	PASS
143.	15/11/04/04/1137	18	48	66		B				4.0	8.0	PASS
144.	15/11/04/04/1138	20	42	62		B				4.0	8.0	PASS
145.	15/11/04/04/1139	16	42	58			C			3.0	6.0	PASS
146.	15/11/04/04/114	16	42	58			C			3.0	6.0	PASS
147.	15/11/04/04/1141	16	36	52			C			3.0	6.0	PASS
148.	15/11/04/04/1143	18	46	64		B				4.0	8.0	PASS
149.	15/11/04/04/1144	18	52	70	A					5.0	10.0	PASS
150.	15/11/04/04/1145	14	48	62		B				4.0	8.0	PASS
151.	15/11/04/04/1149	20	52	72	A					5.0	10.0	PASS
152.	15/11/04/04/1151	20	42	62		B				4.0	8.0	PASS
153.	15/11/04/04/1152	18	50	68		B				4.0	8.0	PASS
154.	15/11/04/04/1154	14	44	58			C			3.0	6.0	PASS
155.	15/11/04/04/1156	20	50	70	A					5.0	10.0	PASS
156.	15/11/04/04/1158	20	56	76	A					5.0	10.0	PASS
157.	15/11/04/04/1159	18	48	66		B				4.0	8.0	PASS

158.	15/11/04/04/1160	18	46	64		B				4.0	8.0	PASS
159.	15/11/04/04/1163	14	46	60		B				4.0	8.0	PASS
160.	15/11/04/04/118	18	38	56			C			3.0	6.0	PASS
161.	15/11/04/04/119	20	50	70	A					5.0	10.0	PASS
162.	15/11/04/04/123	16	48	64		B				4.0	8.0	PASS
163.	15/11/04/04/125	18	52	70	A					5.0	10.0	PASS
164.	15/11/04/04/132	16	46	62		B				4.0	8.0	PASS
165.	15/11/04/04/133	14	44	58			C			3.0	6.0	PASS
166.	15/11/04/04/134	14	40	54			C			3.0	6.0	PASS
167.	15/11/04/04/1388	18	50	68		B				4.0	8.0	PASS
168.	15/11/04/04/1390	14	52	66		B				4.0	8.0	PASS
169.	15/11/04/04/1392	12	33	45				D		2.0	4.0	PASS
170.	15/11/04/04/1393	20	52	72	A					5.0	10.0	PASS
171.	15/11/04/04/1394	18	48	66		B				4.0	8.0	PASS
172.	15/11/04/04/1397	18	58	76	A					5.0	10.0	PASS
173.	15/11/04/04/140	14	48	62		B				4.0	8.0	PASS
174.	15/11/04/04/1402	18	44	62		B				4.0	8.0	PASS
175.	15/11/04/04/1403	14	34	48				D		2.0	4.0	PASS
176.	15/11/04/04/1405	16	44	60		B				4.0	8.0	PASS
177.	15/11/04/04/1407	16	44	60		B				4.0	8.0	PASS
178.	15/11/04/04/1408	12	48	60		B				4.0	8.0	PASS
179.	15/11/04/04/1409	18	38	56			C			3.0	6.0	PASS
180.	15/11/04/04/1412	10	42	52			C			3.0	6.0	PASS
181.	15/11/04/04/1413	14	54	68		B				4.0	8.0	PASS
182.	15/11/04/04/1414	14	56	70	A					5.0	10.0	PASS
183.	15/11/04/04/1416	22	50	72	A					5.0	10.0	PASS
184.	15/11/04/04/1419	14	50	64		B				4.0	8.0	PASS
185.	15/11/04/04/1420	18	42	60		B				4.0	8.0	PASS
186.	15/11/04/04/1421	14	40	54			C			3.0	6.0	PASS
187.	15/11/04/04/1424	16	36	52			C			3.0	6.0	PASS
188.	15/11/04/04/1426	14	32	46				D		2.0	4.0	PASS
189.	15/11/04/04/143	16	34	50			C			3.0	6.0	PASS
190.	15/11/04/04/1436	19	26	45				D		2.0	4.0	PASS
191.	15/11/04/04/1437	20	25	45				D		2.0	4.0	PASS
192.	15/11/04/04/1439	16	34	50			C			3.0	6.0	PASS
193.	15/11/04/04/1440	15	30	45				D		2.0	4.0	PASS
194.	15/11/04/04/1442	16	38	54			C			3.0	6.0	PASS
195.	15/11/04/04/1443	16	29	45				D		2.0	4.0	PASS
196.	15/11/04/04/14447	14	40	54			C			3.0	6.0	PASS
197.	15/11/04/04/1448	16	38	54			C			3.0	6.0	PASS
198.	15/11/04/04/1450	18	30	48				D		2.0	4.0	PASS
199.	15/11/04/04/1451	16	48	64		B				4.0	8.0	PASS

200.	15/11/04/04/1454	20	54	74	A					5.0	10.0	PASS
201.	15/11/04/04/1457	14	34	48				D		2.0	4.0	PASS
202.	15/11/04/04/146	18	40	58			C			3.0	6.0	PASS
203.	15/11/04/04/1460	15	30	45				D		2.0	4.0	PASS
204.	15/11/04/04/1461	16	36	52			C			3.0	6.0	PASS
205.	15/11/04/04/1464	16	34	50			C			3.0	6.0	PASS
206.	15/11/04/04/1465	18	40	58			C			3.0	6.0	PASS
207.	15/11/04/04/1466	18	42	60		B				4.0	8.0	PASS
208.	15/11/04/04/1471	16	46	62		B				4.0	8.0	PASS
209.	15/11/04/04/1472	18	38	56			C			3.0	6.0	PASS
210.	15/11/04/04/1473	14	38	52			C			3.0	6.0	PASS
211.	15/11/04/04/1475	14	40	54			C			3.0	6.0	PASS
212.	15/11/04/04/1477	16	40	56			C			3.0	6.0	PASS
213.	15/11/04/04/1485	22	32	54			C			3.0	6.0	PASS
214.	15/11/04/04/1486	16	48	64		B				4.0	8.0	PASS
215.	15/11/04/04/1487	20	36	56			C			3.0	6.0	PASS
216.	15/11/04/04/1489	16	36	52			C			3.0	6.0	PASS
217.	15/11/04/04/1490	18	36	54			C			3.0	6.0	PASS
218.	15/11/04/04/1491	18	28	46				D		2.0	4.0	PASS
219.	15/11/04/04/1495	20	42	62		B				4.0	8.0	PASS
220.	15/11/04/04/1502	18	46	64		B				4.0	8.0	PASS
221.	15/11/04/04/1504	20	38	58			C			3.0	6.0	PASS
222.	15/11/04/04/1509	18	34	52			C			3.0	6.0	PASS
223.	15/11/04/04/1510	16	52	68		B				4.0	8.0	PASS
224.	15/11/04/04/1511	10	00	10					F	0.0	0.0	FAIL
225.	15/11/04/04/1512	10	50	60		B				4.0	8.0	PASS
226.	15/11/04/04/1514	14	54	68		B				4.0	8.0	PASS
227.	15/11/04/04/1515	20	00	20					F	0.0	0.0	FAIL
228.	15/11/04/04/1516	14	40	54			C			3.0	6.0	PASS
229.	15/11/04/04/1518	14	42	56			C			3.0	6.0	PASS
230.	15/11/04/04/1520	18	48	66		B				4.0	8.0	PASS
231.	15/11/04/04/1522	18	00	18					F	0.0	0.0	FAIL
232.	15/11/04/04/1526	20	50	70	A					5.0	10.0	PASS
233.	15/11/04/04/1528	20	56	76	A					5.0	10.0	PASS
234.	15/11/04/04/1529	16	32	48				D		2.0	4.0	PASS
235.	15/11/04/04/154	20	54	74	A					5.0	10.0	PASS
236.	15/11/04/04/159	20	50	70	A					5.0	10.0	PASS
237.	15/11/04/04/160	20	46	66		B				4.0	8.0	PASS
238.	15/11/04/04/162	14	00	14					F	0.0	0.0	FAIL
239.	15/11/04/04/163	16	00	16					F	0.0	0.0	FAIL
240.	15/11/04/04/165	16	54	70	A					5.0	10.0	PASS
241.	15/11/04/04/166	18	36	54			C			3.0	6.0	PASS

242.	15/11/04/04/167	18	00	18					F	0.0	0.0	FAIL
243.	15/11/04/04/168	16	34	50			C			3.0	6.0	PASS
244.	15/11/04/04/171	14	18	32					F	0.0	0.0	FAIL
245.	15/11/04/04/175	16	40	56			C			3.0	6.0	PASS
246.	15/11/04/04/176	20	40	60		B				4.0	8.0	PASS
247.	15/11/04/04/179	18	52	70	A					5.0	10.0	PASS
248.	15/11/04/04/180	16	36	52			C			3.0	6.0	PASS
249.	15/11/04/04/182	19	26	45				D		2.0	4.0	PASS
250.	15/11/04/04/183	12	46	58			C			3.0	6.0	PASS
251.	15/11/04/04/189	18	40	58			C			3.0	6.0	PASS
252.	15/11/04/04/197	16	62	78	A					5.0	10.0	PASS
253.	15/11/04/04/207	12	46	58			C			3.0	6.0	PASS
254.	15/11/04/04/208	18	50	68		B				4.0	8.0	PASS
255.	15/11/04/04/211	18	28	46				D		2.0	4.0	PASS
256.	15/11/04/04/213	16	42	58			C			3.0	6.0	PASS
257.	15/11/04/04/217	16	42	58			C			3.0	6.0	PASS
258.	15/11/04/04/218	18	50	68		B				4.0	8.0	PASS
259.	15/11/04/04/226	20	46	66		B				4.0	8.0	PASS
260.	15/11/04/04/227	16	00	16					F	0.0	0.0	FAIL
261.	15/11/04/04/228	18	44	62		B				4.0	8.0	PASS
262.	15/11/04/04/229	16	38	54			C			3.0	6.0	PASS
263.	15/11/04/04/230	16	48	64		B				4.0	8.0	PASS
264.	15/11/04/04/235	14	40	54			C			3.0	6.0	PASS
265.	15/11/04/04/237	16	48	64		B				4.0	8.0	PASS
266.	15/11/04/04/239	18	30	48				D		2.0	4.0	PASS
267.	15/11/04/04/240	18	42	60		B				4.0	8.0	PASS
268.	15/11/04/04/241	16	46	62		B				4.0	8.0	PASS
269.	15/11/04/04/242	18	50	68		B				4.0	8.0	PASS
270.	15/11/04/04/245	20	38	58			C			3.0	6.0	PASS
271.	15/11/04/04/248	14	56	70	A					5.0	10.0	PASS
272.	15/11/04/04/249	12	44	56			C			3.0	6.0	PASS
273.	15/11/04/04/250	18	48	66		B				4.0	8.0	PASS
274.	15/11/04/04/251	14	44	58			C			3.0	6.0	PASS
275.	15/11/04/04/253	20	50	70	A					5.0	10.0	PASS
276.	15/11/04/04/254	16	44	60		B				4.0	8.0	PASS
277.	15/11/04/04/256	20	54	74	A					5.0	10.0	PASS
278.	15/11/04/04/259	10	48	58			C			3.0	6.0	PASS
279.	15/11/04/04/260	16	48	64		B				4.0	8.0	PASS
280.	15/11/04/04/263	20	40	60		B				4.0	8.0	PASS
281.	15/11/04/04/265	16	40	56			C			3.0	6.0	PASS
282.	15/11/04/04/269	16	42	58			C			3.0	6.0	PASS
283.	15/11/04/04/270	10	52	62		B				4.0	8.0	PASS

284.	15/11/04/04/278	14	48	62		B			4.0	8.0	PASS
285.	15/11/04/04/282	10	40	50			C		3.0	6.0	PASS
286.	15/11/04/04/284	16	46	62		B			4.0	8.0	PASS
287.	15/11/04/04/285	10	39	49				D	2.0	4.0	PASS
288.	15/11/04/04/287	12	48	60		B			4.0	8.0	PASS
289.	15/11/04/04/291	18	44	62		B			4.0	8.0	PASS
290.	15/11/04/04/293	18	36	54			C		3.0	6.0	PASS
291.	15/11/04/04/294	16	48	64		B			4.0	8.0	PASS
292.	15/11/04/04/300	16	46	62		B			4.0	8.0	PASS
293.	15/11/04/04/305	18	56	74	A				5.0	10.0	PASS
294.	15/11/04/04/308	10	35	45				D	2.0	4.0	PASS
295.	15/11/04/04/309	10	52	62		B			4.0	8.0	PASS
296.	15/11/04/04/313	16	38	54			C		3.0	6.0	PASS
297.	15/11/04/04/315	16	42	58			C		3.0	6.0	PASS
298.	15/11/04/04/324	20	42	62		B			4.0	8.0	PASS
299.	15/11/04/04/326	12	44	56			C		3.0	6.0	PASS
300.	15/11/04/04/327	10	48	58			C		3.0	6.0	PASS
301.	15/11/04/04/328	12	42	54			C		3.0	6.0	PASS
302.	15/11/04/04/331	20	48	68		B			4.0	8.0	PASS
303.	15/11/04/04/334	20	36	56			C		3.0	6.0	PASS
304.	15/11/04/04/335	14	36	50			C		3.0	6.0	PASS
305.	15/11/04/04/336	20	50	70	A				5.0	10.0	PASS
306.	15/11/04/04/338	18	40	58			C		3.0	6.0	PASS
307.	15/11/04/04/340	10	44	54			C		3.0	6.0	PASS
308.	15/11/04/04/342	18	48	66		B			4.0	8.0	PASS
309.	15/11/04/04/343	18	42	60		B			4.0	8.0	PASS
310.	15/11/04/04/344	20	00	20				F	0.0	0.0	FAIL
311.	15/11/04/04/345	20	56	76	A				5.0	10.0	PASS
312.	15/11/04/04/346	25	45	70	A				5.0	10.0	PASS
313.	15/11/04/04/348	10	50	60		B			4.0	8.0	PASS
314.	15/11/04/04/349	10	52	62		B			4.0	8.0	PASS
315.	15/11/04/04/352	20	50	70	A				5.0	10.0	PASS
316.	15/11/04/04/354	20	30	50			C		3.0	6.0	PASS
317.	15/11/04/04/356	16	36	52			C		3.0	6.0	PASS
318.	15/11/04/04/358	20	48	68		B			4.0	8.0	PASS
319.	15/11/04/04/359	16	38	54			C		3.0	6.0	PASS
320.	15/11/04/04/364	16	34	50			C		3.0	6.0	PASS
321.	15/11/04/04/370	16	36	52			C		3.0	6.0	PASS
322.	15/11/04/04/371	20	52	72	A				5.0	10.0	PASS
323.	15/11/04/04/373	16	34	50			C		3.0	6.0	PASS
324.	15/11/04/04/376	10	54	64		B			4.0	8.0	PASS
325.	15/11/04/04/379	18	44	62		B			4.0	8.0	PASS

326.	15/11/04/04/382	14	52	66		B			4.0	8.0	PASS
327.	15/11/04/04/383	12	46	58			C		3.0	6.0	PASS
328.	15/11/04/04/385	16	54	70	A				5.0	10.0	PASS
329.	15/11/04/04/386	18	44	62		B			4.0	8.0	PASS
330.	15/11/04/04/388	12	44	56			C		3.0	6.0	PASS
331.	15/11/04/04/389	10	40	50			C		3.0	6.0	PASS
332.	15/11/04/04/391	10	50	60		B			4.0	8.0	PASS
333.	15/11/04/04/392	16	50	66		B			4.0	8.0	PASS
334.	15/11/04/04/393	20	40	60		B			4.0	8.0	PASS
335.	15/11/04/04/396	18	44	62		B			4.0	8.0	PASS
336.	15/11/04/04/402	15	30	45				D	2.0	4.0	PASS
337.	15/11/04/04/403	18	50	68		B			4.0	8.0	PASS
338.	15/11/04/04/404	16	50	66		B			4.0	8.0	PASS
339.	15/11/04/04/405	18	50	68		B			4.0	8.0	PASS
340.	15/11/04/04/407	12	50	62		B			4.0	8.0	PASS
341.	15/11/04/04/410	18	50	68		B			4.0	8.0	PASS
342.	15/11/04/04/414	16	52	68		B			4.0	8.0	PASS
343.	15/11/04/04/416	14	46	60		B			4.0	8.0	PASS
344.	15/11/04/04/419	18	56	74	A				5.0	10.0	PASS
345.	15/11/04/04/425	16	38	54			C		3.0	6.0	PASS
346.	15/11/04/04/427	16	34	50			C		3.0	6.0	PASS
347.	15/11/04/04/428	20	58	78	A				5.0	10.0	PASS
348.	15/11/04/04/430	16	44	60		B			4.0	8.0	PASS
349.	15/11/04/04/433	18	44	62		B			4.0	8.0	PASS
350.	15/11/04/04/435	16	44	60		B			4.0	8.0	PASS
351.	15/11/04/04/438	18	46	64		B			4.0	8.0	PASS
352.	15/11/04/04/440	20	36	56			C		3.0	6.0	PASS
353.	15/11/04/04/444	14	42	56			C		3.0	6.0	PASS
354.	15/11/04/04/445	10	42	52			C		3.0	6.0	PASS
355.	15/11/04/04/446	16	42	58			C		3.0	6.0	PASS
356.	15/11/04/04/447	18	44	62		B			4.0	8.0	PASS
357.	15/11/04/04/453	19	26	45				D	2.0	4.0	PASS
358.	15/11/04/04/455	17	28	45				D	2.0	4.0	PASS
359.	15/11/04/04/457	14	36	50			C		3.0	6.0	PASS
360.	15/11/04/04/458	20	26	46				D	2.0	4.0	PASS
361.	15/11/04/04/459	16	52	68		B			4.0	8.0	PASS
362.	15/11/04/04/460	18	35	53			C		3.0	6.0	PASS
363.	15/11/04/04/461	10	45	55			C		3.0	6.0	PASS
364.	15/11/04/04/462	16	29	45				D	2.0	4.0	PASS
365.	15/11/04/04/463	16	46	62		B			4.0	8.0	PASS
366.	15/11/04/04/465	12	40	52			C		3.0	6.0	PASS
367.	15/11/04/04/467	18	44	62		B			4.0	8.0	PASS

368.	15/11/04/04/468	18	56	74	A				5.0	10.0	PASS
369.	15/11/04/04/475	16	48	64		B			4.0	8.0	PASS
370.	15/11/04/04/479	16	50	66		B			4.0	8.0	PASS
371.	15/11/04/04/480	20	44	64		B			4.0	8.0	PASS
372.	15/11/04/04/482	20	48	68		B			4.0	8.0	PASS
373.	15/11/04/04/483	18	46	64		B			4.0	8.0	PASS
374.	15/11/04/04/485	16	42	58			C		3.0	6.0	PASS
375.	15/11/04/04/486	14	40	54			C		3.0	6.0	PASS
376.	15/11/04/04/487	18	46	64		B			4.0	8.0	PASS
377.	15/11/04/04/488	19	26	45				D	2.0	4.0	PASS
378.	15/11/04/04/490	16	32	48				D	2.0	4.0	PASS
379.	15/11/04/04/492	20	26	46				D	2.0	4.0	PASS
380.	15/11/04/04/493	14	48	62		B			4.0	8.0	PASS
381.	15/11/04/04/496	20	38	58			C		3.0	6.0	PASS
382.	15/11/04/04/498	18	48	66		B			4.0	8.0	PASS
383.	15/11/04/04/499	16	42	58			C		3.0	6.0	PASS
384.	15/11/04/04/502	18	54	72	A				5.0	10.0	PASS
385.	15/11/04/04/504	20	50	70	A				5.0	10.0	PASS
386.	15/11/04/04/505	16	50	66		B			4.0	8.0	PASS
387.	15/11/04/04/506	16	40	56			C		3.0	6.0	PASS
388.	15/11/04/04/507	18	40	58			C		3.0	6.0	PASS
389.	15/11/04/04/510	18	40	58			C		3.0	6.0	PASS
390.	15/11/04/04/512	18	50	68		B			4.0	8.0	PASS
391.	15/11/04/04/513	18	44	62		B			4.0	8.0	PASS
392.	15/11/04/04/514	22	46	68		B			4.0	8.0	PASS
393.	15/11/04/04/515	12	46	58			C		3.0	6.0	PASS
394.	15/11/04/04/518	10	42	52			C		3.0	6.0	PASS
395.	15/11/04/04/520	20	40	60		B			4.0	8.0	PASS
396.	15/11/04/04/529	20	54	74	A				5.0	10.0	PASS
397.	15/11/04/04/531	16	36	52			C		3.0	6.0	PASS
398.	15/11/04/04/532	16	48	64		B			4.0	8.0	PASS
399.	15/11/04/04/533	14	50	64		B			4.0	8.0	PASS
400.	15/11/04/04/535	16	56	72	A				5.0	10.0	PASS
401.	15/11/04/04/538	20	46	66		B			4.0	8.0	PASS
402.	15/11/04/04/539	10	50	60		B			4.0	8.0	PASS
403.	15/11/04/04/540	18	44	62		B			4.0	8.0	PASS
404.	15/11/04/04/541	18	40	58			C		3.0	6.0	PASS
405.	15/11/04/04/543	10	52	62		B			4.0	8.0	PASS
406.	15/11/04/04/547	20	50	70	A				5.0	10.0	PASS
407.	15/11/04/04/549	18	48	66		B			4.0	8.0	PASS
408.	15/11/04/04/550	14	36	50			C		3.0	6.0	PASS
409.	15/11/04/04/552	16	42	58			C		3.0	6.0	PASS

410.	15/11/04/04/553	16	36	52			C			3.0	6.0	PASS
411.	15/11/04/04/554	16	36	52			C			3.0	6.0	PASS
412.	15/11/04/04/555	14	36	50			C			3.0	6.0	PASS
413.	15/11/04/04/556	10	44	54			C			3.0	6.0	PASS
414.	15/11/04/04/558	18	56	74	A					5.0	10.0	PASS
415.	15/11/04/04/559	20	58	78	A					5.0	10.0	PASS
416.	15/11/04/04/560	10	36	46				D		2.0	4.0	PASS
417.	15/11/04/04/561	18	40	58			C			3.0	6.0	PASS
418.	15/11/04/04/562	14	48	62		B				4.0	8.0	PASS
419.	15/11/04/04/567	18	38	56			C			3.0	6.0	PASS
420.	15/11/04/04/569	18	50	68		B				4.0	8.0	PASS
421.	15/11/04/04/571	16	44	60		B				4.0	8.0	PASS
422.	15/11/04/04/572	14	50	64		B				4.0	8.0	PASS
423.	15/11/04/04/573	18	46	64		B				4.0	8.0	PASS
424.	15/11/04/04/575	20	52	72	A					5.0	10.0	PASS
425.	15/11/04/04/578	18	42	60		B				4.0	8.0	PASS
426.	15/11/04/04/580	16	46	62		B				4.0	8.0	PASS
427.	15/11/04/04/583	12	48	60		B				4.0	8.0	PASS
428.	15/11/04/04/587	16	34	50			C			3.0	6.0	PASS
429.	15/11/04/04/588	16	36	52			C			3.0	6.0	PASS
430.	15/11/04/04/589	16	46	62		B				4.0	8.0	PASS
431.	15/11/04/04/595	16	32	48				D		2.0	4.0	PASS
432.	15/11/04/04/596	15	30	45				D		2.0	4.0	PASS
433.	15/11/04/04/600	14	42	56			C			3.0	6.0	PASS
434.	15/11/04/04/601	10	42	52			C			3.0	6.0	PASS
435.	15/11/04/04/602	16	54	70	A					5.0	10.0	PASS
436.	15/11/04/04/604	14	38	52			C			3.0	6.0	PASS
437.	15/11/04/04/611	24	56	80	A					5.0	10.0	PASS
438.	15/11/04/04/616	18	50	68		B				4.0	8.0	PASS
439.	15/11/04/04/618	20	52	72	A					5.0	10.0	PASS
440.	15/11/04/04/620	10	38	48				D		2.0	4.0	PASS
441.	15/11/04/04/621	16	50	66		B				4.0	8.0	PASS
442.	15/11/04/04/625	14	44	58			C			3.0	6.0	PASS
443.	15/11/04/04/626	18	56	74	A					5.0	10.0	PASS
444.	15/11/04/04/631	18	52	70	A					5.0	10.0	PASS
445.	15/11/04/04/635	16	50	66		B				4.0	8.0	PASS
446.	15/11/04/04/637	16	29	45				D		2.0	4.0	PASS
447.	15/11/04/04/639	18	32	50			C			3.0	6.0	PASS
448.	15/11/04/04/642	20	42	62		B				4.0	8.0	PASS
449.	15/11/04/04/643	18	48	66		B				4.0	8.0	PASS
450.	15/11/04/04/645	16	44	60		B				4.0	8.0	PASS
451.	15/11/04/04/646	14	52	66		B				4.0	8.0	PASS

452.	15/11/04/04/647	18	40	58			C			3.0	6.0	PASS
453.	15/11/04/04/649	12	40	52			C			3.0	6.0	PASS
454.	15/11/04/04/652	14	34	48				D		2.0	4.0	PASS
455.	15/11/04/04/654	18	54	72	A					5.0	10.0	PASS
456.	15/11/04/04/655	10	36	46				D		2.0	4.0	PASS
457.	15/11/04/04/656	16	34	50			C			3.0	6.0	PASS
458.	15/11/04/04/657	14	32	46				D		2.0	4.0	PASS
459.	15/11/04/04/658	18	52	70	A					5.0	10.0	PASS
460.	15/11/04/04/659	14	54	68		B				4.0	8.0	PASS
461.	15/11/04/04/662	16	52	68		B				4.0	8.0	PASS
462.	15/11/04/04/663	16	00	16					F	0.0	0.0	FAIL
463.	15/11/04/04/666	10	38	48				D		2.0	4.0	PASS
464.	15/11/04/04/669	19	26	45				D		2.0	4.0	PASS
465.	15/11/04/04/672	20	54	74	A					5.0	10.0	PASS
466.	15/11/04/04/674	18	46	64		B				4.0	8.0	PASS
467.	15/11/04/04/675	15	30	45				D		2.0	4.0	PASS
468.	15/11/04/04/676	18	34	52			C			3.0	6.0	PASS
469.	15/11/04/04/680	10	44	54			C			3.0	6.0	PASS
470.	15/11/04/04/681	16	34	50			C			3.0	6.0	PASS
471.	15/11/04/04/685	18	46	64		B				4.0	8.0	PASS
472.	15/11/04/04/686	10	44	54			C			3.0	6.0	PASS
473.	15/11/04/04/687	18	54	72	A					5.0	10.0	PASS
474.	15/11/04/04/688	14	44	58			C			3.0	6.0	PASS
475.	15/11/04/04/690	16	40	56			C			3.0	6.0	PASS
476.	15/11/04/04/692	22	54	76	A					5.0	10.0	PASS
477.	15/11/04/04/693	14	36	50			C			3.0	6.0	PASS
478.	15/11/04/04/694	14	40	54			C			3.0	6.0	PASS
479.	15/11/04/04/695	20	44	64		B				4.0	8.0	PASS
480.	15/11/04/04/696	10	54	64		B				4.0	8.0	PASS
481.	15/11/04/04/700	18	40	58			C			3.0	6.0	PASS
482.	15/11/04/04/701	10	48	58			C			3.0	6.0	PASS
483.	15/11/04/04/704	10	42	52			C			3.0	6.0	PASS
484.	15/11/04/04/706	15	16	31					F	0.0	0.0	FAIL
485.	15/11/04/04/709	15	12	27					F	0.0	0.0	FAIL
486.	15/11/04/04/710	10	38	48				D		2.0	4.0	PASS
487.	15/11/04/04/711	18	40	58			C			3.0	6.0	PASS
488.	15/11/04/04/714	20	48	68		B				4.0	8.0	PASS
489.	15/11/04/04/719	18	46	64		B				4.0	8.0	PASS
490.	15/11/04/04/721	10	44	54			C			3.0	6.0	PASS
491.	15/11/04/04/722	16	40	56			C			3.0	6.0	PASS
492.	15/11/04/04/723	14	42	56			C			3.0	6.0	PASS
493.	15/11/04/04/724	20	42	62		B				4.0	8.0	PASS

494.	15/11/04/04/729	10	42	52			C			3.0	6.0	PASS
495.	15/11/04/04/731	18	48	66		B				4.0	8.0	PASS
496.	15/11/04/04/733	16	00	16					F	0.0	0.0	FAIL
497.	15/11/04/04/734	24	44	68		B				4.0	8.0	PASS
498.	15/11/04/04/737	19	26	45				D		2.0	4.0	PASS
499.	15/11/04/04/738	22	38	60		B				4.0	8.0	PASS
500.	15/11/04/04/739	22	40	62		B				4.0	8.0	PASS
501.	15/11/04/04/742	23	37	60		B				4.0	8.0	PASS
502.	15/11/04/04/743	24	41	65		B				4.0	8.0	PASS
503.	15/11/04/04/746	24	43	67		B				4.0	8.0	PASS
504.	15/11/04/04/747	22	45	67		B				4.0	8.0	PASS
505.	15/11/04/04/749	15	32	47				D		2.0	4.0	PASS
506.	15/11/04/04/751	15	37	52			C			3.0	6.0	PASS
507.	15/11/04/04/752	22	00	22					F	0.0	0.0	FAIL
508.	15/11/04/04/754	22	37	59			C			3.0	6.0	PASS
509.	15/11/04/04/756	20	36	56			C			3.0	6.0	PASS
510.	15/11/04/04/758	26	44	70	A					5.0	10.0	PASS
511.	15/11/04/04/761	22	42	64		B				4.0	8.0	PASS
512.	15/11/04/04/762	15	38	53			C			3.0	6.0	PASS
513.	15/11/04/04/764	21	45	66		B				4.0	8.0	PASS
514.	15/11/04/04/765	25	35	60		B				4.0	8.0	PASS
515.	15/11/04/04/766	26	43	69		B				4.0	8.0	PASS
516.	15/11/04/04/768	24	29	53			C			3.0	6.0	PASS
517.	15/11/04/04/769	26	41	67		B				4.0	8.0	PASS
518.	15/11/04/04/770	21	39	60		B				4.0	8.0	PASS
519.	15/11/04/04/771	26	42	68		B				4.0	8.0	PASS
520.	15/11/04/04/772	18	27	45				D		2.0	4.0	PASS
521.	15/11/04/04/773	25	48	73	A					5.0	10.0	PASS
522.	15/11/04/04/775	20	46	66		B				4.0	8.0	PASS
523.	15/11/04/04/776	18	44	62		B				4.0	8.0	PASS
524.	15/11/04/04/778	18	27	45				D		2.0	4.0	PASS
525.	15/11/04/04/781	20	38	58			C			3.0	6.0	PASS
526.	15/11/04/04/783	21	45	66		B				4.0	8.0	PASS
527.	15/11/04/04/786	22	38	60		B				4.0	8.0	PASS
528.	15/11/04/04/788	17	28	45				D		2.0	4.0	PASS
529.	15/11/04/04/793	26	42	68		B				4.0	8.0	PASS
530.	15/11/04/04/797	25	45	70	A					5.0	10.0	PASS
531.	15/11/04/04/804	25	29	54			C			3.0	6.0	PASS
532.	15/11/04/04/807	22	38	60		B				4.0	8.0	PASS
533.	15/11/04/04/809	26	36	62		B				4.0	8.0	PASS
534.	15/11/04/04/813	24	36	60		B				4.0	8.0	PASS
535.	15/11/04/04/815	24	44	68		B				4.0	8.0	PASS

536.	15/11/04/04/818	24	38	62		B				4.0	8.0	PASS
537.	15/11/04/04/823	22	46	68		B				4.0	8.0	PASS
538.	15/11/04/04/824	26	31	57			C			3.0	6.0	PASS
539.	15/11/04/04/827	24	34	58			C			3.0	6.0	PASS
540.	15/11/04/04/828	24	41	65		B				4.0	8.0	PASS
541.	15/11/04/04/829	24	45	69		B				4.0	8.0	PASS
542.	15/11/04/04/830	15	37	52			C			3.0	6.0	PASS
543.	15/11/04/04/833	16	37	53			C			3.0	6.0	PASS
544.	15/11/04/04/835	18	39	57			C			3.0	6.0	PASS
545.	15/11/04/04/837	25	20	45				D		2.0	4.0	PASS
546.	15/11/04/04/838	20	27	47				D		2.0	4.0	PASS
547.	15/11/04/04/838	23	22	45				D		2.0	4.0	PASS
548.	15/11/04/04/839	22	36	58			C			3.0	6.0	PASS
549.	15/11/04/04/841	24	39	63		B				4.0	8.0	PASS
550.	15/11/04/04/842	22	45	67		B				4.0	8.0	PASS
551.	15/11/04/04/843	20	43	63		B				4.0	8.0	PASS
552.	15/11/04/04/845	24	00	24					F	0.0	0.0	FAIL
553.	15/11/04/04/849	26	43	69		B				4.0	8.0	PASS
554.	15/11/04/04/850	22	28	50			C			3.0	6.0	PASS
555.	15/11/04/04/852	18	42	60		B				4.0	8.0	PASS
556.	15/11/04/04/854	19	26	45				D		2.0	4.0	PASS
557.	15/11/04/04/856	22	41	63		B				4.0	8.0	PASS
558.	15/11/04/04/857	24	29	53			C			3.0	6.0	PASS
559.	15/11/04/04/859	22	36	58			C			3.0	6.0	PASS
560.	15/11/04/04/860	20	31	51			C			3.0	6.0	PASS
561.	15/11/04/04/862	20	35	55			C			3.0	6.0	PASS
562.	15/11/04/04/863	22	38	60		B				4.0	8.0	PASS
563.	15/11/04/04/864	22	37	59			C			3.0	6.0	PASS
564.	15/11/04/04/865	24	38	62		B				4.0	8.0	PASS
565.	15/11/04/04/871	15	38	53			C			3.0	6.0	PASS
566.	15/11/04/04/879	22	36	58			C			3.0	6.0	PASS
567.	15/11/04/04/880	24	46	70	A					5.0	10.0	PASS
568.	15/11/04/04/882	18	40	58			C			3.0	6.0	PASS
569.	15/11/04/04/890	24	33	57			C			3.0	6.0	PASS
570.	15/11/04/04/891	20	41	61		B				4.0	8.0	PASS
571.	15/11/04/04/893	24	45	69		B				4.0	8.0	PASS
572.	15/11/04/04/894	22	46	68		B				4.0	8.0	PASS
573.	15/11/04/04/895	26	37	63		B				4.0	8.0	PASS
574.	15/11/04/04/896	16	44	60		B				4.0	8.0	PASS
575.	15/11/04/04/897	18	27	45				D		2.0	4.0	PASS
576.	15/11/04/04/898	24	26	50			C			3.0	6.0	PASS
577.	15/11/04/04/899	20	39	59			C			3.0	6.0	PASS

578.	15/11/04/04/903	26	34	60		B				4.0	8.0	PASS
579.	15/11/04/04/904	26	45	71	A					5.0	10.0	PASS
580.	15/11/04/04/905	16	37	53			C			3.0	6.0	PASS
581.	15/11/04/04/906	16	45	61		B				4.0	8.0	PASS
582.	15/11/04/04/907	24	28	52			C			3.0	6.0	PASS
583.	15/11/04/04/910	16	00	16					F	0.0	0.0	FAIL
584.	15/11/04/04/911	27	37	64		B				4.0	8.0	PASS
585.	15/11/04/04/912	14	32	46				D		2.0	4.0	PASS
586.	15/11/04/04/914	14	45	59			C			3.0	6.0	PASS
587.	15/11/04/04/916	26	44	70	A					5.0	10.0	PASS
588.	15/11/04/04/920	26	42	68		B				4.0	8.0	PASS
589.	15/11/04/04/922	17	28	45				D		2.0	4.0	PASS
590.	15/11/04/04/923	22	35	57			C			3.0	6.0	PASS
591.	15/11/04/04/924	24	43	67		B				4.0	8.0	PASS
592.	15/11/04/04/925	24	46	70	A					5.0	10.0	PASS
593.	15/11/04/04/926	22	44	66		B				4.0	8.0	PASS
594.	15/11/04/04/928	26	00	26					F	0.0	0.0	FAIL
595.	15/11/04/04/934	16	29	45				D		2.0	4.0	PASS
596.	15/11/04/04/935	26	40	66		B				4.0	8.0	PASS
597.	15/11/04/04/936	22	43	65		B				4.0	8.0	PASS
598.	15/11/04/04/937	16	40	56			C			3.0	6.0	PASS
599.	15/11/04/04/939	18	31	49				D		2.0	4.0	PASS
600.	15/11/04/04/940	18	36	54			C			3.0	6.0	PASS
601.	15/11/04/04/941	22	44	66		B				4.0	8.0	PASS
602.	15/11/04/04/942	22	40	62		B				4.0	8.0	PASS
603.	15/11/04/04/944	20	43	63		B				4.0	8.0	PASS
604.	15/11/04/04/945	24	47	71	A					5.0	10.0	PASS
605.	15/11/04/04/946	24	42	66		B				4.0	8.0	PASS
606.	15/11/04/04/947	24	32	56			C			3.0	6.0	PASS
607.	15/11/04/04/950	18	27	45				D		2.0	4.0	PASS
608.	15/11/04/04/951	16	29	45				D		2.0	4.0	PASS
609.	15/11/04/04/952	18	29	47				D		2.0	4.0	PASS
610.	15/11/04/04/953	20	41	61		B				4.0	8.0	PASS
611.	15/11/04/04/954	18	35	53			C			3.0	6.0	PASS
612.	15/11/04/04/955	22	27	49				D		2.0	4.0	PASS
613.	15/11/04/04/961	25	38	63		B				4.0	8.0	PASS
614.	15/11/04/04/963	22	29	51			C			3.0	6.0	PASS
615.	15/11/04/04/964	18	31	49				D		2.0	4.0	PASS
616.	15/11/04/04/965	25	45	70	A					5.0	10.0	PASS
617.	15/11/04/04/969	16	38	54			C			3.0	6.0	PASS
618.	15/11/04/04/970	20	30	50			C			3.0	6.0	PASS
619.	15/11/04/04/971	21	43	64		B				4.0	8.0	PASS

620.	15/11/04/04/973	20	31	51			C			3.0	6.0	PASS
621.	15/11/04/04/975	18	30	48				D		2.0	4.0	PASS
622.	15/11/04/04/976	20	39	59			C			3.0	6.0	PASS
623.	15/11/04/04/977	18	45	63		B				4.0	8.0	PASS
624.	15/11/04/04/978	27	45	72	A					5.0	10.0	PASS
625.	15/11/04/04/979	24	00	24					F	0.0	0.0	FAIL
626.	15/11/04/04/980	20	34	54			C			3.0	6.0	PASS
627.	15/11/04/04/981	22	29	51			C			3.0	6.0	PASS
628.	15/11/04/04/983	24	40	64		B				4.0	8.0	PASS
629.	15/11/04/04/984	10	00	10					F	0.0	0.0	FAIL
630.	15/11/04/04/985	26	42	68		B				4.0	8.0	PASS
631.	15/11/04/04/991	18	27	45				D		2.0	4.0	PASS
632.	15/11/04/04/993	15	35	50			C			3.0	6.0	PASS
633.	15/11/04/04/996	15	40	55			C			3.0	6.0	PASS
634.	15/11/04/04/997	15	39	54			C			3.0	6.0	PASS
635.	15/11/04/04/998	15	45	60		B				4.0	8.0	PASS
SUMMARY					84	247	213	70	21			635

0	15	30	45
0	15	38	53
0	16	52	68
0	20	45	65
0	18	50	68
0	14	50	64
0	18	44	62
0	20	50	70
0	18	40	58
0	18	40	58
0	16	50	66
0	18	46	64
0	20	54	74
0	18	52	70
0	18	38	56
0	20	50	70
0	16	52	68
0	20	44	64
0	15	30	45
0	14	46	60
0	20	36	56
0	18	50	68
0	18	34	52
0	10	40	50
0	18	52	70
0	18	34	52
0	18	35	53
0	10	0	10
0	16	29	45
0	14	42	56
0	14	54	68

0	18	40	58
0	18	40	58
0	16	46	62
0	18	50	68
0	18	38	56
0	16	42	58
0	18	50	68
0	18	44	62
0	18	56	74
0	18	46	64
0	18	36	54
0	16	56	72
0	16	44	60
0	16	48	64
0	12	40	52
0	20	52	72
0	16	52	68
0	16	40	56
0	20	52	72
0	18	36	54
0	20	52	72
0	16	42	58
0	18	52	70
0	2	56	58
0	18	50	68
0	18	42	60
0	18	56	74
0	20	46	66
0	18	42	60
0	18	50	68
0	20	50	70
0	16	34	50
0	20	52	72
0	16	30	46
0	20	52	72
0	20	50	70
0	14	50	64
0	20	40	60
0	14	38	52
0	16	32	48
0	14	48	62
0	12	50	62

0	16	0	16
0	18	38	56
0	18	38	56
0	18	48	66
0	15	30	45
0	18	46	64
0	16	34	50
0	18	50	68
0	20	46	66
0	18	46	64
0	18	48	66
0	10	42	52
0	18	44	62
0	18	48	66
0	14	36	50
0	14	48	62
0	16	32	48
0	10	52	62
0	19	26	45
0	20	50	70
0	14	44	58
0	22	52	74
0	16	44	60
0	20	40	60
0	18	42	60
0	18	56	74
0	14	36	50
0	17	28	45
0	16	44	60
0	10	42	52
0	16	50	66
0	16	36	52
0	16	38	54
0	10	50	60
0	14	42	56
0	14	32	46
0	16	48	64
0	14	42	56
0	16	38	54
0	14	58	72
0	16	34	50
0	14	44	58

0	14	50	64
0	16	50	66
0	16	52	68
0	14	40	54
0	16	29	45
0	20	50	70
0	20	50	70
0	20	38	58
0	14	42	56
0	16	56	72
0	10	42	52
0	16	50	66
0	16	42	58
0	18	46	64
0	14	42	56
0	14	42	56
0	16	46	62
0	18	44	62
0	20	50	70
0	18	56	74
0	14	54	68
0	16	48	64
0	16	52	68
0	16	42	58
0	17	28	45
0	14	38	52
0	12	54	66
0	18	48	66
0	20	42	62
0	16	42	58
0	16	42	58
0	16	36	52
0	18	46	64
0	18	52	70
0	14	48	62
0	20	52	72
0	20	42	62
0	18	50	68
0	14	44	58
0	20	50	70
0	20	56	76
0	18	48	66

0	18	46	64
0	14	46	60
0	18	38	56
0	20	50	70
0	16	48	64
0	18	52	70
0	16	46	62
0	14	44	58
0	14	40	54
0	18	50	68
0	14	52	66
0	12	33	45
0	20	52	72
0	18	48	66
0	18	58	76
0	14	48	62
0	18	44	62
0	14	34	48
0	16	44	60
0	16	44	60
0	12	48	60
0	18	38	56
0	10	42	52
0	14	54	68
0	14	56	70
0	22	50	72
0	14	50	64
0	18	42	60
0	14	40	54
0	16	36	52
0	14	32	46
0	16	34	50
0	19	26	45
0	20	25	45
0	16	34	50
0	15	30	45
0	16	38	54
0	16	29	45
0	14	40	54
0	16	38	54
0	18	30	48
0	16	48	64

0	20	54	74
0	14	34	48
0	18	40	58
0	15	30	45
0	16	36	52
0	16	34	50
0	18	40	58
0	18	42	60
0	16	46	62
0	18	38	56
0	14	38	52
0	14	40	54
0	16	40	56
0	22	32	54
0	16	48	64
0	20	36	56
0	16	36	52
0	18	36	54
0	18	28	46
0	20	42	62
0	18	46	64
0	20	38	58
0	18	34	52
0	16	52	68
0	10	0	10
0	10	50	60
0	14	54	68
0	20	0	20
0	14	40	54
0	14	42	56
0	18	48	66
0	18	0	18
0	20	50	70
0	20	56	76
0	16	32	48
0	20	54	74
0	20	50	70
0	20	46	66
0	14	0	14
0	16	0	16
0	16	54	70
0	18	36	54

0	18	0	18
0	16	34	50
0	14	18	32
0	16	40	56
0	20	40	60
0	18	52	70
0	16	36	52
0	19	26	45
0	12	46	58
0	18	40	58
0	16	62	78
0	12	46	58
0	18	50	68
0	18	28	46
0	16	42	58
0	16	42	58
0	18	50	68
0	20	46	66
0	16	0	16
0	18	44	62
0	16	38	54
0	16	48	64
0	14	40	54
0	16	48	64
0	18	30	48
0	18	42	60
0	16	46	62
0	18	50	68
0	20	38	58
0	14	56	70
0	12	44	56
0	18	48	66
0	14	44	58
0	20	50	70
0	16	44	60
0	20	54	74
0	10	48	58
0	16	48	64
0	20	40	60
0	16	40	56
0	16	42	58
0	10	52	62

0	14	48	62
0	10	40	50
0	16	46	62
0	10	39	49
0	12	48	60
0	18	44	62
0	18	36	54
0	16	48	64
0	16	46	62
0	18	56	74
0	10	35	45
0	10	52	62
0	16	38	54
0	16	42	58
0	20	42	62
0	12	44	56
0	10	48	58
0	12	42	54
0	20	48	68
0	20	36	56
0	14	36	50
0	20	50	70
0	18	40	58
0	10	44	54
0	18	48	66
0	18	42	60
0	20	0	20
0	20	56	76
0	25	45	70
0	10	50	60
0	10	52	62
0	20	50	70
0	20	30	50
0	16	36	52
0	20	48	68
0	16	38	54
0	16	34	50
0	16	36	52
0	20	52	72
0	16	34	50
0	10	54	64
0	18	44	62

0	14	52	66
0	12	46	58
0	16	54	70
0	18	44	62
0	12	44	56
0	10	40	50
0	10	50	60
0	16	50	66
0	20	40	60
0	18	44	62
0	15	30	45
0	18	50	68
0	16	50	66
0	18	50	68
0	12	50	62
0	18	50	68
0	16	52	68
0	14	46	60
0	18	56	74
0	16	38	54
0	16	34	50
0	20	58	78
0	16	44	60
0	18	44	62
0	16	44	60
0	18	46	64
0	20	36	56
0	14	42	56
0	10	42	52
0	16	42	58
0	18	44	62
0	19	26	45
0	17	28	45
0	14	36	50
0	20	26	46
0	16	52	68
0	18	35	53
0	10	45	55
0	16	29	45
0	16	46	62
0	12	40	52
0	18	44	62

0	18	56	74
0	16	48	64
0	16	50	66
0	20	44	64
0	20	48	68
0	18	46	64
0	16	42	58
0	14	40	54
0	18	46	64
0	19	26	45
0	16	32	48
0	20	26	46
0	14	48	62
0	20	38	58
0	18	48	66
0	16	42	58
0	18	54	72
0	20	50	70
0	16	50	66
0	16	40	56
0	18	40	58
0	18	40	58
0	18	50	68
0	18	44	62
0	22	46	68
0	12	46	58
0	10	42	52
0	20	40	60
0	20	54	74
0	16	36	52
0	16	48	64
0	14	50	64
0	16	56	72
0	20	46	66
0	10	50	60
0	18	44	62
0	18	40	58
0	10	52	62
0	20	50	70
0	18	48	66
0	14	36	50
0	16	42	58

0	16	36	52
0	16	36	52
0	14	36	50
0	10	44	54
0	18	56	74
0	20	58	78
0	10	36	46
0	18	40	58
0	14	48	62
0	18	38	56
0	18	50	68
0	16	44	60
0	14	50	64
0	18	46	64
0	20	52	72
0	18	42	60
0	16	46	62
0	12	48	60
0	16	34	50
0	16	36	52
0	16	46	62
0	16	32	48
0	15	30	45
0	14	42	56
0	10	42	52
0	16	54	70
0	14	38	52
0	24	56	80
0	18	50	68
0	20	52	72
0	10	38	48
0	16	50	66
0	14	44	58
0	18	56	74
0	18	52	70
0	16	50	66
0	16	29	45
0	18	32	50
0	20	42	62
0	18	48	66
0	16	44	60
0	14	52	66

0	18	40	58
0	12	40	52
0	14	34	48
0	18	54	72
0	10	36	46
0	16	34	50
0	14	32	46
0	18	52	70
0	14	54	68
0	16	52	68
0	16	0	16
0	10	38	48
0	19	26	45
0	20	54	74
0	18	46	64
0	15	30	45
0	18	34	52
0	10	44	54
0	16	34	50
0	18	46	64
0	10	44	54
0	18	54	72
0	14	44	58
0	16	40	56
0	22	54	76
0	14	36	50
0	14	40	54
0	20	44	64
0	10	54	64
0	18	40	58
0	10	48	58
0	10	42	52
0	15	16	31
0	15	12	27
0	10	38	48
0	18	40	58
0	20	48	68
0	18	46	64
0	10	44	54
0	16	40	56
0	14	42	56
0	20	42	62

0	10	42	52
0	18	48	66
0	16	0	16
0	24	44	68
0	19	26	45
0	22	38	60
0	22	40	62
0	23	37	60
0	24	41	65
0	24	43	67
0	22	45	67
0	15	32	47
0	15	37	52
0	22	0	22
0	22	37	59
0	20	36	56
0	26	44	70
0	22	42	64
0	15	38	53
0	21	45	66
0	25	35	60
0	26	43	69
0	24	29	53
0	26	41	67
0	21	39	60
0	26	42	68
0	18	27	45
0	25	48	73
0	20	46	66
0	18	44	62
0	18	27	45
0	20	38	58
0	21	45	66
0	22	38	60
0	17	28	45
0	26	42	68
0	25	45	70
0	25	29	54
0	22	38	60
0	26	36	62
0	24	36	60
0	24	44	68

0	24	38	62
0	22	46	68
0	26	31	57
0	24	34	58
0	24	41	65
0	24	45	69
0	15	37	52
0	16	37	53
0	18	39	57
0	25	20	45
0	20	27	47
0	23	22	45
0	22	36	58
0	24	39	63
0	22	45	67
0	20	43	63
0	24	0	24
0	26	43	69
0	22	28	50
0	18	42	60
0	19	26	45
0	22	41	63
0	24	29	53
0	22	36	58
0	20	31	51
0	20	35	55
0	22	38	60
0	22	37	59
0	24	38	62
0	15	38	53
0	22	36	58
0	24	46	70
0	18	40	58
0	24	33	57
0	20	41	61
0	24	45	69
0	22	46	68
0	26	37	63
0	16	44	60
0	18	27	45
0	24	26	50
0	20	39	59

0	26	34	60
0	26	45	71
0	16	37	53
0	16	45	61
0	24	28	52
0	16	0	16
0	27	37	64
0	14	32	46
0	14	45	59
0	26	44	70
0	26	42	68
0	17	28	45
0	22	35	57
0	24	43	67
0	24	46	70
0	22	44	66
0	26	0	26
0	16	29	45
0	26	40	66
0	22	43	65
0	16	40	56
0	18	31	49
0	18	36	54
0	22	44	66
0	22	40	62
0	20	43	63
0	24	47	71
0	24	42	66
0	24	32	56
0	18	27	45
0	16	29	45
0	18	29	47
0	20	41	61
0	18	35	53
0	22	27	49
0	25	38	63
0	22	29	51
0	18	31	49
0	25	45	70
0	16	38	54
0	20	30	50
0	21	43	64

0	20	31	51
0	18	30	48
0	20	39	59
0	18	45	63
0	27	45	72
0	24	0	24
0	20	34	54
0	22	29	51
0	24	40	64
0	10	0	10
0	26	42	68
0	18	27	45
0	15	35	50
0	15	40	55
0	15	39	54
0	15	45	60