

UNIVERSITY OF MAIDUGURI
(Office of the Vice-Chancellor)
Centre for Distance Learning

Department of Physical and Health Education

First semester End-of-Course Examination Results

COURSE CODE: HED 405
COURSE TITLE: Health System Research II
COURSE UNITS: 2

2015/2016 Academic Session

S/No.	ID. No.	CA	Exam	TOTAL	Grades							GP	U.GP	Remarks	
		Marks	Marks	Marks	A	B+	B	C+	C	D	E				F
1.	10/11/04/04/072	15	30	45						D			2.0	4.0	PASS
2.	10/11/04/04/112	17	35	52					C				3.0	6.0	PASS
3.	10/11/04/04/115	16	33	49						D			2.0	4.0	PASS
4.	10/11/04/04/254	18	23	41							E		1.0	2.0	PASS
5.	10/11/04/04/266	15	31	46						D			2.0	4.0	PASS
6.	10/11/04/04/297	17	25	42							E		1.0	2.0	PASS
7.	10/11/04/04/344	17	37	54					C				3.0	6.0	PASS
8.	10/11/04/04/382	21	49	70	A								5.0	10.0	PASS
9.	10/11/04/04/421	18	39	57				C+					3.5	7.0	PASS
10.	10/11/04/04/446	18	23	41							E		1.0	2.0	PASS
11.	10/11/04/04/453	8	7	15								F	0.0	0.0	FAIL
12.	10/11/04/04/467	17	25	42							E		1.0	2.0	PASS
13.	12/11/04/04/002	16	25	41							E		1.0	2.0	PASS
14.	12/11/04/04/003	17	37	54					C				3.0	6.0	PASS
15.	12/11/04/04/005	14	27	41							E		1.0	2.0	PASS
16.	12/11/04/04/006	10	14	24								F	0.0	0.0	FAIL
17.	12/11/04/04/009	21	49	70	A								5.0	10.0	PASS
18.	12/11/04/04/011	16	34	50					C				3.0	6.0	PASS
19.	12/11/04/04/012	15	30	45						D			2.0	4.0	PASS
20.	12/11/04/04/015	15	31	46						D			2.0	4.0	PASS
21.	12/11/04/04/016	21	21	42							E		1.0	2.0	PASS
22.	12/11/04/04/017	16	26	42							E		1.0	2.0	PASS
23.	12/11/04/04/019	14	38	52					C				3.0	6.0	PASS
24.	12/11/04/04/020	16	25	41							E		1.0	2.0	PASS
25.	12/11/04/04/022	17	37	54					C				3.0	6.0	PASS
26.	12/11/04/04/030	18	41	59				C+					3.5	7.0	PASS
27.	12/11/04/04/031	18	40	58				C+					3.5	7.0	PASS
28.	12/11/04/04/037	15	30	45						D			2.0	4.0	PASS
29.	12/11/04/04/040	15	29	44							E		1.0	2.0	PASS
30.	12/11/04/04/041	16	32	48						D			2.0	4.0	PASS
31.	12/11/04/04/051	18	24	42							E		1.0	2.0	PASS
32.	12/11/04/04/054	17	25	42							E		1.0	2.0	PASS
33.	12/11/04/04/057	20	65	85	A								5.0	10.0	PASS
34.	12/11/04/04/061	16	26	42							E		1.0	2.0	PASS
35.	12/11/04/04/066	17	36	53					C				3.0	6.0	PASS
36.	12/11/04/04/068	19	60	79	A								5.0	10.0	PASS
37.	12/11/04/04/069	14	27	41							E		1.0	2.0	PASS

38.	12/11/04/04/077	17	35	52					C			3.0	6.0	PASS
39.	12/11/04/04/080	15	30	45					D			2.0	4.0	PASS
40.	12/11/04/04/084	15	30	45					D			2.0	4.0	PASS
41.	12/11/04/04/087	16	33	49					D			2.0	4.0	PASS
42.	12/11/04/04/089	14	28	42						E		1.0	2.0	PASS
43.	12/11/04/04/090	16	32	48					D			2.0	4.0	PASS
44.	12/11/04/04/092	14	27	41						E		1.0	2.0	PASS
45.	12/11/04/04/098	15	30	45					D			2.0	4.0	PASS
46.	12/11/04/04/101	11	16	27							F	0.0	0.0	FAIL
47.	12/11/04/04/107	19	22	41						E		1.0	2.0	PASS
48.	12/11/04/04/120	15	31	46					D			2.0	4.0	PASS
49.	12/11/04/04/121	17	24	41						E		1.0	2.0	PASS
50.	12/11/04/04/123	19	23	42						E		1.0	2.0	PASS
51.	12/11/04/04/124	16	32	48					D			2.0	4.0	PASS
52.	12/11/04/04/141	20	45	65		B+						4.5	9.0	PASS
53.	12/11/04/04/143	14	28	42						E		1.0	2.0	PASS
54.	12/11/04/04/147	17	25	42						E		1.0	2.0	PASS
55.	12/11/04/04/149	15	31	46					D			2.0	4.0	PASS
56.	12/11/04/04/150	16	33	49					D			2.0	4.0	PASS
57.	12/11/04/04/168	15	31	46					D			2.0	4.0	PASS
58.	12/11/04/04/175	17	24	41						E		1.0	2.0	PASS
59.	12/11/04/04/191	18	57	75	A							5.0	10.0	PASS
60.	12/11/04/04/194	14	27	41						E		1.0	2.0	PASS
61.	12/11/04/04/195	19	42	61			B					4.0	8.0	PASS
62.	12/11/04/04/211	18	24	42						E		1.0	2.0	PASS
63.	12/11/04/04/213	22	19	41						E		1.0	2.0	PASS
64.	12/11/04/04/217	19	42	61			B					4.0	8.0	PASS
65.	12/11/04/04/221	17	53	70	A							5.0	10.0	PASS
66.	12/11/04/04/223	17	36	53					C			3.0	6.0	PASS
67.	12/11/04/04/225	21	20	41						E		1.0	2.0	PASS
68.	12/11/04/04/226	20	43	63			B					4.0	8.0	PASS
69.	12/11/04/04/227	11	18	29							F	0.0	0.0	FAIL
70.	12/11/04/04/231	19	43	62			B					4.0	8.0	PASS
71.	12/11/04/04/236	16	26	42						E		1.0	2.0	PASS
72.	12/11/04/04/239	15	31	46					D			2.0	4.0	PASS
73.	12/11/04/04/243	15	30	45					D			2.0	4.0	PASS
74.	12/11/04/04/246	18	52	70	A							5.0	10.0	PASS
75.	12/11/04/04/257	16	34	50					C			3.0	6.0	PASS
76.	12/11/04/04/261	19	59	78	A							5.0	10.0	PASS
77.	12/11/04/04/262	15	30	45						D		2.0	4.0	PASS
78.	12/11/04/04/263	17	35	52					C			3.0	6.0	PASS
79.	12/11/04/04/269	18	39	57				C+				3.5	7.0	PASS
80.	12/11/04/04/271	21	49	70	A							5.0	10.0	PASS
81.	12/11/04/04/273	18	39	57				C+				3.5	7.0	PASS
82.	12/11/04/04/274	15	29	44						E		1.0	2.0	PASS
83.	12/11/04/04/276	16	32	48					D			2.0	4.0	PASS
84.	12/11/04/04/278	14	27	41						E		1.0	2.0	PASS
85.	12/11/04/04/286	15	31	46					D			2.0	4.0	PASS
86.	12/11/04/04/288	15	31	46					D			2.0	4.0	PASS
87.	12/11/04/04/289	15	30	45					D			2.0	4.0	PASS

88.	12/11/04/04/290	16	26	42						E		1.0	2.0	PASS
89.	12/11/04/04/291	15	31	46					D			2.0	4.0	PASS
90.	12/11/04/04/294	20	47	67		B+						4.5	9.0	PASS
91.	12/11/04/04/302	15	29	44						E		1.0	2.0	PASS
92.	12/11/04/04/303	17	37	54					C			3.0	6.0	PASS
93.	12/11/04/04/305	15	31	46					D			2.0	4.0	PASS
94.	12/11/04/04/307	18	24	42						E		1.0	2.0	PASS
95.	12/11/04/04/312	15	30	45					D			2.0	4.0	PASS
96.	12/11/04/04/313	17	35	52					C			3.0	6.0	PASS
97.	12/11/04/04/321	17	36	53					C			3.0	6.0	PASS
98.	12/11/04/04/323	11	16	27							F	0.0	0.0	FAIL
99.	12/11/04/04/328	18	41	59				C+				3.5	7.0	PASS
100.	12/11/04/04/330	18	24	42						E		1.0	2.0	PASS
101.	12/11/04/04/335	20	22	42						E		1.0	2.0	PASS
102.	12/11/04/04/353	20	21	41						E		1.0	2.0	PASS
103.	12/11/04/04/360	14	27	41						E		1.0	2.0	PASS
104.	12/11/04/04/364	16	32	48					D			2.0	4.0	PASS
105.	12/11/04/04/368	18	24	42						E		1.0	2.0	PASS
106.	12/11/04/04/369	14	28	42						E		1.0	2.0	PASS
107.	12/11/04/04/370	16	33	49					D			2.0	4.0	PASS
108.	12/11/04/04/371	17	37	54					C			3.0	6.0	PASS
109.	12/11/04/04/372	11	18	29							F	0.0	0.0	FAIL
110.	12/11/04/04/376	14	28	42						E		1.0	2.0	PASS
111.	12/11/04/04/377	14	28	42						E		1.0	2.0	PASS
112.	12/11/04/04/379	18	40	58				C+				3.5	7.0	PASS
113.	12/11/04/04/384	11	16	27							F	0.0	0.0	FAIL
114.	12/11/04/04/390	16	34	50					C			3.0	6.0	PASS
115.	12/11/04/04/393	18	40	58				C+				3.5	7.0	PASS
116.	12/11/04/04/396	16	34	50					C			3.0	6.0	PASS
117.	12/11/04/04/405	17	26	43						E		1.0	2.0	PASS
118.	12/11/04/04/407	16	26	42						E		1.0	2.0	PASS
119.	12/11/04/04/408	15	29	44						E		1.0	2.0	PASS
120.	12/11/04/04/412	15	29	44						E		1.0	2.0	PASS
121.	12/11/04/04/413	19	22	41						E		1.0	2.0	PASS
122.	12/11/04/04/419	16	34	50					C			3.0	6.0	PASS
123.	12/11/04/04/420	19	44	63		B						4.0	8.0	PASS
124.	12/11/04/04/424	18	24	42						E		1.0	2.0	PASS
125.	12/11/04/04/430	14	27	41						E		1.0	2.0	PASS
126.	12/11/04/04/431	17	37	54					C			3.0	6.0	PASS
127.	12/11/04/04/432	19	22	41						E		1.0	2.0	PASS
128.	12/11/04/04/433	16	33	49					D			2.0	4.0	PASS
129.	12/11/04/04/437	18	39	57				C+				3.5	7.0	PASS
130.	12/11/04/04/439	16	51	67		B+						4.5	9.0	PASS
131.	12/11/04/04/441	20	21	41						E		1.0	2.0	PASS
132.	12/11/04/04/451	18	24	42						E		1.0	2.0	PASS
133.	12/11/04/04/453	14	28	42						E		1.0	2.0	PASS
134.	12/11/04/04/456	7	3	10							F	0.0	0.0	FAIL
135.	12/11/04/04/459	15	31	46					D			2.0	4.0	PASS
136.	12/11/04/04/462	15	31	46					D			2.0	4.0	PASS
137.	12/11/04/04/464	16	34	50					C			3.0	6.0	PASS

138.	12/11/04/04/466	16	48	64			B					4.0	8.0	PASS	
139.	12/11/04/04/467	18	24	42						E		1.0	2.0	PASS	
140.	12/11/04/04/470	15	30	45					D			2.0	4.0	PASS	
141.	12/11/04/04/476	16	34	50					C			3.0	6.0	PASS	
142.	12/11/04/04/480	22	19	41						E		1.0	2.0	PASS	
143.	12/11/04/04/482	16	32	48						D		2.0	4.0	PASS	
144.	12/11/04/04/490	16	34	50					C			3.0	6.0	PASS	
145.	12/11/04/04/494	16	48	64			B					4.0	8.0	PASS	
146.	12/11/04/04/495	15	30	45						D		2.0	4.0	PASS	
147.	12/11/04/04/499	17	25	42						E		1.0	2.0	PASS	
148.	12/11/04/04/501	15	31	46						D		2.0	4.0	PASS	
149.	12/11/04/04/503	16	52	68			B+					4.5	9.0	PASS	
150.	12/11/04/04/519	16	33	49						D		2.0	4.0	PASS	
151.	12/11/04/04/520	19	44	63			B					4.0	8.0	PASS	
152.	12/11/04/04/523	20	21	41						E		1.0	2.0	PASS	
153.	12/11/04/04/532	17	25	42						E		1.0	2.0	PASS	
154.	12/11/04/04/534	14	27	41						E		1.0	2.0	PASS	
155.	12/11/04/04/535	16	25	41						E		1.0	2.0	PASS	
156.	12/11/04/04/536	22	19	41						E		1.0	2.0	PASS	
157.	12/11/04/04/548	18	24	42						E		1.0	2.0	PASS	
158.	12/11/04/04/557	21	20	41						E		1.0	2.0	PASS	
159.	12/11/04/04/558	17	25	42						E		1.0	2.0	PASS	
160.	12/11/04/04/559	10	13	23								F	0.0	0.0	FAIL
SUMMARY					09	04	08	09	22	37	62	09			160