

UNIVERSITY OF MAIDUGURI
(OFFICE OF THE VICE-CHANCELLOR)

Centre for Distance Learning

Department of Health Education

First Semester End-of-Course Examination Results

Course Code: **HED 406**

Course Title: **Independent Studies on Environmental Sanitation**

Course Unit(s): **2**

2013/2014 Academic Session

S/No.	ID. No.	C.A. Marks	EXAM Marks	TOTAL Marks	Grades										GP	U.GP	Remarks
					A	B+	B	C+	C	D	E	F					
1.	10/11/04/04/115	00	56	56				C+					3.5	7.0	PASS		
2.	10/11/04/04/297	00	53	53					C				3.0	6.0	PASS		
3.	10/11/04/04/446	00	52	52					C				3.0	6.0	PASS		
4.	10/11/04/04/453	00	55	55				C+					3.5	7.0	PASS		
5.	12/11/04/04/002	00	63	63			B						4.0	8.0	PASS		
6.	12/11/04/04/003	00	54	54					C				3.0	6.0	PASS		
7.	12/11/04/04/005	00	51	51					C				3.0	6.0	PASS		
8.	12/11/04/04/006	00	53	53					C				3.0	6.0	PASS		
9.	12/11/04/04/009	00	51	51					C				3.0	6.0	PASS		
10.	12/11/04/04/011	00	56	56				C+					3.5	7.0	PASS		
11.	12/11/04/04/012	00	53	53					C				3.0	6.0	PASS		
12.	12/11/04/04/015	00	54	54					C				3.0	6.0	PASS		
13.	12/11/04/04/016	00	55	55				C+					3.5	7.0	PASS		
14.	12/11/04/04/019	00	60	60			B						4.0	8.0	PASS		
15.	12/11/04/04/020	00	52	52					C				3.0	6.0	PASS		
16.	12/11/04/04/022	00	58	58				C+					3.5	7.0	PASS		
17.	12/11/04/04/030	00	51	51					C				3.0	6.0	PASS		
18.	12/11/04/04/031	00	54	54					C				3.0	6.0	PASS		
19.	12/11/04/04/037	00	52	52					C				3.0	6.0	PASS		
20.	12/11/04/04/040	00	59	59				C+					3.5	7.0	PASS		
21.	12/11/04/04/041	00	62	62			B						4.0	8.0	PASS		
22.	12/11/04/04/051	00	56	56				C+					3.5	7.0	PASS		
23.	12/11/04/04/054	00	59	59				C+					3.5	7.0	PASS		
24.	12/11/04/04/057	00	55	55				C+					3.5	7.0	PASS		
25.	12/11/04/04/061	00	51	51					C				3.0	6.0	PASS		
26.	12/11/04/04/066	00	52	52					C				3.0	6.0	PASS		
27.	12/11/04/04/068	00	52	52					C				3.0	6.0	PASS		
28.	12/11/04/04/069	00	52	52					C				3.0	6.0	PASS		
29.	12/11/04/04/077	00	54	54					C				3.0	6.0	PASS		
30.	12/11/04/04/080	00	60	60			B						4.0	8.0	PASS		
31.	12/11/04/04/084	00	59	59				C+					3.5	7.0	PASS		
32.	12/11/04/04/087	00	55	55				C+					3.5	7.0	PASS		
33.	12/11/04/04/089	00	56	56				C+					3.5	7.0	PASS		

34.	12/11/04/04/090	00	50	50					C				3.0	6.0	PASS
35.	12/11/04/04/092	00	54	54					C				3.0	6.0	PASS
36.	12/11/04/04/098	00	62	62				B					4.0	8.0	PASS
37.	12/11/04/04/101	00	58	58					C+				3.5	7.0	PASS
38.	12/11/04/04/107	00	58	58					C+				3.5	7.0	PASS
39.	12/11/04/04/120	00	56	56					C+				3.5	7.0	PASS
40.	12/11/04/04/121	00	54	54					C				3.0	6.0	PASS
41.	12/11/04/04/123	00	55	55					C+				3.5	7.0	PASS
42.	12/11/04/04/124	00	54	54					C				3.0	6.0	PASS
43.	12/11/04/04/143	00	60	60				B					4.0	8.0	PASS
44.	12/11/04/04/147	00	54	54					C				3.0	6.0	PASS
45.	12/11/04/04/149	00	50	50					C				3.0	6.0	PASS
46.	12/11/04/04/150	00	56	56					C+				3.5	7.0	PASS
47.	12/11/04/04/168	00	64	64				B					4.0	8.0	PASS
48.	12/11/04/04/169	00	00	00								F	0.0	0.0	PASS
49.	12/11/04/04/175	00	54	54					C				3.0	6.0	PASS
50.	12/11/04/04/191	00	50	50					C				3.0	6.0	PASS
51.	12/11/04/04/194	00	56	56					C+				3.5	7.0	PASS
52.	12/11/04/04/195	00	51	51					C				3.0	6.0	PASS
53.	12/11/04/04/211	00	56	56					C+				3.5	7.0	PASS
54.	12/11/04/04/212	00	00	00								F	0.0	0.0	PASS
55.	12/11/04/04/217	00	54	54					C				3.0	6.0	PASS
56.	12/11/04/04/221	00	64	64				B					4.0	8.0	PASS
57.	12/11/04/04/223	00	52	52					C				3.0	6.0	PASS
58.	12/11/04/04/225	00	57	57					C+				3.5	7.0	PASS
59.	12/11/04/04/226	00	62	62				B					4.0	8.0	PASS
60.	12/11/04/04/227	00	55	55					C+				3.5	7.0	PASS
61.	12/11/04/04/231	00	56	56					C+				3.5	7.0	PASS
62.	12/11/04/04/236	00	56	56					C+				3.5	7.0	PASS
63.	12/11/04/04/239	00	58	58					C+				3.5	7.0	PASS
64.	12/11/04/04/243	00	56	56					C+				3.5	7.0	PASS
65.	12/11/04/04/246	00	54	54					C				3.0	6.0	PASS
66.	12/11/04/04/257	00	54	54					C				3.0	6.0	PASS
67.	12/11/04/04/261	00	54	54					C				3.0	6.0	PASS
68.	12/11/04/04/262	00	50	50					C				3.0	6.0	PASS
69.	12/11/04/04/263	00	55	55					C+				3.5	7.0	PASS
70.	12/11/04/04/269	00	58	58					C+				3.5	7.0	PASS
71.	12/11/04/04/271	00	53	53					C				3.0	6.0	PASS
72.	12/11/04/04/273	00	55	55					C+				3.5	7.0	PASS
73.	12/11/04/04/276	00	54	54					C				3.0	6.0	PASS
74.	12/11/04/04/278	00	50	50					C				3.0	6.0	PASS
75.	12/11/04/04/286	00	56	56					C+				3.5	7.0	PASS
76.	12/11/04/04/288	00	54	54					C				3.0	6.0	PASS
77.	12/11/04/04/289	00	58	58					C+				3.5	7.0	PASS

78.	12/11/04/04/290	00	57	57				C+				3.5	7.0	PASS
79.	12/11/04/04/291	00	59	59				C+				3.5	7.0	PASS
80.	12/11/04/04/294	00	55	55				C+				3.5	7.0	PASS
81.	12/11/04/04/302	00	52	52					C			3.0	6.0	PASS
82.	12/11/04/04/303	00	57	57				C+				3.5	7.0	PASS
83.	12/11/04/04/305	00	56	56				C+				3.5	7.0	PASS
84.	12/11/04/04/307	00	58	58				C+				3.5	7.0	PASS
85.	12/11/04/04/312	00	59	59				C+				3.5	7.0	PASS
86.	12/11/04/04/313	00	51	51					C			3.0	6.0	PASS
87.	12/11/04/04/316	00	54	54					C			3.0	6.0	PASS
88.	12/11/04/04/321	00	51	51					C			3.0	6.0	PASS
89.	12/11/04/04/323	00	56	56				C+				3.5	7.0	PASS
90.	12/11/04/04/328	00	53	53					C			3.0	6.0	PASS
91.	12/11/04/04/335	00	52	52					C			3.0	6.0	PASS
92.	12/11/04/04/353	00	56	56				C+				3.5	7.0	PASS
93.	12/11/04/04/360	00	51	51					C			3.0	6.0	PASS
94.	12/11/04/04/364	00	62	62			B					4.0	8.0	PASS
95.	12/11/04/04/368	00	57	57				C+				3.5	7.0	PASS
96.	12/11/04/04/369	00	53	53					C			3.0	6.0	PASS
97.	12/11/04/04/370	00	58	58				C+				3.5	7.0	PASS
98.	12/11/04/04/371	00	59	59				C+				3.5	7.0	PASS
99.	12/11/04/04/376	00	60	60			B					4.0	8.0	PASS
100.	12/11/04/04/377	00	54	54					C			3.0	6.0	PASS
101.	12/11/04/04/379	00	51	51					C			3.0	6.0	PASS
102.	12/11/04/04/384	00	48	48						D		2.0	4.0	PASS
103.	12/11/04/04/390	00	57	57				C+				3.5	7.0	PASS
104.	12/11/04/04/393	00	56	56				C+				3.5	7.0	PASS
105.	12/11/04/04/396	00	53	53					C			3.0	6.0	PASS
106.	12/11/04/04/405	00	59	59				C+				3.5	7.0	PASS
107.	12/11/04/04/406	00	00	00							F	0.0	0.0	PASS
108.	12/11/04/04/407	00	50	50					C			3.0	6.0	PASS
109.	12/11/04/04/408	00	61	61			B					4.0	8.0	PASS
110.	12/11/04/04/412	00	56	56				C+				3.5	7.0	PASS
111.	12/11/04/04/413	00	54	54					C			3.0	6.0	PASS
112.	12/11/04/04/419	00	52	52					C			3.0	6.0	PASS
113.	12/11/04/04/420	00	62	62			B					4.0	8.0	PASS
114.	12/11/04/04/424	00	56	56				C+				3.5	7.0	PASS
115.	12/11/04/04/430	00	64	64			B					4.0	8.0	PASS
116.	12/11/04/04/431	00	62	62			B					4.0	8.0	PASS
117.	12/11/04/04/432	00	53	53					C			3.0	6.0	PASS
118.	12/11/04/04/433	00	54	54					C			3.0	6.0	PASS
119.	12/11/04/04/437	00	53	53					C			3.0	6.0	PASS
120.	12/11/04/04/441	00	52	52					C			3.0	6.0	PASS
121.	12/11/04/04/451	00	53	53					C			3.0	6.0	PASS

122.	12/11/04/04/453	00	58	58				C+					3.5	7.0	PASS	
123.	12/11/04/04/459	00	59	59				C+					3.5	7.0	PASS	
124.	12/11/04/04/462	00	56	56				C+					3.5	7.0	PASS	
125.	12/11/04/04/464	00	58	58				C+					3.5	7.0	PASS	
126.	12/11/04/04/466	00	60	60				B					4.0	8.0	PASS	
127.	12/11/04/04/470	00	55	55				C+					3.5	7.0	PASS	
128.	12/11/04/04/476	00	60	60				B					4.0	8.0	PASS	
129.	12/11/04/04/480	00	57	57				C+					3.5	7.0	PASS	
130.	12/11/04/04/482	00	53	53					C				3.0	6.0	PASS	
131.	12/11/04/04/490	00	50	50					C				3.0	6.0	PASS	
132.	12/11/04/04/494	00	64	64				B					4.0	8.0	PASS	
133.	12/11/04/04/495	00	50	50					C				3.0	6.0	PASS	
134.	12/11/04/04/499	00	50	50					C				3.0	6.0	PASS	
135.	12/11/04/04/501	00	58	58				C+					3.5	7.0	PASS	
136.	12/11/04/04/503	00	50	50					C				3.0	6.0	PASS	
137.	12/11/04/04/519	00	52	52					C				3.0	6.0	PASS	
138.	12/11/04/04/520	00	58	58				C+					3.5	7.0	PASS	
139.	12/11/04/04/523	00	53	53					C				3.0	6.0	PASS	
140.	12/11/04/04/532	00	58	58				C+					3.5	7.0	PASS	
141.	12/11/04/04/534	10	54	54					C				3.0	6.0	PASS	
142.	12/11/04/04/535	20	53	53					C				3.0	6.0	PASS	
143.	12/11/04/04/536	30	55	55				C+					3.5	7.0	PASS	
144.	12/11/04/04/548	40	51	51					C				3.0	6.0	PASS	
145.	12/11/04/04/557	50	55	55				C+					3.5	7.0	PASS	
146.	12/11/04/04/558	60	55	55				C+					3.5	7.0	PASS	
147.	12/11/04/04/559	70	57	57				C+					3.5	7.0	PASS	
148.	12/11/04/04/642	80	80	80									F	0.0	0.0	PASS
	Summary:				00	00	18	60	65	01	00	04				148

