

UNIVERSITY OF MAIDUGURI
(OFFICE OF THE VICE-CHANCELLOR)

Centre for Distance Learning

Department of Health Education

First Semester End-of-Course Examination Results

Course Code: **HED 409**

Course Title: **Rehabilitation of the Handicapped**

Course Unit(s): **2**

2013/2014 Academic Session

S/No.	ID. No.	C.A. Marks	EXAM Marks	TOTAL Marks	Grades										GP	U.GP	Remarks
					A	B+	B	C+	C	D	E	F					
1.	10/11/04/04/115	15	26	41								E		1.0	2.0	PASS	
2.	10/11/04/04/254	17	24	41								E		1.0	2.0	PASS	
3.	10/11/04/04/266	14	28	42								E		1.0	2.0	PASS	
4.	10/11/04/04/297	15	26	41								E		1.0	2.0	PASS	
5.	10/11/04/04/446	19	22	41								E		1.0	2.0	PASS	
6.	10/11/04/04/453	16	16	32								F		0.0	0.0	FAIL	
7.	12/11/04/04/002	15	35	50					C					3.0	6.0	PASS	
8.	12/11/04/04/003	20	30	50					C					3.0	6.0	PASS	
9.	12/11/04/04/005	19	45	64			B							4.0	8.0	PASS	
10.	12/11/04/04/006	17	24	41								E		1.0	2.0	PASS	
11.	12/11/04/04/009	18	43	61			B							4.0	8.0	PASS	
12.	12/11/04/04/011	18	35	53					C					3.0	6.0	PASS	
13.	12/11/04/04/012	20	43	63			B							4.0	8.0	PASS	
14.	12/11/04/04/015	16	35	51					C					3.0	6.0	PASS	
15.	12/11/04/04/016	15	28	43								E		1.0	2.0	PASS	
16.	12/11/04/04/019	17	39	56				C+						3.5	7.0	PASS	
17.	12/11/04/04/020	19	37	56				C+						3.5	7.0	PASS	
18.	12/11/04/04/022	15	45	60			B							4.0	8.0	PASS	
19.	12/11/04/04/030	17	43	60			B							4.0	8.0	PASS	
20.	12/11/04/04/031	18	32	50					C					3.0	6.0	PASS	
21.	12/11/04/04/037	17	45	62			B							4.0	8.0	PASS	
22.	12/11/04/04/040	19	39	58				C+						3.5	7.0	PASS	
23.	12/11/04/04/041	12	35	47						D				2.0	4.0	PASS	
24.	12/11/04/04/051	17	24	41								E		1.0	2.0	PASS	
25.	12/11/04/04/054	12	37	49						D				2.0	4.0	PASS	
26.	12/11/04/04/057	11	45	56				C+						3.5	7.0	PASS	
27.	12/11/04/04/061	18	28	46						D				2.0	4.0	PASS	
28.	12/11/04/04/066	13	35	48						D				2.0	4.0	PASS	
29.	12/11/04/04/068	16	49	65		B+								4.5	9.0	PASS	
30.	12/11/04/04/069	19	39	58				C+						3.5	7.0	PASS	
31.	12/11/04/04/077	18	23	41								E		1.0	2.0	PASS	
32.	12/11/04/04/080	15	39	54					C					3.0	6.0	PASS	
33.	12/11/04/04/084	18	30	48						D				2.0	4.0	PASS	

34.	12/11/04/04/087	16	41	57				C+					3.5	7.0	PASS
35.	12/11/04/04/089	18	43	61			B						4.0	8.0	PASS
36.	12/11/04/04/090	17	37	54					C				3.0	6.0	PASS
37.	12/11/04/04/092	19	35	54						C			3.0	6.0	PASS
38.	12/11/04/04/098	17	28	45						D			2.0	4.0	PASS
39.	12/11/04/04/101	18	26	44							E		1.0	2.0	PASS
40.	12/11/04/04/107	15	32	47						D			2.0	4.0	PASS
41.	12/11/04/04/120	17	26	43							E		1.0	2.0	PASS
42.	12/11/04/04/121	18	26	44							E		1.0	2.0	PASS
43.	12/11/04/04/123	13	20	33								F	0.0	0.0	FAIL
44.	12/11/04/04/124	19	26	45						D			2.0	4.0	PASS
45.	12/11/04/04/143	17	39	56				C+					3.5	7.0	PASS
46.	12/11/04/04/147	17	30	47						D			2.0	4.0	PASS
47.	12/11/04/04/149	18	26	44							E		1.0	2.0	PASS
48.	12/11/04/04/150	14	32	46						D			2.0	4.0	PASS
49.	12/11/04/04/168	12	41	53						C			3.0	6.0	PASS
50.	12/11/04/04/175	17	26	43							E		1.0	2.0	PASS
51.	12/11/04/04/191	19	47	66		B+							4.5	9.0	PASS
52.	12/11/04/04/194	16	39	55				C+					3.5	7.0	PASS
53.	12/11/04/04/195	14	32	46						D			2.0	4.0	PASS
54.	12/11/04/04/211	15	41	56				C+					3.5	7.0	PASS
55.	12/11/04/04/217	19	41	60			B						4.0	8.0	PASS
56.	12/11/04/04/221	17	49	66		B+							4.5	9.0	PASS
57.	12/11/04/04/223	14	32	46						D			2.0	4.0	PASS
58.	12/11/04/04/225	19	22	41							E		1.0	2.0	PASS
59.	12/11/04/04/226	18	24	42							E		1.0	2.0	PASS
60.	12/11/04/04/227	14	28	42							E		1.0	2.0	PASS
61.	12/11/04/04/231	17	51	68		B+							4.5	9.0	PASS
62.	12/11/04/04/236	18	28	46						D			2.0	4.0	PASS
63.	12/11/04/04/239	20	32	52						C			3.0	6.0	PASS
64.	12/11/04/04/243	16	45	61			B						4.0	8.0	PASS
65.	12/11/04/04/246	10	49	59				C+					3.5	7.0	PASS
66.	12/11/04/04/257	19	32	51						C			3.0	6.0	PASS
67.	12/11/04/04/261	17	47	64			B						4.0	8.0	PASS
68.	12/11/04/04/262	18	26	44							E		1.0	2.0	PASS
69.	12/11/04/04/263	16	51	67		B+							4.5	9.0	PASS
70.	12/11/04/04/269	14	39	53						C			3.0	6.0	PASS
71.	12/11/04/04/271	12	37	49						D			2.0	4.0	PASS
72.	12/11/04/04/273	18	35	53						C			3.0	6.0	PASS
73.	12/11/04/04/276	16	26	42							E		1.0	2.0	PASS
74.	12/11/04/04/278	19	35	54						C			3.0	6.0	PASS
75.	12/11/04/04/286	17	37	54						C			3.0	6.0	PASS
76.	12/11/04/04/288	18	28	46							D		2.0	4.0	PASS
77.	12/11/04/04/289	15	30	45							D		2.0	4.0	PASS

78.	12/11/04/04/290	10	39	49						D			2.0	4.0	PASS
79.	12/11/04/04/291	16	26	42						E			1.0	2.0	PASS
80.	12/11/04/04/294	12	43	55				C+					3.5	7.0	PASS
81.	12/11/04/04/302	10	35	45						D			2.0	4.0	PASS
82.	12/11/04/04/303	20	41	61				B					4.0	8.0	PASS
83.	12/11/04/04/305	14	28	42						E			1.0	2.0	PASS
84.	12/11/04/04/307	13	37	50						C			3.0	6.0	PASS
85.	12/11/04/04/312	20	28	48						D			2.0	4.0	PASS
86.	12/11/04/04/313	17	45	62				B					4.0	8.0	PASS
87.	12/11/04/04/321	18	37	55						C+			3.5	7.0	PASS
88.	12/11/04/04/323	16	32	48						D			2.0	4.0	PASS
89.	12/11/04/04/328	15	45	60				B					4.0	8.0	PASS
90.	12/11/04/04/335	15	32	47						D			2.0	4.0	PASS
91.	12/11/04/04/353	22	20	42						E			1.0	2.0	PASS
92.	12/11/04/04/360	17	24	41						E			1.0	2.0	PASS
93.	12/11/04/04/364	17	43	60				B					4.0	8.0	PASS
94.	12/11/04/04/368	19	35	54						C			3.0	6.0	PASS
95.	12/11/04/04/369	14	20	34								F	0.0	0.0	FAIL
96.	12/11/04/04/370	20	50	70	A								5.0	10.0	PASS
97.	12/11/04/04/371	20	30	50						C			3.0	6.0	PASS
98.	12/11/04/04/376	18	35	53						C			3.0	6.0	PASS
99.	12/11/04/04/377	17	24	41						E			1.0	2.0	PASS
100.	12/11/04/04/379	12	20	32								F	0.0	0.0	FAIL
101.	12/11/04/04/384	19	22	41						E			1.0	2.0	PASS
102.	12/11/04/04/390	16	28	44						E			1.0	2.0	PASS
103.	12/11/04/04/393	17	35	52						C			3.0	6.0	PASS
104.	12/11/04/04/396	19	41	60				B					4.0	8.0	PASS
105.	12/11/04/04/405	18	32	50						C			3.0	6.0	PASS
106.	12/11/04/04/407	10	20	30								F	0.0	0.0	FAIL
107.	12/11/04/04/408	16	26	42						E			1.0	2.0	PASS
108.	12/11/04/04/412	17	28	45						D			2.0	4.0	PASS
109.	12/11/04/04/413	18	28	46						D			2.0	4.0	PASS
110.	12/11/04/04/419	18	35	53						C			3.0	6.0	PASS
111.	12/11/04/04/420	19	32	51						C			3.0	6.0	PASS
112.	12/11/04/04/424	18	26	44						E			1.0	2.0	PASS
113.	12/11/04/04/430	15	30	45						D			2.0	4.0	PASS
114.	12/11/04/04/431	20	39	59						C+			3.5	7.0	PASS
115.	12/11/04/04/432	19	30	49						D			2.0	4.0	PASS
116.	12/11/04/04/433	17	39	56						C+			3.5	7.0	PASS
117.	12/11/04/04/437	18	35	53						C			3.0	6.0	PASS
118.	12/11/04/04/441	16	39	55						C+			3.5	7.0	PASS
119.	12/11/04/04/451	17	32	49						D			2.0	4.0	PASS
120.	12/11/04/04/453	18	39	57						C+			3.5	7.0	PASS
121.	12/11/04/04/459	19	43	62				B					4.0	8.0	PASS

122.	12/11/04/04/462	20	45	65		B+						4.5	9.0	PASS
123.	12/11/04/04/464	19	28	47						D		2.0	4.0	PASS
124.	12/11/04/04/466	20	24	44						E		1.0	2.0	PASS
125.	12/11/04/04/470	10	39	49						D		2.0	4.0	PASS
126.	12/11/04/04/476	20	49	69		B+						4.5	9.0	PASS
127.	12/11/04/04/480	18	24	42						E		1.0	2.0	PASS
128.	12/11/04/04/482	17	32	49						D		2.0	4.0	PASS
129.	12/11/04/04/490	20	35	55				C+				3.5	7.0	PASS
130.	12/11/04/04/494	17	45	62		B						4.0	8.0	PASS
131.	12/11/04/04/495	19	37	56				C+				3.5	7.0	PASS
132.	12/11/04/04/499	20	28	48						D		2.0	4.0	PASS
133.	12/11/04/04/501	13	43	56				C+				3.5	7.0	PASS
134.	12/11/04/04/503	15	47	62		B						4.0	8.0	PASS
135.	12/11/04/04/519	19	35	54					C			3.0	6.0	PASS
136.	12/11/04/04/520	20	35	55				C+				3.5	7.0	PASS
137.	12/11/04/04/523	17	26	43						E		1.0	2.0	PASS
138.	12/11/04/04/532	15	26	41						E		1.0	2.0	PASS
139.	12/11/04/04/534	14	32	46						D		2.0	4.0	PASS
140.	12/11/04/04/535	15	35	50					C			3.0	6.0	PASS
141.	12/11/04/04/536	19	28	47						D		2.0	4.0	PASS
142.	12/11/04/04/548	20	28	48						D		2.0	4.0	PASS
143.	12/11/04/04/557	20	22	42						E		1.0	2.0	PASS
144.	12/11/04/04/558	20	30	50					C			3.0	6.0	PASS
145.	12/11/04/04/559	20	28	48						D		2.0	4.0	PASS
	Summary:				01	07	18	20	27	34	33	05		145

