

**UNIVERSITY OF MAIDUGURI**  
(OFFICE OF THE VICE-CHANCELLOR)

Centre for Distance Learning

Department of Health Education

**First Semester End-of-Course Examination Results**

Course Code: **HED 512**

Course Title: **Consumer Health**

Course Unit(s): **2**

**2013/2014 Academic Session**

S/No	ID. No.	C.A. Marks	EXAM Marks	TOTAL Marks	Grades										GP	U.GP	Remarks
					A	B+	B	C+	C	D	E	F					
1.	09/11/04/04/097	21	20	41							E		1.0	2.0	PASS		
2.	09/11/04/04/292	18	24	42							E		1.0	2.0	PASS		
3.	10/11/04/04/006	26	34	60			B						4.0	8.0	PASS		
4.	10/11/04/04/008	16	27	43							E		1.0	2.0	PASS		
5.	10/11/04/04/014	21	24	45						D			2.0	4.0	PASS		
6.	10/11/04/04/021	24	17	41							E		1.0	2.0	PASS		
7.	10/11/04/04/023	22	19	41							E		1.0	2.0	PASS		
8.	10/11/04/04/039	17	29	46						D			2.0	4.0	PASS		
9.	10/11/04/04/071	16	27	43							E		1.0	2.0	PASS		
10.	10/11/04/04/072	20	21	41							E		1.0	2.0	PASS		
11.	10/11/04/04/075	19	22	41							E		1.0	2.0	PASS		
12.	10/11/04/04/078	20	22	42							E		1.0	2.0	PASS		
13.	10/11/04/04/083	17	25	42							E		1.0	2.0	PASS		
14.	10/11/04/04/085	15	26	41							E		1.0	2.0	PASS		
15.	10/11/04/04/095	21	34	55				C+					3.5	7.0	PASS		
16.	10/11/04/04/102	19	22	41							E		1.0	2.0	PASS		
17.	10/11/04/04/103	10	11	21								F	0.0	0.0	FAIL		
18.	10/11/04/04/104	15	28	43							E		1.0	2.0	PASS		
19.	10/11/04/04/108	10	16	26								F	0.0	0.0	FAIL		
20.	10/11/04/04/110	20	21	41							E		1.0	2.0	PASS		
21.	10/11/04/04/111	21	22	43							E		1.0	2.0	PASS		
22.	10/11/04/04/112	23	27	50					C				3.0	6.0	PASS		
23.	10/11/04/04/113	20	23	43							E		1.0	2.0	PASS		
24.	10/11/04/04/116	20	21	41							E		1.0	2.0	PASS		
25.	10/11/04/04/119	15	33	48						D			2.0	4.0	PASS		
26.	10/11/04/04/123	20	21	41							E		1.0	2.0	PASS		
27.	10/11/04/04/125	20	21	41							E		1.0	2.0	PASS		
28.	10/11/04/04/126	17	25	42							E		1.0	2.0	PASS		
29.	10/11/04/04/127	20	22	42							E		1.0	2.0	PASS		
30.	10/11/04/04/128	20	22	42							E		1.0	2.0	PASS		
31.	10/11/04/04/139	18	36	54					C				3.0	6.0	PASS		
32.	10/11/04/04/140	22	20	42							E		1.0	2.0	PASS		
33.	10/11/04/04/151	19	26	45						D			2.0	4.0	PASS		

34.	10/11/04/04/152	18	33	51					C			3.0	6.0	PASS
35.	10/11/04/04/153	16	25	41						E		1.0	2.0	PASS
36.	10/11/04/04/154	15	28	43						E		1.0	2.0	PASS
37.	10/11/04/04/155	17	24	41						E		1.0	2.0	PASS
38.	10/11/04/04/157	20	22	42						E		1.0	2.0	PASS
39.	10/11/04/04/164	17	35	52					C			3.0	6.0	PASS
40.	10/11/04/04/165	22	20	42						E		1.0	2.0	PASS
41.	10/11/04/04/168	20	21	41						E		1.0	2.0	PASS
42.	10/11/04/04/177	19	25	44						E		1.0	2.0	PASS
43.	10/11/04/04/179	16	26	42						E		1.0	2.0	PASS
44.	10/11/04/04/181	23	18	41						E		1.0	2.0	PASS
45.	10/11/04/04/183	20	21	41						E		1.0	2.0	PASS
46.	10/11/04/04/187	21	20	41						E		1.0	2.0	PASS
47.	10/11/04/04/191	17	30	47					D			2.0	4.0	PASS
48.	10/11/04/04/205	18	23	41						E		1.0	2.0	PASS
49.	10/11/04/04/207	19	24	43						E		1.0	2.0	PASS
50.	10/11/04/04/210	17	08	25							F	0.0	0.0	FAIL
51.	10/11/04/04/214	12	29	41						E		1.0	2.0	PASS
52.	10/11/04/04/221	19	36	55					C+			3.5	7.0	PASS
53.	10/11/04/04/231	16	30	46					D			2.0	4.0	PASS
54.	10/11/04/04/243	18	23	41						E		1.0	2.0	PASS
55.	10/11/04/04/246	17	34	51					C			3.0	6.0	PASS
56.	10/11/04/04/250	21	24	45					D			2.0	4.0	PASS
57.	10/11/04/04/254	21	24	45					D			2.0	4.0	PASS
58.	10/11/04/04/257	21	22	43						E		1.0	2.0	PASS
59.	10/11/04/04/259	10	20	30							F	0.0	0.0	FAIL
60.	10/11/04/04/264	22	23	45					D			2.0	4.0	PASS
61.	10/11/04/04/266	23	18	41						E		1.0	2.0	PASS
62.	10/11/04/04/277	20	22	42						E		1.0	2.0	PASS
63.	10/11/04/04/281	25	17	42						E		1.0	2.0	PASS
64.	10/11/04/04/282	18	25	43						E		1.0	2.0	PASS
65.	10/11/04/04/286	26	15	41						E		1.0	2.0	PASS
66.	10/11/04/04/291	21	20	41						E		1.0	2.0	PASS
67.	10/11/04/04/294	24	18	42						E		1.0	2.0	PASS
68.	10/11/04/04/296	24	17	41						E		1.0	2.0	PASS
69.	10/11/04/04/305	25	40	65					B+			4.5	9.0	PASS
70.	10/11/04/04/306	20	28	48						D		2.0	4.0	PASS
71.	10/11/04/04/308	22	38	60					B			4.0	8.0	PASS
72.	10/11/04/04/310	24	17	41						E		1.0	2.0	PASS
73.	10/11/04/04/311	16	25	41						E		1.0	2.0	PASS
74.	10/11/04/04/312	17	25	42						E		1.0	2.0	PASS
75.	10/11/04/04/315	18	24	42						E		1.0	2.0	PASS
76.	10/11/04/04/322	19	22	41						E		1.0	2.0	PASS
77.	10/11/04/04/325	14	28	42						E		1.0	2.0	PASS

78.	10/11/04/04/334	18	23	41						E		1.0	2.0	PASS
79.	10/11/04/04/335	22	20	42						E		1.0	2.0	PASS
80.	10/11/04/04/337	16	25	41						E		1.0	2.0	PASS
81.	10/11/04/04/339	18	23	41						E		1.0	2.0	PASS
82.	10/11/04/04/340	24	17	41						E		1.0	2.0	PASS
83.	10/11/04/04/342	15	09	24							F	0.0	0.0	FAIL
84.	10/11/04/04/343	12	30	42						E		1.0	2.0	PASS
85.	10/11/04/04/344	25	35	60			B					4.0	8.0	PASS
86.	10/11/04/04/345	19	23	42						E		1.0	2.0	PASS
87.	10/11/04/04/347	14	08	22							F	0.0	0.0	FAIL
88.	10/11/04/04/349	10	16	26							F	0.0	0.0	FAIL
89.	10/11/04/04/362	18	27	45					D			2.0	4.0	PASS
90.	10/11/04/04/366	18	24	42						E		1.0	2.0	PASS
91.	10/11/04/04/369	10	31	41						E		1.0	2.0	PASS
92.	10/11/04/04/375	20	25	45					D			2.0	4.0	PASS
93.	10/11/04/04/376	16	27	43						E		1.0	2.0	PASS
94.	10/11/04/04/380	17	25	42						E		1.0	2.0	PASS
95.	10/11/04/04/382	14	30	44						E		1.0	2.0	PASS
96.	10/11/04/04/384	18	28	46					D			2.0	4.0	PASS
97.	10/11/04/04/385	20	22	42						E		1.0	2.0	PASS
98.	10/11/04/04/389	18	23	41						E		1.0	2.0	PASS
99.	10/11/04/04/390	21	24	45					D			2.0	4.0	PASS
##	10/11/04/04/391	18	29	47					D			2.0	4.0	PASS
##	10/11/04/04/395	14	28	42						E		1.0	2.0	PASS
##	10/11/04/04/396	12	05	17							F	0.0	0.0	FAIL
##	10/11/04/04/398	22	20	42						E		1.0	2.0	PASS
##	10/11/04/04/399	21	22	43						E		1.0	2.0	PASS
##	10/11/04/04/404	14	31	45					D			2.0	4.0	PASS
##	10/11/04/04/405	10	19	29							F	0.0	0.0	FAIL
##	10/11/04/04/407	24	17	41						E		1.0	2.0	PASS
##	10/11/04/04/408	15	30	45					D			2.0	4.0	PASS
##	10/11/04/04/410	25	16	41						E		1.0	2.0	PASS
##	10/11/04/04/411	19	22	41						E		1.0	2.0	PASS
##	10/11/04/04/412	23	19	42						E		1.0	2.0	PASS
##	10/11/04/04/414	15	09	24							F	0.0	0.0	FAIL
##	10/11/04/04/419	20	21	41						E		1.0	2.0	PASS
##	10/11/04/04/420	23	27	50				C				3.0	6.0	PASS
##	10/11/04/04/421	24	17	41						E		1.0	2.0	PASS
##	10/11/04/04/423	15	26	41						E		1.0	2.0	PASS
##	10/11/04/04/424	14	29	43						E		1.0	2.0	PASS
##	10/11/04/04/429	20	22	42						E		1.0	2.0	PASS
##	10/11/04/04/430	10	22	32							F	0.0	0.0	FAIL
##	10/11/04/04/437	21	20	41						E		1.0	2.0	PASS
##	10/11/04/04/438	18	23	41						E		1.0	2.0	PASS

##	10/11/04/04/442	13	07	20								F	0.0	0.0	FAIL
##	10/11/04/04/450	19	22	41							E		1.0	2.0	PASS
##	10/11/04/04/451	17	24	41							E		1.0	2.0	PASS
##	10/11/04/04/454	17	33	50					C				3.0	6.0	PASS
##	10/11/04/04/457	13	28	41							E		1.0	2.0	PASS
##	10/11/04/04/459	17	25	42							E		1.0	2.0	PASS
##	10/11/04/04/464	20	21	41							E		1.0	2.0	PASS
##	10/11/04/04/467	16	25	41							E		1.0	2.0	PASS
##	10/11/04/04/471	16	25	41							E		1.0	2.0	PASS
##	10/11/04/04/472	16	26	42							E		1.0	2.0	PASS
##	10/11/04/04/473	13	00	13								F	0.0	0.0	FAIL
##	10/11/04/04/474	20	21	41							E		1.0	2.0	PASS
##	12/11/04/04/004	21	52	73	A								5.0	10.0	PASS
##	12/11/04/04/007	20	22	42							E		1.0	2.0	PASS
##	12/11/04/04/008	19	24	43							E		1.0	2.0	PASS
##	12/11/04/04/013	18	28	46						D			2.0	4.0	PASS
##	12/11/04/04/017	22	23	45						D			2.0	4.0	PASS
##	12/11/04/04/018	18	32	50					C				3.0	6.0	PASS
##	12/11/04/04/021	16	26	42							E		1.0	2.0	PASS
##	12/11/04/04/023	20	21	41							E		1.0	2.0	PASS
##	12/11/04/04/024	22	20	42							E		1.0	2.0	PASS
##	12/11/04/04/025	10	31	41							E		1.0	2.0	PASS
##	12/11/04/04/026	23	24	47						D			2.0	4.0	PASS
##	12/11/04/04/027	26	39	65		B+							4.5	9.0	PASS
##	12/11/04/04/028	22	20	42							E		1.0	2.0	PASS
##	12/11/04/04/029	10	31	41							E		1.0	2.0	PASS
##	12/11/04/04/032	18	27	45						D			2.0	4.0	PASS
##	12/11/04/04/033	15	32	47						D			2.0	4.0	PASS
##	12/11/04/04/034	24	24	48						D			2.0	4.0	PASS
##	12/11/04/04/035	20	27	47						D			2.0	4.0	PASS
##	12/11/04/04/036	22	21	43							E		1.0	2.0	PASS
##	12/11/04/04/038	20	25	45						D			2.0	4.0	PASS
##	12/11/04/04/039	20	41	61			B						4.0	8.0	PASS
##	12/11/04/04/042	17	00	17								F	0.0	0.0	FAIL
##	12/11/04/04/043	22	23	45						D			2.0	4.0	PASS
##	12/11/04/04/044	16	32	48						D			2.0	4.0	PASS
##	12/11/04/04/045	21	20	41							E		1.0	2.0	PASS
##	12/11/04/04/046	15	30	45						D			2.0	4.0	PASS
##	12/11/04/04/047	19	23	42							E		1.0	2.0	PASS
##	12/11/04/04/048	21	21	42							E		1.0	2.0	PASS
##	12/11/04/04/049	19	27	46						D			2.0	4.0	PASS
##	12/11/04/04/050	15	38	53					C				3.0	6.0	PASS
##	12/11/04/04/052	18	36	54					C				3.0	6.0	PASS
##	12/11/04/04/053	23	37	60			B						4.0	8.0	PASS

##	12/11/04/04/055	12	30	42							E		1.0	2.0	PASS
##	12/11/04/04/056	19	22	41							E		1.0	2.0	PASS
##	12/11/04/04/058	15	26	41							E		1.0	2.0	PASS
##	12/11/04/04/059	18	28	46						D			2.0	4.0	PASS
##	12/11/04/04/060	10	22	32								F	0.0	0.0	FAIL
##	12/11/04/04/062	25	36	61			B						4.0	8.0	PASS
##	12/11/04/04/063	14	33	47						D			2.0	4.0	PASS
##	12/11/04/04/064	20	31	51						C			3.0	6.0	PASS
##	12/11/04/04/065	20	21	41							E		1.0	2.0	PASS
##	12/11/04/04/067	24	18	42							E		1.0	2.0	PASS
##	12/11/04/04/070	16	35	51						C			3.0	6.0	PASS
##	12/11/04/04/072	22	20	42							E		1.0	2.0	PASS
##	12/11/04/04/073	18	33	51						C			3.0	6.0	PASS
##	12/11/04/04/074	20	44	64			B						4.0	8.0	PASS
##	12/11/04/04/075	20	22	42							E		1.0	2.0	PASS
##	12/11/04/04/076	22	28	50						C			3.0	6.0	PASS
##	12/11/04/04/078	10	19	29								F	0.0	0.0	FAIL
##	12/11/04/04/079	16	32	48						D			2.0	4.0	PASS
##	12/11/04/04/081	18	36	54						C			3.0	6.0	PASS
##	12/11/04/04/082	20	21	41							E		1.0	2.0	PASS
##	12/11/04/04/083	20	21	41							E		1.0	2.0	PASS
##	12/11/04/04/085	21	23	44							E		1.0	2.0	PASS
##	12/11/04/04/086	21	22	43							E		1.0	2.0	PASS
##	12/11/04/04/088	19	23	42							E		1.0	2.0	PASS
##	12/11/04/04/091	21	30	51						C			3.0	6.0	PASS
##	12/11/04/04/093	20	28	48							D		2.0	4.0	PASS
##	12/11/04/04/094	18	23	41							E		1.0	2.0	PASS
##	12/11/04/04/095	16	25	41							E		1.0	2.0	PASS
##	12/11/04/04/096	20	21	41							E		1.0	2.0	PASS
##	12/11/04/04/097	21	22	43							E		1.0	2.0	PASS
##	12/11/04/04/099	24	18	42							E		1.0	2.0	PASS
##	12/11/04/04/100	17	29	46							D		2.0	4.0	PASS
##	12/11/04/04/102	20	21	41							E		1.0	2.0	PASS
##	12/11/04/04/103	18	23	41							E		1.0	2.0	PASS
##	12/11/04/04/105	19	22	41							E		1.0	2.0	PASS
##	12/11/04/04/106	16	26	42							E		1.0	2.0	PASS
##	12/11/04/04/108	19	23	42							E		1.0	2.0	PASS
##	12/11/04/04/109	16	25	41							E		1.0	2.0	PASS
##	12/11/04/04/111	21	30	51						C			3.0	6.0	PASS
##	12/11/04/04/114	20	33	53							C		3.0	6.0	PASS
##	12/11/04/04/116	18	42	60			B						4.0	8.0	PASS
##	12/11/04/04/118	19	22	41							E		1.0	2.0	PASS
##	12/11/04/04/119	21	20	41							E		1.0	2.0	PASS
##	12/11/04/04/122	20	22	42							E		1.0	2.0	PASS

##	12/11/04/04/126	19	23	42						E		1.0	2.0	PASS
##	12/11/04/04/127	19	41	60			B					4.0	8.0	PASS
##	12/11/04/04/128	17	38	55				C+				3.5	7.0	PASS
##	12/11/04/04/129	16	25	41						E		1.0	2.0	PASS
##	12/11/04/04/130	20	21	41						E		1.0	2.0	PASS
##	12/11/04/04/134	16	31	47						D		2.0	4.0	PASS
##	12/11/04/04/135	17	26	43						E		1.0	2.0	PASS
##	12/11/04/04/136	20	36	56				C+				3.5	7.0	PASS
##	12/11/04/04/137	20	22	42						E		1.0	2.0	PASS
##	12/11/04/04/138	19	08	27							F	0.0	0.0	FAIL
##	12/11/04/04/139	21	30	51					C			3.0	6.0	PASS
##	12/11/04/04/140	20	22	42						E		1.0	2.0	PASS
##	12/11/04/04/141	18	23	41						E		1.0	2.0	PASS
##	12/11/04/04/142	18	27	45						D		2.0	4.0	PASS
##	12/11/04/04/144	20	22	42						E		1.0	2.0	PASS
##	12/11/04/04/145	18	23	41						E		1.0	2.0	PASS
##	12/11/04/04/146	19	22	41						E		1.0	2.0	PASS
##	12/11/04/04/148	17	28	45						D		2.0	4.0	PASS
##	12/11/04/04/152	21	22	43						E		1.0	2.0	PASS
##	12/11/04/04/153	14	34	48						D		2.0	4.0	PASS
##	12/11/04/04/154	26	25	51					C			3.0	6.0	PASS
##	12/11/04/04/155	20	25	45						D		2.0	4.0	PASS
##	12/11/04/04/156	17	01	18							F	0.0	0.0	FAIL
##	12/11/04/04/157	20	34	54					C			3.0	6.0	PASS
##	12/11/04/04/159	19	36	55				C+				3.5	7.0	PASS
##	12/11/04/04/160	21	50	71	A							5.0	10.0	PASS
##	12/11/04/04/161	18	43	61			B					4.0	8.0	PASS
##	12/11/04/04/162	10	33	43						E		1.0	2.0	PASS
##	12/11/04/04/163	22	41	63			B					4.0	8.0	PASS
##	12/11/04/04/164	10	21	31							F	0.0	0.0	FAIL
##	12/11/04/04/166	19	28	47						D		2.0	4.0	PASS
##	12/11/04/04/167	18	24	42						E		1.0	2.0	PASS
##	12/11/04/04/169	23	37	60			B					4.0	8.0	PASS
##	12/11/04/04/170	19	31	50					C			3.0	6.0	PASS
##	12/11/04/04/171	21	24	45						D		2.0	4.0	PASS
##	12/11/04/04/173	26	36	62			B					4.0	8.0	PASS
##	12/11/04/04/174	16	32	48						D		2.0	4.0	PASS
##	12/11/04/04/176	20	22	42						E		1.0	2.0	PASS
##	12/11/04/04/178	21	21	42						E		1.0	2.0	PASS
##	12/11/04/04/179	23	33	56				C+				3.5	7.0	PASS
##	12/11/04/04/180	14	33	47						D		2.0	4.0	PASS
##	12/11/04/04/181	22	29	51					C			3.0	6.0	PASS
##	12/11/04/04/182	20	32	52						C		3.0	6.0	PASS
##	12/11/04/04/183	24	17	41						E		1.0	2.0	PASS

##	12/11/04/04/184	26	16	42						E		1.0	2.0	PASS
##	12/11/04/04/185	27	23	50					C			3.0	6.0	PASS
##	12/11/04/04/187	28	13	41						E		1.0	2.0	PASS
##	12/11/04/04/188	16	31	47					D			2.0	4.0	PASS
##	12/11/04/04/189	22	24	46					D			2.0	4.0	PASS
##	12/11/04/04/192	18	23	41						E		1.0	2.0	PASS
##	12/11/04/04/193	20	21	41						E		1.0	2.0	PASS
##	12/11/04/04/196	22	20	42						E		1.0	2.0	PASS
##	12/11/04/04/197	11	06	17							F	0.0	0.0	FAIL
##	12/11/04/04/198	13	07	20							F	0.0	0.0	FAIL
##	12/11/04/04/201	17	24	41						E		1.0	2.0	PASS
##	12/11/04/04/202	17	45	62			B					4.0	8.0	PASS
##	12/11/04/04/203	16	30	46					D			2.0	4.0	PASS
##	12/11/04/04/204	19	22	41						E		1.0	2.0	PASS
##	12/11/04/04/205	19	28	47					D			2.0	4.0	PASS
##	12/11/04/04/206	21	31	52					C			3.0	6.0	PASS
##	12/11/04/04/207	18	28	46					D			2.0	4.0	PASS
##	12/11/04/04/208	26	34	60			B					4.0	8.0	PASS
##	12/11/04/04/210	19	27	46					D			2.0	4.0	PASS
##	12/11/04/04/212	10	23	33							F	0.0	0.0	FAIL
##	12/11/04/04/213	18	43	61			B					4.0	8.0	PASS
##	12/11/04/04/215	17	33	50					C			3.0	6.0	PASS
##	12/11/04/04/218	15	26	41						E		1.0	2.0	PASS
##	12/11/04/04/219	18	24	42						E		1.0	2.0	PASS
##	12/11/04/04/222	16	29	45					D			2.0	4.0	PASS
##	12/11/04/04/224	19	22	41						E		1.0	2.0	PASS
##	12/11/04/04/228	21	25	46					D			2.0	4.0	PASS
##	12/11/04/04/229	16	28	44						E		1.0	2.0	PASS
##	12/11/04/04/230	20	28	48					D			2.0	4.0	PASS
##	12/11/04/04/232	14	27	41						E		1.0	2.0	PASS
##	12/11/04/04/233	15	28	43						E		1.0	2.0	PASS
##	12/11/04/04/234	20	31	51					C			3.0	6.0	PASS
##	12/11/04/04/235	17	34	51					C			3.0	6.0	PASS
##	12/11/04/04/237	18	23	41						E		1.0	2.0	PASS
##	12/11/04/04/238	18	32	50					C			3.0	6.0	PASS
##	12/11/04/04/240	10	10	20							F	0.0	0.0	FAIL
##	12/11/04/04/241	16	25	41						E		1.0	2.0	PASS
##	12/11/04/04/244	25	16	41						E		1.0	2.0	PASS
##	12/11/04/04/245	16	08	24							F	0.0	0.0	FAIL
##	12/11/04/04/247	19	34	53					C			3.0	6.0	PASS
##	12/11/04/04/248	25	35	60			B					4.0	8.0	PASS
##	12/11/04/04/249	10	22	32							F	0.0	0.0	FAIL
##	12/11/04/04/250	17	38	55					C+			3.5	7.0	PASS
##	12/11/04/04/251	10	17	27							F	0.0	0.0	FAIL

##	12/11/04/04/252	20	22	42						E		1.0	2.0	PASS
##	12/11/04/04/253	19	22	41						E		1.0	2.0	PASS
##	12/11/04/04/254	19	22	41						E		1.0	2.0	PASS
##	12/11/04/04/255	22	39	61			B					4.0	8.0	PASS
##	12/11/04/04/256	12	30	42						E		1.0	2.0	PASS
##	12/11/04/04/258	17	37	54					C			3.0	6.0	PASS
##	12/11/04/04/259	21	24	45						D		2.0	4.0	PASS
##	12/11/04/04/260	15	28	43						E		1.0	2.0	PASS
##	12/11/04/04/264	14	33	47						D		2.0	4.0	PASS
##	12/11/04/04/265	20	21	41						E		1.0	2.0	PASS
##	12/11/04/04/266	18	24	42						E		1.0	2.0	PASS
##	12/11/04/04/267	21	21	42						E		1.0	2.0	PASS
##	12/11/04/04/268	14	27	41						E		1.0	2.0	PASS
##	12/11/04/04/270	18	36	54					C			3.0	6.0	PASS
##	12/11/04/04/272	20	21	41						E		1.0	2.0	PASS
##	12/11/04/04/274	15	08	23							F	0.0	0.0	FAIL
##	12/11/04/04/275	15	01	16							F	0.0	0.0	FAIL
##	12/11/04/04/277	24	32	56					C+			3.5	7.0	PASS
##	12/11/04/04/279	16	25	41						E		1.0	2.0	PASS
##	12/11/04/04/282	18	24	42						E		1.0	2.0	PASS
##	12/11/04/04/283	17	26	43						E		1.0	2.0	PASS
##	12/11/04/04/284	22	19	41						E		1.0	2.0	PASS
##	12/11/04/04/285	14	36	50					C			3.0	6.0	PASS
##	12/11/04/04/292	10	19	29							F	0.0	0.0	FAIL
##	12/11/04/04/293	24	18	42						E		1.0	2.0	PASS
##	12/11/04/04/295	23	33	56					C+			3.5	7.0	PASS
##	12/11/04/04/296	18	34	52					C			3.0	6.0	PASS
##	12/11/04/04/297	12	30	42						E		1.0	2.0	PASS
##	12/11/04/04/298	19	23	42						E		1.0	2.0	PASS
##	12/11/04/04/299	17	25	42						E		1.0	2.0	PASS
##	12/11/04/04/300	19	38	57					C+			3.5	7.0	PASS
##	12/11/04/04/304	17	24	41						E		1.0	2.0	PASS
##	12/11/04/04/306	21	24	45						D		2.0	4.0	PASS
##	12/11/04/04/308	20	22	42						E		1.0	2.0	PASS
##	12/11/04/04/309	17	25	42						E		1.0	2.0	PASS
##	12/11/04/04/310	10	31	41						E		1.0	2.0	PASS
##	12/11/04/04/314	16	35	51					C			3.0	6.0	PASS
##	12/11/04/04/316	18	24	42						E		1.0	2.0	PASS
##	12/11/04/04/317	20	25	45						D		2.0	4.0	PASS
##	12/11/04/04/318	20	21	41						E		1.0	2.0	PASS
##	12/11/04/04/319	25	37	62					B			4.0	8.0	PASS
##	12/11/04/04/320	14	31	45						D		2.0	4.0	PASS
##	12/11/04/04/322	13	35	48						D		2.0	4.0	PASS
##	12/11/04/04/324	24	18	42						E		1.0	2.0	PASS



##	12/11/04/04/325	19	23	42						E		1.0	2.0	PASS
##	12/11/04/04/326	21	46	67		B+						4.5	9.0	PASS
##	12/11/04/04/327	16	00	16							F	0.0	0.0	FAIL
##	12/11/04/04/330	20	21	41						E		1.0	2.0	PASS
##	12/11/04/04/331	22	33	55			C+					3.5	7.0	PASS
##	12/11/04/04/332	19	22	41						E		1.0	2.0	PASS
##	12/11/04/04/333	14	31	45					D			2.0	4.0	PASS
##	12/11/04/04/334	26	15	41						E		1.0	2.0	PASS
##	12/11/04/04/336	19	26	45					D			2.0	4.0	PASS
##	12/11/04/04/337	21	20	41						E		1.0	2.0	PASS
##	12/11/04/04/338	20	35	55			C+					3.5	7.0	PASS
##	12/11/04/04/339	20	25	45					D			2.0	4.0	PASS
##	12/11/04/04/341	23	18	41						E		1.0	2.0	PASS
##	12/11/04/04/344	15	30	45					D			2.0	4.0	PASS
##	12/11/04/04/345	24	18	42						E		1.0	2.0	PASS
##	12/11/04/04/346	13	06	19							F	0.0	0.0	FAIL
##	12/11/04/04/347	19	24	43						E		1.0	2.0	PASS
##	12/11/04/04/348	22	34	56			C+					3.5	7.0	PASS
##	12/11/04/04/349	21	35	56			C+					3.5	7.0	PASS
##	12/11/04/04/350	16	05	21							F	0.0	0.0	FAIL
##	12/11/04/04/351	16	37	53				C				3.0	6.0	PASS
##	12/11/04/04/352	22	19	41						E		1.0	2.0	PASS
##	12/11/04/04/356	19	23	42						E		1.0	2.0	PASS
##	12/11/04/04/357	20	21	41						E		1.0	2.0	PASS
##	12/11/04/04/358	25	36	61			B					4.0	8.0	PASS
##	12/11/04/04/359	12	30	42						E		1.0	2.0	PASS
##	12/11/04/04/361	15	02	17							F	0.0	0.0	FAIL
##	12/11/04/04/362	10	21	31							F	0.0	0.0	FAIL
##	12/11/04/04/363	10	08	18							F	0.0	0.0	FAIL
##	12/11/04/04/365	18	36	54				C				3.0	6.0	PASS
##	12/11/04/04/366	19	22	41						E		1.0	2.0	PASS
##	12/11/04/04/367	17	30	47					D			2.0	4.0	PASS
##	12/11/04/04/372	24	18	42						E		1.0	2.0	PASS
##	12/11/04/04/373	16	32	48					D			2.0	4.0	PASS
##	12/11/04/04/374	21	44	65			B+					4.5	9.0	PASS
##	12/11/04/04/378	19	22	41						E		1.0	2.0	PASS
##	12/11/04/04/380	20	21	41						E		1.0	2.0	PASS
##	12/11/04/04/381	12	30	42						E		1.0	2.0	PASS
##	12/11/04/04/383	24	17	41						E		1.0	2.0	PASS
##	12/11/04/04/385	18	33	51				C				3.0	6.0	PASS
##	12/11/04/04/387	20	33	53				C				3.0	6.0	PASS
##	12/11/04/04/388	18	24	42						E		1.0	2.0	PASS
##	12/11/04/04/389	21	20	41						E		1.0	2.0	PASS
##	12/11/04/04/391	19	24	43						E		1.0	2.0	PASS

##	12/11/04/04/392	24	17	41						E		1.0	2.0	PASS
##	12/11/04/04/394	25	16	41						E		1.0	2.0	PASS
##	12/11/04/04/395	14	34	48						D		2.0	4.0	PASS
##	12/11/04/04/397	20	00	20							F	0.0	0.0	FAIL
##	12/11/04/04/398	19	27	46						D		2.0	4.0	PASS
##	12/11/04/04/399	20	30	50						C		3.0	6.0	PASS
##	12/11/04/04/400	25	35	60						B		4.0	8.0	PASS
##	12/11/04/04/401	20	22	42						E		1.0	2.0	PASS
##	12/11/04/04/402	20	21	41						E		1.0	2.0	PASS
##	12/11/04/04/404	20	22	42						E		1.0	2.0	PASS
##	12/11/04/04/406	17	33	50						C		3.0	6.0	PASS
##	12/11/04/04/409	10	19	29							F	0.0	0.0	FAIL
##	12/11/04/04/410	19	47	66						B+		4.5	9.0	PASS
##	12/11/04/04/411	21	20	41						E		1.0	2.0	PASS
##	12/11/04/04/414	20	21	41						E		1.0	2.0	PASS
##	12/11/04/04/415	14	27	41						E		1.0	2.0	PASS
##	12/11/04/04/416	21	41	62						B		4.0	8.0	PASS
##	12/11/04/04/417	10	22	32							F	0.0	0.0	FAIL
##	12/11/04/04/418	16	29	45						D		2.0	4.0	PASS
##	12/11/04/04/421	18	24	42						E		1.0	2.0	PASS
##	12/11/04/04/422	24	18	42						E		1.0	2.0	PASS
##	12/11/04/04/423	20	21	41						E		1.0	2.0	PASS
##	12/11/04/04/425	15	28	43						E		1.0	2.0	PASS
##	12/11/04/04/428	22	20	42						E		1.0	2.0	PASS
##	12/11/04/04/429	24	23	47						D		2.0	4.0	PASS
##	12/11/04/04/434	19	22	41						E		1.0	2.0	PASS
##	12/11/04/04/435	20	22	42						E		1.0	2.0	PASS
##	12/11/04/04/436	18	27	45						D		2.0	4.0	PASS
##	12/11/04/04/438	18	47	65						B+		4.5	9.0	PASS
##	12/11/04/04/439	18	28	46						D		2.0	4.0	PASS
##	12/11/04/04/442	20	21	41						E		1.0	2.0	PASS
##	12/11/04/04/444	10	18	28							F	0.0	0.0	FAIL
##	12/11/04/04/445	17	35	52						C		3.0	6.0	PASS
##	12/11/04/04/446	19	29	48						D		2.0	4.0	PASS
##	12/11/04/04/447	16	25	41						E		1.0	2.0	PASS
##	12/11/04/04/448	19	37	56						C+		3.5	7.0	PASS
##	12/11/04/04/449	20	22	42						E		1.0	2.0	PASS
##	12/11/04/04/450	20	22	42						E		1.0	2.0	PASS
##	12/11/04/04/455	15	27	42						E		1.0	2.0	PASS
##	12/11/04/04/456	18	24	42						E		1.0	2.0	PASS
##	12/11/04/04/457	20	21	41						E		1.0	2.0	PASS
##	12/11/04/04/458	10	20	30							F	0.0	0.0	FAIL
##	12/11/04/04/461	21	20	41						E		1.0	2.0	PASS
##	12/11/04/04/465	18	24	42						E		1.0	2.0	PASS

##	12/11/04/04/467	20	21	41						E		1.0	2.0	PASS
##	12/11/04/04/468	21	41	62			B					4.0	8.0	PASS
##	12/11/04/04/469	13	30	43						E		1.0	2.0	PASS
##	12/11/04/04/471	15	33	48					D			2.0	4.0	PASS
##	12/11/04/04/472	10	34	44						E		1.0	2.0	PASS
##	12/11/04/04/473	10	14	24							F	0.0	0.0	FAIL
##	12/11/04/04/475	10	12	22							F	0.0	0.0	FAIL
##	12/11/04/04/477	18	48	66			B+					4.5	9.0	PASS
##	12/11/04/04/478	21	20	41						E		1.0	2.0	PASS
##	12/11/04/04/479	17	26	43						E		1.0	2.0	PASS
##	12/11/04/04/481	15	31	46					D			2.0	4.0	PASS
##	12/11/04/04/483	22	19	41						E		1.0	2.0	PASS
##	12/11/04/04/484	18	24	42						E		1.0	2.0	PASS
##	12/11/04/04/485	10	40	50					C			3.0	6.0	PASS
##	12/11/04/04/487	24	18	42						E		1.0	2.0	PASS
##	12/11/04/04/489	10	16	26							F	0.0	0.0	FAIL
##	12/11/04/04/493	26	15	41						E		1.0	2.0	PASS
##	12/11/04/04/496	14	30	44						E		1.0	2.0	PASS
##	12/11/04/04/497	10	18	28							F	0.0	0.0	FAIL
##	12/11/04/04/498	18	32	50					C			3.0	6.0	PASS
##	12/11/04/04/502	18	35	53					C			3.0	6.0	PASS
##	12/11/04/04/504	21	20	41						E		1.0	2.0	PASS
##	12/11/04/04/505	15	27	42						E		1.0	2.0	PASS
##	12/11/04/04/506	20	21	41						E		1.0	2.0	PASS
##	12/11/04/04/507	14	27	41						E		1.0	2.0	PASS
##	12/11/04/04/508	16	26	42						E		1.0	2.0	PASS
##	12/11/04/04/509	10	18	28							F	0.0	0.0	FAIL
##	12/11/04/04/510	17	28	45					D			2.0	4.0	PASS
##	12/11/04/04/511	12	06	18							F	0.0	0.0	FAIL
##	12/11/04/04/512	17	24	41						E		1.0	2.0	PASS
##	12/11/04/04/514	22	21	43						E		1.0	2.0	PASS
##	12/11/04/04/515	20	21	41						E		1.0	2.0	PASS
##	12/11/04/04/517	18	33	51					C			3.0	6.0	PASS
##	12/11/04/04/518	15	32	47					D			2.0	4.0	PASS
##	12/11/04/04/521	20	23	43						E		1.0	2.0	PASS
##	12/11/04/04/522	10	40	50					C			3.0	6.0	PASS
##	12/11/04/04/524	17	28	45					D			2.0	4.0	PASS
##	12/11/04/04/525	16	30	46					D			2.0	4.0	PASS
##	12/11/04/04/529	10	20	30							F	0.0	0.0	FAIL
##	12/11/04/04/530	23	20	43						E		1.0	2.0	PASS
##	12/11/04/04/531	20	21	41						E		1.0	2.0	PASS
##	12/11/04/04/533	18	23	41						E		1.0	2.0	PASS
##	12/11/04/04/537	20	32	52					C			3.0	6.0	PASS
##	12/11/04/04/538	13	07	20							F	0.0	0.0	FAIL

##	12/11/04/04/539	19	22	41							E		1.0	2.0	PASS
##	12/11/04/04/540	10	19	29								F	0.0	0.0	FAIL
##	12/11/04/04/541	15	33	48						D			2.0	4.0	PASS
##	12/11/04/04/542	21	21	42							E		1.0	2.0	PASS
##	12/11/04/04/543	15	09	24								F	0.0	0.0	FAIL
##	12/11/04/04/544	19	23	42							E		1.0	2.0	PASS
##	12/11/04/04/545	22	20	42							E		1.0	2.0	PASS
##	12/11/04/04/546	16	26	42							E		1.0	2.0	PASS
##	12/11/04/04/547	18	24	42							E		1.0	2.0	PASS
##	12/11/04/04/550	14	28	42							E		1.0	2.0	PASS
##	12/11/04/04/551	15	32	47						D			2.0	4.0	PASS
##	12/11/04/04/552	16	05	21								F	0.0	0.0	FAIL
##	12/11/04/04/554	10	09	19								F	0.0	0.0	FAIL
##	12/11/04/04/560	22	19	41							E		1.0	2.0	PASS
	<b>Summary:</b>				<b>02</b>	<b>07</b>	<b>23</b>	<b>15</b>	<b>49</b>	<b>79</b>	<b>260</b>	<b>52</b>			<b>487</b>

























