

UNIVERSITY OF MAIDUGURI
(OFFICE OF THE VICE-CHANCELLOR)

Centre for Distance Learning

Department of Health Education

First Semester End-of-Course Examination Results

Course Code: **HED 514**

Course Title: **Test and Evaluation in Health Education**

Course Unit(s): **2**

2013/2014 Academic Session

S/No.	ID. No.	C.A. Marks	EXAM Marks	TOTAL Marks	Grades										GP	U.GP	Remarks
					A	B+	B	C+	C	D	E	F					
1.	09/11/04/04/097	19	35	54					C				3.0	6.0	PASS		
2.	09/11/04/04/292	21	48	69		B+							4.5	9.0	PASS		
3.	10/11/04/04/006	24	44	68		B+							4.5	9.0	PASS		
4.	10/11/04/04/008	24	38	62			B						4.0	8.0	PASS		
5.	10/11/04/04/014	22	42	64			B						4.0	8.0	PASS		
6.	10/11/04/04/021	04	22	26								F	0.0	0.0	FAIL		
7.	10/11/04/04/023	13	29	42							E		1.0	2.0	PASS		
8.	10/11/04/04/039	21	44	65		B+							4.5	9.0	PASS		
9.	10/11/04/04/056	12	02	14								F	0.0	0.0	FAIL		
10.	10/11/04/04/071	22	36	58				C+					3.5	7.0	PASS		
11.	10/11/04/04/072	19	30	49						D			2.0	4.0	PASS		
12.	10/11/04/04/075	04	30	34								F	0.0	0.0	FAIL		
13.	10/11/04/04/078	10	32	42							E		1.0	2.0	PASS		
14.	10/11/04/04/083	19	44	63			B						4.0	8.0	PASS		
15.	10/11/04/04/085	19	32	51					C				3.0	6.0	PASS		
16.	10/11/04/04/095	22	42	64			B						4.0	8.0	PASS		
17.	10/11/04/04/102	16	41	57				C+					3.5	7.0	PASS		
18.	10/11/04/04/103	22	31	53					C				3.0	6.0	PASS		
19.	10/11/04/04/104	10	43	53					C				3.0	6.0	PASS		
20.	10/11/04/04/108	19	40	59				C+					3.5	7.0	PASS		
21.	10/11/04/04/110	13	21	34								F	0.0	0.0	FAIL		
22.	10/11/04/04/111	18	33	51					C				3.0	6.0	PASS		
23.	10/11/04/04/112	21	35	56				C+					3.5	7.0	PASS		
24.	10/11/04/04/113	21	36	57				C+					3.5	7.0	PASS		
25.	10/11/04/04/116	16	39	55				C+					3.5	7.0	PASS		
26.	10/11/04/04/119	19	53	72	A								5.0	10.0	PASS		
27.	10/11/04/04/123	21	42	63			B						4.0	8.0	PASS		
28.	10/11/04/04/125	09	32	41							E		1.0	2.0	PASS		
29.	10/11/04/04/126	21	43	64			B						4.0	8.0	PASS		
30.	10/11/04/04/127	18	46	64			B						4.0	8.0	PASS		
31.	10/11/04/04/128	24	53	77	A								5.0	10.0	PASS		
32.	10/11/04/04/139	22	47	69		B+							4.5	9.0	PASS		
33.	10/11/04/04/140	18	35	53					C				3.0	6.0	PASS		

34.	10/11/04/04/151	22	45	67		B+						4.5	9.0	PASS
35.	10/11/04/04/152	22	41	63		B						4.0	8.0	PASS
36.	10/11/04/04/153	24	38	62		B						4.0	8.0	PASS
37.	10/11/04/04/154	13	43	56			C+					3.5	7.0	PASS
38.	10/11/04/04/155	19	32	51				C				3.0	6.0	PASS
39.	10/11/04/04/157	15	26	41						E		1.0	2.0	PASS
40.	10/11/04/04/164	25	38	63		B						4.0	8.0	PASS
41.	10/11/04/04/165	12	36	48					D			2.0	4.0	PASS
42.	10/11/04/04/168	15	38	53				C				3.0	6.0	PASS
43.	10/11/04/04/177	07	34	41						E		1.0	2.0	PASS
44.	10/11/04/04/179	21	29	50				C				3.0	6.0	PASS
45.	10/11/04/04/181	19	34	53				C				3.0	6.0	PASS
46.	10/11/04/04/183	15	28	43						E		1.0	2.0	PASS
47.	10/11/04/04/187	24	32	56			C+					3.5	7.0	PASS
48.	10/11/04/04/191	22	40	62		B						4.0	8.0	PASS
49.	10/11/04/04/205	19	30	49					D			2.0	4.0	PASS
50.	10/11/04/04/207	21	35	56			C+					3.5	7.0	PASS
51.	10/11/04/04/210	19	40	59			C+					3.5	7.0	PASS
52.	10/11/04/04/214	21	33	54				C				3.0	6.0	PASS
53.	10/11/04/04/221	26	33	59			C+					3.5	7.0	PASS
54.	10/11/04/04/231	25	42	67		B+						4.5	9.0	PASS
55.	10/11/04/04/243	09	32	41						E		1.0	2.0	PASS
56.	10/11/04/04/246	21	46	67		B+						4.5	9.0	PASS
57.	10/11/04/04/250	22	34	56			C+					3.5	7.0	PASS
58.	10/11/04/04/254	10	35	45					D			2.0	4.0	PASS
59.	10/11/04/04/257	25	42	67		B+						4.5	9.0	PASS
60.	10/11/04/04/259	18	32	50				C				3.0	6.0	PASS
61.	10/11/04/04/264	16	42	58			C+					3.5	7.0	PASS
62.	10/11/04/04/266	14	28	42						E		1.0	2.0	PASS
63.	10/11/04/04/277	25	48	73	A							5.0	10.0	PASS
64.	10/11/04/04/281	18	30	48					D			2.0	4.0	PASS
65.	10/11/04/04/282	18	40	58			C+					3.5	7.0	PASS
66.	10/11/04/04/286	18	30	48					D			2.0	4.0	PASS
67.	10/11/04/04/291	19	35	54				C				3.0	6.0	PASS
68.	10/11/04/04/294	10	35	45					D			2.0	4.0	PASS
69.	10/11/04/04/296	19	36	55			C+					3.5	7.0	PASS
70.	10/11/04/04/305	25	54	79	A							5.0	10.0	PASS
71.	10/11/04/04/306	25	36	61		B						4.0	8.0	PASS
72.	10/11/04/04/308	26	53	79	A							5.0	10.0	PASS
73.	10/11/04/04/310	13	40	53				C				3.0	6.0	PASS
74.	10/11/04/04/311	21	34	55			C+					3.5	7.0	PASS
75.	10/11/04/04/312	22	27	49					D			2.0	4.0	PASS
76.	10/11/04/04/315	19	31	50				C				3.0	6.0	PASS
77.	10/11/04/04/322	22	35	57			C+					3.5	7.0	PASS

78.	10/11/04/04/325	18	33	51					C				3.0	6.0	PASS
79.	10/11/04/04/332	10	02	12								F	0.0	0.0	FAIL
80.	10/11/04/04/334	13	43	56					C+				3.5	7.0	PASS
81.	10/11/04/04/335	13	30	43							E		1.0	2.0	PASS
82.	10/11/04/04/337	21	34	55					C+				3.5	7.0	PASS
83.	10/11/04/04/339	24	36	60					B				4.0	8.0	PASS
84.	10/11/04/04/340	04	39	43							E		1.0	2.0	PASS
85.	10/11/04/04/342	19	36	55					C+				3.5	7.0	PASS
86.	10/11/04/04/343	18	40	58					C+				3.5	7.0	PASS
87.	10/11/04/04/344	21	52	73	A								5.0	10.0	PASS
88.	10/11/04/04/345	15	44	59					C+				3.5	7.0	PASS
89.	10/11/04/04/347	16	29	45							D		2.0	4.0	PASS
90.	10/11/04/04/349	15	38	53					C				3.0	6.0	PASS
91.	10/11/04/04/362	16	36	52					C				3.0	6.0	PASS
92.	10/11/04/04/366	18	32	50					C				3.0	6.0	PASS
93.	10/11/04/04/367	22	02	24								F	0.0	0.0	FAIL
94.	10/11/04/04/369	21	43	64					B				4.0	8.0	PASS
95.	10/11/04/04/375	16	31	47							D		2.0	4.0	PASS
96.	10/11/04/04/376	04	38	42							E		1.0	2.0	PASS
97.	10/11/04/04/380	21	53	74	A								5.0	10.0	PASS
98.	10/11/04/04/382	21	41	62					B				4.0	8.0	PASS
99.	10/11/04/04/384	29	50	79	A								5.0	10.0	PASS
100.	10/11/04/04/385	21	43	64					B				4.0	8.0	PASS
101.	10/11/04/04/389	12	41	53					C				3.0	6.0	PASS
102.	10/11/04/04/390	18	40	58					C+				3.5	7.0	PASS
103.	10/11/04/04/391	24	47	71	A								5.0	10.0	PASS
104.	10/11/04/04/395	24	38	62					B				4.0	8.0	PASS
105.	10/11/04/04/396	04	26	30								F	0.0	0.0	FAIL
106.	10/11/04/04/397	04	37	41							E		1.0	2.0	PASS
107.	10/11/04/04/398	18	35	53					C				3.0	6.0	PASS
108.	10/11/04/04/399	16	33	49							D		2.0	4.0	PASS
109.	10/11/04/04/404	24	47	71	A								5.0	10.0	PASS
110.	10/11/04/04/405	13	38	51					C				3.0	6.0	PASS
111.	10/11/04/04/407	16	32	48							D		2.0	4.0	PASS
112.	10/11/04/04/408	21	42	63					B				4.0	8.0	PASS
113.	10/11/04/04/410	19	22	41							E		1.0	2.0	PASS
114.	10/11/04/04/411	13	32	45							D		2.0	4.0	PASS
115.	10/11/04/04/412	25	45	70	A								5.0	10.0	PASS
116.	10/11/04/04/414	12	32	44							E		1.0	2.0	PASS
117.	10/11/04/04/419	18	35	53					C				3.0	6.0	PASS
118.	10/11/04/04/420	21	36	57					C+				3.5	7.0	PASS
119.	10/11/04/04/421	25	45	70	A								5.0	10.0	PASS
120.	10/11/04/04/423	24	36	60					B				4.0	8.0	PASS
121.	10/11/04/04/424	21	41	62					B				4.0	8.0	PASS

122.	10/11/04/04/429	18	24	42						E		1.0	2.0	PASS
123.	10/11/04/04/430	21	25	46						D		2.0	4.0	PASS
124.	10/11/04/04/437	19	38	57				C+				3.5	7.0	PASS
125.	10/11/04/04/438	12	30	42						E		1.0	2.0	PASS
126.	10/11/04/04/442	19	22	41						E		1.0	2.0	PASS
127.	10/11/04/04/450	19	35	54					C			3.0	6.0	PASS
128.	10/11/04/04/451	18	41	59				C+				3.5	7.0	PASS
129.	10/11/04/04/454	21	36	57				C+				3.5	7.0	PASS
130.	10/11/04/04/457	18	36	54					C			3.0	6.0	PASS
131.	10/11/04/04/459	15	32	47						D		2.0	4.0	PASS
132.	10/11/04/04/464	22	31	53					C			3.0	6.0	PASS
133.	10/11/04/04/467	13	33	46						D		2.0	4.0	PASS
134.	10/11/04/04/471	16	36	52					C			3.0	6.0	PASS
135.	10/11/04/04/472	19	34	53					C			3.0	6.0	PASS
136.	10/11/04/04/474	04	25	29							F	0.0	0.0	FAIL
137.	10/11/04/04/475	22	46	68		B+						4.5	9.0	PASS
138.	12/11/04/04/004	22	59	81	A							5.0	10.0	PASS
139.	12/11/04/04/007	10	39	49						D		2.0	4.0	PASS
140.	12/11/04/04/008	15	26	41						E		1.0	2.0	PASS
141.	12/11/04/04/013	22	35	57				C+				3.5	7.0	PASS
142.	12/11/04/04/017	18	34	52					C			3.0	6.0	PASS
143.	12/11/04/04/018	19	50	69		B+						4.5	9.0	PASS
144.	12/11/04/04/021	13	38	51					C			3.0	6.0	PASS
145.	12/11/04/04/023	22	34	56				C+				3.5	7.0	PASS
146.	12/11/04/04/024	13	32	45						D		2.0	4.0	PASS
147.	12/11/04/04/025	24	41	65		B+						4.5	9.0	PASS
148.	12/11/04/04/026	12	18	30							F	0.0	0.0	FAIL
149.	12/11/04/04/027	25	48	73	A							5.0	10.0	PASS
150.	12/11/04/04/028	16	28	44						E		1.0	2.0	PASS
151.	12/11/04/04/029	04	48	52					C			3.0	6.0	PASS
152.	12/11/04/04/032	26	39	65		B+						4.5	9.0	PASS
153.	12/11/04/04/033	21	44	65		B+						4.5	9.0	PASS
154.	12/11/04/04/034	15	41	56				C+				3.5	7.0	PASS
155.	12/11/04/04/035	26	40	66		B+						4.5	9.0	PASS
156.	12/11/04/04/036	18	34	52					C			3.0	6.0	PASS
157.	12/11/04/04/038	21	50	71	A							5.0	10.0	PASS
158.	12/11/04/04/039	24	54	78	A							5.0	10.0	PASS
159.	12/11/04/04/043	21	42	63			B					4.0	8.0	PASS
160.	12/11/04/04/044	21	42	63			B					4.0	8.0	PASS
161.	12/11/04/04/045	22	30	52					C			3.0	6.0	PASS
162.	12/11/04/04/046	22	36	58				C+				3.5	7.0	PASS
163.	12/11/04/04/047	04	26	30							F	0.0	0.0	FAIL
164.	12/11/04/04/048	24	41	65		B+						4.5	9.0	PASS
165.	12/11/04/04/049	21	38	59				C+				3.5	7.0	PASS

166.	12/11/04/04/050	19	49	68		B+						4.5	9.0	PASS
167.	12/11/04/04/052	24	47	71	A							5.0	10.0	PASS
168.	12/11/04/04/053	24	52	76	A							5.0	10.0	PASS
169.	12/11/04/04/055	22	33	55				C+				3.5	7.0	PASS
170.	12/11/04/04/056	13	39	52					C			3.0	6.0	PASS
171.	12/11/04/04/058	24	35	59				C+				3.5	7.0	PASS
172.	12/11/04/04/059	04	38	42						E		1.0	2.0	PASS
173.	12/11/04/04/060	04	38	42						E		1.0	2.0	PASS
174.	12/11/04/04/062	21	45	66		B+						4.5	9.0	PASS
175.	12/11/04/04/063	19	35	54					C			3.0	6.0	PASS
176.	12/11/04/04/064	04	46	50					C			3.0	6.0	PASS
177.	12/11/04/04/065	04	38	42						E		1.0	2.0	PASS
178.	12/11/04/04/067	07	34	41						E		1.0	2.0	PASS
179.	12/11/04/04/070	22	49	71	A							5.0	10.0	PASS
180.	12/11/04/04/072	18	31	49						D		2.0	4.0	PASS
181.	12/11/04/04/073	22	44	66		B+						4.5	9.0	PASS
182.	12/11/04/04/074	24	36	60			B					4.0	8.0	PASS
183.	12/11/04/04/075	19	25	44						E		1.0	2.0	PASS
184.	12/11/04/04/076	22	22	44						E		1.0	2.0	PASS
185.	12/11/04/04/078	16	34	50					C			3.0	6.0	PASS
186.	12/11/04/04/079	22	53	75	A							5.0	10.0	PASS
187.	12/11/04/04/081	21	54	75	A							5.0	10.0	PASS
188.	12/11/04/04/082	24	30	54					C			3.0	6.0	PASS
189.	12/11/04/04/083	16	27	43						E		1.0	2.0	PASS
190.	12/11/04/04/085	07	34	41						E		1.0	2.0	PASS
191.	12/11/04/04/086	24	39	63			B					4.0	8.0	PASS
192.	12/11/04/04/088	16	34	50					C			3.0	6.0	PASS
193.	12/11/04/04/091	21	43	64			B					4.0	8.0	PASS
194.	12/11/04/04/093	14	28	42						E		1.0	2.0	PASS
195.	12/11/04/04/094	21	48	69		B+						4.5	9.0	PASS
196.	12/11/04/04/095	18	27	45						D		2.0	4.0	PASS
197.	12/11/04/04/096	15	39	54					C			3.0	6.0	PASS
198.	12/11/04/04/097	18	43	61			B					4.0	8.0	PASS
199.	12/11/04/04/099	13	29	42						E		1.0	2.0	PASS
200.	12/11/04/04/100	15	43	58					C+			3.5	7.0	PASS
201.	12/11/04/04/102	12	34	46						D		2.0	4.0	PASS
202.	12/11/04/04/103	22	39	61			B					4.0	8.0	PASS
203.	12/11/04/04/105	21	35	56					C+			3.5	7.0	PASS
204.	12/11/04/04/106	04	38	42						E		1.0	2.0	PASS
205.	12/11/04/04/108	19	27	46						D		2.0	4.0	PASS
206.	12/11/04/04/109	22	24	46						D		2.0	4.0	PASS
207.	12/11/04/04/111	21	53	74	A							5.0	10.0	PASS
208.	12/11/04/04/114	13	52	65		B+						4.5	9.0	PASS
209.	12/11/04/04/116	20	60	80	A							5.0	10.0	PASS

210.	12/11/04/04/118	24	54	78	A								5.0	10.0	PASS
211.	12/11/04/04/119	09	20	29								F	0.0	0.0	FAIL
212.	12/11/04/04/122	09	20	29								F	0.0	0.0	FAIL
213.	12/11/04/04/126	16	43	59				C+					3.5	7.0	PASS
214.	12/11/04/04/127	24	53	77	A								5.0	10.0	PASS
215.	12/11/04/04/128	21	48	69		B+							4.5	9.0	PASS
216.	12/11/04/04/129	10	22	32								F	0.0	0.0	FAIL
217.	12/11/04/04/130	19	26	45						D			2.0	4.0	PASS
218.	12/11/04/04/131	24	29	53					C				3.0	6.0	PASS
219.	12/11/04/04/134	16	38	54					C				3.0	6.0	PASS
220.	12/11/04/04/135	21	55	76	A								5.0	10.0	PASS
221.	12/11/04/04/136	22	55	77	A								5.0	10.0	PASS
222.	12/11/04/04/137	04	47	51					C				3.0	6.0	PASS
223.	12/11/04/04/138	25	44	69		B+							4.5	9.0	PASS
224.	12/11/04/04/139	24	33	57					C+				3.5	7.0	PASS
225.	12/11/04/04/140	14	28	42						E			1.0	2.0	PASS
226.	12/11/04/04/141	26	43	69		B+							4.5	9.0	PASS
227.	12/11/04/04/142	21	35	56					C+				3.5	7.0	PASS
228.	12/11/04/04/144	21	35	56					C+				3.5	7.0	PASS
229.	12/11/04/04/145	16	40	56					C+				3.5	7.0	PASS
230.	12/11/04/04/146	19	33	52					C				3.0	6.0	PASS
231.	12/11/04/04/148	25	46	71	A								5.0	10.0	PASS
232.	12/11/04/04/152	20	22	42						E			1.0	2.0	PASS
233.	12/11/04/04/153	21	29	50					C				3.0	6.0	PASS
234.	12/11/04/04/154	19	27	46						D			2.0	4.0	PASS
235.	12/11/04/04/155	25	44	69		B+							4.5	9.0	PASS
236.	12/11/04/04/156	18	34	52					C				3.0	6.0	PASS
237.	12/11/04/04/157	19	50	69		B+							4.5	9.0	PASS
238.	12/11/04/04/159	24	41	65		B+							4.5	9.0	PASS
239.	12/11/04/04/160	22	57	79	A								5.0	10.0	PASS
240.	12/11/04/04/161	24	53	77	A								5.0	10.0	PASS
241.	12/11/04/04/162	26	39	65		B+							4.5	9.0	PASS
242.	12/11/04/04/163	23	54	77	A								5.0	10.0	PASS
243.	12/11/04/04/164	21	32	53					C				3.0	6.0	PASS
244.	12/11/04/04/166	25	44	69		B+							4.5	9.0	PASS
245.	12/11/04/04/167	07	42	49						D			2.0	4.0	PASS
246.	12/11/04/04/169	22	54	76	A								5.0	10.0	PASS
247.	12/11/04/04/170	21	54	75	A								5.0	10.0	PASS
248.	12/11/04/04/171	04	43	47						D			2.0	4.0	PASS
249.	12/11/04/04/173	22	47	69		B+							4.5	9.0	PASS
250.	12/11/04/04/174	24	48	72	A								5.0	10.0	PASS
251.	12/11/04/04/176	19	34	53					C				3.0	6.0	PASS
252.	12/11/04/04/178	10	34	44						E			1.0	2.0	PASS
253.	12/11/04/04/179	21	50	71	A								5.0	10.0	PASS

254.	12/11/04/04/180	18	42	60			B						4.0	8.0	PASS
255.	12/11/04/04/181	24	54	78	A								5.0	10.0	PASS
256.	12/11/04/04/182	22	49	71	A								5.0	10.0	PASS
257.	12/11/04/04/183	16	29	45						D			2.0	4.0	PASS
258.	12/11/04/04/184	10	32	42						E			1.0	2.0	PASS
259.	12/11/04/04/185	19	46	65			B+						4.5	9.0	PASS
260.	12/11/04/04/187	19	42	61			B						4.0	8.0	PASS
261.	12/11/04/04/188	21	40	61			B						4.0	8.0	PASS
262.	12/11/04/04/189	19	39	58				C+					3.5	7.0	PASS
263.	12/11/04/04/192	13	34	47						D			2.0	4.0	PASS
264.	12/11/04/04/193	22	35	57				C+					3.5	7.0	PASS
265.	12/11/04/04/196	21	53	74	A								5.0	10.0	PASS
266.	12/11/04/04/197	04	25	29								F	0.0	0.0	FAIL
267.	12/11/04/04/198	05	36	41						E			1.0	2.0	PASS
268.	12/11/04/04/201	21	34	55				C+					3.5	7.0	PASS
269.	12/11/04/04/202	19	58	77	A								5.0	10.0	PASS
270.	12/11/04/04/203	21	47	68			B+						4.5	9.0	PASS
271.	12/11/04/04/204	24	43	67			B+						4.5	9.0	PASS
272.	12/11/04/04/205	29	49	78	A								5.0	10.0	PASS
273.	12/11/04/04/206	24	34	58				C+					3.5	7.0	PASS
274.	12/11/04/04/207	21	38	59				C+					3.5	7.0	PASS
275.	12/11/04/04/208	19	32	51					C				3.0	6.0	PASS
276.	12/11/04/04/210	26	48	74	A								5.0	10.0	PASS
277.	12/11/04/04/212	21	33	54					C				3.0	6.0	PASS
278.	12/11/04/04/213	21	57	78	A								5.0	10.0	PASS
279.	12/11/04/04/215	24	43	67			B+						4.5	9.0	PASS
280.	12/11/04/04/218	18	35	53					C				3.0	6.0	PASS
281.	12/11/04/04/219	21	25	46						D			2.0	4.0	PASS
282.	12/11/04/04/222	22	38	60			B						4.0	8.0	PASS
283.	12/11/04/04/224	19	22	41						E			1.0	2.0	PASS
284.	12/11/04/04/228	19	40	59				C+					3.5	7.0	PASS
285.	12/11/04/04/229	21	30	51					C				3.0	6.0	PASS
286.	12/11/04/04/230	22	46	68			B+						4.5	9.0	PASS
287.	12/11/04/04/232	21	39	60			B						4.0	8.0	PASS
288.	12/11/04/04/233	22	29	51					C				3.0	6.0	PASS
289.	12/11/04/04/234	22	55	77	A								5.0	10.0	PASS
290.	12/11/04/04/235	04	56	60			B						4.0	8.0	PASS
291.	12/11/04/04/237	18	41	59				C+					3.5	7.0	PASS
292.	12/11/04/04/238	15	40	55				C+					3.5	7.0	PASS
293.	12/11/04/04/240	04	21	25								F	0.0	0.0	FAIL
294.	12/11/04/04/241	21	29	50					C				3.0	6.0	PASS
295.	12/11/04/04/244	09	42	51					C				3.0	6.0	PASS
296.	12/11/04/04/245	07	25	32								F	0.0	0.0	FAIL
297.	12/11/04/04/247	21	48	69			B+						4.5	9.0	PASS

298.	12/11/04/04/248	19	48	67		B+						4.5	9.0	PASS	
299.	12/11/04/04/249	19	39	58				C+				3.5	7.0	PASS	
300.	12/11/04/04/250	24	47	71	A							5.0	10.0	PASS	
301.	12/11/04/04/251	19	39	58				C+				3.5	7.0	PASS	
302.	12/11/04/04/252	19	42	61			B					4.0	8.0	PASS	
303.	12/11/04/04/253	21	36	57				C+				3.5	7.0	PASS	
304.	12/11/04/04/254	19	26	45						D		2.0	4.0	PASS	
305.	12/11/04/04/255	25	50	75	A							5.0	10.0	PASS	
306.	12/11/04/04/256	21	43	64			B					4.0	8.0	PASS	
307.	12/11/04/04/258	22	52	74	A							5.0	10.0	PASS	
308.	12/11/04/04/259	15	41	56				C+				3.5	7.0	PASS	
309.	12/11/04/04/260	21	47	68		B+						4.5	9.0	PASS	
310.	12/11/04/04/264	22	49	71	A							5.0	10.0	PASS	
311.	12/11/04/04/265	21	35	56				C+				3.5	7.0	PASS	
312.	12/11/04/04/266	04	56	60			B					4.0	8.0	PASS	
313.	12/11/04/04/267	26	41	67		B+						4.5	9.0	PASS	
314.	12/11/04/04/268	12	39	51					C			3.0	6.0	PASS	
315.	12/11/04/04/270	04	41	45						D		2.0	4.0	PASS	
316.	12/11/04/04/272	15	26	41							E	1.0	2.0	PASS	
317.	12/11/04/04/274	04	27	31								F	0.0	0.0	FAIL
318.	12/11/04/04/275	19	42	61			B					4.0	8.0	PASS	
319.	12/11/04/04/277	21	40	61			B					4.0	8.0	PASS	
320.	12/11/04/04/279	19	38	57				C+				3.5	7.0	PASS	
321.	12/11/04/04/282	19	32	51					C			3.0	6.0	PASS	
322.	12/11/04/04/283	16	30	46						D		2.0	4.0	PASS	
323.	12/11/04/04/284	18	50	68		B+						4.5	9.0	PASS	
324.	12/11/04/04/285	24	56	80	A							5.0	10.0	PASS	
325.	12/11/04/04/292	21	38	59				C+				3.5	7.0	PASS	
326.	12/11/04/04/293	09	34	43							E	1.0	2.0	PASS	
327.	12/11/04/04/295	21	44	65		B+						4.5	9.0	PASS	
328.	12/11/04/04/296	27	41	68		B+						4.5	9.0	PASS	
329.	12/11/04/04/297	25	29	54					C			3.0	6.0	PASS	
330.	12/11/04/04/298	21	29	50					C			3.0	6.0	PASS	
331.	12/11/04/04/299	22	30	52					C			3.0	6.0	PASS	
332.	12/11/04/04/300	22	57	79	A							5.0	10.0	PASS	
333.	12/11/04/04/304	22	33	55				C+				3.5	7.0	PASS	
334.	12/11/04/04/306	25	38	63			B					4.0	8.0	PASS	
335.	12/11/04/04/308	11	30	41							E	1.0	2.0	PASS	
336.	12/11/04/04/309	12	34	46						D		2.0	4.0	PASS	
337.	12/11/04/04/310	22	44	66		B+						4.5	9.0	PASS	
338.	12/11/04/04/314	27	50	77	A							5.0	10.0	PASS	
339.	12/11/04/04/316	19	40	59				C+				3.5	7.0	PASS	
340.	12/11/04/04/317	18	44	62			B					4.0	8.0	PASS	
341.	12/11/04/04/318	21	38	59				C+				3.5	7.0	PASS	

342.	12/11/04/04/319	27	47	74	A							5.0	10.0	PASS
343.	12/11/04/04/320	19	40	59				C+				3.5	7.0	PASS
344.	12/11/04/04/322	19	46	65		B+						4.5	9.0	PASS
345.	12/11/04/04/324	18	42	60			B					4.0	8.0	PASS
346.	12/11/04/04/325	21	43	64			B					4.0	8.0	PASS
347.	12/11/04/04/326	24	56	80	A							5.0	10.0	PASS
348.	12/11/04/04/327	18	39	57				C+				3.5	7.0	PASS
349.	12/11/04/04/330	10	24	34							F	0.0	0.0	FAIL
350.	12/11/04/04/331	25	30	55				C+				3.5	7.0	PASS
351.	12/11/04/04/332	16	30	46						D		2.0	4.0	PASS
352.	12/11/04/04/333	19	49	68		B+						4.5	9.0	PASS
353.	12/11/04/04/334	19	44	63			B					4.0	8.0	PASS
354.	12/11/04/04/336	04	41	45						D		2.0	4.0	PASS
355.	12/11/04/04/337	18	29	47						D		2.0	4.0	PASS
356.	12/11/04/04/338	19	45	64			B					4.0	8.0	PASS
357.	12/11/04/04/339	18	33	51					C			3.0	6.0	PASS
358.	12/11/04/04/341	15	38	53					C			3.0	6.0	PASS
359.	12/11/04/04/344	09	18	27							F	0.0	0.0	FAIL
360.	12/11/04/04/345	04	49	53					C			3.0	6.0	PASS
361.	12/11/04/04/346	19	33	52					C			3.0	6.0	PASS
362.	12/11/04/04/347	18	35	53					C			3.0	6.0	PASS
363.	12/11/04/04/348	18	32	50					C			3.0	6.0	PASS
364.	12/11/04/04/349	19	32	51					C			3.0	6.0	PASS
365.	12/11/04/04/350	15	28	43						E		1.0	2.0	PASS
366.	12/11/04/04/351	24	48	72	A							5.0	10.0	PASS
367.	12/11/04/04/352	21	44	65		B+						4.5	9.0	PASS
368.	12/11/04/04/354	04	46	50					C			3.0	6.0	PASS
369.	12/11/04/04/356	19	36	55				C+				3.5	7.0	PASS
370.	12/11/04/04/357	19	31	50					C			3.0	6.0	PASS
371.	12/11/04/04/358	21	44	65		B+						4.5	9.0	PASS
372.	12/11/04/04/359	07	34	41						E		1.0	2.0	PASS
373.	12/11/04/04/361	21	40	61			B					4.0	8.0	PASS
374.	12/11/04/04/362	24	43	67		B+						4.5	9.0	PASS
375.	12/11/04/04/363	24	32	56				C+				3.5	7.0	PASS
376.	12/11/04/04/365	22	50	72	A							5.0	10.0	PASS
377.	12/11/04/04/366	04	42	46						D		2.0	4.0	PASS
378.	12/11/04/04/367	16	41	57				C+				3.5	7.0	PASS
379.	12/11/04/04/372	18	24	42						E		1.0	2.0	PASS
380.	12/11/04/04/373	22	49	71	A							5.0	10.0	PASS
381.	12/11/04/04/374	25	58	83	A							5.0	10.0	PASS
382.	12/11/04/04/378	15	26	41						E		1.0	2.0	PASS
383.	12/11/04/04/380	12	20	32							F	0.0	0.0	FAIL
384.	12/11/04/04/381	13	32	45						D		2.0	4.0	PASS
385.	12/11/04/04/383	21	40	61			B					4.0	8.0	PASS

386.	12/11/04/04/385	20	59	79	A							5.0	10.0	PASS
387.	12/11/04/04/387	24	47	71	A							5.0	10.0	PASS
388.	12/11/04/04/388	22	42	64			B					4.0	8.0	PASS
389.	12/11/04/04/389	13	38	51					C			3.0	6.0	PASS
390.	12/11/04/04/391	21	39	60			B					4.0	8.0	PASS
391.	12/11/04/04/392	16	25	41						E		1.0	2.0	PASS
392.	12/11/04/04/394	21	39	60			B					4.0	8.0	PASS
393.	12/11/04/04/395	19	44	63			B					4.0	8.0	PASS
394.	12/11/04/04/397	22	57	79	A							5.0	10.0	PASS
395.	12/11/04/04/398	25	34	59				C+				3.5	7.0	PASS
396.	12/11/04/04/399	18	41	59				C+				3.5	7.0	PASS
397.	12/11/04/04/400	21	44	65		B+						4.5	9.0	PASS
398.	12/11/04/04/401	10	32	42						E		1.0	2.0	PASS
399.	12/11/04/04/402	16	30	46						D		2.0	4.0	PASS
400.	12/11/04/04/404	22	34	56				C+				3.5	7.0	PASS
401.	12/11/04/04/406	27	50	77	A							5.0	10.0	PASS
402.	12/11/04/04/409	12	34	46						D		2.0	4.0	PASS
403.	12/11/04/04/410	21	57	78	A							5.0	10.0	PASS
404.	12/11/04/04/411	19	36	55				C+				3.5	7.0	PASS
405.	12/11/04/04/414	18	35	53					C			3.0	6.0	PASS
406.	12/11/04/04/415	18	39	57				C+				3.5	7.0	PASS
407.	12/11/04/04/416	22	49	71	A							5.0	10.0	PASS
408.	12/11/04/04/417	21	35	56				C+				3.5	7.0	PASS
409.	12/11/04/04/418	25	48	73	A							5.0	10.0	PASS
410.	12/11/04/04/421	04	28	32							F	0.0	0.0	FAIL
411.	12/11/04/04/422	06	36	42						E		1.0	2.0	PASS
412.	12/11/04/04/423	22	33	55				C+				3.5	7.0	PASS
413.	12/11/04/04/425	04	37	41						E		1.0	2.0	PASS
414.	12/11/04/04/428	13	36	49						D		2.0	4.0	PASS
415.	12/11/04/04/429	18	39	57				C+				3.5	7.0	PASS
416.	12/11/04/04/434	12	36	48						D		2.0	4.0	PASS
417.	12/11/04/04/435	13	34	47						D		2.0	4.0	PASS
418.	12/11/04/04/436	12	35	47						D		2.0	4.0	PASS
419.	12/11/04/04/438	21	47	68		B+						4.5	9.0	PASS
420.	12/11/04/04/439	22	49	71	A							5.0	10.0	PASS
421.	12/11/04/04/442	21	41	62			B					4.0	8.0	PASS
422.	12/11/04/04/444	04	42	46						D		2.0	4.0	PASS
423.	12/11/04/04/445	22	46	68		B+						4.5	9.0	PASS
424.	12/11/04/04/446	24	33	57				C+				3.5	7.0	PASS
425.	12/11/04/04/447	19	50	69		B+						4.5	9.0	PASS
426.	12/11/04/04/448	19	49	68		B+						4.5	9.0	PASS
427.	12/11/04/04/449	21	43	64			B					4.0	8.0	PASS
428.	12/11/04/04/450	19	29	48						D		2.0	4.0	PASS
429.	12/11/04/04/455	19	40	59				C+				3.5	7.0	PASS

430.	12/11/04/04/456	22	39	61			B					4.0	8.0	PASS
431.	12/11/04/04/457	15	38	53					C			3.0	6.0	PASS
432.	12/11/04/04/458	18	36	54					C			3.0	6.0	PASS
433.	12/11/04/04/461	21	42	63			B					4.0	8.0	PASS
434.	12/11/04/04/465	19	44	63			B					4.0	8.0	PASS
435.	12/11/04/04/467	13	38	51					C			3.0	6.0	PASS
436.	12/11/04/04/468	20	58	78	A							5.0	10.0	PASS
437.	12/11/04/04/469	22	49	71	A							5.0	10.0	PASS
438.	12/11/04/04/471	21	43	64			B					4.0	8.0	PASS
439.	12/11/04/04/472	24	54	78	A							5.0	10.0	PASS
440.	12/11/04/04/473	15	29	44						E		1.0	2.0	PASS
441.	12/11/04/04/475	15	32	47					D			2.0	4.0	PASS
442.	12/11/04/04/477	24	54	78	A							5.0	10.0	PASS
443.	12/11/04/04/478	16	27	43						E		1.0	2.0	PASS
444.	12/11/04/04/479	18	46	64			B					4.0	8.0	PASS
445.	12/11/04/04/481	25	48	73	A							5.0	10.0	PASS
446.	12/11/04/04/483	18	38	56				C+				3.5	7.0	PASS
447.	12/11/04/04/484	18	25	43						E		1.0	2.0	PASS
448.	12/11/04/04/485	24	59	83	A							5.0	10.0	PASS
449.	12/11/04/04/487	22	42	64			B					4.0	8.0	PASS
450.	12/11/04/04/489	04	22	26							F	0.0	0.0	FAIL
451.	12/11/04/04/493	22	34	56				C+				3.5	7.0	PASS
452.	12/11/04/04/496	24	43	67		B+						4.5	9.0	PASS
453.	12/11/04/04/497	26	38	64			B					4.0	8.0	PASS
454.	12/11/04/04/498	24	44	68		B+						4.5	9.0	PASS
455.	12/11/04/04/502	22	56	78	A							5.0	10.0	PASS
456.	12/11/04/04/504	18	31	49					D			2.0	4.0	PASS
457.	12/11/04/04/505	21	32	53					C			3.0	6.0	PASS
458.	12/11/04/04/506	16	26	42						E		1.0	2.0	PASS
459.	12/11/04/04/507	22	40	62			B					4.0	8.0	PASS
460.	12/11/04/04/508	24	39	63			B					4.0	8.0	PASS
461.	12/11/04/04/509	15	26	41						E		1.0	2.0	PASS
462.	12/11/04/04/510	15	38	53					C			3.0	6.0	PASS
463.	12/11/04/04/511	07	34	41						E		1.0	2.0	PASS
464.	12/11/04/04/512	04	38	42						E		1.0	2.0	PASS
465.	12/11/04/04/514	14	28	42						E		1.0	2.0	PASS
466.	12/11/04/04/515	16	31	47					D			2.0	4.0	PASS
467.	12/11/04/04/517	21	32	53					C			3.0	6.0	PASS
468.	12/11/04/04/518	26	45	71	A							5.0	10.0	PASS
469.	12/11/04/04/521	16	26	42						E		1.0	2.0	PASS
470.	12/11/04/04/522	22	45	67		B+						4.5	9.0	PASS
471.	12/11/04/04/524	13	30	43						E		1.0	2.0	PASS
472.	12/11/04/04/525	19	36	55				C+				3.5	7.0	PASS
473.	12/11/04/04/529	04	38	42						E		1.0	2.0	PASS

474.	12/11/04/04/530	19	31	50					C				3.0	6.0	PASS
475.	12/11/04/04/531	04	26	30								F	0.0	0.0	FAIL
476.	12/11/04/04/533	04	22	26								F	0.0	0.0	FAIL
477.	12/11/04/04/537	19	54	73	A								5.0	10.0	PASS
478.	12/11/04/04/538	22	31	53					C				3.0	6.0	PASS
479.	12/11/04/04/539	19	34	53					C				3.0	6.0	PASS
480.	12/11/04/04/540	04	24	28								F	0.0	0.0	FAIL
481.	12/11/04/04/541	21	38	59				C+					3.5	7.0	PASS
482.	12/11/04/04/542	24	42	66		B+							4.5	9.0	PASS
483.	12/11/04/04/543	19	42	61			B						4.0	8.0	PASS
484.	12/11/04/04/544	21	36	57				C+					3.5	7.0	PASS
485.	12/11/04/04/545	09	53	62			B						4.0	8.0	PASS
486.	12/11/04/04/546	18	40	58				C+					3.5	7.0	PASS
487.	12/11/04/04/547	19	43	62			B						4.0	8.0	PASS
488.	12/11/04/04/550	10	33	43							E		1.0	2.0	PASS
489.	12/11/04/04/551	22	40	62			B						4.0	8.0	PASS
490.	12/11/04/04/552	15	34	49						D			2.0	4.0	PASS
491.	12/11/04/04/554	04	38	42							E		1.0	2.0	PASS
492.	12/11/04/04/560	13	29	42							E		1.0	2.0	PASS
	Summary:					73	56	65	81	80	51	61	25		492

