

UNIVERSITY OF MAIDUGURI
(OFFICE OF THE VICE-CHANCELLOR)

Centre for Distance Learning

Department of Arabic and Islamic Studies

First Semester End-of-Course Examination Results

Course Code:

ISL 508

Course Title:

Sokoto Caliphate Literature

Course Unit(s):

2**2015/2016 Academic Session**

S/No.	ID. No.	C.A. Marks	EXAM Marks	TOTAL Marks	Grades										GP	U.GP	Remarks
					A	B+	B	C+	C	D	E	F					
1.	10/11/03/01/016	15	19	34									F	0.0	0.0	FAIL	
2.	10/11/03/01/031	20	45	65		B+								4.5	9.0	PASS	
3.	10/11/03/01/037	10	22	32									F	0.0	0.0	FAIL	
4.	10/11/03/01/039	15	37	52					C					3.0	6.0	PASS	
5.	10/11/03/01/043	21	24	45						D				2.0	4.0	PASS	
6.	10/11/03/01/044	17	37	54					C					3.0	6.0	PASS	
7.	10/11/03/01/049	22	33	55				C+						3.5	7.0	PASS	
8.	10/11/03/01/058	22	24	46						D				2.0	4.0	PASS	
9.	10/11/03/01/059	22	40	62			B							4.0	8.0	PASS	
10.	10/11/03/01/067	18	24	42							E			1.0	2.0	PASS	
11.	10/11/03/01/069	21	29	50					C					3.0	6.0	PASS	
12.	10/11/03/01/089	30	27	57				C+						3.5	7.0	PASS	
13.	10/11/03/01/094	16	26	42							E			1.0	2.0	PASS	
14.	10/11/03/01/121	17	24	41							E			1.0	2.0	PASS	
15.	10/11/03/01/126	18	33	51					C					3.0	6.0	PASS	
16.	10/11/03/01/127	17	44	61			B							4.0	8.0	PASS	
17.	10/11/03/01/129	18	30	48						D				2.0	4.0	PASS	
18.	10/11/03/01/132	18	42	60			B							4.0	8.0	PASS	
19.	12/11/03/01/003	15	35	50					C					3.0	6.0	PASS	
20.	12/11/03/01/006	19	43	62			B							4.0	8.0	PASS	
21.	12/11/03/01/014	20	43	63			B							4.0	8.0	PASS	
22.	12/11/03/01/019	18	32	50					C					3.0	6.0	PASS	
23.	12/11/03/01/029	15	40	55				C+						3.5	7.0	PASS	
24.	12/11/03/01/041	12	32	44							E			1.0	2.0	PASS	
25.	12/11/03/01/053	22	27	49						D				2.0	4.0	PASS	
26.	12/11/03/01/059	17	34	51					C					3.0	6.0	PASS	
27.	12/11/03/01/061	20	40	60			B							4.0	8.0	PASS	
28.	12/11/03/01/068	23	30	53					C					3.0	6.0	PASS	
29.	12/11/03/01/072	17	27	44							E			1.0	2.0	PASS	
30.	12/11/03/01/076	25	37	62			B							4.0	8.0	PASS	
31.	12/11/03/01/083	15	42	57				C+						3.5	7.0	PASS	
32.	12/11/03/01/084	20	30	50					C					3.0	6.0	PASS	
33.	12/11/03/01/086	16	35	51					C					3.0	6.0	PASS	
34.	12/11/03/01/088	17	33	50					C					3.0	6.0	PASS	
35.	12/11/03/01/089	25	26	51					C					3.0	6.0	PASS	

36.	12/11/03/01/092	17	31	48					D			2.0	4.0	PASS
37.	12/11/03/01/101	25	27	52					C			3.0	6.0	PASS
38.	12/11/03/01/102	18	33	51					C			3.0	6.0	PASS
39.	12/11/03/01/104	18	29	47					D			2.0	4.0	PASS
40.	12/11/03/01/105	17	33	50					C			3.0	6.0	PASS
41.	12/11/03/01/108	19	40	59					C+			3.5	7.0	PASS
42.	12/11/03/01/109	20	32	52					C			3.0	6.0	PASS
43.	12/11/03/01/110	23	47	70	A							5.0	10.0	PASS
44.	12/11/03/01/116	18	42	60			B					4.0	8.0	PASS
45.	12/11/03/01/121	20	23	43						E		1.0	2.0	PASS
46.	12/11/03/01/124	17	33	50					C			3.0	6.0	PASS
47.	12/11/03/01/125	25	28	53					C			3.0	6.0	PASS
48.	12/11/03/01/127	17	32	49					D			2.0	4.0	PASS
49.	12/11/03/01/135	25	43	68			B+					4.5	9.0	PASS
50.	12/11/03/01/140	15	42	57					C+			3.5	7.0	PASS
51.	12/11/03/01/147	17	42	59					C+			3.5	7.0	PASS
52.	12/11/03/01/149	15	29	44						E		1.0	2.0	PASS
53.	12/11/03/01/156	18	37	55					C+			3.5	7.0	PASS
54.	12/11/03/01/158	26	29	55					C+			3.5	7.0	PASS
55.	12/11/03/01/159	22	31	53					C			3.0	6.0	PASS
56.	12/11/03/01/160	15	31	46						D		2.0	4.0	PASS
57.	12/11/03/01/161	22	36	58					C+			3.5	7.0	PASS
58.	10/11/04/01/051	19	32	51					C			3.0	6.0	PASS
59.	10/11/04/01/229	15	45	60			B					4.0	8.0	PASS
60.	10/11/04/01/281	20	22	42						E		1.0	2.0	PASS
61.	10/11/04/01/282	15	26	41						E		1.0	2.0	PASS
62.	10/11/04/01/300	15	30	45					D			2.0	4.0	PASS
63.	10/11/04/01/307	15	36	51					C			3.0	6.0	PASS
64.	12/11/04/01/042	17	24	41						E		1.0	2.0	PASS
65.	12/11/04/01/075	17	35	52					C			3.0	6.0	PASS
66.	12/11/04/01/083	17	24	41						E		1.0	2.0	PASS
67.	12/11/04/01/084	16	26	42						E		1.0	2.0	PASS
68.	12/11/04/01/089	15	16	31							F	0.0	0.0	FAIL
69.	12/11/04/01/105	15	26	41						E		1.0	2.0	PASS
70.	12/11/04/01/123	15	33	48					D			2.0	4.0	PASS
71.	12/11/04/01/146	17	28	45					D			2.0	4.0	PASS
72.	12/11/04/01/154	16	26	42						E		1.0	2.0	PASS
73.	12/11/04/01/188	18	33	51					C			3.0	6.0	PASS
74.	12/11/04/01/212	16	31	47					D			2.0	4.0	PASS
75.	10/11/04/02/005	19	41	60			B					4.0	8.0	PASS
76.	10/11/04/02/031	18	44	62			B					4.0	8.0	PASS
77.	10/11/04/02/049	18	36	54					C			3.0	6.0	PASS
78.	10/11/04/02/099	18	34	52					C			3.0	6.0	PASS
79.	10/11/04/02/126	17	31	48						D		2.0	4.0	PASS
80.	10/11/04/02/170	20	29	49						D		2.0	4.0	PASS

81.	10/11/04/02/275	18	26	44						E		1.0	2.0	PASS
82.	10/11/04/02/289	21	25	46					D			2.0	4.0	PASS
83.	10/11/04/02/293	16	40	56				C+				3.5	7.0	PASS
84.	10/11/04/02/338	22	42	64			B					4.0	8.0	PASS
85.	10/11/04/02/353	18	46	64			B					4.0	8.0	PASS
86.	10/11/04/02/461	17	25	42						E		1.0	2.0	PASS
87.	10/11/04/02/468	18	35	53					C			3.0	6.0	PASS
88.	10/11/04/02/561	23	40	63			B					4.0	8.0	PASS
89.	10/11/04/02/570	20	49	69			B+					4.5	9.0	PASS
90.	10/11/04/02/605A	17	37	54					C			3.0	6.0	PASS
91.	12/11/04/02/002	30	40	70	A							5.0	10.0	PASS
92.	12/11/04/02/010	17	28	45					D			2.0	4.0	PASS
93.	12/11/04/02/014	17	24	41						E		1.0	2.0	PASS
94.	12/11/04/02/034	18	30	48					D			2.0	4.0	PASS
95.	12/11/04/02/044	18	34	52					C			3.0	6.0	PASS
96.	12/11/04/02/069	20	27	47					D			2.0	4.0	PASS
97.	12/11/04/02/091	19	40	59					C+			3.5	7.0	PASS
98.	12/11/04/02/093	18	27	45					D			2.0	4.0	PASS
99.	12/11/04/02/112	20	29	49					D			2.0	4.0	PASS
100.	12/11/04/02/115	20	40	60			B					4.0	8.0	PASS
101.	12/11/04/02/123	18	24	42						E		1.0	2.0	PASS
102.	12/11/04/02/127	19	37	56					C+			3.5	7.0	PASS
103.	12/11/04/02/130	22	35	57					C+			3.5	7.0	PASS
104.	12/11/04/02/133	22	36	58					C+			3.5	7.0	PASS
105.	12/11/04/02/140	15	33	48					D			2.0	4.0	PASS
106.	12/11/04/02/141	15	40	55					C+			3.5	7.0	PASS
107.	12/11/04/02/148	17	32	49					D			2.0	4.0	PASS
108.	12/11/04/02/149	17	24	41						E		1.0	2.0	PASS
109.	12/11/04/02/157	19	33	52					C			3.0	6.0	PASS
110.	12/11/04/02/158	20	36	56					C+			3.5	7.0	PASS
111.	12/11/04/02/160	17	35	52					C			3.0	6.0	PASS
112.	12/11/04/02/164	18	36	54					C			3.0	6.0	PASS
113.	12/11/04/02/191	18	41	59					C+			3.5	7.0	PASS
114.	12/11/04/02/194	22	32	54					C			3.0	6.0	PASS
115.	12/11/04/02/218	18	26	44						E		1.0	2.0	PASS
116.	12/11/04/02/227	18	41	59					C+			3.5	7.0	PASS
117.	12/11/04/02/229	20	23	43						E		1.0	2.0	PASS
118.	12/11/04/02/233	19	27	46					D			2.0	4.0	PASS
119.	12/11/04/02/234	17	36	53					C			3.0	6.0	PASS
120.	12/11/04/02/237	20	29	49					D			2.0	4.0	PASS
121.	12/11/04/02/254	20	38	58					C+			3.5	7.0	PASS
122.	12/11/04/02/256	21	27	48						D		2.0	4.0	PASS
123.	12/11/04/02/268	15	40	55					C+			3.5	7.0	PASS
124.	12/11/04/02/272	20	47	67			B+					4.5	9.0	PASS
125.	12/11/04/02/277	20	40	60			B					4.0	8.0	PASS

126.	12/11/04/02/297	17	43	60			B					4.0	8.0	PASS	
127.	12/11/04/02/303	17	43	60			B					4.0	8.0	PASS	
128.	12/11/04/02/306	25	50	75	A							5.0	10.0	PASS	
129.	12/11/04/02/317	18	26	44						E		1.0	2.0	PASS	
130.	12/11/04/02/337	18	35	53					C			3.0	6.0	PASS	
131.	12/11/04/02/348	18	39	57				C+				3.5	7.0	PASS	
132.	12/11/04/02/349	20	27	47						D		2.0	4.0	PASS	
133.	12/11/04/02/350	20	28	48						D		2.0	4.0	PASS	
134.	12/11/04/02/372	19	32	51					C			3.0	6.0	PASS	
135.	12/11/04/02/398	17	32	49						D		2.0	4.0	PASS	
136.	12/11/04/02/399	16	12	28							F	0.0	0.0	FAIL	
137.	12/11/04/02/405	20	31	51					C			3.0	6.0	PASS	
138.	12/11/04/02/431	19	23	42						E		1.0	2.0	PASS	
SUMMARY					03	04	18	22	36	28	23	04			138

0	15	19	34
0	20	45	65
0	10	22	32
0	15	37	52
0	21	24	45
0	17	37	54
0	22	33	55
0	22	24	46
0	22	40	62
0	18	24	42
0	21	29	50
0	30	27	57
0	16	26	42
0	17	24	41
0	18	33	51
0	17	44	61
0	18	30	48
0	18	42	60
0	15	35	50
0	19	43	62
0	20	43	63
0	18	32	50
0	15	40	55
0	12	32	44
0	22	27	49
0	17	34	51
0	20	40	60
0	23	30	53
0	17	27	44
0	25	37	62
0	15	42	57
0	20	30	50
0	16	35	51
0	17	33	50
0	25	26	51

0	17	31	48
0	25	27	52
0	18	33	51
0	18	29	47
0	17	33	50
0	19	40	59
0	20	32	52
0	23	47	70
0	18	42	60
0	20	23	43
0	17	33	50
0	25	28	53
0	17	32	49
0	25	43	68
0	15	42	57
0	17	42	59
0	15	29	44
0	18	37	55
0	26	29	55
0	22	31	53
0	15	31	46
0	22	36	58
0	19	32	51
0	15	45	60
0	20	22	42
0	15	26	41
0	15	30	45
0	15	36	51
0	17	24	41
0	17	35	52
0	17	24	41
0	16	26	42
0	15	16	31
0	15	26	41
0	15	33	48
0	17	28	45
0	16	26	42
0	18	33	51
0	16	31	47
0	19	41	60
0	18	44	62
0	18	36	54
0	18	34	52
0	17	31	48
0	20	29	49

0	18	26	44
0	21	25	46
0	16	40	56
0	22	42	64
0	18	46	64
0	17	25	42
0	18	35	53
0	23	40	63
0	20	49	69
0	17	37	54
0	30	40	70
0	17	28	45
0	17	24	41
0	18	30	48
0	18	34	52
0	20	27	47
0	19	40	59
0	18	27	45
0	20	29	49
0	20	40	60
0	18	24	42
0	19	37	56
0	22	35	57
0	22	36	58
0	15	33	48
0	15	40	55
0	17	32	49
0	17	24	41
0	19	33	52
0	20	36	56
0	17	35	52
0	18	36	54
0	18	41	59
0	22	32	54
0	18	26	44
0	18	41	59
0	20	23	43
0	19	27	46
0	17	36	53
0	20	29	49
0	20	38	58
0	21	27	48
0	15	40	55
0	20	47	67
0	20	40	60

0	17	43	60
0	17	43	60
0	25	50	75
0	18	26	44
0	18	35	53
0	18	39	57
0	20	27	47
0	20	28	48
0	19	32	51
0	17	32	49
0	16	12	28
0	20	31	51
0	19	23	42