

**UNIVERSITY OF MAIDUGURI**  
**(Office of the Vice-Chancellor)**  
 Centre for Distance Learning

**Department of Public Administration**

**First semester End-of-Course Examination Results**

**COURSE CODE: PAD 403**

**COURSE TITLE: Approaches to Planning**

**COURSE UNITS: 3**

2015/2016 Academic Session

S/No.	ID. No.	CA	Exam	TOTAL	Grades								GP	U.GP	Remarks
		Marks	Marks	Marks	A	B+	B	C+	C	D	E	F			
1.	10/11/07/05/064	19	28	47						D			2.0	6.0	PASS
2.	10/11/07/05/196	22	19	41							E		1.0	3.0	PASS
3.	10/11/07/05/222	23	18	41							E		1.0	3.0	PASS
4.	12/11/07/03/005	21	33	54					C				3.0	9.0	PASS
5.	12/11/07/03/008	21	32	53					C				3.0	9.0	PASS
6.	12/11/07/03/011	19	29	48						D			2.0	6.0	PASS
7.	12/11/07/03/012	20	30	50					C				3.0	9.0	PASS
8.	12/11/07/03/015	20	31	51					C				3.0	9.0	PASS
9.	12/11/07/03/017	20	30	50					C				3.0	9.0	PASS
10.	12/11/07/03/022	24	17	41							E		1.0	3.0	PASS
11.	12/11/07/03/028	12	15	27								F	0.0	0.0	FAIL
12.	12/11/07/03/034	20	30	50					C				3.0	9.0	PASS
13.	12/11/07/03/052	17	24	41							E		1.0	3.0	PASS
14.	12/11/07/03/053	21	20	41							E		1.0	3.0	PASS
15.	12/11/07/03/055	21	20	41							E		1.0	3.0	PASS
16.	12/11/07/03/059	19	29	48						D			2.0	6.0	PASS
17.	12/11/07/03/065	17	24	41							E		1.0	3.0	PASS
18.	12/11/07/03/068	17	27	44							E		1.0	3.0	PASS
19.	12/11/07/03/070	22	19	41							E		1.0	3.0	PASS
20.	12/11/07/03/077	26	43	69		B+							4.5	13.5	PASS
21.	12/11/07/03/081	21	20	41							E		1.0	3.0	PASS
22.	12/11/07/03/086	23	18	41							E		1.0	3.0	PASS
23.	12/11/07/03/098	17	25	42							E		1.0	3.0	PASS
24.	12/11/07/03/100	18	23	41							E		1.0	3.0	PASS
25.	12/11/07/03/101	21	33	54					C				3.0	9.0	PASS
26.	12/11/07/03/103	20	21	41							E		1.0	3.0	PASS
27.	12/11/07/03/105	21	32	53					C				3.0	9.0	PASS
28.	12/11/07/03/106	18	27	45						D			2.0	6.0	PASS
29.	12/11/07/03/108	18	23	41							E		1.0	3.0	PASS
30.	12/11/07/03/116	21	32	53					C				3.0	9.0	PASS
31.	12/11/07/03/117	18	27	45						D			2.0	6.0	PASS
32.	12/11/07/03/124	18	27	45						D			2.0	6.0	PASS
33.	12/11/07/03/126	11	14	25								F	0.0	0.0	FAIL
34.	12/11/07/03/132	18	23	41							E		1.0	3.0	PASS
35.	12/11/07/03/134	24	40	64			B						4.0	12.0	PASS

36.	12/11/07/03/135	18	23	41						E		1.0	3.0	PASS
37.	12/11/07/03/138	21	32	53					C			3.0	9.0	PASS
38.	12/11/07/03/148	21	32	53					C			3.0	9.0	PASS
39.	12/11/07/03/157	20	31	51					C			3.0	9.0	PASS
40.	12/11/07/03/166	18	28	46						D		2.0	6.0	PASS
41.	12/11/07/03/169	19	22	41							E	1.0	3.0	PASS
42.	12/11/07/03/171	20	31	51					C			3.0	9.0	PASS
43.	12/11/07/03/176	21	20	41							E	1.0	3.0	PASS
44.	12/11/07/03/178	18	28	46						D		2.0	6.0	PASS
45.	12/11/07/03/184	20	21	41							E	1.0	3.0	PASS
46.	12/11/07/03/186	17	24	41							E	1.0	3.0	PASS
47.	12/11/07/03/189	22	19	41							E	1.0	3.0	PASS
48.	12/11/07/03/190	19	29	48						D		2.0	6.0	PASS
49.	12/11/07/03/195	20	21	41							E	1.0	3.0	PASS
50.	12/11/07/03/199	23	23	46						D		2.0	6.0	PASS
51.	12/11/07/03/200	18	28	46						D		2.0	6.0	PASS
52.	12/11/07/03/202	18	28	46						D		2.0	6.0	PASS
53.	12/11/07/03/206	18	28	46						D		2.0	6.0	PASS
54.	12/11/07/03/208	18	28	46						D		2.0	6.0	PASS
55.	12/11/07/03/211	21	32	53					C			3.0	9.0	PASS
56.	12/11/07/03/213	17	24	41							E	1.0	3.0	PASS
57.	12/11/07/03/219	20	31	51					C			3.0	9.0	PASS
58.	12/11/07/03/220	20	31	51					C			3.0	9.0	PASS
59.	12/11/07/03/222	22	19	41							E	1.0	3.0	PASS
60.	12/11/07/03/223	22	19	41							E	1.0	3.0	PASS
61.	12/11/07/03/225	18	23	41							E	1.0	3.0	PASS
62.	12/11/07/03/235	21	20	41							E	1.0	3.0	PASS
63.	12/11/07/03/236	25	41	66		B+						4.5	13.5	PASS
64.	12/11/07/03/238	18	26	44							E	1.0	3.0	PASS
65.	12/11/07/03/239	13	17	30							F	0.0	0.0	FAIL
66.	12/11/07/03/245	19	22	41							E	1.0	3.0	PASS
67.	12/11/07/03/251	17	24	41							E	1.0	3.0	PASS
68.	12/11/07/03/259	13	16	29							F	0.0	0.0	FAIL
69.	12/11/07/03/260	19	22	41							E	1.0	3.0	PASS
70.	12/11/07/03/264	18	23	41							E	1.0	3.0	PASS
71.	12/11/07/03/265	18	26	44							E	1.0	3.0	PASS
72.	12/11/07/03/266	21	33	54					C			3.0	9.0	PASS
73.	12/11/07/03/268	18	27	45						D		2.0	6.0	PASS
74.	12/11/07/03/270	22	19	41							E	1.0	3.0	PASS
75.	12/11/07/03/272	19	22	41							E	1.0	3.0	PASS
76.	12/11/07/03/275	18	26	44							E	1.0	3.0	PASS
77.	12/11/07/03/276	18	23	41							E	1.0	3.0	PASS
78.	12/11/07/03/278	23	18	41							E	1.0	3.0	PASS
79.	12/11/07/03/285	22	19	41							E	1.0	3.0	PASS
80.	12/11/07/03/286	22	19	41							E	1.0	3.0	PASS
81.	12/11/07/03/290	17	24	41							E	1.0	3.0	PASS
82.	12/11/07/03/294	17	24	41							E	1.0	3.0	PASS

83.	12/11/07/03/295	20	31	51					C			3.0	9.0	PASS
84.	12/11/07/03/296	18	26	44						E		1.0	3.0	PASS
85.	12/11/07/03/298	21	33	54					C			3.0	9.0	PASS
86.	12/11/07/03/302	22	35	57					C+			3.5	10.5	PASS
87.	12/11/07/03/303	19	22	41						E		1.0	3.0	PASS
88.	12/11/07/03/310	13	17	30							F	0.0	0.0	FAIL
89.	12/11/07/03/312	25	41	66		B+						4.5	13.5	PASS
90.	12/11/07/03/314	18	23	41						E		1.0	3.0	PASS
91.	12/11/07/03/317	22	19	41						E		1.0	3.0	PASS
92.	12/11/07/03/319	13	17	30							F	0.0	0.0	FAIL
93.	12/11/07/03/324	23	38	61			B					4.0	12.0	PASS
94.	12/11/07/03/325	18	28	46						D		2.0	6.0	PASS
95.	12/11/07/03/326	25	41	66		B+						4.5	13.5	PASS
96.	12/11/07/03/327	21	20	41						E		1.0	3.0	PASS
97.	12/11/07/03/333	23	18	41						E		1.0	3.0	PASS
98.	12/11/07/03/334	23	18	41						E		1.0	3.0	PASS
99.	12/11/07/03/337	23	38	61			B					4.0	12.0	PASS
100.	12/11/07/03/342	24	17	41						E		1.0	3.0	PASS
101.	12/11/07/03/344	24	17	41						E		1.0	3.0	PASS
102.	12/11/07/03/345	22	35	57					C+			3.5	10.5	PASS
103.	12/11/07/03/346	23	18	41						E		1.0	3.0	PASS
104.	12/11/07/03/354	17	25	42						E		1.0	3.0	PASS
105.	12/11/07/03/355	21	34	55					C+			3.5	10.5	PASS
106.	12/11/07/03/356	19	29	48						D		2.0	6.0	PASS
107.	12/11/07/03/357	13	17	30							F	0.0	0.0	FAIL
108.	12/11/07/03/364	13	17	30							F	0.0	0.0	FAIL
109.	12/11/07/03/365	12	16	28							F	0.0	0.0	FAIL
110.	12/11/07/03/367	11	14	25							F	0.0	0.0	FAIL
111.	12/11/07/03/377	17	24	41						E		1.0	3.0	PASS
112.	12/11/07/03/385	23	18	41						E		1.0	3.0	PASS
113.	12/11/07/03/387	12	15	27							F	0.0	0.0	FAIL
114.	12/11/07/03/388	17	25	42						E		1.0	3.0	PASS
115.	12/11/07/03/403	13	17	30							F	0.0	0.0	FAIL
116.	12/11/07/03/404	20	30	50					C			3.0	9.0	PASS
117.	12/11/07/03/410	22	19	41						E		1.0	3.0	PASS
118.	12/11/07/03/411	20	21	41						E		1.0	3.0	PASS
119.	12/11/07/03/413	12	15	27							F	0.0	0.0	FAIL
120.	12/11/07/03/415	23	18	41						E		1.0	3.0	PASS
121.	12/11/07/03/420	21	32	53					C			3.0	9.0	PASS
122.	12/11/07/03/426	13	16	29							F	0.0	0.0	FAIL
123.	12/11/07/03/430	20	30	50					C			3.0	9.0	PASS
124.	12/11/07/03/431	17	25	42						E		1.0	3.0	PASS
125.	12/11/07/03/433	21	20	41						E		1.0	3.0	PASS
126.	12/11/07/03/434	19	22	41						E		1.0	3.0	PASS
127.	12/11/07/03/439	18	27	45						D		2.0	6.0	PASS
128.	12/11/07/03/451	13	17	30							F	0.0	0.0	FAIL
129.	12/11/07/03/452	27	49	76	A							5.0	15.0	PASS

130.	12/11/07/03/453	13	16	29							F	0.0	0.0	FAIL
131.	12/11/07/03/455	25	40	65		B+						4.5	13.5	PASS
132.	12/11/07/03/456	22	19	41						E		1.0	3.0	PASS
133.	12/11/07/03/457	17	26	43						E		1.0	3.0	PASS
134.	12/11/07/03/458	26	43	69		B+						4.5	13.5	PASS
135.	12/11/07/03/459	18	23	41						E		1.0	3.0	PASS
136.	12/11/07/03/461	22	19	41						E		1.0	3.0	PASS
137.	12/11/07/03/466	20	21	41						E		1.0	3.0	PASS
138.	12/11/07/03/469	25	41	66		B+						4.5	13.5	PASS
139.	12/11/07/03/470	18	27	45						D		2.0	6.0	PASS
140.	12/11/07/03/473	19	22	41						E		1.0	3.0	PASS
141.	12/11/07/03/476	23	18	41						E		1.0	3.0	PASS
142.	12/11/07/03/483	13	17	30							F	0.0	0.0	FAIL
143.	12/11/07/03/484	18	23	41						E		1.0	3.0	PASS
144.	12/11/07/03/486	18	23	41						E		1.0	3.0	PASS
145.	12/11/07/03/490	17	24	41						E		1.0	3.0	PASS
146.	12/11/07/03/495	12	14	26							F	0.0	0.0	FAIL
147.	12/11/07/03/497	14	17	31							F	0.0	0.0	FAIL
148.	12/11/07/03/498	19	28	47						D		2.0	6.0	PASS
149.	12/11/07/03/499	20	31	51						C		3.0	9.0	PASS
150.	12/11/07/03/500	17	24	41						E		1.0	3.0	PASS
151.	12/11/07/03/501	21	20	41						E		1.0	3.0	PASS
152.	12/11/07/03/503	20	21	41						E		1.0	3.0	PASS
153.	12/11/07/03/504	21	32	53						C		3.0	9.0	PASS
154.	12/11/07/03/509	20	21	41						E		1.0	3.0	PASS
155.	12/11/07/03/512	20	21	41						E		1.0	3.0	PASS
156.	12/11/07/03/519	23	37	60		B						4.0	12.0	PASS
157.	12/11/07/03/522	22	19	41						E		1.0	3.0	PASS
158.	12/11/07/03/525	19	22	41						E		1.0	3.0	PASS
159.	12/11/07/03/531	20	30	50						C		3.0	9.0	PASS
160.	12/11/07/03/532	22	36	58						C+		3.5	10.5	PASS
161.	12/11/07/03/545	17	24	41						E		1.0	3.0	PASS
162.	12/11/07/03/546	17	24	41						E		1.0	3.0	PASS
163.	12/11/07/03/553	22	34	56						C+		3.5	10.5	PASS
164.	12/11/07/03/554	21	20	41						E		1.0	3.0	PASS
165.	12/11/07/03/555	21	32	53						C		3.0	9.0	PASS
166.	12/11/07/03/556	22	19	41						E		1.0	3.0	PASS
167.	12/11/07/03/560	24	27	51						C		3.0	9.0	PASS
168.	12/11/07/03/563	18	23	41						E		1.0	3.0	PASS
169.	12/11/07/03/567	22	19	41						E		1.0	3.0	PASS
170.	12/11/07/03/569	22	19	41						E		1.0	3.0	PASS
171.	12/11/07/03/573	23	37	60		B						4.0	12.0	PASS
172.	12/11/07/03/574	19	29	48						D		2.0	6.0	PASS
173.	12/11/07/03/575	19	22	41						E		1.0	3.0	PASS
174.	12/11/07/03/577	18	27	45						D		2.0	6.0	PASS
175.	12/11/07/03/578	20	21	41						E		1.0	3.0	PASS
176.	12/11/07/03/580	22	19	41						E		1.0	3.0	PASS

177.	12/11/07/03/582	21	33	54					C			3.0	9.0	PASS
178.	12/11/07/03/583	22	19	41						E		1.0	3.0	PASS
179.	12/11/07/03/584	13	16	29							F	0.0	0.0	FAIL
180.	12/11/07/03/587	19	22	41						E		1.0	3.0	PASS
181.	12/11/07/03/588	18	23	41						E		1.0	3.0	PASS
					<b>01</b>	<b>07</b>	<b>05</b>	<b>05</b>	<b>28</b>	<b>22</b>	<b>93</b>	<b>20</b>		<b>181</b>

0	19	28	47
0	22	19	41
0	23	18	41
0	21	33	54
0	21	32	53
0	19	29	48
0	20	30	50
0	20	31	51
0	20	30	50
0	24	17	41
0	12	15	27
0	20	30	50
0	17	24	41
0	21	20	41
0	21	20	41
0	19	29	48
0	17	24	41
0	17	27	44
0	22	19	41
0	26	43	69
0	21	20	41
0	23	18	41
0	17	25	42
0	18	23	41
0	21	33	54
0	20	21	41
0	21	32	53
0	18	27	45
0	18	23	41
0	21	32	53
0	18	27	45
0	18	27	45
0	11	14	25
0	18	23	41
0	24	40	64

0	18	23	41
0	21	32	53
0	21	32	53
0	20	31	51
0	18	28	46
0	19	22	41
0	20	31	51
0	21	20	41
0	18	28	46
0	20	21	41
0	17	24	41
0	22	19	41
0	19	29	48
0	20	21	41
0	23	23	46
0	18	28	46
0	18	28	46
0	18	28	46
0	18	28	46
0	21	32	53
0	17	24	41
0	20	31	51
0	20	31	51
0	22	19	41
0	22	19	41
0	18	23	41
0	21	20	41
0	25	41	66
0	18	26	44
0	13	17	30
0	19	22	41
0	17	24	41
0	13	16	29
0	19	22	41
0	18	23	41
0	18	26	44
0	21	33	54
0	18	27	45
0	22	19	41
0	19	22	41
0	18	26	44
0	18	23	41
0	23	18	41
0	22	19	41
0	22	19	41
0	17	24	41
0	17	24	41

0	20	31	51
0	18	26	44
0	21	33	54
0	22	35	57
0	19	22	41
0	13	17	30
0	25	41	66
0	18	23	41
0	22	19	41
0	13	17	30
0	23	38	61
0	18	28	46
0	25	41	66
0	21	20	41
0	23	18	41
0	23	18	41
0	23	38	61
0	24	17	41
0	24	17	41
0	22	35	57
0	23	18	41
0	17	25	42
0	21	34	55
0	19	29	48
0	13	17	30
0	13	17	30
0	12	16	28
0	11	14	25
0	17	24	41
0	23	18	41
0	12	15	27
0	17	25	42
0	13	17	30
0	20	30	50
0	22	19	41
0	20	21	41
0	12	15	27
0	23	18	41
0	21	32	53
0	13	16	29
0	20	30	50
0	17	25	42
0	21	20	41
0	19	22	41
0	18	27	45
0	13	17	30
0	27	49	76

0	13	16	29
0	25	40	65
0	22	19	41
0	17	26	43
0	26	43	69
0	18	23	41
0	22	19	41
0	20	21	41
0	25	41	66
0	18	27	45
0	19	22	41
0	23	18	41
0	13	17	30
0	18	23	41
0	18	23	41
0	17	24	41
0	12	14	26
0	14	17	31
0	19	28	47
0	20	31	51
0	17	24	41
0	21	20	41
0	20	21	41
0	21	32	53
0	20	21	41
0	20	21	41
0	23	37	60
0	22	19	41
0	19	22	41
0	20	30	50
0	22	36	58
0	17	24	41
0	17	24	41
0	22	34	56
0	21	20	41
0	21	32	53
0	22	19	41
0	24	27	51
0	18	23	41
0	22	19	41
0	22	19	41
0	23	37	60
0	19	29	48
0	19	22	41
0	18	27	45
0	20	21	41
0	22	19	41

0	21	33	54
0	22	19	41
0	13	16	29
0	19	22	41
0	18	23	41