

UNIVERSITY OF MAIDUGURI
(Office of the Vice-Chancellor)
Centre for Distance Learning

Department of Public Administration

First semester End-of-Course Examination Results

COURSE CODE: PAD 404
COURSE TITLE: Stock Investment Decision
COURSE UNITS: 3

2015/2016 Academic Session

S/No	ID. No.	CA	Exam	TOTAL	Grades								GP	U.GP	Remarks
		Marks	Marks	Marks	A	B+	B	C+	C	D	E	F			
1.	09/11/07/05/151	12	31	43							E		1.0	2.0	PASS
2.	10/11/07/05/006	25	31	56				C+					3.5	7.0	PASS
3.	10/11/07/05/222	28	14	42							E		1.0	2.0	PASS
4.	12/11/07/03/005	21	36	57				C+					3.5	7.0	PASS
5.	12/11/07/03/008	22	32	54					C				3.0	6.0	PASS
6.	12/11/07/03/011	21	38	59				C+					3.5	7.0	PASS
7.	12/11/07/03/012	21	33	54					C				3.0	6.0	PASS
8.	12/11/07/03/015	22	29	51					C				3.0	6.0	PASS
9.	12/11/07/03/017	23	26	49						D			2.0	4.0	PASS
10.	12/11/07/03/022	21	26	47						D			2.0	4.0	PASS
11.	12/11/07/03/028	22	24	46						D			2.0	4.0	PASS
12.	12/11/07/03/034	21	28	49						D			2.0	4.0	PASS
13.	12/11/07/03/052	21	25	46						D			2.0	4.0	PASS
14.	12/11/07/03/053	24	23	47						D			2.0	4.0	PASS
15.	12/11/07/03/055	22	20	42							E		1.0	2.0	PASS
16.	12/11/07/03/059	21	28	49						D			2.0	4.0	PASS
17.	12/11/07/03/065	22	32	54					C				3.0	6.0	PASS
18.	12/11/07/03/068	22	29	51					C				3.0	6.0	PASS
19.	12/11/07/03/070	22	33	55				C+					3.5	7.0	PASS
20.	12/11/07/03/077	22	39	61			B						4.0	8.0	PASS
21.	12/11/07/03/081	06	16	22								F	0.0	0.0	FAIL
22.	12/11/07/03/086	23	18	41							E		1.0	2.0	PASS
23.	12/11/07/03/098	28	28	56				C+					3.5	7.0	PASS
24.	12/11/07/03/100	22	24	46						D			2.0	4.0	PASS
25.	12/11/07/03/101	11	30	41							E		1.0	2.0	PASS
26.	12/11/07/03/103	21	25	46						D			2.0	4.0	PASS
27.	12/11/07/03/105	21	35	56				C+					3.5	7.0	PASS
28.	12/11/07/03/106	22	32	54					C				3.0	6.0	PASS
29.	12/11/07/03/108	22	25	47						D			2.0	4.0	PASS

30.	12/11/07/03/116	21	30	51					C			3.0	6.0	PASS
31.	12/11/07/03/117	22	20	42							E	1.0	2.0	PASS
32.	12/11/07/03/124	21	28	49					D			2.0	4.0	PASS
33.	12/11/07/03/126	22	25	47					D			2.0	4.0	PASS
34.	12/11/07/03/132	21	26	47					D			2.0	4.0	PASS
35.	12/11/07/03/134	22	32	54					C			3.0	6.0	PASS
36.	12/11/07/03/135	29	27	56					C+			3.5	7.0	PASS
37.	12/11/07/03/138	21	36	57					C+			3.5	7.0	PASS
38.	12/11/07/03/148	26	30	56					C+			3.5	7.0	PASS
39.	12/11/07/03/157	25	32	57					C+			3.5	7.0	PASS
40.	12/11/07/03/166	22	31	53					C			3.0	6.0	PASS
41.	12/11/07/03/169	24	22	46						D		2.0	4.0	PASS
42.	12/11/07/03/171	24	27	51					C			3.0	6.0	PASS
43.	12/11/07/03/176	06	25	31							F	0.0	0.0	FAIL
44.	12/11/07/03/178	21	33	54					C			3.0	6.0	PASS
45.	12/11/07/03/184	22	29	51					C			3.0	6.0	PASS
46.	12/11/07/03/186	22	26	48						D		2.0	4.0	PASS
47.	12/11/07/03/189	22	20	42							E	1.0	2.0	PASS
48.	12/11/07/03/190	22	25	47						D		2.0	4.0	PASS
49.	12/11/07/03/195	23	24	47						D		2.0	4.0	PASS
50.	12/11/07/03/199	22	29	51					C			3.0	6.0	PASS
51.	12/11/07/03/200	21	32	53					C			3.0	6.0	PASS
52.	12/11/07/03/202	22	21	43							E	1.0	2.0	PASS
53.	12/11/07/03/206	21	32	53					C			3.0	6.0	PASS
54.	12/11/07/03/208	06	17	23							F	0.0	0.0	FAIL
55.	12/11/07/03/211	21	26	47						D		2.0	4.0	PASS
56.	12/11/07/03/213	22	19	41							E	1.0	2.0	PASS
57.	12/11/07/03/219	21	26	47						D		2.0	4.0	PASS
58.	12/11/07/03/220	22	36	58					C+			3.5	7.0	PASS
59.	12/11/07/03/222	24	22	46						D		2.0	4.0	PASS
60.	12/11/07/03/225	23	23	46						D		2.0	4.0	PASS
61.	12/11/07/03/230	06	28	34							F	0.0	0.0	FAIL
62.	12/11/07/03/235	22	19	41							E	1.0	2.0	PASS
63.	12/11/07/03/236	21	38	59					C+			3.5	7.0	PASS
64.	12/11/07/03/238	26	15	41							E	1.0	2.0	PASS
65.	12/11/07/03/239	06	24	30							F	0.0	0.0	FAIL
66.	12/11/07/03/245	22	22	44							E	1.0	2.0	PASS
67.	12/11/07/03/251	21	25	46						D		2.0	4.0	PASS
68.	12/11/07/03/259	22	11	33							F	0.0	0.0	FAIL

69.	12/11/07/03/260	06	23	29							F	0.0	0.0	FAIL
70.	12/11/07/03/264	22	19	41							E	1.0	2.0	PASS
71.	12/11/07/03/265	21	30	51					C			3.0	6.0	PASS
72.	12/11/07/03/268	22	27	49						D		2.0	4.0	PASS
73.	12/11/07/03/270	21	27	48						D		2.0	4.0	PASS
74.	12/11/07/03/272	22	26	48						D		2.0	4.0	PASS
75.	12/11/07/03/275	24	22	46						D		2.0	4.0	PASS
76.	12/11/07/03/285	25	21	46						D		2.0	4.0	PASS
77.	12/11/07/03/286	23	18	41							E	1.0	2.0	PASS
78.	12/11/07/03/290	24	22	46						D		2.0	4.0	PASS
79.	12/11/07/03/294	22	19	41							E	1.0	2.0	PASS
80.	12/11/07/03/295	21	27	48						D		2.0	4.0	PASS
81.	12/11/07/03/296	22	29	51						C		3.0	6.0	PASS
82.	12/11/07/03/298	25	31	56						C+		3.5	7.0	PASS
83.	12/11/07/03/302	21	40	61			B					4.0	8.0	PASS
84.	12/11/07/03/303	24	22	46						D		2.0	4.0	PASS
85.	12/11/07/03/310	27	14	41							E	1.0	2.0	PASS
86.	12/11/07/03/312	21	43	64			B					4.0	8.0	PASS
87.	12/11/07/03/314	22	34	56							C+	3.5	7.0	PASS
88.	12/11/07/03/317	27	15	42							E	1.0	2.0	PASS
89.	12/11/07/03/319	22	19	41							E	1.0	2.0	PASS
90.	12/11/07/03/324	22	39	61			B					4.0	8.0	PASS
91.	12/11/07/03/325	21	37	58							C+	3.5	7.0	PASS
92.	12/11/07/03/326	22	30	52							C	3.0	6.0	PASS
93.	12/11/07/03/327	23	20	43							E	1.0	2.0	PASS
94.	12/11/07/03/333	24	22	46							D	2.0	4.0	PASS
95.	12/11/07/03/334	25	21	46							D	2.0	4.0	PASS
96.	12/11/07/03/336	23	43	66			B+					4.5	9.0	PASS
97.	12/11/07/03/344	22	25	47							D	2.0	4.0	PASS
98.	12/11/07/03/345	23	23	46							D	2.0	4.0	PASS
99.	12/11/07/03/346	30	26	56							C+	3.5	7.0	PASS
100.	12/11/07/03/354	23	25	48							D	2.0	4.0	PASS
101.	12/11/07/03/355	24	32	56							C+	3.5	7.0	PASS
102.	12/11/07/03/356	23	28	51							C	3.0	6.0	PASS
103.	12/11/07/03/364	22	24	46							D	2.0	4.0	PASS
104.	12/11/07/03/365	28	13	41							E	1.0	2.0	PASS
105.	12/11/07/03/367	24	22	46							D	2.0	4.0	PASS
106.	12/11/07/03/377	23	23	46							D	2.0	4.0	PASS
107.	12/11/07/03/385	30	17	47							D	2.0	4.0	PASS

108.	12/11/07/03/387	23	24	47						D			2.0	4.0	PASS
109.	12/11/07/03/388	06	18	24								F	0.0	0.0	FAIL
110.	12/11/07/03/403	24	17	41						E			1.0	2.0	PASS
111.	12/11/07/03/404	06	23	29								F	0.0	0.0	FAIL
112.	12/11/07/03/410	21	26	47						D			2.0	4.0	PASS
113.	12/11/07/03/411	22	25	47						D			2.0	4.0	PASS
114.	12/11/07/03/413	25	21	46						D			2.0	4.0	PASS
115.	12/11/07/03/415	23	18	41						E			1.0	2.0	PASS
116.	12/11/07/03/420	23	23	46						D			2.0	4.0	PASS
117.	12/11/07/03/426	21	30	51						C			3.0	6.0	PASS
118.	12/11/07/03/430	22	34	56						C+			3.5	7.0	PASS
119.	12/11/07/03/431	21	25	46						D			2.0	4.0	PASS
120.	12/11/07/03/433	21	30	51						C			3.0	6.0	PASS
121.	12/11/07/03/434	22	36	58						C+			3.5	7.0	PASS
122.	12/11/07/03/439	24	32	56						C+			3.5	7.0	PASS
123.	12/11/07/03/445	25	31	56						C+			3.5	7.0	PASS
124.	12/11/07/03/451	21	27	48						D			2.0	4.0	PASS
125.	12/11/07/03/452	22	44	66						B+			4.5	9.0	PASS
126.	12/11/07/03/453	24	22	46						D			2.0	4.0	PASS
127.	12/11/07/03/455	21	26	47						D			2.0	4.0	PASS
128.	12/11/07/03/456	22	32	54						C			3.0	6.0	PASS
129.	12/11/07/03/457	10	32	42						E			1.0	2.0	PASS
130.	12/11/07/03/458	21	36	57						C+			3.5	7.0	PASS
131.	12/11/07/03/459	21	10	31								F	0.0	0.0	FAIL
132.	12/11/07/03/461	22	19	41						E			1.0	2.0	PASS
133.	12/11/07/03/466	22	24	46						D			2.0	4.0	PASS
134.	12/11/07/03/469	21	31	52						C			3.0	6.0	PASS
135.	12/11/07/03/470	21	28	49						D			2.0	4.0	PASS
136.	12/11/07/03/471	12	29	41						E			1.0	2.0	PASS
137.	12/11/07/03/473	21	28	49						D			2.0	4.0	PASS
138.	12/11/07/03/476	23	23	46						D			2.0	4.0	PASS
139.	12/11/07/03/482	31	25	56						C+			3.5	7.0	PASS
140.	12/11/07/03/483	28	13	41						E			1.0	2.0	PASS
141.	12/11/07/03/484	24	32	56						C+			3.5	7.0	PASS
142.	12/11/07/03/486	24	32	56						C+			3.5	7.0	PASS
143.	12/11/07/03/490	21	28	49						D			2.0	4.0	PASS
144.	12/11/07/03/495	21	26	47						D			2.0	4.0	PASS
145.	12/11/07/03/497	26	26	52						C			3.0	6.0	PASS
146.	12/11/07/03/498	24	20	44						E			1.0	2.0	PASS

147.	12/11/07/03/499	24	27	51					C				3.0	6.0	PASS
148.	12/11/07/03/500	25	31	56					C+				3.5	7.0	PASS
149.	12/11/07/03/501	22	32	54					C				3.0	6.0	PASS
150.	12/11/07/03/503	23	31	54					C				3.0	6.0	PASS
151.	12/11/07/03/504	22	24	46						D			2.0	4.0	PASS
152.	12/11/07/03/509	21	28	49						D			2.0	4.0	PASS
153.	12/11/07/03/512	23	19	42							E		1.0	2.0	PASS
154.	12/11/07/03/513	11	30	41							E		1.0	2.0	PASS
155.	12/11/07/03/519	24	32	56					C+				3.5	7.0	PASS
156.	12/11/07/03/522	21	25	46						D			2.0	4.0	PASS
157.	12/11/07/03/525	25	16	41							E		1.0	2.0	PASS
158.	12/11/07/03/531	23	26	49						D			2.0	4.0	PASS
159.	12/11/07/03/532	21	35	56					C+				3.5	7.0	PASS
160.	12/11/07/03/545	23	31	54						C			3.0	6.0	PASS
161.	12/11/07/03/546	21	28	49						D			2.0	4.0	PASS
162.	12/11/07/03/553	22	27	49						D			2.0	4.0	PASS
163.	12/11/07/03/554	21	25	46						D			2.0	4.0	PASS
164.	12/11/07/03/555	22	27	49						D			2.0	4.0	PASS
165.	12/11/07/03/556	23	24	47						D			2.0	4.0	PASS
166.	12/11/07/03/560	29	32	61					B				4.0	8.0	PASS
167.	12/11/07/03/563	20	28	48						D			2.0	4.0	PASS
168.	12/11/07/03/567	23	19	42							E		1.0	2.0	PASS
169.	12/11/07/03/569	06	21	27								F	0.0	0.0	FAIL
170.	12/11/07/03/573	22	29	51						C			3.0	6.0	PASS
171.	12/11/07/03/574	22	29	51						C			3.0	6.0	PASS
172.	12/11/07/03/575	22	24	46						D			2.0	4.0	PASS
173.	12/11/07/03/577	24	19	43							E		1.0	2.0	PASS
174.	12/11/07/03/580	25	21	46						D			2.0	4.0	PASS
175.	12/11/07/03/582	21	35	56						C+			3.5	7.0	PASS
176.	12/11/07/03/583	25	16	41							E		1.0	2.0	PASS
177.	12/11/07/03/584	22	29	51						C			3.0	6.0	PASS
178.	12/11/07/03/587	21	36	57						C+			3.5	7.0	PASS
179.	12/11/07/03/588	22	24	46						D			2.0	4.0	PASS
					00	02	05	30	31	67	33	11			179

