

UNIVERSITY OF MAIDUGURI
(Office of the Vice-Chancellor)

Centre for Distance Learning

Department of Public Administration

First semester End-of-Course Examination Results

COURSE CODE: PAD 501

COURSE TITLE: Office Techniques and Communication in Administration

COURSE UNITS: 3

2015/2016 Academic Session

S/No.	ID. No.	CA	Exam	TOTAL	Grades								GP	U.GP	Remarks
		Marks	Marks	Marks	A	B+	B	C+	C	D	E	F			
1.	09/11/07/05/078	23	28	51					C				3.0	9.0	PASS
2.	09/11/07/05/140	22	21	43							E		1.0	3.0	PASS
3.	09/11/07/05/163	22	22	44							E		1.0	3.0	PASS
4.	09/11/07/05/209	24	37	61			B						4.0	12.0	PASS
5.	10/11/07/05/001	21	25	46						D			2.0	6.0	PASS
6.	10/11/07/05/006	25	26	51					C				3.0	9.0	PASS
7.	10/11/07/05/007	21	46	67		B+							4.5	13.5	PASS
8.	10/11/07/05/023	21	27	48						D			2.0	6.0	PASS
9.	10/11/07/05/024	22	32	54					C				3.0	9.0	PASS
10.	10/11/07/05/025	22	27	49						D			2.0	6.0	PASS
11.	10/11/07/05/026	21	33	54					C				3.0	9.0	PASS
12.	10/11/07/05/027	21	31	52					C				3.0	9.0	PASS
13.	10/11/07/05/028	22	39	61			B						4.0	12.0	PASS
14.	10/11/07/05/029	21	33	54					C				3.0	9.0	PASS
15.	10/11/07/05/031	23	18	41							E		1.0	3.0	PASS
16.	10/11/07/05/039	23	44	67		B+							4.5	13.5	PASS
17.	10/11/07/05/041	22	23	45						D			2.0	6.0	PASS
18.	10/11/07/05/045	21	25	46						D			2.0	6.0	PASS
19.	10/11/07/05/047	22	23	45						D			2.0	6.0	PASS
20.	10/11/07/05/049	21	32	53					C				3.0	9.0	PASS
21.	10/11/07/05/052	21	28	49						D			2.0	6.0	PASS
22.	10/11/07/05/053	22	49	71	A								5.0	15.0	PASS
23.	10/11/07/05/057	21	11	32								F	0.0	0.0	FAIL
24.	10/11/07/05/060	21	27	48						D			2.0	6.0	PASS
25.	10/11/07/05/064	22	24	46						D			2.0	6.0	PASS
26.	10/11/07/05/067	21	20	41							E		1.0	3.0	PASS

27.	10/11/07/05/068	22	19	41						E		1.0	3.0	PASS
28.	10/11/07/05/069	22	21	43						E		1.0	3.0	PASS
29.	10/11/07/05/072	21	20	41						E		1.0	3.0	PASS
30.	10/11/07/05/078	22	24	46					D			2.0	6.0	PASS
31.	10/11/07/05/085	21	31	52				C				3.0	9.0	PASS
32.	10/11/07/05/089	22	24	46					D			2.0	6.0	PASS
33.	10/11/07/05/091	23	28	51				C				3.0	9.0	PASS
34.	10/11/07/05/093	23	26	49					D			2.0	6.0	PASS
35.	10/11/07/05/096	22	19	41						E		1.0	3.0	PASS
36.	10/11/07/05/098	23	30	53				C				3.0	9.0	PASS
37.	10/11/07/05/099	22	22	44						E		1.0	3.0	PASS
38.	10/11/07/05/100	23	45	68		B+						4.5	13.5	PASS
39.	10/11/07/05/104	23	22	45					D			2.0	6.0	PASS
40.	10/11/07/05/106	23	38	61		B						4.0	12.0	PASS
41.	10/11/07/05/111	22	24	46					D			2.0	6.0	PASS
42.	10/11/07/05/118	22	32	54				C				3.0	9.0	PASS
43.	10/11/07/05/120	23	42	65		B+						4.5	13.5	PASS
44.	10/11/07/05/127	21	23	44						E		1.0	3.0	PASS
45.	10/11/07/05/130	23	28	51				C				3.0	9.0	PASS
46.	10/11/07/05/131	22	25	47					D			2.0	6.0	PASS
47.	10/11/07/05/132	23	18	41						E		1.0	3.0	PASS
48.	10/11/07/05/144	23	39	62		B						4.0	12.0	PASS
49.	10/11/07/05/148	21	26	47					D			2.0	6.0	PASS
50.	10/11/07/05/149	24	18	42						E		1.0	3.0	PASS
51.	10/11/07/05/157	21	30	51				C				3.0	9.0	PASS
52.	10/11/07/05/161	22	26	48					D			2.0	6.0	PASS
53.	10/11/07/05/162	25	16	41						E		1.0	3.0	PASS
54.	10/11/07/05/164	23	23	46					D			2.0	6.0	PASS
55.	10/11/07/05/165	22	37	59			C+					3.5	10.5	PASS
56.	10/11/07/05/167	21	20	41						E		1.0	3.0	PASS
57.	10/11/07/05/168	22	27	49					D			2.0	6.0	PASS
58.	10/11/07/05/169	22	35	57			C+					3.5	10.5	PASS
59.	10/11/07/05/171	23	33	56			C+					3.5	10.5	PASS
60.	10/11/07/05/174	23	40	63		B						4.0	12.0	PASS
61.	10/11/07/05/175	21	14	35							F	0.0	0.0	FAIL
62.	10/11/07/05/176	23	35	58			C+					3.5	10.5	PASS
63.	10/11/07/05/177	23	35	58			C+					3.5	10.5	PASS

64.	10/11/07/05/184	26	15	41						E		1.0	3.0	PASS
65.	10/11/07/05/185	24	47	71	A							5.0	15.0	PASS
66.	10/11/07/05/189	21	32	53					C			3.0	9.0	PASS
67.	10/11/07/05/190	23	18	41						E		1.0	3.0	PASS
68.	10/11/07/05/191	23	36	59				C+				3.5	10.5	PASS
69.	10/11/07/05/194	22	29	51					C			3.0	9.0	PASS
70.	10/11/07/05/196	22	19	41						E		1.0	3.0	PASS
71.	10/11/07/05/202	23	48	71	A							5.0	15.0	PASS
72.	10/11/07/05/204	24	29	53					C			3.0	9.0	PASS
73.	10/11/07/05/211	23	21	44						E		1.0	3.0	PASS
74.	10/11/07/05/225	23	33	56				C+				3.5	10.5	PASS
75.	10/11/07/05/226	22	27	49						D		2.0	6.0	PASS
76.	10/11/07/05/230	22	24	46						D		2.0	6.0	PASS
77.	10/11/07/05/231	21	33	54					C			3.0	9.0	PASS
78.	10/11/07/05/234	22	32	54					C			3.0	9.0	PASS
79.	10/11/07/05/236	21	21	42						E		1.0	3.0	PASS
80.	10/11/07/05/241	21	32	53					C			3.0	9.0	PASS
81.	10/11/07/05/246	22	34	56				C+				3.5	10.5	PASS
82.	12/11/07/03/001	25	16	41						E		1.0	3.0	PASS
83.	12/11/07/03/003	23	18	41						E		1.0	3.0	PASS
84.	12/11/07/03/006	25	31	56				C+				3.5	10.5	PASS
85.	12/11/07/03/007	21	23	44						E		1.0	3.0	PASS
86.	12/11/07/03/009	21	47	68		B+						4.5	13.5	PASS
87.	12/11/07/03/013	21	44	65		B+						4.5	13.5	PASS
88.	12/11/07/03/014	21	25	46						D		2.0	6.0	PASS
89.	12/11/07/03/016	21	13	34							F	0.0	0.0	FAIL
90.	12/11/07/03/018	24	17	41						E		1.0	3.0	PASS
91.	12/11/07/03/019	23	55	78	A							5.0	15.0	PASS
92.	12/11/07/03/020	21	21	42						E		1.0	3.0	PASS
93.	12/11/07/03/021	24	39	63			B					4.0	12.0	PASS
94.	12/11/07/03/023	23	33	56				C+				3.5	10.5	PASS
95.	12/11/07/03/024	22	19	41						E		1.0	3.0	PASS
96.	12/11/07/03/025	23	20	43						E		1.0	3.0	PASS
97.	12/11/07/03/026	23	25	48						D		2.0	6.0	PASS
98.	12/11/07/03/027	23	43	66		B+						4.5	13.5	PASS
99.	12/11/07/03/029	24	24	48						D		2.0	6.0	PASS
100.	12/11/07/03/030	24	47	71	A							5.0	15.0	PASS

101.	12/11/07/03/031	21	09	30							F	0.0	0.0	FAIL	
102.	12/11/07/03/032	25	16	41							E	1.0	3.0	PASS	
103.	12/11/07/03/033	24	22	46						D		2.0	6.0	PASS	
104.	12/11/07/03/035	22	39	61			B					4.0	12.0	PASS	
105.	12/11/07/03/036	23	40	63			B					4.0	12.0	PASS	
106.	12/11/07/03/038	23	35	58				C+				3.5	10.5	PASS	
107.	12/11/07/03/039	23	38	61			B					4.0	12.0	PASS	
108.	12/11/07/03/040	20	14	34								F	0.0	0.0	FAIL
109.	12/11/07/03/042	22	31	53					C			3.0	9.0	PASS	
110.	12/11/07/03/043	23	33	56				C+				3.5	10.5	PASS	
111.	12/11/07/03/044	25	16	41								E	1.0	3.0	PASS
112.	12/11/07/03/045	23	28	51					C			3.0	9.0	PASS	
113.	12/11/07/03/046	24	37	61			B					4.0	12.0	PASS	
114.	12/11/07/03/047	21	40	61			B					4.0	12.0	PASS	
115.	12/11/07/03/048	24	17	41								E	1.0	3.0	PASS
116.	12/11/07/03/049	21	36	57				C+				3.5	10.5	PASS	
117.	12/11/07/03/051	22	20	42								E	1.0	3.0	PASS
118.	12/11/07/03/054	21	12	33								F	0.0	0.0	FAIL
119.	12/11/07/03/057	21	35	56				C+				3.5	10.5	PASS	
120.	12/11/07/03/058	21	31	52					C			3.0	9.0	PASS	
121.	12/11/07/03/060	21	12	33								F	0.0	0.0	FAIL
122.	12/11/07/03/061	21	52	73	A							5.0	15.0	PASS	
123.	12/11/07/03/063	21	33	54					C			3.0	9.0	PASS	
124.	12/11/07/03/066	21	20	41								E	1.0	3.0	PASS
125.	12/11/07/03/067	21	38	59				C+				3.5	10.5	PASS	
126.	12/11/07/03/069	21	33	54					C			3.0	9.0	PASS	
127.	12/11/07/03/071	21	23	44								E	1.0	3.0	PASS
128.	12/11/07/03/072	21	34	55				C+				3.5	10.5	PASS	
129.	12/11/07/03/073	21	32	53					C			3.0	9.0	PASS	
130.	12/11/07/03/074	21	20	41								E	1.0	3.0	PASS
131.	12/11/07/03/075	21	36	57				C+				3.5	10.5	PASS	
132.	12/11/07/03/076	21	21	42								E	1.0	3.0	PASS
133.	12/11/07/03/078	22	40	62			B					4.0	12.0	PASS	
134.	12/11/07/03/079	22	21	43								E	1.0	3.0	PASS
135.	12/11/07/03/080	21	26	47								D	2.0	6.0	PASS
136.	12/11/07/03/082	25	16	41								E	1.0	3.0	PASS
137.	12/11/07/03/083	26	15	41								E	1.0	3.0	PASS

138.	12/11/07/03/084	21	23	44						E		1.0	3.0	PASS
139.	12/11/07/03/085	21	32	53				C				3.0	9.0	PASS
140.	12/11/07/03/087	22	34	56				C+				3.5	10.5	PASS
141.	12/11/07/03/089	22	19	41						E		1.0	3.0	PASS
142.	12/11/07/03/090	22	25	47						D		2.0	6.0	PASS
143.	12/11/07/03/091	21	13	34							F	0.0	0.0	FAIL
144.	12/11/07/03/092	22	21	43						E		1.0	3.0	PASS
145.	12/11/07/03/093	22	27	49						D		2.0	6.0	PASS
146.	12/11/07/03/094	23	18	41						E		1.0	3.0	PASS
147.	12/11/07/03/095	23	38	61			B					4.0	12.0	PASS
148.	12/11/07/03/097	23	36	59				C+				3.5	10.5	PASS
149.	12/11/07/03/102	23	19	42						E		1.0	3.0	PASS
150.	12/11/07/03/104	23	24	47						D		2.0	6.0	PASS
151.	12/11/07/03/107	22	40	62			B					4.0	12.0	PASS
152.	12/11/07/03/111	23	27	50					C			3.0	9.0	PASS
153.	12/11/07/03/113	22	39	61			B					4.0	12.0	PASS
154.	12/11/07/03/114	23	25	48						D		2.0	6.0	PASS
155.	12/11/07/03/115	23	40	63			B					4.0	12.0	PASS
156.	12/11/07/03/118	23	30	53					C			3.0	9.0	PASS
157.	12/11/07/03/119	23	33	56				C+				3.5	10.5	PASS
158.	12/11/07/03/121	23	33	56				C+				3.5	10.5	PASS
159.	12/11/07/03/122	23	42	65			B+					4.5	13.5	PASS
160.	12/11/07/03/123	22	39	61			B					4.0	12.0	PASS
161.	12/11/07/03/125	23	50	73	A							5.0	15.0	PASS
162.	12/11/07/03/127	24	24	48						D		2.0	6.0	PASS
163.	12/11/07/03/128	23	40	63			B					4.0	12.0	PASS
164.	12/11/07/03/131	21	20	41						E		1.0	3.0	PASS
165.	12/11/07/03/133	22	31	53					C			3.0	9.0	PASS
166.	12/11/07/03/137	21	50	71	A							5.0	15.0	PASS
167.	12/11/07/03/139	21	43	64			B					4.0	12.0	PASS
168.	12/11/07/03/140	22	39	61			B					4.0	12.0	PASS
169.	12/11/07/03/141	23	28	51					C			3.0	9.0	PASS
170.	12/11/07/03/142	24	37	61			B					4.0	12.0	PASS
171.	12/11/07/03/143	22	39	61			B					4.0	12.0	PASS
172.	12/11/07/03/144	22	24	46						D		2.0	6.0	PASS
173.	12/11/07/03/145	25	16	41						E		1.0	3.0	PASS
174.	12/11/07/03/146	22	24	46						D		2.0	6.0	PASS

175.	12/11/07/03/147	23	22	45						D			2.0	6.0	PASS
176.	12/11/07/03/149	23	41	64			B						4.0	12.0	PASS
177.	12/11/07/03/151	23	45	68			B+						4.5	13.5	PASS
178.	12/11/07/03/152	22	44	66			B+						4.5	13.5	PASS
179.	12/11/07/03/153	25	16	41							E		1.0	3.0	PASS
180.	12/11/07/03/154	21	31	52						C			3.0	9.0	PASS
181.	12/11/07/03/155	21	43	64			B						4.0	12.0	PASS
182.	12/11/07/03/156	23	19	42							E		1.0	3.0	PASS
183.	12/11/07/03/158	23	31	54						C			3.0	9.0	PASS
184.	12/11/07/03/159	23	41	64			B						4.0	12.0	PASS
185.	12/11/07/03/160	22	19	41							E		1.0	3.0	PASS
186.	12/11/07/03/161	23	44	67			B+						4.5	13.5	PASS
187.	12/11/07/03/162	23	32	55						C+			3.5	10.5	PASS
188.	12/11/07/03/163	23	40	63			B						4.0	12.0	PASS
189.	12/11/07/03/164	23	18	41							E		1.0	3.0	PASS
190.	12/11/07/03/165	22	40	62			B						4.0	12.0	PASS
191.	12/11/07/03/167	22	36	58						C+			3.5	10.5	PASS
192.	12/11/07/03/170	24	47	71	A								5.0	15.0	PASS
193.	12/11/07/03/172	23	42	65			B+						4.5	13.5	PASS
194.	12/11/07/03/173	22	29	51						C			3.0	9.0	PASS
195.	12/11/07/03/174	23	43	66			B+						4.5	13.5	PASS
196.	12/11/07/03/179	22	25	47						D			2.0	6.0	PASS
197.	12/11/07/03/180	24	22	46						D			2.0	6.0	PASS
198.	12/11/07/03/182	22	31	53						C			3.0	9.0	PASS
199.	12/11/07/03/183	24	27	51						C			3.0	9.0	PASS
200.	12/11/07/03/185	23	18	41							E		1.0	3.0	PASS
201.	12/11/07/03/187	24	32	56						C+			3.5	10.5	PASS
202.	12/11/07/03/191	23	23	46						D			2.0	6.0	PASS
203.	12/11/07/03/192	24	24	48						D			2.0	6.0	PASS
204.	12/11/07/03/193	22	21	43							E		1.0	3.0	PASS
205.	12/11/07/03/194	22	25	47						D			2.0	6.0	PASS
206.	12/11/07/03/196	23	23	46						D			2.0	6.0	PASS
207.	12/11/07/03/197	22	19	41							E		1.0	3.0	PASS
208.	12/11/07/03/198	22	40	62			B						4.0	12.0	PASS
209.	12/11/07/03/201	24	17	41							E		1.0	3.0	PASS
210.	12/11/07/03/203	24	17	41							E		1.0	3.0	PASS
211.	12/11/07/03/204	21	31	52						C			3.0	9.0	PASS

212.	12/11/07/03/205	24	43	67		B+						4.5	13.5	PASS	
213.	12/11/07/03/209	23	39	62			B					4.0	12.0	PASS	
214.	12/11/07/03/210	23	18	41							E	1.0	3.0	PASS	
215.	12/11/07/03/212	23	51	74	A							5.0	15.0	PASS	
216.	12/11/07/03/215	26	15	41							E	1.0	3.0	PASS	
217.	12/11/07/03/216	21	54	75	A							5.0	15.0	PASS	
218.	12/11/07/03/218	25	36	61			B					4.0	12.0	PASS	
219.	12/11/07/03/223	26	15	41							E	1.0	3.0	PASS	
220.	12/11/07/03/224	21	30	51					C			3.0	9.0	PASS	
221.	12/11/07/03/227	21	23	44							E	1.0	3.0	PASS	
222.	12/11/07/03/228	22	26	48						D		2.0	6.0	PASS	
223.	12/11/07/03/229	21	08	29								F	0.0	0.0	FAIL
224.	12/11/07/03/230	21	24	45						D		2.0	6.0	PASS	
225.	12/11/07/03/231	26	15	41							E	1.0	3.0	PASS	
226.	12/11/07/03/232	26	17	43							E	1.0	3.0	PASS	
227.	12/11/07/03/233	26	28	54					C			3.0	9.0	PASS	
228.	12/11/07/03/234	21	12	33								F	0.0	0.0	FAIL
229.	12/11/07/03/237	22	23	45						D		2.0	6.0	PASS	
230.	12/11/07/03/240	24	37	61			B					4.0	12.0	PASS	
231.	12/11/07/03/242	24	37	61			B					4.0	12.0	PASS	
232.	12/11/07/03/243	24	39	63			B					4.0	12.0	PASS	
233.	12/11/07/03/244	22	22	44							E	1.0	3.0	PASS	
234.	12/11/07/03/246	22	23	45						D		2.0	6.0	PASS	
235.	12/11/07/03/247	22	31	53					C			3.0	9.0	PASS	
236.	12/11/07/03/248	24	37	61			B					4.0	12.0	PASS	
237.	12/11/07/03/249	22	36	58				C+				3.5	10.5	PASS	
238.	12/11/07/03/250	22	45	67		B+						4.5	13.5	PASS	
239.	12/11/07/03/253	22	21	43							E	1.0	3.0	PASS	
240.	12/11/07/03/254	22	36	58				C+				3.5	10.5	PASS	
241.	12/11/07/03/255	21	26	47						D		2.0	6.0	PASS	
242.	12/11/07/03/256	21	33	54					C			3.0	9.0	PASS	
243.	12/11/07/03/257	22	29	51					C			3.0	9.0	PASS	
244.	12/11/07/03/261	22	19	41							E	1.0	3.0	PASS	
245.	12/11/07/03/263	23	18	41							E	1.0	3.0	PASS	
246.	12/11/07/03/266	23	33	56				C+				3.5	10.5	PASS	
247.	12/11/07/03/269	23	19	42							E	1.0	3.0	PASS	
248.	12/11/07/03/274	22	32	54					C			3.0	9.0	PASS	

249.	12/11/07/03/276	26	15	41						E		1.0	3.0	PASS
250.	12/11/07/03/277	24	37	61			B					4.0	12.0	PASS
251.	12/11/07/03/278	21	13	34							F	0.0	0.0	FAIL
252.	12/11/07/03/279	22	26	48						D		2.0	6.0	PASS
253.	12/11/07/03/280	23	36	59				C+				3.5	10.5	PASS
254.	12/11/07/03/281	23	46	69			B+					4.5	13.5	PASS
255.	12/11/07/03/282	21	20	41						E		1.0	3.0	PASS
256.	12/11/07/03/283	21	24	45						D		2.0	6.0	PASS
257.	12/11/07/03/284	21	43	64			B					4.0	12.0	PASS
258.	12/11/07/03/289	22	49	71	A							5.0	15.0	PASS
259.	12/11/07/03/292	22	20	42						E		1.0	3.0	PASS
260.	12/11/07/03/293	23	28	51					C			3.0	9.0	PASS
261.	12/11/07/03/297	22	25	47						D		2.0	6.0	PASS
262.	12/11/07/03/299	21	45	66			B+					4.5	13.5	PASS
263.	12/11/07/03/300	23	18	41						E		1.0	3.0	PASS
264.	12/11/07/03/301	21	41	62			B					4.0	12.0	PASS
265.	12/11/07/03/304	26	15	41						E		1.0	3.0	PASS
266.	12/11/07/03/306	21	30	51					C			3.0	9.0	PASS
267.	12/11/07/03/307	22	24	46						D		2.0	6.0	PASS
268.	12/11/07/03/308	22	24	46						D		2.0	6.0	PASS
269.	12/11/07/03/311	21	20	41						E		1.0	3.0	PASS
270.	12/11/07/03/316	21	31	52					C			3.0	9.0	PASS
271.	12/11/07/03/318	23	28	51					C			3.0	9.0	PASS
272.	12/11/07/03/320	22	26	48						D		2.0	6.0	PASS
273.	12/11/07/03/321	23	18	41						E		1.0	3.0	PASS
274.	12/11/07/03/322	21	08	29							F	0.0	0.0	FAIL
275.	12/11/07/03/323	22	22	44						E		1.0	3.0	PASS
276.	12/11/07/03/329	23	44	67			B+					4.5	13.5	PASS
277.	12/11/07/03/331	22	26	48						D		2.0	6.0	PASS
278.	12/11/07/03/335	21	35	56				C+				3.5	10.5	PASS
279.	12/11/07/03/336	23	44	67			B+					4.5	13.5	PASS
280.	12/11/07/03/337	21	30	51					C			3.0	9.0	PASS
281.	12/11/07/03/338	22	29	51					C			3.0	9.0	PASS
282.	12/11/07/03/340	23	28	51					C			3.0	9.0	PASS
283.	12/11/07/03/341	22	31	53					C			3.0	9.0	PASS
284.	12/11/07/03/342	21	08	29							F	0.0	0.0	FAIL
285.	12/11/07/03/343	23	33	56				C+				3.5	10.5	PASS

286.	12/11/07/03/348	25	16	41						E		1.0	3.0	PASS
287.	12/11/07/03/349	21	34	55				C+				3.5	10.5	PASS
288.	12/11/07/03/350	22	42	64				B				4.0	12.0	PASS
289.	12/11/07/03/352	27	14	41						E		1.0	3.0	PASS
290.	12/11/07/03/353	26	15	41						E		1.0	3.0	PASS
291.	12/11/07/03/357	21	12	33							F	0.0	0.0	FAIL
292.	12/11/07/03/359	21	35	56				C+				3.5	10.5	PASS
293.	12/11/07/03/362	21	41	62				B				4.0	12.0	PASS
294.	12/11/07/03/363	21	23	44						E		1.0	3.0	PASS
295.	12/11/07/03/366	21	26	47						D		2.0	6.0	PASS
296.	12/11/07/03/368	23	19	42						E		1.0	3.0	PASS
297.	12/11/07/03/369	21	50	71	A							5.0	15.0	PASS
298.	12/11/07/03/370	23	34	57				C+				3.5	10.5	PASS
299.	12/11/07/03/371	23	33	56				C+				3.5	10.5	PASS
300.	12/11/07/03/373	23	38	61				B				4.0	12.0	PASS
301.	12/11/07/03/374	23	52	75	A							5.0	15.0	PASS
302.	12/11/07/03/378	22	29	51						C		3.0	9.0	PASS
303.	12/11/07/03/380	22	20	42						E		1.0	3.0	PASS
304.	12/11/07/03/381	22	25	47						D		2.0	6.0	PASS
305.	12/11/07/03/382	24	17	41						E		1.0	3.0	PASS
306.	12/11/07/03/383	21	09	30							F	0.0	0.0	FAIL
307.	12/11/07/03/384	21	13	34							F	0.0	0.0	FAIL
308.	12/11/07/03/386	22	25	47						D		2.0	6.0	PASS
309.	12/11/07/03/390	24	37	61				B				4.0	12.0	PASS
310.	12/11/07/03/393	22	39	61				B				4.0	12.0	PASS
311.	12/11/07/03/394	23	18	41						E		1.0	3.0	PASS
312.	12/11/07/03/395	23	32	55				C+				3.5	10.5	PASS
313.	12/11/07/03/396	27	26	53						C		3.0	9.0	PASS
314.	12/11/07/03/397	22	24	46						D		2.0	6.0	PASS
315.	12/11/07/03/398	22	24	46						D		2.0	6.0	PASS
316.	12/11/07/03/399	24	39	63				B				4.0	12.0	PASS
317.	12/11/07/03/400	22	24	46						D		2.0	6.0	PASS
318.	12/11/07/03/401	23	28	51						C		3.0	9.0	PASS
319.	12/11/07/03/402	21	20	41						E		1.0	3.0	PASS
320.	12/11/07/03/405	21	13	34							F	0.0	0.0	FAIL
321.	12/11/07/03/406	24	27	51						C		3.0	9.0	PASS
322.	12/11/07/03/407	21	10	31							F	0.0	0.0	FAIL

323.	12/11/07/03/412	21	11	32								F	0.0	0.0	FAIL
324.	12/11/07/03/414	22	34	56				C+					3.5	10.5	PASS
325.	12/11/07/03/416	23	37	60				B					4.0	12.0	PASS
326.	12/11/07/03/417	23	38	61				B					4.0	12.0	PASS
327.	12/11/07/03/418	22	27	49						D			2.0	6.0	PASS
328.	12/11/07/03/419	24	33	57				C+					3.5	10.5	PASS
329.	12/11/07/03/421	22	41	63				B					4.0	12.0	PASS
330.	12/11/07/03/423	22	19	41							E		1.0	3.0	PASS
331.	12/11/07/03/424	22	46	68				B+					4.5	13.5	PASS
332.	12/11/07/03/425	23	32	55				C+					3.5	10.5	PASS
333.	12/11/07/03/427	25	16	41							E		1.0	3.0	PASS
334.	12/11/07/03/428	21	20	41							E		1.0	3.0	PASS
335.	12/11/07/03/432	23	18	41							E		1.0	3.0	PASS
336.	12/11/07/03/435	22	20	42							E		1.0	3.0	PASS
337.	12/11/07/03/436	22	54	76	A								5.0	15.0	PASS
338.	12/11/07/03/437	23	33	56				C+					3.5	10.5	PASS
339.	12/11/07/03/438	23	34	57				C+					3.5	10.5	PASS
340.	12/11/07/03/442	23	28	51					C				3.0	9.0	PASS
341.	12/11/07/03/443	24	17	41							E		1.0	3.0	PASS
342.	12/11/07/03/444	23	32	55				C+					3.5	10.5	PASS
343.	12/11/07/03/445	22	33	55				C+					3.5	10.5	PASS
344.	12/11/07/03/447	23	22	45						D			2.0	6.0	PASS
345.	12/11/07/03/448	22	25	47						D			2.0	6.0	PASS
346.	12/11/07/03/449	22	39	61				B					4.0	12.0	PASS
347.	12/11/07/03/454	23	31	54					C				3.0	9.0	PASS
348.	12/11/07/03/460	22	29	51					C				3.0	9.0	PASS
349.	12/11/07/03/463	23	44	67				B+					4.5	13.5	PASS
350.	12/11/07/03/464	22	31	53					C				3.0	9.0	PASS
351.	12/11/07/03/465	21	21	42							E		1.0	3.0	PASS
352.	12/11/07/03/467	21	36	57				C+					3.5	10.5	PASS
353.	12/11/07/03/468	21	30	51					C				3.0	9.0	PASS
354.	12/11/07/03/471	21	23	44							E		1.0	3.0	PASS
355.	12/11/07/03/472	23	18	41							E		1.0	3.0	PASS
356.	12/11/07/03/474	24	17	41							E		1.0	3.0	PASS
357.	12/11/07/03/475	23	36	59				C+					3.5	10.5	PASS
358.	12/11/07/03/477	23	43	66				B+					4.5	13.5	PASS
359.	12/11/07/03/478	23	27	50					C				3.0	9.0	PASS

360.	12/11/07/03/480	23	37	60			B					4.0	12.0	PASS	
361.	12/11/07/03/481	23	43	66		B+						4.5	13.5	PASS	
362.	12/11/07/03/482	23	34	57				C+				3.5	10.5	PASS	
363.	12/11/07/03/485	24	39	63			B					4.0	12.0	PASS	
364.	12/11/07/03/487	23	18	41							E	1.0	3.0	PASS	
365.	12/11/07/03/488	23	44	67		B+						4.5	13.5	PASS	
366.	12/11/07/03/489	22	27	49							D	2.0	6.0	PASS	
367.	12/11/07/03/491	22	19	41							E	1.0	3.0	PASS	
368.	12/11/07/03/494	23	36	59				C+				3.5	10.5	PASS	
369.	12/11/07/03/496	23	23	46							D	2.0	6.0	PASS	
370.	12/11/07/03/502	23	40	63			B					4.0	12.0	PASS	
371.	12/11/07/03/506	23	28	51							C	3.0	9.0	PASS	
372.	12/11/07/03/507	22	39	61			B					4.0	12.0	PASS	
373.	12/11/07/03/510	23	22	45							D	2.0	6.0	PASS	
374.	12/11/07/03/511	23	22	45							D	2.0	6.0	PASS	
375.	12/11/07/03/513	22	30	52							C	3.0	9.0	PASS	
376.	12/11/07/03/518	23	26	49							D	2.0	6.0	PASS	
377.	12/11/07/03/520	22	21	43							E	1.0	3.0	PASS	
378.	12/11/07/03/521	22	44	66		B+						4.5	13.5	PASS	
379.	12/11/07/03/523	21	10	31								F	0.0	0.0	FAIL
380.	12/11/07/03/524	22	21	43							E	1.0	3.0	PASS	
381.	12/11/07/03/527	23	33	56				C+				3.5	10.5	PASS	
382.	12/11/07/03/528	21	40	61			B					4.0	12.0	PASS	
383.	12/11/07/03/529	25	31	56				C+				3.5	10.5	PASS	
384.	12/11/07/03/533	22	29	51							C	3.0	9.0	PASS	
385.	12/11/07/03/537	21	08	29								F	0.0	0.0	FAIL
386.	12/11/07/03/538	21	08	29								F	0.0	0.0	FAIL
387.	12/11/07/03/539	23	45	68		B+						4.5	13.5	PASS	
388.	12/11/07/03/540	23	19	42							E	1.0	3.0	PASS	
389.	12/11/07/03/541	23	42	65		B+						4.5	13.5	PASS	
390.	12/11/07/03/542	23	26	49							D	2.0	6.0	PASS	
391.	12/11/07/03/543	22	31	53							C	3.0	9.0	PASS	
392.	12/11/07/03/544	22	42	64			B					4.0	12.0	PASS	
393.	12/11/07/03/547	23	23	46							D	2.0	6.0	PASS	
394.	12/11/07/03/551	23	25	48							D	2.0	6.0	PASS	
395.	12/11/07/03/552	22	19	41							E	1.0	3.0	PASS	
396.	12/11/07/03/557	26	25	51							C	3.0	9.0	PASS	

397.	12/11/07/03/559	24	35	59				C+					3.5	10.5	PASS
398.	12/11/07/03/561	22	24	46						D			2.0	6.0	PASS
399.	12/11/07/03/562	23	41	64				B					4.0	12.0	PASS
400.	12/11/07/03/564	22	42	64				B					4.0	12.0	PASS
401.	12/11/07/03/565	23	22	45						D			2.0	6.0	PASS
402.	12/11/07/03/566	21	11	32								F	0.0	0.0	FAIL
403.	12/11/07/03/570	21	11	32								F	0.0	0.0	FAIL
404.	12/11/07/03/578	21	10	31								F	0.0	0.0	FAIL
405.	12/11/07/03/585	28	13	41						E			1.0	3.0	PASS
406.	12/11/07/03/586	22	12	34								F	0.0	0.0	FAIL
407.	12/11/07/03/590	22	31	53					C				3.0	9.0	PASS
408.	12/11/07/03/591	21	07	28								F	0.0	0.0	FAIL
					15	27	55	49	66	71	98	27			408

0	23	28	51
0	22	21	43
0	22	22	44
0	24	37	61
0	21	25	46
0	25	26	51
0	21	46	67
0	21	27	48
0	22	32	54
0	22	27	49
0	21	33	54
0	21	31	52
0	22	39	61
0	21	33	54
0	23	18	41
0	23	44	67
0	22	23	45
0	21	25	46
0	22	23	45
0	21	32	53
0	21	28	49
0	22	49	71
0	21	11	32
0	21	27	48
0	22	24	46
0	21	20	41

0	22	19	41
0	22	21	43
0	21	20	41
0	22	24	46
0	21	31	52
0	22	24	46
0	23	28	51
0	23	26	49
0	22	19	41
0	23	30	53
0	22	22	44
0	23	45	68
0	23	22	45
0	23	38	61
0	22	24	46
0	22	32	54
0	23	42	65
0	21	23	44
0	23	28	51
0	22	25	47
0	23	18	41
0	23	39	62
0	21	26	47
0	24	18	42
0	21	30	51
0	22	26	48
0	25	16	41
0	23	23	46
0	22	37	59
0	21	20	41
0	22	27	49
0	22	35	57
0	23	33	56
0	23	40	63
0	21	14	35
0	23	35	58
0	23	35	58

0	26	15	41
0	24	47	71
0	21	32	53
0	23	18	41
0	23	36	59
0	22	29	51
0	22	19	41
0	23	48	71
0	24	29	53
0	23	21	44
0	23	33	56
0	22	27	49
0	22	24	46
0	21	33	54
0	22	32	54
0	21	21	42
0	21	32	53
0	22	34	56
0	25	16	41
0	23	18	41
0	25	31	56
0	21	23	44
0	21	47	68
0	21	44	65
0	21	25	46
0	21	13	34
0	24	17	41
0	23	55	78
0	21	21	42
0	24	39	63
0	23	33	56
0	22	19	41
0	23	20	43
0	23	25	48
0	23	43	66
0	24	24	48
0	24	47	71

0	21	9	30
0	25	16	41
0	24	22	46
0	22	39	61
0	23	40	63
0	23	35	58
0	23	38	61
0	20	14	34
0	22	31	53
0	23	33	56
0	25	16	41
0	23	28	51
0	24	37	61
0	21	40	61
0	24	17	41
0	21	36	57
0	22	20	42
0	21	12	33
0	21	35	56
0	21	31	52
0	21	12	33
0	21	52	73
0	21	33	54
0	21	20	41
0	21	38	59
0	21	33	54
0	21	23	44
0	21	34	55
0	21	32	53
0	21	20	41
0	21	36	57
0	21	21	42
0	22	40	62
0	22	21	43
0	21	26	47
0	25	16	41
0	26	15	41

0	21	23	44
0	21	32	53
0	22	34	56
0	22	19	41
0	22	25	47
0	21	13	34
0	22	21	43
0	22	27	49
0	23	18	41
0	23	38	61
0	23	36	59
0	23	19	42
0	23	24	47
0	22	40	62
0	23	27	50
0	22	39	61
0	23	25	48
0	23	40	63
0	23	30	53
0	23	33	56
0	23	33	56
0	23	42	65
0	22	39	61
0	23	50	73
0	24	24	48
0	23	40	63
0	21	20	41
0	22	31	53
0	21	50	71
0	21	43	64
0	22	39	61
0	23	28	51
0	24	37	61
0	22	39	61
0	22	24	46
0	25	16	41
0	22	24	46

0	23	22	45
0	23	41	64
0	23	45	68
0	22	44	66
0	25	16	41
0	21	31	52
0	21	43	64
0	23	19	42
0	23	31	54
0	23	41	64
0	22	19	41
0	23	44	67
0	23	32	55
0	23	40	63
0	23	18	41
0	22	40	62
0	22	36	58
0	24	47	71
0	23	42	65
0	22	29	51
0	23	43	66
0	22	25	47
0	24	22	46
0	22	31	53
0	24	27	51
0	23	18	41
0	24	32	56
0	23	23	46
0	24	24	48
0	22	21	43
0	22	25	47
0	23	23	46
0	22	19	41
0	22	40	62
0	24	17	41
0	24	17	41
0	21	31	52

0	24	43	67
0	23	39	62
0	23	18	41
0	23	51	74
0	26	15	41
0	21	54	75
0	25	36	61
0	26	15	41
0	21	30	51
0	21	23	44
0	22	26	48
0	21	8	29
0	21	24	45
0	26	15	41
0	26	17	43
0	26	28	54
0	21	12	33
0	22	23	45
0	24	37	61
0	24	37	61
0	24	39	63
0	22	22	44
0	22	23	45
0	22	31	53
0	24	37	61
0	22	36	58
0	22	45	67
0	22	21	43
0	22	36	58
0	21	26	47
0	21	33	54
0	22	29	51
0	22	19	41
0	23	18	41
0	23	33	56
0	23	19	42
0	22	32	54

0	26	15	41
0	24	37	61
0	21	13	34
0	22	26	48
0	23	36	59
0	23	46	69
0	21	20	41
0	21	24	45
0	21	43	64
0	22	49	71
0	22	20	42
0	23	28	51
0	22	25	47
0	21	45	66
0	23	18	41
0	21	41	62
0	26	15	41
0	21	30	51
0	22	24	46
0	22	24	46
0	21	20	41
0	21	31	52
0	23	28	51
0	22	26	48
0	23	18	41
0	21	8	29
0	22	22	44
0	23	44	67
0	22	26	48
0	21	35	56
0	23	44	67
0	21	30	51
0	22	29	51
0	23	28	51
0	22	31	53
0	21	8	29
0	23	33	56

0	25	16	41
0	21	34	55
0	22	42	64
0	27	14	41
0	26	15	41
0	21	12	33
0	21	35	56
0	21	41	62
0	21	23	44
0	21	26	47
0	23	19	42
0	21	50	71
0	23	34	57
0	23	33	56
0	23	38	61
0	23	52	75
0	22	29	51
0	22	20	42
0	22	25	47
0	24	17	41
0	21	9	30
0	21	13	34
0	22	25	47
0	24	37	61
0	22	39	61
0	23	18	41
0	23	32	55
0	27	26	53
0	22	24	46
0	22	24	46
0	24	39	63
0	22	24	46
0	23	28	51
0	21	20	41
0	21	13	34
0	24	27	51
0	21	10	31

0	21	11	32
0	22	34	56
0	23	37	60
0	23	38	61
0	22	27	49
0	24	33	57
0	22	41	63
0	22	19	41
0	22	46	68
0	23	32	55
0	25	16	41
0	21	20	41
0	23	18	41
0	22	20	42
0	22	54	76
0	23	33	56
0	23	34	57
0	23	28	51
0	24	17	41
0	23	32	55
0	22	33	55
0	23	22	45
0	22	25	47
0	22	39	61
0	23	31	54
0	22	29	51
0	23	44	67
0	22	31	53
0	21	21	42
0	21	36	57
0	21	30	51
0	21	23	44
0	23	18	41
0	24	17	41
0	23	36	59
0	23	43	66
0	23	27	50

0	23	37	60
0	23	43	66
0	23	34	57
0	24	39	63
0	23	18	41
0	23	44	67
0	22	27	49
0	22	19	41
0	23	36	59
0	23	23	46
0	23	40	63
0	23	28	51
0	22	39	61
0	23	22	45
0	23	22	45
0	22	30	52
0	23	26	49
0	22	21	43
0	22	44	66
0	21	10	31
0	22	21	43
0	23	33	56
0	21	40	61
0	25	31	56
0	22	29	51
0	21	8	29
0	21	8	29
0	23	45	68
0	23	19	42
0	23	42	65
0	23	26	49
0	22	31	53
0	22	42	64
0	23	23	46
0	23	25	48
0	22	19	41
0	26	25	51

0	24	35	59
0	22	24	46
0	23	41	64
0	22	42	64
0	23	22	45
0	21	11	32
0	21	11	32
0	21	10	31
0	28	13	41
0	22	12	34
0	22	31	53
0	21	7	28