

UNIVERSITY OF MAIDUGURI**(Office of the Vice-Chancellor)**

Centre for Distance Learning

Department of Public Administration**First semester End-of-Course Examination Results****COURSE CODE: PAD 505****COURSE TITLE: Inter-Government Relations in Nigeria****COURSE UNITS: 3**

2015/2016 Academic Session

S/No.	ID. No.	CA	Exam	TOTAL		Grades								GP	U.GP	Remarks
		Marks	Marks	Marks	A	B+	B	C+	C	D	E	F				
1.	09/11/07/05/078	26	46	72	A									5.0	15.0	PASS
2.	09/11/07/05/140	16	37	53					C					3.0	9.0	PASS
3.	09/11/07/05/163	07	39	46						D				2.0	6.0	PASS
4.	10/11/07/05/001	20	32	52					C					3.0	9.0	PASS
5.	10/11/07/05/006	23	29	52					C					3.0	9.0	PASS
6.	10/11/07/05/007	18	44	62			B							4.0	12.0	PASS
7.	10/11/07/05/023	23	40	63			B							4.0	12.0	PASS
8.	10/11/07/05/024	16	44	60			B							4.0	12.0	PASS
9.	10/11/07/05/025	19	29	48						D				2.0	6.0	PASS
10.	10/11/07/05/026	19	42	61			B							4.0	12.0	PASS
11.	10/11/07/05/027	17	46	63			B							4.0	12.0	PASS
12.	10/11/07/05/028	12	35	47						D				2.0	6.0	PASS
13.	10/11/07/05/029	26	32	58				C+						3.5	10.5	PASS
14.	10/11/07/05/031	19	30	49						D				2.0	6.0	PASS
15.	10/11/07/05/039	15	47	62			B							4.0	12.0	PASS
16.	10/11/07/05/041	14	48	62			B							4.0	12.0	PASS
17.	10/11/07/05/045	15	46	61			B							4.0	12.0	PASS
18.	10/11/07/05/047	20	44	64			B							4.0	12.0	PASS
19.	10/11/07/05/049	19	48	67		B+								4.5	13.5	PASS
20.	10/11/07/05/052	21	41	62			B							4.0	12.0	PASS
21.	10/11/07/05/053	13	49	62			B							4.0	12.0	PASS
22.	10/11/07/05/057	02	24	26								F		0.0	0.0	FAIL
23.	10/11/07/05/060	22	34	56				C+						3.5	10.5	PASS
24.	10/11/07/05/064	15	41	56				C+						3.5	10.5	PASS
25.	10/11/07/05/067	19	41	60			B							4.0	12.0	PASS
26.	10/11/07/05/068	15	37	52					C					3.0	9.0	PASS
27.	10/11/07/05/069	16	37	53					C					3.0	9.0	PASS
28.	10/11/07/05/072	11	36	47						D				2.0	6.0	PASS
29.	10/11/07/05/078	16	41	57				C+						3.5	10.5	PASS
30.	10/11/07/05/085	20	29	49						D				2.0	6.0	PASS
31.	10/11/07/05/089	14	43	57				C+						3.5	10.5	PASS
32.	10/11/07/05/091	17	29	46						D				2.0	6.0	PASS
33.	10/11/07/05/093	18	38	56				C+						3.5	10.5	PASS
34.	10/11/07/05/096	18	37	55				C+						3.5	10.5	PASS
35.	10/11/07/05/098	21	45	66		B+								4.5	13.5	PASS
36.	10/11/07/05/099	18	30	48						D				2.0	6.0	PASS

37.	10/11/07/05/100	19	47	66		B+						4.5	13.5	PASS
38.	10/11/07/05/104	15	30	45					D			2.0	6.0	PASS
39.	10/11/07/05/106	10	41	51					C			3.0	9.0	PASS
40.	10/11/07/05/111	16	45	61			B					4.0	12.0	PASS
41.	10/11/07/05/118	20	37	57				C+				3.5	10.5	PASS
42.	10/11/07/05/120	17	46	63			B					4.0	12.0	PASS
43.	10/11/07/05/127	10	35	45					D			2.0	6.0	PASS
44.	10/11/07/05/130	18	49	67			B+					4.5	13.5	PASS
45.	10/11/07/05/131	24	29	53					C			3.0	9.0	PASS
46.	10/11/07/05/132	16	37	53					C			3.0	9.0	PASS
47.	10/11/07/05/144	23	48	71	A							5.0	15.0	PASS
48.	10/11/07/05/148	22	42	64			B					4.0	12.0	PASS
49.	10/11/07/05/149	20	25	45					D			2.0	6.0	PASS
50.	10/11/07/05/157	18	52	70	A							5.0	15.0	PASS
51.	10/11/07/05/161	15	45	60			B					4.0	12.0	PASS
52.	10/11/07/05/164	18	42	60			B					4.0	12.0	PASS
53.	10/11/07/05/165	22	51	73	A							5.0	15.0	PASS
54.	10/11/07/05/167	15	30	45					D			2.0	6.0	PASS
55.	10/11/07/05/168	18	44	62			B					4.0	12.0	PASS
56.	10/11/07/05/169	07	39	46					D			2.0	6.0	PASS
57.	10/11/07/05/171	19	51	70	A							5.0	15.0	PASS
58.	10/11/07/05/174	25	45	70	A							5.0	15.0	PASS
59.	10/11/07/05/175	10	48	58				C+				3.5	10.5	PASS
60.	10/11/07/05/176	18	52	70	A							5.0	15.0	PASS
61.	10/11/07/05/177	18	38	56				C+				3.5	10.5	PASS
62.	10/11/07/05/184	23	37	60			B					4.0	12.0	PASS
63.	10/11/07/05/185	15	47	62			B					4.0	12.0	PASS
64.	10/11/07/05/189	23	45	68			B+					4.5	13.5	PASS
65.	10/11/07/05/190	19	32	51					C			3.0	9.0	PASS
66.	10/11/07/05/191	23	36	59				C+				3.5	10.5	PASS
67.	10/11/07/05/194	00	24	24							F	0.0	0.0	FAIL
68.	10/11/07/05/196	18	42	60			B					4.0	12.0	PASS
69.	10/11/07/05/202	18	51	69			B+					4.5	13.5	PASS
70.	10/11/07/05/204	16	44	60			B					4.0	12.0	PASS
71.	10/11/07/05/225	19	41	60			B					4.0	12.0	PASS
72.	10/11/07/05/226	15	38	53					C			3.0	9.0	PASS
73.	10/11/07/05/230	16	31	47					D			2.0	6.0	PASS
74.	10/11/07/05/231	18	44	62			B					4.0	12.0	PASS
75.	10/11/07/05/234	15	33	48					D			2.0	6.0	PASS
76.	10/11/07/05/236	14	44	58				C+				3.5	10.5	PASS
77.	10/11/07/05/241	13	54	67			B+					4.5	13.5	PASS
78.	10/11/07/05/246	14	51	65			B+					4.5	13.5	PASS
79.	12/11/07/03/001	10	35	45					D			2.0	6.0	PASS
80.	12/11/07/03/003	17	28	45					D			2.0	6.0	PASS
81.	12/11/07/03/006	12	43	55				C+				3.5	10.5	PASS
82.	12/11/07/03/007	19	32	51					C			3.0	9.0	PASS
83.	12/11/07/03/009	22	50	72	A							5.0	15.0	PASS

84.	12/11/07/03/013	26	56	82	A							5.0	15.0	PASS
85.	12/11/07/03/014	21	46	67		B+						4.5	13.5	PASS
86.	12/11/07/03/016	22	35	57				C+				3.5	10.5	PASS
87.	12/11/07/03/018	17	28	45						D		2.0	6.0	PASS
88.	12/11/07/03/019	26	54	80	A							5.0	15.0	PASS
89.	12/11/07/03/020	05	52	57				C+				3.5	10.5	PASS
90.	12/11/07/03/021	20	44	64			B					4.0	12.0	PASS
91.	12/11/07/03/023	16	36	52						C		3.0	9.0	PASS
92.	12/11/07/03/024	10	19	29							F	0.0	0.0	FAIL
93.	12/11/07/03/025	17	48	65		B+						4.5	13.5	PASS
94.	12/11/07/03/026	22	36	58				C+				3.5	10.5	PASS
95.	12/11/07/03/027	15	45	60			B					4.0	12.0	PASS
96.	12/11/07/03/029	16	42	58				C+				3.5	10.5	PASS
97.	12/11/07/03/030	17	50	67		B+						4.5	13.5	PASS
98.	12/11/07/03/031	13	28	41						E		1.0	3.0	PASS
99.	12/11/07/03/032	03	24	27							F	0.0	0.0	FAIL
100.	12/11/07/03/033	15	38	53						C		3.0	9.0	PASS
101.	12/11/07/03/035	21	45	66		B+						4.5	13.5	PASS
102.	12/11/07/03/036	21	46	67		B+						4.5	13.5	PASS
103.	12/11/07/03/038	18	29	47						D		2.0	6.0	PASS
104.	12/11/07/03/039	23	39	62			B					4.0	12.0	PASS
105.	12/11/07/03/040	20	21	41							E	1.0	3.0	PASS
106.	12/11/07/03/043	05	40	45						D		2.0	6.0	PASS
107.	12/11/07/03/044	11	38	49						D		2.0	6.0	PASS
108.	12/11/07/03/045	21	39	60			B					4.0	12.0	PASS
109.	12/11/07/03/046	23	44	67		B+						4.5	13.5	PASS
110.	12/11/07/03/047	27	57	84	A							5.0	15.0	PASS
111.	12/11/07/03/048	16	33	49						D		2.0	6.0	PASS
112.	12/11/07/03/049	17	43	60			B					4.0	12.0	PASS
113.	12/11/07/03/051	18	34	52						C		3.0	9.0	PASS
114.	12/11/07/03/054	15	30	45						D		2.0	6.0	PASS
115.	12/11/07/03/057	13	47	60			B					4.0	12.0	PASS
116.	12/11/07/03/058	17	48	65		B+						4.5	13.5	PASS
117.	12/11/07/03/060	07	21	28							F	0.0	0.0	FAIL
118.	12/11/07/03/061	15	50	65		B+						4.5	13.5	PASS
119.	12/11/07/03/063	20	42	62			B					4.0	12.0	PASS
120.	12/11/07/03/066	18	23	41							E	1.0	3.0	PASS
121.	12/11/07/03/067	20	44	64			B					4.0	12.0	PASS
122.	12/11/07/03/069	21	46	67		B+						4.5	13.5	PASS
123.	12/11/07/03/071	16	44	60			B					4.0	12.0	PASS
124.	12/11/07/03/072	05	40	45						D		2.0	6.0	PASS
125.	12/11/07/03/073	13	48	61			B					4.0	12.0	PASS
126.	12/11/07/03/074	20	31	51						C		3.0	9.0	PASS
127.	12/11/07/03/075	25	50	75	A							5.0	15.0	PASS
128.	12/11/07/03/076	20	42	62			B					4.0	12.0	PASS
129.	12/11/07/03/078	27	26	53						C		3.0	9.0	PASS
130.	12/11/07/03/079	18	39	57				C+				3.5	10.5	PASS

131.	12/11/07/03/080	16	34	50					C				3.0	9.0	PASS
132.	12/11/07/03/082	12	38	50					C				3.0	9.0	PASS
133.	12/11/07/03/083	03	21	24								F	0.0	0.0	FAIL
134.	12/11/07/03/084	22	27	49						D			2.0	6.0	PASS
135.	12/11/07/03/085	19	37	56					C+				3.5	10.5	PASS
136.	12/11/07/03/087	16	42	58					C+				3.5	10.5	PASS
137.	12/11/07/03/089	16	40	56					C+				3.5	10.5	PASS
138.	12/11/07/03/090	14	50	64					B				4.0	12.0	PASS
139.	12/11/07/03/091	18	27	45						D			2.0	6.0	PASS
140.	12/11/07/03/092	22	33	55					C+				3.5	10.5	PASS
141.	12/11/07/03/093	21	43	64					B				4.0	12.0	PASS
142.	12/11/07/03/094	15	33	48						D			2.0	6.0	PASS
143.	12/11/07/03/095	21	52	73	A								5.0	15.0	PASS
144.	12/11/07/03/097	14	46	60					B				4.0	12.0	PASS
145.	12/11/07/03/102	16	32	48						D			2.0	6.0	PASS
146.	12/11/07/03/104	24	33	57					C+				3.5	10.5	PASS
147.	12/11/07/03/107	16	39	55					C+				3.5	10.5	PASS
148.	12/11/07/03/111	18	53	71	A								5.0	15.0	PASS
149.	12/11/07/03/113	15	51	66					B+				4.5	13.5	PASS
150.	12/11/07/03/114	16	31	47						D			2.0	6.0	PASS
151.	12/11/07/03/115	19	48	67					B+				4.5	13.5	PASS
152.	12/11/07/03/118	11	46	57					C+				3.5	10.5	PASS
153.	12/11/07/03/119	18	46	64					B				4.0	12.0	PASS
154.	12/11/07/03/121	18	42	60					B				4.0	12.0	PASS
155.	12/11/07/03/122	25	49	74	A								5.0	15.0	PASS
156.	12/11/07/03/123	18	45	63					B				4.0	12.0	PASS
157.	12/11/07/03/125	22	54	76	A								5.0	15.0	PASS
158.	12/11/07/03/127	15	34	49						D			2.0	6.0	PASS
159.	12/11/07/03/128	14	48	62					B				4.0	12.0	PASS
160.	12/11/07/03/131	22	31	53					C				3.0	9.0	PASS
161.	12/11/07/03/133	16	36	52					C				3.0	9.0	PASS
162.	12/11/07/03/137	14	48	62					B				4.0	12.0	PASS
163.	12/11/07/03/139	23	51	74	A								5.0	15.0	PASS
164.	12/11/07/03/140	16	41	57					C+				3.5	10.5	PASS
165.	12/11/07/03/141	20	34	54						C			3.0	9.0	PASS
166.	12/11/07/03/142	19	40	59					C+				3.5	10.5	PASS
167.	12/11/07/03/143	25	49	74	A								5.0	15.0	PASS
168.	12/11/07/03/144	18	44	62					B				4.0	12.0	PASS
169.	12/11/07/03/145	22	34	56					C+				3.5	10.5	PASS
170.	12/11/07/03/146	16	30	46						D			2.0	6.0	PASS
171.	12/11/07/03/147	13	47	60					B				4.0	12.0	PASS
172.	12/11/07/03/149	22	48	70	A								5.0	15.0	PASS
173.	12/11/07/03/151	22	39	61					B				4.0	12.0	PASS
174.	12/11/07/03/152	23	53	76	A								5.0	15.0	PASS
175.	12/11/07/03/153	23	34	57					C+				3.5	10.5	PASS
176.	12/11/07/03/154	15	38	53						C			3.0	9.0	PASS
177.	12/11/07/03/155	22	50	72	A								5.0	15.0	PASS

178.	12/11/07/03/156	00	29	29								F	0.0	0.0	FAIL
179.	12/11/07/03/158	18	42	60			B						4.0	12.0	PASS
180.	12/11/07/03/159	14	47	61			B						4.0	12.0	PASS
181.	12/11/07/03/160	14	34	48						D			2.0	6.0	PASS
182.	12/11/07/03/161	15	53	68		B+							4.5	13.5	PASS
183.	12/11/07/03/162	15	46	61			B						4.0	12.0	PASS
184.	12/11/07/03/163	17	49	66		B+							4.5	13.5	PASS
185.	12/11/07/03/164	00	29	29								F	0.0	0.0	FAIL
186.	12/11/07/03/165	18	47	65		B+							4.5	13.5	PASS
187.	12/11/07/03/167	18	44	62			B						4.0	12.0	PASS
188.	12/11/07/03/170	22	52	74	A								5.0	15.0	PASS
189.	12/11/07/03/172	18	45	63			B						4.0	12.0	PASS
190.	12/11/07/03/173	22	37	59				C+					3.5	10.5	PASS
191.	12/11/07/03/174	19	46	65		B+							4.5	13.5	PASS
192.	12/11/07/03/179	15	35	50					C				3.0	9.0	PASS
193.	12/11/07/03/180	00	20	20								F	0.0	0.0	FAIL
194.	12/11/07/03/182	05	42	47						D			2.0	6.0	PASS
195.	12/11/07/03/183	21	40	61			B						4.0	12.0	PASS
196.	12/11/07/03/185	16	31	47						D			2.0	6.0	PASS
197.	12/11/07/03/187	24	37	61			B						4.0	12.0	PASS
198.	12/11/07/03/191	14	35	49						D			2.0	6.0	PASS
199.	12/11/07/03/192	17	43	60			B						4.0	12.0	PASS
200.	12/11/07/03/193	15	33	48						D			2.0	6.0	PASS
201.	12/11/07/03/194	16	46	62			B						4.0	12.0	PASS
202.	12/11/07/03/196	20	32	52					C				3.0	9.0	PASS
203.	12/11/07/03/197	06	23	29								F	0.0	0.0	FAIL
204.	12/11/07/03/198	12	50	62			B						4.0	12.0	PASS
205.	12/11/07/03/201	18	44	62			B						4.0	12.0	PASS
206.	12/11/07/03/203	16	27	43							E		1.0	3.0	PASS
207.	12/11/07/03/204	18	31	49						D			2.0	6.0	PASS
208.	12/11/07/03/205	19	49	68		B+							4.5	13.5	PASS
209.	12/11/07/03/209	14	49	63			B						4.0	12.0	PASS
210.	12/11/07/03/210	18	27	45						D			2.0	6.0	PASS
211.	12/11/07/03/212	18	49	67		B+							4.5	13.5	PASS
212.	12/11/07/03/215	15	33	48						D			2.0	6.0	PASS
213.	12/11/07/03/216	19	45	64			B						4.0	12.0	PASS
214.	12/11/07/03/218	22	53	75	A								5.0	15.0	PASS
215.	12/11/07/03/223	05	23	28								F	0.0	0.0	FAIL
216.	12/11/07/03/224	18	53	71	A								5.0	15.0	PASS
217.	12/11/07/03/227	10	38	48						D			2.0	6.0	PASS
218.	12/11/07/03/228	13	32	45						D			2.0	6.0	PASS
219.	12/11/07/03/229	15	31	46						D			2.0	6.0	PASS
220.	12/11/07/03/230	12	34	46						D			2.0	6.0	PASS
221.	12/11/07/03/231	16	37	53					C				3.0	9.0	PASS
222.	12/11/07/03/232	00	24	24								F	0.0	0.0	FAIL
223.	12/11/07/03/233	14	37	51					C				3.0	9.0	PASS
224.	12/11/07/03/234	00	27	27								F	0.0	0.0	FAIL

225.	12/11/07/03/237	16	38	54					C				3.0	9.0	PASS
226.	12/11/07/03/240	25	53	78	A								5.0	15.0	PASS
227.	12/11/07/03/242	15	48	63			B						4.0	12.0	PASS
228.	12/11/07/03/243	18	48	66		B+							4.5	13.5	PASS
229.	12/11/07/03/244	05	42	47						D			2.0	6.0	PASS
230.	12/11/07/03/246	16	39	55				C+					3.5	10.5	PASS
231.	12/11/07/03/247	19	38	57				C+					3.5	10.5	PASS
232.	12/11/07/03/248	25	49	74	A								5.0	15.0	PASS
233.	12/11/07/03/249	13	47	60			B						4.0	12.0	PASS
234.	12/11/07/03/250	14	47	61			B						4.0	12.0	PASS
235.	12/11/07/03/253	22	36	58				C+					3.5	10.5	PASS
236.	12/11/07/03/254	21	51	72	A								5.0	15.0	PASS
237.	12/11/07/03/255	15	39	54					C				3.0	9.0	PASS
238.	12/11/07/03/256	23	46	69		B+							4.5	13.5	PASS
239.	12/11/07/03/257	15	47	62			B						4.0	12.0	PASS
240.	12/11/07/03/261	16	31	47						D			2.0	6.0	PASS
241.	12/11/07/03/263	22	36	58				C+					3.5	10.5	PASS
242.	12/11/07/03/266	14	47	61			B						4.0	12.0	PASS
243.	12/11/07/03/269	20	28	48						D			2.0	6.0	PASS
244.	12/11/07/03/274	13	47	60			B						4.0	12.0	PASS
245.	12/11/07/03/276	14	31	45						D			2.0	6.0	PASS
246.	12/11/07/03/277	22	53	75	A								5.0	15.0	PASS
247.	12/11/07/03/278	22	23	45						D			2.0	6.0	PASS
248.	12/11/07/03/279	11	36	47						D			2.0	6.0	PASS
249.	12/11/07/03/280	19	42	61			B						4.0	12.0	PASS
250.	12/11/07/03/281	19	48	67		B+							4.5	13.5	PASS
251.	12/11/07/03/282	00	26	26								F	0.0	0.0	FAIL
252.	12/11/07/03/283	14	43	57				C+					3.5	10.5	PASS
253.	12/11/07/03/284	19	50	69		B+							4.5	13.5	PASS
254.	12/11/07/03/289	16	45	61			B						4.0	12.0	PASS
255.	12/11/07/03/292	18	36	54					C				3.0	9.0	PASS
256.	12/11/07/03/293	15	30	45						D			2.0	6.0	PASS
257.	12/11/07/03/297	20	39	59				C+					3.5	10.5	PASS
258.	12/11/07/03/299	21	52	73	A								5.0	15.0	PASS
259.	12/11/07/03/300	20	28	48						D			2.0	6.0	PASS
260.	12/11/07/03/301	17	46	63			B						4.0	12.0	PASS
261.	12/11/07/03/304	22	36	58				C+					3.5	10.5	PASS
262.	12/11/07/03/306	10	34	44							E		1.0	3.0	PASS
263.	12/11/07/03/307	10	33	43							E		1.0	3.0	PASS
264.	12/11/07/03/308	18	29	47						D			2.0	6.0	PASS
265.	12/11/07/03/311	14	31	45						D			2.0	6.0	PASS
266.	12/11/07/03/316	18	34	52					C				3.0	9.0	PASS
267.	12/11/07/03/318	15	40	55				C+					3.5	10.5	PASS
268.	12/11/07/03/320	18	29	47						D			2.0	6.0	PASS
269.	12/11/07/03/321	22	33	55				C+					3.5	10.5	PASS
270.	12/11/07/03/322	19	26	45						D			2.0	6.0	PASS
271.	12/11/07/03/323	19	28	47						D			2.0	6.0	PASS

272.	12/11/07/03/329	19	40	59				C+					3.5	10.5	PASS
273.	12/11/07/03/331	20	33	53				C					3.0	9.0	PASS
274.	12/11/07/03/335	17	51	68		B+							4.5	13.5	PASS
275.	12/11/07/03/336	19	55	74	A								5.0	15.0	PASS
276.	12/11/07/03/337	18	38	56				C+					3.5	10.5	PASS
277.	12/11/07/03/338	19	50	69		B+							4.5	13.5	PASS
278.	12/11/07/03/340	18	27	45						D			2.0	6.0	PASS
279.	12/11/07/03/341	18	38	56				C+					3.5	10.5	PASS
280.	12/11/07/03/342	12	29	41						E			1.0	3.0	PASS
281.	12/11/07/03/343	22	55	77	A								5.0	15.0	PASS
282.	12/11/07/03/348	07	22	29								F	0.0	0.0	FAIL
283.	12/11/07/03/349	18	43	61			B						4.0	12.0	PASS
284.	12/11/07/03/350	20	44	64			B						4.0	12.0	PASS
285.	12/11/07/03/352	15	30	45						D			2.0	6.0	PASS
286.	12/11/07/03/353	11	34	45						D			2.0	6.0	PASS
287.	12/11/07/03/357	18	32	50				C					3.0	9.0	PASS
288.	12/11/07/03/359	14	50	64			B						4.0	12.0	PASS
289.	12/11/07/03/362	23	53	76	A								5.0	15.0	PASS
290.	12/11/07/03/363	19	31	50				C					3.0	9.0	PASS
291.	12/11/07/03/366	05	40	45						D			2.0	6.0	PASS
292.	12/11/07/03/368	16	25	41						E			1.0	3.0	PASS
293.	12/11/07/03/369	21	54	75	A								5.0	15.0	PASS
294.	12/11/07/03/370	19	43	62			B						4.0	12.0	PASS
295.	12/11/07/03/371	12	39	51				C					3.0	9.0	PASS
296.	12/11/07/03/373	18	46	64			B						4.0	12.0	PASS
297.	12/11/07/03/374	18	47	65		B+							4.5	13.5	PASS
298.	12/11/07/03/378	14	46	60			B						4.0	12.0	PASS
299.	12/11/07/03/380	12	35	47						D			2.0	6.0	PASS
300.	12/11/07/03/381	18	27	45						D			2.0	6.0	PASS
301.	12/11/07/03/382	17	27	44						E			1.0	3.0	PASS
302.	12/11/07/03/383	22	23	45						D			2.0	6.0	PASS
303.	12/11/07/03/384	19	26	45						D			2.0	6.0	PASS
304.	12/11/07/03/386	18	46	64			B						4.0	12.0	PASS
305.	12/11/07/03/390	17	43	60			B						4.0	12.0	PASS
306.	12/11/07/03/393	21	53	74	A								5.0	15.0	PASS
307.	12/11/07/03/394	19	33	52				C					3.0	9.0	PASS
308.	12/11/07/03/395	19	39	58				C+					3.5	10.5	PASS
309.	12/11/07/03/396	15	36	51				C					3.0	9.0	PASS
310.	12/11/07/03/397	23	41	64			B						4.0	12.0	PASS
311.	12/11/07/03/398	17	45	62			B						4.0	12.0	PASS
312.	12/11/07/03/399	10	52	62			B						4.0	12.0	PASS
313.	12/11/07/03/400	19	35	54				C					3.0	9.0	PASS
314.	12/11/07/03/401	17	44	61			B						4.0	12.0	PASS
315.	12/11/07/03/402	22	23	45						D			2.0	6.0	PASS
316.	12/11/07/03/405	22	23	45						D			2.0	6.0	PASS
317.	12/11/07/03/406	19	41	60			B						4.0	12.0	PASS
318.	12/11/07/03/407	15	30	45						D			2.0	6.0	PASS

319.	12/11/07/03/412	02	20	22								F	0.0	0.0	FAIL
320.	12/11/07/03/414	20	43	63			B						4.0	12.0	PASS
321.	12/11/07/03/416	12	36	48						D			2.0	6.0	PASS
322.	12/11/07/03/417	20	41	61			B						4.0	12.0	PASS
323.	12/11/07/03/418	17	48	65		B+							4.5	13.5	PASS
324.	12/11/07/03/419	24	33	57				C+					3.5	10.5	PASS
325.	12/11/07/03/421	13	48	61			B						4.0	12.0	PASS
326.	12/11/07/03/423	15	29	44						E			1.0	3.0	PASS
327.	12/11/07/03/424	13	55	68		B+							4.5	13.5	PASS
328.	12/11/07/03/425	18	43	61			B						4.0	12.0	PASS
329.	12/11/07/03/427	12	30	42						E			1.0	3.0	PASS
330.	12/11/07/03/428	16	35	51					C				3.0	9.0	PASS
331.	12/11/07/03/432	11	35	46						D			2.0	6.0	PASS
332.	12/11/07/03/435	15	34	49						D			2.0	6.0	PASS
333.	12/11/07/03/436	18	48	66		B+							4.5	13.5	PASS
334.	12/11/07/03/437	17	26	43						E			1.0	3.0	PASS
335.	12/11/07/03/438	16	42	58				C+					3.5	10.5	PASS
336.	12/11/07/03/442	19	42	61			B						4.0	12.0	PASS
337.	12/11/07/03/443	08	37	45						D			2.0	6.0	PASS
338.	12/11/07/03/444	15	30	45						D			2.0	6.0	PASS
339.	12/11/07/03/445	18	49	67		B+							4.5	13.5	PASS
340.	12/11/07/03/447	14	46	60			B						4.0	12.0	PASS
341.	12/11/07/03/448	11	35	46						D			2.0	6.0	PASS
342.	12/11/07/03/449	23	41	64			B						4.0	12.0	PASS
343.	12/11/07/03/454	17	43	60			B						4.0	12.0	PASS
344.	12/11/07/03/460	14	36	50					C				3.0	9.0	PASS
345.	12/11/07/03/463	21	48	69		B+							4.5	13.5	PASS
346.	12/11/07/03/464	19	44	63			B						4.0	12.0	PASS
347.	12/11/07/03/465	05	40	45						D			2.0	6.0	PASS
348.	12/11/07/03/467	19	39	58				C+					3.5	10.5	PASS
349.	12/11/07/03/468	18	36	54					C				3.0	9.0	PASS
350.	12/11/07/03/471	12	32	44						E			1.0	3.0	PASS
351.	12/11/07/03/472	23	38	61			B						4.0	12.0	PASS
352.	12/11/07/03/474	12	40	52					C				3.0	9.0	PASS
353.	12/11/07/03/475	22	44	66		B+							4.5	13.5	PASS
354.	12/11/07/03/477	19	42	61			B						4.0	12.0	PASS
355.	12/11/07/03/478	17	49	66		B+							4.5	13.5	PASS
356.	12/11/07/03/480	22	48	70	A								5.0	15.0	PASS
357.	12/11/07/03/481	15	45	60			B						4.0	12.0	PASS
358.	12/11/07/03/482	21	45	66		B+							4.5	13.5	PASS
359.	12/11/07/03/485	10	50	60			B						4.0	12.0	PASS
360.	12/11/07/03/487	16	35	51					C				3.0	9.0	PASS
361.	12/11/07/03/488	14	50	64			B						4.0	12.0	PASS
362.	12/11/07/03/489	16	32	48						D			2.0	6.0	PASS
363.	12/11/07/03/491	16	31	47						D			2.0	6.0	PASS
364.	12/11/07/03/494	14	49	63			B						4.0	12.0	PASS
365.	12/11/07/03/496	18	29	47						D			2.0	6.0	PASS

366.	12/11/07/03/502	17	49	66		B+							4.5	13.5	PASS
367.	12/11/07/03/506	20	40	60			B						4.0	12.0	PASS
368.	12/11/07/03/507	18	51	69		B+							4.5	13.5	PASS
369.	12/11/07/03/510	19	32	51						C			3.0	9.0	PASS
370.	12/11/07/03/511	18	32	50						C			3.0	9.0	PASS
371.	12/11/07/03/513	18	43	61			B						4.0	12.0	PASS
372.	12/11/07/03/518	00	27	27								F	0.0	0.0	FAIL
373.	12/11/07/03/520	18	34	52						C			3.0	9.0	PASS
374.	12/11/07/03/521	15	48	63			B						4.0	12.0	PASS
375.	12/11/07/03/523	11	18	29								F	0.0	0.0	FAIL
376.	12/11/07/03/524	16	39	55						C+			3.5	10.5	PASS
377.	12/11/07/03/527	25	48	73	A								5.0	15.0	PASS
378.	12/11/07/03/528	18	51	69		B+							4.5	13.5	PASS
379.	12/11/07/03/529	23	41	64			B						4.0	12.0	PASS
380.	12/11/07/03/533	20	42	62			B						4.0	12.0	PASS
381.	12/11/07/03/537	19	26	45						D			2.0	6.0	PASS
382.	12/11/07/03/538	17	28	45						D			2.0	6.0	PASS
383.	12/11/07/03/539	22	47	69		B+							4.5	13.5	PASS
384.	12/11/07/03/540	16	34	50						C			3.0	9.0	PASS
385.	12/11/07/03/541	22	42	64			B						4.0	12.0	PASS
386.	12/11/07/03/542	16	35	51						C			3.0	9.0	PASS
387.	12/11/07/03/543	25	42	67		B+							4.5	13.5	PASS
388.	12/11/07/03/544	17	51	68		B+							4.5	13.5	PASS
389.	12/11/07/03/547	15	30	45						D			2.0	6.0	PASS
390.	12/11/07/03/551	14	34	48						D			2.0	6.0	PASS
391.	12/11/07/03/552	15	39	54						C			3.0	9.0	PASS
392.	12/11/07/03/557	18	35	53						C			3.0	9.0	PASS
393.	12/11/07/03/559	21	44	65		B+							4.5	13.5	PASS
394.	12/11/07/03/561	12	37	49						D			2.0	6.0	PASS
395.	12/11/07/03/562	15	54	69		B+							4.5	13.5	PASS
396.	12/11/07/03/564	18	55	73	A								5.0	15.0	PASS
397.	12/11/07/03/565	00	22	22								F	0.0	0.0	FAIL
398.	12/11/07/03/566	17	28	45						D			2.0	6.0	PASS
399.	12/11/07/03/570	00	24	24								F	0.0	0.0	FAIL
400.	12/11/07/03/578	12	36	48						D			2.0	6.0	PASS
401.	12/11/07/03/585	14	32	46						D			2.0	6.0	PASS
402.	12/11/07/03/586	00	28	28								F	0.0	0.0	FAIL
403.	12/11/07/03/590	24	29	53						C			3.0	9.0	PASS
404.	12/11/07/03/591	06	20	26								F	0.0	0.0	FAIL
					37	48	102	47	50	85	13	22			404

3

0	26	46	72
0	16	37	53
0	07	39	46
0	20	32	52
0	23	29	52
0	18	44	62
0	23	40	63
0	16	44	60
0	19	29	48
0	19	42	61
0	17	46	63
0	12	35	47
0	26	32	58
0	19	30	49
0	15	47	62
0	14	48	62
0	15	46	61
0	20	44	64
0	19	48	67
0	21	41	62
0	13	49	62
0	02	24	26
0	22	34	56
0	15	41	56
0	19	41	60
0	15	37	52
0	16	37	53
0	11	36	47
0	16	41	57
0	20	29	49
0	14	43	57
0	17	29	46
0	18	38	56
0	18	37	55
0	21	45	66
0	18	30	48

0	19	47	66
0	15	30	45
0	10	41	51
0	16	45	61
0	20	37	57
0	17	46	63
0	10	35	45
0	18	49	67
0	24	29	53
0	16	37	53
0	23	48	71
0	22	42	64
0	20	25	45
0	18	52	70
0	15	45	60
0	18	42	60
0	22	51	73
0	15	30	45
0	18	44	62
0	07	39	46
0	19	51	70
0	25	45	70
0	10	48	58
0	18	52	70
0	18	38	56
0	23	37	60
0	15	47	62
0	23	45	68
0	19	32	51
0	23	36	59
0	00	24	24
0	18	42	60
0	18	51	69
0	16	44	60
0	19	41	60
0	15	38	53
0	16	31	47
0	18	44	62
0	15	33	48
0	14	44	58
0	13	54	67
0	14	51	65
0	10	35	45
0	17	28	45
0	12	43	55
0	19	32	51
0	22	50	72

0	26	56	82
0	21	46	67
0	22	35	57
0	17	28	45
0	26	54	80
0	05	52	57
0	20	44	64
0	16	36	52
0	10	19	29
0	17	48	65
0	22	36	58
0	15	45	60
0	16	42	58
0	17	50	67
0	13	28	41
0	03	24	27
0	15	38	53
0	21	45	66
0	21	46	67
0	18	29	47
0	23	39	62
0	20	21	41
0	05	40	45
0	11	38	49
0	21	39	60
0	23	44	67
0	27	57	84
0	16	33	49
0	17	43	60
0	18	34	52
0	15	30	45
0	13	47	60
0	17	48	65
0	07	21	28
0	15	50	65
0	20	42	62
0	18	23	41
0	20	44	64
0	21	46	67
0	16	44	60
0	05	40	45
0	13	48	61
0	20	31	51
0	25	50	75
0	20	42	62
0	27	26	53
0	18	39	57

0	16	34	50
0	12	38	50
0	03	21	24
0	22	27	49
0	19	37	56
0	16	42	58
0	16	40	56
0	14	50	64
0	18	27	45
0	22	33	55
0	21	43	64
0	15	33	48
0	21	52	73
0	14	46	60
0	16	32	48
0	24	33	57
0	16	39	55
0	18	53	71
0	15	51	66
0	16	31	47
0	19	48	67
0	11	46	57
0	18	46	64
0	18	42	60
0	25	49	74
0	18	45	63
0	22	54	76
0	15	34	49
0	14	48	62
0	22	31	53
0	16	36	52
0	14	48	62
0	23	51	74
0	16	41	57
0	20	34	54
0	19	40	59
0	25	49	74
0	18	44	62
0	22	34	56
0	16	30	46
0	13	47	60
0	22	48	70
0	22	39	61
0	23	53	76
0	23	34	57
0	15	38	53
0	22	50	72

0	00	29	29
0	18	42	60
0	14	47	61
0	14	34	48
0	15	53	68
0	15	46	61
0	17	49	66
0	00	29	29
0	18	47	65
0	18	44	62
0	22	52	74
0	18	45	63
0	22	37	59
0	19	46	65
0	15	35	50
0	00	20	20
0	05	42	47
0	21	40	61
0	16	31	47
0	24	37	61
0	14	35	49
0	17	43	60
0	15	33	48
0	16	46	62
0	20	32	52
0	06	23	29
0	12	50	62
0	18	44	62
0	16	27	43
0	18	31	49
0	19	49	68
0	14	49	63
0	18	27	45
0	18	49	67
0	15	33	48
0	19	45	64
0	22	53	75
0	05	23	28
0	18	53	71
0	10	38	48
0	13	32	45
0	15	31	46
0	12	34	46
0	16	37	53
0	00	24	24
0	14	37	51
0	00	27	27

0	16	38	54
0	25	53	78
0	15	48	63
0	18	48	66
0	05	42	47
0	16	39	55
0	19	38	57
0	25	49	74
0	13	47	60
0	14	47	61
0	22	36	58
0	21	51	72
0	15	39	54
0	23	46	69
0	15	47	62
0	16	31	47
0	22	36	58
0	14	47	61
0	20	28	48
0	13	47	60
0	14	31	45
0	22	53	75
0	22	23	45
0	11	36	47
0	19	42	61
0	19	48	67
0	00	26	26
0	14	43	57
0	19	50	69
0	16	45	61
0	18	36	54
0	15	30	45
0	20	39	59
0	21	52	73
0	20	28	48
0	17	46	63
0	22	36	58
0	10	34	44
0	10	33	43
0	18	29	47
0	14	31	45
0	18	34	52
0	15	40	55
0	18	29	47
0	22	33	55
0	19	26	45
0	19	28	47

0	19	40	59
0	20	33	53
0	17	51	68
0	19	55	74
0	18	38	56
0	19	50	69
0	18	27	45
0	18	38	56
0	12	29	41
0	22	55	77
0	07	22	29
0	18	43	61
0	20	44	64
0	15	30	45
0	11	34	45
0	18	32	50
0	14	50	64
0	23	53	76
0	19	31	50
0	05	40	45
0	16	25	41
0	21	54	75
0	19	43	62
0	12	39	51
0	18	46	64
0	18	47	65
0	14	46	60
0	12	35	47
0	18	27	45
0	17	27	44
0	22	23	45
0	19	26	45
0	18	46	64
0	17	43	60
0	21	53	74
0	19	33	52
0	19	39	58
0	15	36	51
0	23	41	64
0	17	45	62
0	10	52	62
0	19	35	54
0	17	44	61
0	22	23	45
0	22	23	45
0	19	41	60
0	15	30	45

0	02	20	22
0	20	43	63
0	12	36	48
0	20	41	61
0	17	48	65
0	24	33	57
0	13	48	61
0	15	29	44
0	13	55	68
0	18	43	61
0	12	30	42
0	16	35	51
0	11	35	46
0	15	34	49
0	18	48	66
0	17	26	43
0	16	42	58
0	19	42	61
0	08	37	45
0	15	30	45
0	18	49	67
0	14	46	60
0	11	35	46
0	23	41	64
0	17	43	60
0	14	36	50
0	21	48	69
0	19	44	63
0	05	40	45
0	19	39	58
0	18	36	54
0	12	32	44
0	23	38	61
0	12	40	52
0	22	44	66
0	19	42	61
0	17	49	66
0	22	48	70
0	15	45	60
0	21	45	66
0	10	50	60
0	16	35	51
0	14	50	64
0	16	32	48
0	16	31	47
0	14	49	63
0	18	29	47

0	17	49	66
0	20	40	60
0	18	51	69
0	19	32	51
0	18	32	50
0	18	43	61
0	00	27	27
0	18	34	52
0	15	48	63
0	11	18	29
0	16	39	55
0	25	48	73
0	18	51	69
0	23	41	64
0	20	42	62
0	19	26	45
0	17	28	45
0	22	47	69
0	16	34	50
0	22	42	64
0	16	35	51
0	25	42	67
0	17	51	68
0	15	30	45
0	14	34	48
0	15	39	54
0	18	35	53
0	21	44	65
0	12	37	49
0	15	54	69
0	18	55	73
0	00	22	22
0	17	28	45
0	00	24	24
0	12	36	48
0	14	32	46
0	00	28	28
0	24	29	53
0	06	20	26