

**UNIVERSITY OF MAIDUGURI**  
**(OFFICE OF THE VICE-CHANCELLOR)**

**Centre for Distance Learning**

**Department of Sociology and Anthropology**

**First Semester End-of-Course Examination Results**

**Course Code: SOC 315**

**Course Title: Comparative Healthcare Delivery System I**

**course Unit(s): 2**

**2015/2016 Academic Session**

S/N.	ID. No.	CA	EXAM	TOTAL	Grades					GP	U.GP	Remarks
		Marks	Marks	Marks	A	B	C	D	F			
1.	12/11/04/01/063	19	26	45				D		2.0	4.0	PASS
2.	12/11/04/01/078	20	42	62		B				4.0	8.0	PASS
3.	12/11/04/01/194	20	42	62		B				4.0	8.0	PASS
4.	12/11/04/01/200	10	18	28					F	0.0	0.0	FAIL
5.	14/11/04/01/003	17	30	47				D		2.0	4.0	PASS
6.	14/11/04/01/008	21	42	63		B				4.0	8.0	PASS
7.	14/11/04/01/010	15	24	39					F	0.0	0.0	FAIL
8.	14/11/04/01/013	17	30	47				D		2.0	4.0	PASS
9.	14/11/04/01/015	22	40	62		B				4.0	8.0	PASS
10.	14/11/04/01/019	25	34	59			C			3.0	6.0	PASS
11.	14/11/04/01/021	28	52	80	A					5.0	10.0	PASS
12.	14/11/04/01/024	19	32	51			C			3.0	6.0	PASS
13.	14/11/04/01/028	19	32	51			C			3.0	6.0	PASS
14.	14/11/04/01/030	15	24	39					F	0.0	0.0	FAIL
15.	14/11/04/01/032	25	35	60		B				4.0	8.0	PASS
16.	14/11/04/01/038	18	36	54			C			3.0	6.0	PASS
17.	14/11/04/01/045	18	34	52			C			3.0	6.0	PASS
18.	14/11/04/01/047	22	38	60		B				4.0	8.0	PASS
19.	14/11/04/01/048	18	34	52			C			3.0	6.0	PASS
20.	14/11/04/01/052	19	32	51			C			3.0	6.0	PASS
21.	14/11/04/01/053	15	22	37					F	0.0	0.0	FAIL
22.	14/11/04/01/057	25	46	71	A					5.0	10.0	PASS
23.	14/11/04/01/058	18	36	54			C			3.0	6.0	PASS
24.	14/11/04/01/061	22	48	70	A					5.0	10.0	PASS
25.	14/11/04/01/062	25	54	79	A					5.0	10.0	PASS
26.	14/11/04/01/063	18	36	54			C			3.0	6.0	PASS
27.	14/11/04/01/064	18	38	56			C			3.0	6.0	PASS
28.	14/11/04/01/070	18	36	54			C			3.0	6.0	PASS
29.	14/11/04/01/072	18	36	54			C			3.0	6.0	PASS
30.	14/11/04/01/073	18	38	56			C			3.0	6.0	PASS
31.	14/11/04/01/074	17	28	45				D		2.0	4.0	PASS
32.	14/11/04/01/076	18	34	52			C			3.0	6.0	PASS
33.	14/11/04/01/078	17	29	46				D		2.0	4.0	PASS
34.	14/11/04/01/079	18	32	50			C			3.0	6.0	PASS
35.	14/11/04/01/088	15	22	37					F	0.0	0.0	FAIL
36.	14/11/04/01/090	22	34	56			C			3.0	6.0	PASS
37.	14/11/04/01/092	17	28	45				D		2.0	4.0	PASS

38.	14/11/04/01/095	22	38	60		B				4.0	8.0	PASS
39.	14/11/04/01/098	22	36	58			C			3.0	6.0	PASS
40.	14/11/04/01/099	25	46	71	A					5.0	10.0	PASS
41.	14/11/04/01/102	25	48	73	A					5.0	10.0	PASS
42.	14/11/04/01/104	22	32	54			C			3.0	6.0	PASS
43.	14/11/04/01/105	22	36	58			C			3.0	6.0	PASS
44.	14/11/04/01/106	21	40	61		B				4.0	8.0	PASS
45.	14/11/04/01/107	22	46	68		B				4.0	8.0	PASS
46.	14/11/04/01/111	21	40	61		B				4.0	8.0	PASS
47.	14/11/04/01/112	24	46	70	A					5.0	10.0	PASS
48.	14/11/04/01/114	15	22	37					F	0.0	0.0	FAIL
49.	14/11/04/01/115	17	28	45				D		2.0	4.0	PASS
50.	14/11/04/01/116	18	30	48				D		2.0	4.0	PASS
51.	14/11/04/01/121	22	32	54			C			3.0	6.0	PASS
52.	14/11/04/01/122	21	40	61		B				4.0	8.0	PASS
53.	14/11/04/01/123	19	26	45				D		2.0	4.0	PASS
54.	14/11/04/01/130	18	27	45				D		2.0	4.0	PASS
55.	14/11/04/01/131	18	30	48				D		2.0	4.0	PASS
56.	14/11/04/01/134	17	28	45				D		2.0	4.0	PASS
57.	14/11/04/01/135	22	38	60		B				4.0	8.0	PASS
58.	14/11/04/01/136	22	32	54			C			3.0	6.0	PASS
59.	14/11/04/01/140	21	44	65		B				4.0	8.0	PASS
60.	14/11/04/01/141	22	36	58			C			3.0	6.0	PASS
61.	14/11/04/01/143	22	36	58			C			3.0	6.0	PASS
62.	14/11/04/01/153	18	32	50			C			3.0	6.0	PASS
63.	14/11/04/01/154	22	40	62		B				4.0	8.0	PASS
64.	14/11/04/01/156	23	44	67		B				4.0	8.0	PASS
65.	14/11/04/01/158	22	40	62		B				4.0	8.0	PASS
66.	14/11/04/01/159	18	38	56			C			3.0	6.0	PASS
67.	14/11/04/01/168	18	36	54			C			3.0	6.0	PASS
68.	14/11/04/01/173	18	34	52			C			3.0	6.0	PASS
69.	14/11/04/01/174	18	30	48				D		2.0	4.0	PASS
70.	14/11/04/01/175	15	20	35					F	0.0	0.0	FAIL
71.	14/11/04/01/176	22	36	58			C			3.0	6.0	PASS
72.	14/11/04/01/179	17	28	45				D		2.0	4.0	PASS
73.	14/11/04/01/183	22	34	56			C			3.0	6.0	PASS
74.	14/11/04/01/184	21	30	51			C			3.0	6.0	PASS
75.	14/11/04/01/185	18	38	56			C			3.0	6.0	PASS
76.	14/11/04/01/187	18	38	56			C			3.0	6.0	PASS
77.	14/11/04/01/188	16	29	45				D		2.0	4.0	PASS
78.	14/11/04/01/189	18	28	46				D		2.0	4.0	PASS
79.	14/11/04/01/191	18	28	46				D		2.0	4.0	PASS
80.	14/11/04/01/192	22	40	62		B				4.0	8.0	PASS
81.	14/11/04/01/194	22	40	62		B				4.0	8.0	PASS
82.	14/11/04/01/200	18	34	52			C			3.0	6.0	PASS
83.	14/11/04/01/202	23	42	65		B				4.0	8.0	PASS
84.	14/11/04/01/203	15	22	37					F	0.0	0.0	FAIL
85.	14/11/04/01/209	18	32	50			C			3.0	6.0	PASS

86.	14/11/04/01/211	17	30	47			D		2.0	4.0	PASS
87.	14/11/04/01/212	17	30	47			D		2.0	4.0	PASS
88.	14/11/04/01/216	19	38	57			C		3.0	6.0	PASS
89.	14/11/04/01/221	19	36	55			C		3.0	6.0	PASS
90.	14/11/04/01/226	16	30	46			D		2.0	4.0	PASS
91.	14/11/04/01/227	22	34	56			C		3.0	6.0	PASS
92.	14/11/04/01/229	23	44	67		B			4.0	8.0	PASS
93.	14/11/04/01/231	18	32	50			C		3.0	6.0	PASS
94.	14/11/04/01/232	15	24	39				F	0.0	0.0	FAIL
95.	14/11/04/01/233	17	29	46			D		2.0	4.0	PASS
96.	14/11/04/01/237	15	24	39				F	0.0	0.0	FAIL
97.	14/11/04/01/238	18	34	52			C		3.0	6.0	PASS
98.	14/11/04/01/240	18	38	56			C		3.0	6.0	PASS
99.	14/11/04/01/243	19	34	53			C		3.0	6.0	PASS
100.	14/11/04/01/245	16	30	46			D		2.0	4.0	PASS
101.	14/11/04/01/246	19	34	53			C		3.0	6.0	PASS
102.	14/11/04/01/247	17	28	45			D		2.0	4.0	PASS
103.	14/11/04/01/249	23	46	69		B			4.0	8.0	PASS
104.	14/11/04/01/251	28	50	78	A				5.0	10.0	PASS
105.	14/11/04/01/253	22	34	56			C		3.0	6.0	PASS
106.	14/11/04/01/255	20	32	52			C		3.0	6.0	PASS
107.	14/11/04/01/258	27	30	48			D		2.0	4.0	PASS
108.	14/11/04/01/260	22	34	56			C		3.0	6.0	PASS
109.	14/11/04/01/261	24	44	68		B			4.0	8.0	PASS
110.	14/11/04/01/262	16	29	45			D		2.0	4.0	PASS
111.	14/11/04/01/265	22	34	56			C		3.0	6.0	PASS
112.	14/11/04/01/269	15	24	39				F	0.0	0.0	FAIL
113.	14/11/04/01/270	23	44	67		B			4.0	8.0	PASS
114.	14/11/04/01/272	18	36	54			C		3.0	6.0	PASS
115.	14/11/04/01/285	16	30	46			D		2.0	4.0	PASS
116.	14/11/04/01/286	10	15	25				F	0.0	0.0	FAIL
117.	14/11/04/01/297	22	44	66		B			4.0	8.0	PASS
118.	14/11/04/01/302	15	24	39				F	0.0	0.0	FAIL
119.	14/11/04/01/306	15	24	39				F	0.0	0.0	FAIL
120.	14/11/04/01/308	19	32	51			C		3.0	6.0	PASS
121.	14/11/04/01/309	18	32	50			C		3.0	6.0	PASS
122.	14/11/04/01/313	19	36	55			C		3.0	6.0	PASS
123.	14/11/04/01/314	19	36	55			C		3.0	6.0	PASS
124.	14/11/04/01/315	18	34	52			C		3.0	6.0	PASS
125.	14/11/04/01/316	12	20	32				F	0.0	0.0	FAIL
126.	14/11/04/01/320	16	30	46			D		2.0	4.0	PASS
127.	14/11/04/01/325	18	32	50			C		3.0	6.0	PASS
128.	14/11/04/01/327	18	34	52			C		3.0	6.0	PASS
129.	14/11/04/01/328	19	38	57			C		3.0	6.0	PASS
130.	14/11/04/01/330	12	26	38				F	0.0	0.0	FAIL
131.	14/11/04/01/331	19	32	51			C		3.0	6.0	PASS
132.	14/11/04/01/335	18	34	52			C		3.0	6.0	PASS
133.	14/11/04/01/337	22	40	62		B			4.0	8.0	PASS

134.	14/11/04/01/340	18	36	54			C			3.0	6.0	PASS
135.	14/11/04/01/355	24	46	70	A					5.0	10.0	PASS
136.	14/11/04/01/356	22	42	64		B				4.0	8.0	PASS
137.	14/11/04/01/357	18	32	50			C			3.0	6.0	PASS
138.	14/11/04/01/358	12	22	34					F	0.0	0.0	FAIL
139.	14/11/04/01/359	12	22	34					F	0.0	0.0	FAIL
140.	14/11/04/01/360	19	26	45				D		2.0	4.0	PASS
141.	14/11/04/01/361	18	32	50			C			3.0	6.0	PASS
142.	14/11/04/01/362	18	32	50			C			3.0	6.0	PASS
SUMMARY					<b>09</b>	<b>26</b>	<b>61</b>	<b>28</b>	<b>18</b>			<b>142</b>

0	19	26	45
0	20	42	62
0	20	42	62
0	10	18	28
0	17	30	47
0	21	42	63
0	15	24	39
0	17	30	47
0	22	40	62
0	25	34	59
0	28	52	80
0	19	32	51
0	19	32	51
0	15	24	39
0	25	35	60
0	18	36	54
0	18	34	52
0	22	38	60
0	18	34	52
0	19	32	51
0	15	22	37
0	25	46	71
0	18	36	54
0	22	48	70
0	25	54	79
0	18	36	54
0	18	38	56
0	18	36	54
0	18	36	54
0	18	38	56
0	17	28	45
0	18	34	52
0	17	29	46
0	18	32	50
0	15	22	37
0	22	34	56
0	17	28	45

0	22	38	60
0	22	36	58
0	25	46	71
0	25	48	73
0	22	32	54
0	22	36	58
0	21	40	61
0	22	46	68
0	21	40	61
0	24	46	70
0	15	22	37
0	17	28	45
0	18	30	48
0	22	32	54
0	21	40	61
0	19	26	45
0	18	27	45
0	18	30	48
0	17	28	45
0	22	38	60
0	22	32	54
0	21	44	65
0	22	36	58
0	22	36	58
0	18	32	50
0	22	40	62
0	23	44	67
0	22	40	62
0	18	38	56
0	18	36	54
0	18	34	52
0	18	30	48
0	15	20	35
0	22	36	58
0	17	28	45
0	22	34	56
0	21	30	51
0	18	38	56
0	18	38	56
0	16	29	45
0	18	28	46
0	18	28	46
0	22	40	62
0	22	40	62
0	18	34	52
0	23	42	65
0	15	22	37
0	18	32	50

0	17	30	47
0	17	30	47
0	19	38	57
0	19	36	55
0	16	30	46
0	22	34	56
0	23	44	67
0	18	32	50
0	15	24	39
0	17	29	46
0	15	24	39
0	18	34	52
0	18	38	56
0	19	34	53
0	16	30	46
0	19	34	53
0	17	28	45
0	23	46	69
0	28	50	78
0	22	34	56
0	20	32	52
0	18	30	48
0	22	34	56
0	24	44	68
0	16	29	45
0	22	34	56
0	15	24	39
0	23	44	67
0	18	36	54
0	16	30	46
0	10	15	25
0	22	44	66
0	15	24	39
0	15	24	39
0	19	32	51
0	18	32	50
0	19	36	55
0	19	36	55
0	18	34	52
0	12	20	32
0	16	30	46
0	18	32	50
0	18	34	52
0	19	38	57
0	12	26	38
0	19	32	51
0	18	34	52
0	22	40	62

0	18	36	54
0	24	46	70
0	22	42	64
0	18	32	50
0	12	22	34
0	12	22	34
0	19	26	45
0	18	32	50
0	18	32	50