

UNIVERSITY OF MAIDUGURI
(OFFICE OF THE VICE-CHANCELLOR)
CENTER FOR DISTANCE LEARNING
DEPARTMENT OF ACCOUNTING

SECOND SEMESTER END-OF-COURSE EXAMINATION RESULTS

COURSE CODE: ACC 104

COURSE TITLE: ACCOUNTING WORKSHOP I

COURSE UNIT(S): 2

2016/2017 ACADEMIC SESSION

S/No.	ID. N.o	CA Marks	Exam Marks	TOTAL Marks	Grades					GP	U.GP	Remarks
					A	B	C	D	F			
1.	15/11/04/02/225	NA	56	56			C			3.0	6.0	PASS
2.	15/11/07/01/575	NA	25	25					F	0.0	0.0	FAIL
3.	15/11/07/01/708	NA	45	45				D		2.0	4.0	PASS
4.	16/11/07/01/001	NA	54	54			C			3.0	6.0	PASS
5.	16/11/07/01/005	NA	74	74	A					5.0	10.0	PASS
6.	16/11/07/01/006	NA	45	45				D		2.0	4.0	PASS
7.	16/11/07/01/016	NA	68	68		B				4.0	8.0	PASS
8.	16/11/07/01/018	NA	59	59			C			3.0	6.0	PASS
9.	16/11/07/01/019	NA	48	48				D		2.0	4.0	PASS
10.	16/11/07/01/020	NA	74	74	A					5.0	10.0	PASS
11.	16/11/07/01/022	NA	68	68		B				4.0	8.0	PASS
12.	16/11/07/01/033	NA	54	54			C			3.0	6.0	PASS
13.	16/11/07/01/037	NA	48	48				D		2.0	4.0	PASS
14.	16/11/07/01/038	NA	56	56			C			3.0	6.0	PASS
15.	16/11/07/01/040	NA	54	54			C			3.0	6.0	PASS
16.	16/11/07/01/052	NA	45	45				D		2.0	4.0	PASS
17.	16/11/07/01/055	NA	59	59			C			3.0	6.0	PASS
18.	16/11/07/01/056	NA	54	54			C			3.0	6.0	PASS
19.	16/11/07/01/064	NA	45	45				D		2.0	4.0	PASS
20.	16/11/07/01/068	NA	68	68		B				4.0	8.0	PASS
21.	16/11/07/01/069	NA	51	51			C			3.0	6.0	PASS
22.	16/11/07/01/071	NA	45	45				D		2.0	4.0	PASS
23.	16/11/07/01/073	NA	68	68		B				4.0	8.0	PASS
24.	16/11/07/01/078	NA	51	51			C			3.0	6.0	PASS
25.	16/11/07/01/079	NA	48	48				D		2.0	4.0	PASS
26.	16/11/07/01/080	NA	45	45				D		2.0	4.0	PASS
27.	16/11/07/01/084	NA	76	76	A					5.0	10.0	PASS
28.	16/11/07/01/086	NA	39	39					F	0.0	0.0	FAIL
29.	16/11/07/01/093	NA	45	45				D		2.0	4.0	PASS
30.	16/11/07/01/105	NA	45	45				D		2.0	4.0	PASS
31.	16/11/07/01/106	NA	54	54			C			3.0	6.0	PASS
32.	16/11/07/01/115	NA	56	56			C			3.0	6.0	PASS

33.	16/11/07/01/117	NA	62	62		B				4.0	8.0	PASS
34.	16/11/07/01/121	NA	54	54			C			3.0	6.0	PASS
35.	16/11/07/01/124	NA	48	48				D		2.0	4.0	PASS
36.	16/11/07/01/125	NA	54	54			C			3.0	6.0	PASS
37.	16/11/07/01/131	NA	51	51			C			3.0	6.0	PASS
38.	16/11/07/01/139	NA	62	62		B				4.0	8.0	PASS
39.	16/11/07/01/149	NA	39	39					F	0.0	0.0	FAIL
40.	16/11/07/01/157	NA	51	51			C			3.0	6.0	PASS
41.	16/11/07/01/160	NA	45	45				D		2.0	4.0	PASS
42.	16/11/07/01/438	NA	74	74	A					5.0	10.0	PASS
43.	16/11/07/01/440	NA	51	51			C			3.0	6.0	PASS
44.	16/11/07/01/444	NA	56	56			C			3.0	6.0	PASS
45.	16/11/07/01/448	NA	59	59			C			3.0	6.0	PASS
46.	16/11/07/01/450	NA	54	54			C			3.0	6.0	PASS
47.	16/11/07/01/453	NA	56	56			C			3.0	6.0	PASS
48.	16/11/07/01/461	NA	56	56			C			3.0	6.0	PASS
49.	16/11/07/01/462	NA	65	65		B				4.0	8.0	PASS
50.	16/11/07/01/468	NA	51	51			C			3.0	6.0	PASS
51.	16/11/07/01/472	NA	39	39					F	0.0	0.0	FAIL
52.	16/11/07/01/473	NA	51	51			C			3.0	6.0	PASS
53.	16/11/07/01/477	NA	59	59			C			3.0	6.0	PASS
54.	16/11/07/01/482	NA	62	62		B				4.0	8.0	PASS
55.	16/11/07/01/483	NA	56	56			C			3.0	6.0	PASS
56.	16/11/07/01/485	NA	54	54			C			3.0	6.0	PASS
57.	16/11/07/01/492	NA	51	51			C			3.0	6.0	PASS
58.	16/11/07/01/493	NA	54	54			C			3.0	6.0	PASS
59.	16/11/07/01/497	NA	54	54			C			3.0	6.0	PASS
60.	16/11/07/01/498	NA	62	62		B				4.0	8.0	PASS
61.	16/11/07/01/500	NA	39	39					F	0.0	0.0	FAIL
62.	16/11/07/01/501	NA	59	59			C			3.0	6.0	PASS
63.	16/11/07/01/502	NA	45	45				D		2.0	4.0	PASS
64.	16/11/07/01/504	NA	45	45				D		2.0	4.0	PASS
65.	16/11/07/01/510	NA	48	48				D		2.0	4.0	PASS
66.	16/11/07/01/513	NA	36	36					F	0.0	0.0	FAIL
67.	16/11/07/01/514	NA	45	45				D		2.0	4.0	PASS
68.	16/11/07/01/516	NA	96	96	A					5.0	10.0	PASS
69.	16/11/07/01/517	NA	45	45				D		2.0	4.0	PASS
70.	16/11/07/01/525	NA	59	59			C			3.0	6.0	PASS
71.	16/11/07/01/529	NA	45	45				D		2.0	4.0	PASS
72.	16/11/07/01/531	NA	34	34					F	0.0	0.0	FAIL
73.	16/11/07/01/532	NA	62	62		B				4.0	8.0	PASS
74.	16/11/07/01/536	NA	45	45				D		2.0	4.0	PASS
75.	16/11/07/01/537	NA	39	39					F	0.0	0.0	FAIL
76.	16/11/07/01/542	NA	62	62		B				4.0	8.0	PASS
77.	16/11/07/01/544	NA	79	79	A					5.0	10.0	PASS

78.	16/11/07/01/547	NA	54	54			C			3.0	6.0	PASS
79.	16/11/07/01/548	NA	51	51			C			3.0	6.0	PASS
80.	16/11/07/01/549	NA	56	56			C			3.0	6.0	PASS
81.	16/11/07/01/555	NA	51	51			C			3.0	6.0	PASS
82.	16/11/07/01/558	NA	56	56			C			3.0	6.0	PASS
83.	16/11/07/01/567	NA	48	48				D		2.0	4.0	PASS
84.	16/11/07/01/569	NA	56	56			C			3.0	6.0	PASS
85.	16/11/07/01/571	NA	45	45				D		2.0	4.0	PASS
86.	16/11/07/01/573	NA	51	51			C			3.0	6.0	PASS
87.	16/11/07/01/574	NA	65	65		B				4.0	8.0	PASS
88.	16/11/07/01/585	NA	39	39					F	0.0	0.0	FAIL
89.	16/11/07/01/586	NA	48	48				D		2.0	4.0	PASS
90.	16/11/07/01/587	NA	59	59			C			3.0	6.0	PASS
91.	16/11/07/01/596	NA	62	62		B				4.0	8.0	PASS
92.	16/11/07/01/597	NA	45	45				D		2.0	4.0	PASS
93.	16/11/07/01/599	NA	65	65		B				4.0	8.0	PASS
94.	16/11/07/01/600	NA	68	68		B				4.0	8.0	PASS
95.	16/11/07/01/601	NA	51	51			C			3.0	6.0	PASS
96.	16/11/07/01/602	NA	59	59			C			3.0	6.0	PASS
97.	16/11/07/01/610	NA	65	65		B				4.0	8.0	PASS
98.	16/11/07/01/611	NA	79	79	A					5.0	10.0	PASS
99.	16/11/07/01/619	NA	54	54			C			3.0	6.0	PASS
100.	16/11/07/01/622	NA	54	54			C			3.0	6.0	PASS
101.	16/11/07/01/624	NA	51	51			C			3.0	6.0	PASS
102.	16/11/07/01/625	NA	39	39					F	0.0	0.0	FAIL
103.	16/11/07/01/626	NA	71	71	A					5.0	10.0	PASS
104.	16/11/07/01/629	NA	39	39					F	0.0	0.0	FAIL
105.	16/11/07/01/630	NA	54	54			C			3.0	6.0	PASS
106.	16/11/07/01/632	NA	62	62		B				4.0	8.0	PASS
107.	16/11/07/01/636	NA	48	48				D		2.0	4.0	PASS
108.	16/11/07/01/637	NA	45	45				D		2.0	4.0	PASS
109.	16/11/07/01/638	NA	45	45				D		2.0	4.0	PASS
110.	16/11/07/01/642	NA	62	62		B				4.0	8.0	PASS
111.	16/11/07/01/647	NA	51	51			C			3.0	6.0	PASS
112.	16/11/07/01/648	NA	48	48				D		2.0	4.0	PASS
113.	16/11/07/01/656	NA	51	51			C			3.0	6.0	PASS

114.	16/11/07/01/657	NA	56	56			C			3.0	6.0	PASS
115.	16/11/07/01/659	NA	62	62		B				4.0	8.0	PASS
116.	16/11/07/01/662	NA	48	48				D		2.0	4.0	PASS
117.	16/11/07/01/665	NA	54	54			C			3.0	6.0	PASS
118.	16/11/07/01/666	NA	62	62		B				4.0	8.0	PASS
119.	16/11/07/01/667	NA	62	62		B				4.0	8.0	PASS
120.	16/11/07/01/668	NA	51	51			C			3.0	6.0	PASS
121.	16/11/07/01/673	NA	68	68		B				4.0	8.0	PASS
122.	16/11/07/01/674	NA	59	59			C			3.0	6.0	PASS
123.	16/11/07/01/678	NA	65	65		B				4.0	8.0	PASS
124.	16/11/07/01/679	NA	56	56			C			3.0	6.0	PASS
125.	16/11/07/01/682	NA	74	74	A					5.0	10.0	PASS
126.	16/11/07/01/689	NA	45	45				D		2.0	4.0	PASS
127.	16/11/07/01/692	NA	45	45				D		2.0	4.0	PASS
128.	16/11/07/01/695	NA	54	54			C			3.0	6.0	PASS
129.	16/11/07/01/696	NA	51	51			C			3.0	6.0	PASS
130.	16/11/07/01/699	NA	48	48				D		2.0	4.0	PASS
131.	16/11/07/01/701	NA	54	54			C			3.0	6.0	PASS
132.	16/11/07/01/703	NA	56	56			C			3.0	6.0	PASS
133.	16/11/07/01/705	NA	56	56			C			3.0	6.0	PASS
134.	16/11/07/01/706	NA	48	48				D		2.0	4.0	PASS
135.	16/11/07/01/707	NA	45	45				D		2.0	4.0	PASS
136.	16/11/07/01/709	NA	48	48				D		2.0	4.0	PASS
137.	16/11/07/01/710	NA	51	51			C			3.0	6.0	PASS
138.	16/11/07/01/712	NA	48	48				D		2.0	4.0	PASS
139.	16/11/07/01/717	NA	45	45				D		2.0	4.0	PASS
140.	16/11/07/01/719	NA	45	45				D		2.0	4.0	PASS
141.	16/11/07/01/723	NA	54	54			C			3.0	6.0	PASS
142.	16/11/07/01/727	NA	62	62		B				4.0	8.0	PASS
143.	16/11/07/01/730	NA	76	76	A					5.0	10.0	PASS
144.	16/11/07/01/733	NA	71	71	A					5.0	10.0	PASS
145.	16/11/07/01/734	NA	56	56			C			3.0	6.0	PASS
146.	16/11/07/01/737	NA	56	56			C			3.0	6.0	PASS
147.	16/11/07/01/744	NA	45	45				D		2.0	4.0	PASS
148.	16/11/07/01/746	NA	39	39					F	0.0	0.0	FAIL
149.	16/11/07/01/751	NA	54	54			C			3.0	6.0	PASS
150.	16/11/07/01/759	NA	51	51			C			3.0	6.0	PASS
151.	16/11/07/01/760	NA	45	45				D		2.0	4.0	PASS
152.	16/11/07/01/769	NA	48	48				D		2.0	4.0	PASS
153.	16/11/07/01/770	NA	51	51			C			3.0	6.0	PASS
154.	16/11/07/01/773	NA	54	54			C			3.0	6.0	PASS
155.	16/11/07/01/780	NA	88	88	A					5.0	10.0	PASS
156.	16/11/07/01/781	NA	56	56			C			3.0	6.0	PASS
157.	16/11/07/02/626	NA	56	56			C			3.0	6.0	PASS
SUMMARY					12	24	68	41	12			157