

UNIVERSITY OF MAIDUGURI
(OFFICE OF THE VICE-CHANCELLOR)
CENTER FOR DISTANCE LEARNING
DEPARTMENT OF ACCOUNTING

SECOND SEMESTER END-OF-COURSE EXAMINATION RESULTS

COURSE CODE: ACC 208
COURSE TITLE: ACCOUNTING WORKSHOP II
COURSE UNIT(S): 2

2016/2017 ACADEMIC SESSION

S/No.	ID. No.	C.A.	EXAM	TOTAL	GRADES					GP	U.GP	Remarks
		Marks	Marks	Marks	A	B	C	D	F			
1.	12/11/07/01/191	NA	48	48				D		2.0	4.0	PASS
2.	14/11/07/01/175	NA	57	57			C			3.0	6.0	PASS
3.	14/11/07/01/230	NA	45	45				D		2.0	4.0	PASS
4.	15/11/04/02/981	NA	45	45				D		2.0	4.0	PASS
5.	15/11/07/01/006	NA	51	51			C			3.0	6.0	PASS
6.	15/11/07/01/012	NA	54	54			C			3.0	6.0	PASS
7.	15/11/07/01/014	NA	45	45				D		2.0	4.0	PASS
8.	15/11/07/01/015	NA	65	65		B				4.0	8.0	PASS
9.	15/11/07/01/017	NA	51	51			C			3.0	6.0	PASS
10.	15/11/07/01/020	NA	79	79	A					5.0	10.0	PASS
11.	15/11/07/01/022	NA	45	45				D		2.0	4.0	PASS
12.	15/11/07/01/024	NA	39	39					F	0.0	0.0	FAIL
13.	15/11/07/01/025	NA	45	45				D		2.0	4.0	PASS
14.	15/11/07/01/028	NA	62	62		B				4.0	8.0	PASS
15.	15/11/07/01/038	NA	48	48				D		2.0	4.0	PASS
16.	15/11/07/01/042	NA	68	68		B				4.0	8.0	PASS
17.	15/11/07/01/045	NA	48	48				D		2.0	4.0	PASS
18.	15/11/07/01/046	NA	45	45				D		2.0	4.0	PASS
19.	15/11/07/01/055	NA	45	45				D		2.0	4.0	PASS
20.	15/11/07/01/058	NA	48	48				D		2.0	4.0	PASS
21.	15/11/07/01/061	NA	51	51			C			3.0	6.0	PASS
22.	15/11/07/01/064	NA	39	39					F	0.0	0.0	FAIL
23.	15/11/07/01/066	NA	45	45				D		2.0	4.0	PASS
24.	15/11/07/01/072	NA	65	65		B				4.0	8.0	PASS
25.	15/11/07/01/085	NA	45	45				D		2.0	4.0	PASS
26.	15/11/07/01/087	NA	65	65		B				4.0	8.0	PASS
27.	15/11/07/01/100	NA	45	45				D		2.0	4.0	PASS
28.	15/11/07/01/102	NA	57	57			C			3.0	6.0	PASS
29.	15/11/07/01/108	NA	39	39					F	0.0	0.0	FAIL
30.	15/11/07/01/119	NA	48	48				D		2.0	4.0	PASS
31.	15/11/07/01/120	NA	39	39					F	0.0	0.0	FAIL

32.	15/11/07/01/124	NA	54	54			C			3.0	6.0	PASS
33.	15/11/07/01/132	NA	54	54			C			3.0	6.0	PASS
34.	15/11/07/01/133	NA	45	45				D		2.0	4.0	PASS
35.	15/11/07/01/136	NA	45	45				D		2.0	4.0	PASS
36.	15/11/07/01/140	NA	39	39					F	0.0	0.0	FAIL
37.	15/11/07/01/147	NA	65	65			B			4.0	8.0	PASS
38.	15/11/07/01/151	NA	71	71	A					5.0	10.0	PASS
39.	15/11/07/01/155	NA	74	74	A					5.0	10.0	PASS
40.	15/11/07/01/157	NA	59	59			C			3.0	6.0	PASS
41.	15/11/07/01/158	NA	45	45				D		2.0	4.0	PASS
42.	15/11/07/01/162	NA	39	39					F	0.0	0.0	FAIL
43.	15/11/07/01/164	NA	48	48				D		2.0	4.0	PASS
44.	15/11/07/01/171	NA	45	45				D		2.0	4.0	PASS
45.	15/11/07/01/178	NA	57	57			C			3.0	6.0	PASS
46.	15/11/07/01/179	NA	45	45				D		2.0	4.0	PASS
47.	15/11/07/01/180	NA	45	45				D		2.0	4.0	PASS
48.	15/11/07/01/182	NA	59	59			C			3.0	6.0	PASS
49.	15/11/07/01/184	NA	45	45				D		2.0	4.0	PASS
50.	15/11/07/01/185	NA	48	48				D		2.0	4.0	PASS
51.	15/11/07/01/187	NA	59	59			C			3.0	6.0	PASS
52.	15/11/07/01/189	NA	77	77	A					5.0	10.0	PASS
53.	15/11/07/01/191	NA	48	48				D		2.0	4.0	PASS
54.	15/11/07/01/194	NA	68	68			B			4.0	8.0	PASS
55.	15/11/07/01/196	NA	85	85	A					5.0	10.0	PASS
56.	15/11/07/01/201	NA	48	48				D		2.0	4.0	PASS
57.	15/11/07/01/204	NA	51	51			C			3.0	6.0	PASS
58.	15/11/07/01/206	NA	71	71	A					5.0	10.0	PASS
59.	15/11/07/01/207	NA	51	51			C			3.0	6.0	PASS
60.	15/11/07/01/209	NA	39	39					F	0.0	0.0	FAIL
61.	15/11/07/01/216	NA	45	45				D		2.0	4.0	PASS
62.	15/11/07/01/218	NA	48	48				D		2.0	4.0	PASS
63.	15/11/07/01/221	NA	48	48				D		2.0	4.0	PASS
64.	15/11/07/01/222	NA	62	62			B			4.0	8.0	PASS
65.	15/11/07/01/227	NA	37	37					F	0.0	0.0	FAIL
66.	15/11/07/01/229	NA	54	54			C			3.0	6.0	PASS
67.	15/11/07/01/232	NA	28	28					F	0.0	0.0	FAIL
68.	15/11/07/01/243	NA	54	54			C			3.0	6.0	PASS
69.	15/11/07/01/244	NA	74	74	A					5.0	10.0	PASS
70.	15/11/07/01/249	NA	54	54			C			3.0	6.0	PASS
71.	15/11/07/01/251	NA	57	57			C			3.0	6.0	PASS
72.	15/11/07/01/252	NA	45	45				D		2.0	4.0	PASS
73.	15/11/07/01/254	NA	45	45				D		2.0	4.0	PASS
74.	15/11/07/01/259	NA	57	57			C			3.0	6.0	PASS
75.	15/11/07/01/260	NA	59	59			C			3.0	6.0	PASS

76.	15/11/07/01/291	NA	45	45				D		2.0	4.0	PASS
77.	15/11/07/01/292	NA	59	59			C			3.0	6.0	PASS
78.	15/11/07/01/293	NA	57	57			C			3.0	6.0	PASS
79.	15/11/07/01/294	NA	48	48				D		2.0	4.0	PASS
80.	15/11/07/01/295	NA	62	62		B				4.0	8.0	PASS
81.	15/11/07/01/296	NA	48	48				D		2.0	4.0	PASS
82.	15/11/07/01/297	NA	45	45				D		2.0	4.0	PASS
83.	15/11/07/01/298	NA	48	48				D		2.0	4.0	PASS
84.	15/11/07/01/301	NA	54	54			C			3.0	6.0	PASS
85.	15/11/07/01/302	NA	45	45				D		2.0	4.0	PASS
86.	15/11/07/01/303	NA	51	51			C			3.0	6.0	PASS
87.	15/11/07/01/304	NA	37	37					F	0.0	0.0	FAIL
88.	15/11/07/01/305	NA	57	57			C			3.0	6.0	PASS
89.	15/11/07/01/306	NA	48	48				D		2.0	4.0	PASS
90.	15/11/07/01/307	NA	51	51			C			3.0	6.0	PASS
91.	15/11/07/01/308	NA	54	54			C			3.0	6.0	PASS
92.	15/11/07/01/309	NA	45	45				D		2.0	4.0	PASS
93.	15/11/07/01/313	NA	39	39					F	0.0	0.0	FAIL
94.	15/11/07/01/314	NA	51	51			C			3.0	6.0	PASS
95.	15/11/07/01/315	NA	45	45				D		2.0	4.0	PASS
96.	15/11/07/01/316	NA	45	45				D		2.0	4.0	PASS
97.	15/11/07/01/318	NA	45	45				D		2.0	4.0	PASS
98.	15/11/07/01/319	NA	39	39					F	0.0	0.0	FAIL
99.	15/11/07/01/320	NA	45	45				D		2.0	4.0	PASS
100.	15/11/07/01/321	NA	45	45				D		2.0	4.0	PASS
101.	15/11/07/01/322	NA	51	51			C			3.0	6.0	PASS
102.	15/11/07/01/324	NA	39	39					F	0.0	0.0	FAIL
103.	15/11/07/01/325	NA	54	54			C			3.0	6.0	PASS
104.	15/11/07/01/326	NA	45	45				D		2.0	4.0	PASS
105.	15/11/07/01/328	NA	45	45				D		2.0	4.0	PASS
106.	15/11/07/01/329	NA	37	37					F	0.0	0.0	FAIL
107.	15/11/07/01/330	NA	68	68		B				4.0	8.0	PASS
108.	15/11/07/01/331	NA	62	62		B				4.0	8.0	PASS
109.	15/11/07/01/332	NA	54	54			C			3.0	6.0	PASS
110.	15/11/07/01/333	NA	51	51			C			3.0	6.0	PASS
111.	15/11/07/01/334	NA	59	59			C			3.0	6.0	PASS
112.	15/11/07/01/335	NA	82	82	A					5.0	10.0	PASS
113.	15/11/07/01/336	NA	59	59			C			3.0	6.0	PASS
114.	15/11/07/01/341	NA	51	51			C			3.0	6.0	PASS
115.	15/11/07/01/342	NA	45	45				D		2.0	4.0	PASS
116.	15/11/07/01/343	NA	57	57			C			3.0	6.0	PASS
117.	15/11/07/01/344	NA	54	54			C			3.0	6.0	PASS
118.	15/11/07/01/345	NA	59	59			C			3.0	6.0	PASS
119.	15/11/07/01/346	NA	48	48				D		2.0	4.0	PASS

120.	15/11/07/01/348	NA	45	45				D		2.0	4.0	PASS
121.	15/11/07/01/349	NA	62	62		B				4.0	8.0	PASS
122.	15/11/07/01/351	NA	48	48				D		2.0	4.0	PASS
123.	15/11/07/01/353	NA	39	39					F	0.0	0.0	FAIL
124.	15/11/07/01/354	NA	51	51			C			3.0	6.0	PASS
125.	15/11/07/01/355	NA	51	51			C			3.0	6.0	PASS
126.	15/11/07/01/356	NA	51	51			C			3.0	6.0	PASS
127.	15/11/07/01/357	NA	51	51			C			3.0	6.0	PASS
128.	15/11/07/01/358	NA	94	94	A					5.0	10.0	PASS
129.	15/11/07/01/359	NA	85	85	A					5.0	10.0	PASS
130.	15/11/07/01/360	NA	34	34					F	0.0	0.0	FAIL
131.	15/11/07/01/361	NA	62	62		B				4.0	8.0	PASS
132.	15/11/07/01/363	NA	51	51			C			3.0	6.0	PASS
133.	15/11/07/01/366	NA	57	57			C			3.0	6.0	PASS
134.	15/11/07/01/367	NA	48	48				D		2.0	4.0	PASS
135.	15/11/07/01/368	NA	59	59			C			3.0	6.0	PASS
136.	15/11/07/01/369	NA	28	28					F	0.0	0.0	FAIL
137.	15/11/07/01/370	NA	51	51			C			3.0	6.0	PASS
138.	15/11/07/01/372	NA	48	48				D		2.0	4.0	PASS
139.	15/11/07/01/373	NA	51	51			C			3.0	6.0	PASS
140.	15/11/07/01/375	NA	45	45				D		2.0	4.0	PASS
141.	15/11/07/01/377	NA	51	51			C			3.0	6.0	PASS
142.	15/11/07/01/378	NA	39	39					F	0.0	0.0	FAIL
143.	15/11/07/01/379	NA	48	48				D		2.0	4.0	PASS
144.	15/11/07/01/380	NA	62	62		B				4.0	8.0	PASS
145.	15/11/07/01/381	NA	51	51			C			3.0	6.0	PASS
146.	15/11/07/01/382	NA	45	45				D		2.0	4.0	PASS
147.	15/11/07/01/384	NA	59	59			C			3.0	6.0	PASS
148.	15/11/07/01/385	NA	62	62		B				4.0	8.0	PASS
149.	15/11/07/01/389	NA	65	65		B				4.0	8.0	PASS
150.	15/11/07/01/391	NA	57	57			C			3.0	6.0	PASS
151.	15/11/07/01/392	NA	54	54			C			3.0	6.0	PASS
152.	15/11/07/01/393	NA	51	51			C			3.0	6.0	PASS
153.	15/11/07/01/394	NA	54	54			C			3.0	6.0	PASS
154.	15/11/07/01/395	NA	59	59			C			3.0	6.0	PASS
155.	15/11/07/01/396	NA	45	45				D		2.0	4.0	PASS
156.	15/11/07/01/397	NA	62	62		B				4.0	8.0	PASS
157.	15/11/07/01/398	NA	39	39					F	0.0	0.0	FAIL
158.	15/11/07/01/399	NA	48	48				D		2.0	4.0	PASS
159.	15/11/07/01/400	NA	48	48				D		2.0	4.0	PASS
160.	15/11/07/01/401	NA	39	39					F	0.0	0.0	FAIL
161.	15/11/07/01/402	NA	51	51			C			3.0	6.0	PASS
162.	15/11/07/01/403	NA	34	34					F	0.0	0.0	FAIL
163.	15/11/07/01/404	NA	59	59			C			3.0	6.0	PASS

164.	15/11/07/01/405	NA	28	28					F	0.0	0.0	FAIL
165.	15/11/07/01/406	NA	54	54			C			3.0	6.0	PASS
166.	15/11/07/01/407	NA	62	62		B				4.0	8.0	PASS
167.	15/11/07/01/408	NA	65	65		B				4.0	8.0	PASS
168.	15/11/07/01/410	NA	54	54			C			3.0	6.0	PASS
169.	15/11/07/01/411	NA	45	45				D		2.0	4.0	PASS
170.	15/11/07/01/412	NA	59	59			C			3.0	6.0	PASS
171.	15/11/07/01/414	NA	51	51			C			3.0	6.0	PASS
172.	15/11/07/01/415	NA	54	54			C			3.0	6.0	PASS
173.	15/11/07/01/416	NA	65	65		B				4.0	8.0	PASS
174.	15/11/07/01/419	NA	39	39					F	0.0	0.0	FAIL
175.	15/11/07/01/420	NA	45	45				D		2.0	4.0	PASS
176.	15/11/07/01/422	NA	51	51			C			3.0	6.0	PASS
177.	15/11/07/01/423	NA	54	54			C			3.0	6.0	PASS
178.	15/11/07/01/424	NA	39	39					F	0.0	0.0	FAIL
179.	15/11/07/01/425	NA	51	51			C			3.0	6.0	PASS
180.	15/11/07/01/426	NA	48	48				D		2.0	4.0	PASS
181.	15/11/07/01/427	NA	45	45				D		2.0	4.0	PASS
182.	15/11/07/01/428	NA	59	59			C			3.0	6.0	PASS
183.	15/11/07/01/429	NA	51	51			C			3.0	6.0	PASS
184.	15/11/07/01/430	NA	57	57			C			3.0	6.0	PASS
185.	15/11/07/01/431	NA	57	57			C			3.0	6.0	PASS
186.	15/11/07/01/432	NA	45	45				D		2.0	4.0	PASS
187.	15/11/07/01/434	NA	59	59			C			3.0	6.0	PASS
188.	15/11/07/01/435	NA	51	51			C			3.0	6.0	PASS
189.	15/11/07/01/436	NA	48	48				D		2.0	4.0	PASS
190.	15/11/07/01/438	NA	48	48				D		2.0	4.0	PASS
191.	15/11/07/01/439	NA	57	57			C			3.0	6.0	PASS
192.	15/11/07/01/440	NA	45	45				D		2.0	4.0	PASS
193.	15/11/07/01/441	NA	54	54			C			3.0	6.0	PASS
194.	15/11/07/01/442	NA	51	51			C			3.0	6.0	PASS
195.	15/11/07/01/444	NA	51	51			C			3.0	6.0	PASS
196.	15/11/07/01/445	NA	57	57			C			3.0	6.0	PASS
197.	15/11/07/01/446	NA	45	45				D		2.0	4.0	PASS
198.	15/11/07/01/447	NA	65	65		B				4.0	8.0	PASS
199.	15/11/07/01/448	NA	57	57			C			3.0	6.0	PASS
200.	15/11/07/01/449	NA	54	54			C			3.0	6.0	PASS
201.	15/11/07/01/450	NA	48	48				D		2.0	4.0	PASS
202.	15/11/07/01/452	NA	54	54			C			3.0	6.0	PASS
203.	15/11/07/01/453	NA	59	59			C			3.0	6.0	PASS
204.	15/11/07/01/454	NA	51	51			C			3.0	6.0	PASS
205.	15/11/07/01/455	NA	62	62		B				4.0	8.0	PASS
206.	15/11/07/01/456	NA	45	45				D		2.0	4.0	PASS
207.	15/11/07/01/457	NA	34	34					F	0.0	0.0	FAIL

208.	15/11/07/01/458	NA	39	39					F	0.0	0.0	FAIL
209.	15/11/07/01/459	NA	48	48				D		2.0	4.0	PASS
210.	15/11/07/01/460	NA	39	39					F	0.0	0.0	FAIL
211.	15/11/07/01/462	NA	54	54			C			3.0	6.0	PASS
212.	15/11/07/01/463	NA	71	71	A					5.0	10.0	PASS
213.	15/11/07/01/464	NA	37	37					F	0.0	0.0	FAIL
214.	15/11/07/01/465	NA	51	51			C			3.0	6.0	PASS
215.	15/11/07/01/466	NA	54	54			C			3.0	6.0	PASS
216.	15/11/07/01/468	NA	62	62		B				4.0	8.0	PASS
217.	15/11/07/01/469	NA	45	45				D		2.0	4.0	PASS
218.	15/11/07/01/470	NA	48	48				D		2.0	4.0	PASS
219.	15/11/07/01/471	NA	57	57			C			3.0	6.0	PASS
220.	15/11/07/01/472	NA	48	48				D		2.0	4.0	PASS
221.	15/11/07/01/476	NA	51	51			C			3.0	6.0	PASS
222.	15/11/07/01/477	NA	45	45				D		2.0	4.0	PASS
223.	15/11/07/01/478	NA	45	45				D		2.0	4.0	PASS
224.	15/11/07/01/479	NA	51	51			C			3.0	6.0	PASS
225.	15/11/07/01/480	NA	48	48				D		2.0	4.0	PASS
226.	15/11/07/01/481	NA	71	71	A					5.0	10.0	PASS
227.	15/11/07/01/482	NA	48	48				D		2.0	4.0	PASS
228.	15/11/07/01/483	NA	39	39					F	0.0	0.0	FAIL
229.	15/11/07/01/484	NA	45	45				D		2.0	4.0	PASS
230.	15/11/07/01/485	NA	59	59			C			3.0	6.0	PASS
231.	15/11/07/01/486	NA	88	88	A					5.0	10.0	PASS
232.	15/11/07/01/487	NA	48	48				D		2.0	4.0	PASS
233.	15/11/07/01/488	NA	48	48				D		2.0	4.0	PASS
234.	15/11/07/01/490	NA	54	54			C			3.0	6.0	PASS
235.	15/11/07/01/491	NA	51	51			C			3.0	6.0	PASS
236.	15/11/07/01/492	NA	37	37					F	0.0	0.0	FAIL
237.	15/11/07/01/493	NA	54	54			C			3.0	6.0	PASS
238.	15/11/07/01/495	NA	51	51			C			3.0	6.0	PASS
239.	15/11/07/01/496	NA	48	48				D		2.0	4.0	PASS
240.	15/11/07/01/498	NA	54	54			C			3.0	6.0	PASS
241.	15/11/07/01/499	NA	48	48				D		2.0	4.0	PASS
242.	15/11/07/01/500	NA	65	65		B				4.0	8.0	PASS
243.	15/11/07/01/501	NA	45	45				D		2.0	4.0	PASS
244.	15/11/07/01/502	NA	39	39					F	0.0	0.0	FAIL
245.	15/11/07/01/503	NA	39	39					F	0.0	0.0	FAIL
246.	15/11/07/01/504	NA	51	51			C			3.0	6.0	PASS
247.	15/11/07/01/506	NA	54	54			C			3.0	6.0	PASS
248.	15/11/07/01/510	NA	39	39					F	0.0	0.0	FAIL
249.	15/11/07/01/511	NA	68	68		B				4.0	8.0	PASS
250.	15/11/07/01/512	NA	59	59			C			3.0	6.0	PASS
251.	15/11/07/01/513	NA	57	57			C			3.0	6.0	PASS

252.	15/11/07/01/514	NA	65	65		B				4.0	8.0	PASS
253.	15/11/07/01/515	NA	51	51			C			3.0	6.0	PASS
254.	15/11/07/01/516	NA	45	45				D		2.0	4.0	PASS
255.	15/11/07/01/517	NA	45	45				D		2.0	4.0	PASS
256.	15/11/07/01/518	NA	54	54			C			3.0	6.0	PASS
257.	15/11/07/01/519	NA	54	54			C			3.0	6.0	PASS
258.	15/11/07/01/521	NA	51	51			C			3.0	6.0	PASS
259.	15/11/07/01/522	NA	57	57			C			3.0	6.0	PASS
260.	15/11/07/01/523	NA	51	51			C			3.0	6.0	PASS
261.	15/11/07/01/524	NA	57	57			C			3.0	6.0	PASS
262.	15/11/07/01/525	NA	48	48				D		2.0	4.0	PASS
263.	15/11/07/01/526	NA	51	51			C			3.0	6.0	PASS
264.	15/11/07/01/527	NA	54	54			C			3.0	6.0	PASS
265.	15/11/07/01/529	NA	48	48				D		2.0	4.0	PASS
266.	15/11/07/01/530	NA	59	59			C			3.0	6.0	PASS
267.	15/11/07/01/531	NA	39	39					F	0.0	0.0	FAIL
268.	15/11/07/01/532	NA	51	51			C			3.0	6.0	PASS
269.	15/11/07/01/533	NA	57	57			C			3.0	6.0	PASS
270.	15/11/07/01/535	NA	62	62		B				4.0	8.0	PASS
271.	15/11/07/01/536	NA	45	45				D		2.0	4.0	PASS
272.	15/11/07/01/537	NA	79	79	A					5.0	10.0	PASS
273.	15/11/07/01/538	NA	45	45				D		2.0	4.0	PASS
274.	15/11/07/01/540	NA	45	45				D		2.0	4.0	PASS
275.	15/11/07/01/541	NA	48	48				D		2.0	4.0	PASS
276.	15/11/07/01/543	NA	62	62		B				4.0	8.0	PASS
277.	15/11/07/01/544	NA	48	48				D		2.0	4.0	PASS
278.	15/11/07/01/545	NA	45	45				D		2.0	4.0	PASS
279.	15/11/07/01/549	NA	48	48				D		2.0	4.0	PASS
280.	15/11/07/01/550	NA	45	45				D		2.0	4.0	PASS
281.	15/11/07/01/551	NA	45	45				D		2.0	4.0	PASS
282.	15/11/07/01/552	NA	45	45				D		2.0	4.0	PASS
283.	15/11/07/01/553	NA	62	62		B				4.0	8.0	PASS
284.	15/11/07/01/554	NA	48	48				D		2.0	4.0	PASS
285.	15/11/07/01/556	NA	48	48				D		2.0	4.0	PASS
286.	15/11/07/01/557	NA	59	59			C			3.0	6.0	PASS
287.	15/11/07/01/559	NA	45	45				D		2.0	4.0	PASS
288.	15/11/07/01/560	NA	45	45				D		2.0	4.0	PASS
289.	15/11/07/01/563	NA	57	57			C			3.0	6.0	PASS
290.	15/11/07/01/564	NA	45	45				D		2.0	4.0	PASS
291.	15/11/07/01/565	NA	79	79	A					5.0	10.0	PASS
292.	15/11/07/01/566	NA	48	48				D		2.0	4.0	PASS
293.	15/11/07/01/568	NA	48	48				D		2.0	4.0	PASS
294.	15/11/07/01/569	NA	57	57			C			3.0	6.0	PASS
295.	15/11/07/01/571	NA	51	51			C			3.0	6.0	PASS

296.	15/11/07/01/573	NA	54	54			C			3.0	6.0	PASS
297.	15/11/07/01/574	NA	51	51			C			3.0	6.0	PASS
298.	15/11/07/01/575	NA	45	45				D		2.0	4.0	PASS
299.	15/11/07/01/576	NA	65	65		B				4.0	8.0	PASS
300.	15/11/07/01/577	NA	59	59			C			3.0	6.0	PASS
301.	15/11/07/01/578	NA	45	45				D		2.0	4.0	PASS
302.	15/11/07/01/580	NA	51	51			C			3.0	6.0	PASS
303.	15/11/07/02/138	NA	59	59			C			3.0	6.0	PASS
304.	15/11/07/02/250	NA	39	39					F	0.0	0.0	FAIL
305.	15/11/07/02/694	NA	54	54			C			3.0	6.0	PASS
306.	16/11/07/01/002	NA	45	45				D		2.0	4.0	PASS
307.	16/11/07/01/003	NA	37	37					F	0.0	0.0	FAIL
308.	16/11/07/01/004	NA	48	48				D		2.0	4.0	PASS
309.	16/11/07/01/008	NA	62	62		B				4.0	8.0	PASS
310.	16/11/07/01/009	NA	48	48				D		2.0	4.0	PASS
311.	16/11/07/01/010	NA	51	51			C			3.0	6.0	PASS
312.	16/11/07/01/011	NA	62	62		B				4.0	8.0	PASS
313.	16/11/07/01/013	NA	48	48				D		2.0	4.0	PASS
314.	16/11/07/01/021	NA	59	59			C			3.0	6.0	PASS
315.	16/11/07/01/023	NA	45	45				D		2.0	4.0	PASS
316.	16/11/07/01/025	NA	51	51			C			3.0	6.0	PASS
317.	16/11/07/01/026	NA	62	62		B				4.0	8.0	PASS
318.	16/11/07/01/027	NA	45	45				D		2.0	4.0	PASS
319.	16/11/07/01/028	NA	68	68		B				4.0	8.0	PASS
320.	16/11/07/01/031	NA	59	59			C			3.0	6.0	PASS
321.	16/11/07/01/032	NA	74	74	A					5.0	10.0	PASS
322.	16/11/07/01/034	NA	71	71	A					5.0	10.0	PASS
323.	16/11/07/01/036	NA	45	45				D		2.0	4.0	PASS
324.	16/11/07/01/041	NA	37	37					F	0.0	0.0	FAIL
325.	16/11/07/01/042	NA	51	51			C			3.0	6.0	PASS
326.	16/11/07/01/044	NA	65	65		B				4.0	8.0	PASS
327.	16/11/07/01/045	NA	59	59			C			3.0	6.0	PASS
328.	16/11/07/01/046	NA	60	60		B				4.0	8.0	PASS
329.	16/11/07/01/047	NA	54	54			C			3.0	6.0	PASS
330.	16/11/07/01/048	NA	39	39					F	0.0	0.0	FAIL
331.	16/11/07/01/049	NA	59	59			C			3.0	6.0	PASS
332.	16/11/07/01/050	NA	65	65		B				4.0	8.0	PASS
333.	16/11/07/01/051	NA	45	45				D		2.0	4.0	PASS
334.	16/11/07/01/053	NA	45	45				D		2.0	4.0	PASS
335.	16/11/07/01/054	NA	54	54			C			3.0	6.0	PASS
336.	16/11/07/01/057	NA	57	57			C			3.0	6.0	PASS
337.	16/11/07/01/060	NA	37	37					F	0.0	0.0	FAIL
338.	16/11/07/01/061	NA	59	59			C			3.0	6.0	PASS
339.	16/11/07/01/062	NA	71	71	A					5.0	10.0	PASS

340.	16/11/07/01/065	NA	45	45				D		2.0	4.0	PASS
341.	16/11/07/01/066	NA	74	74	A					5.0	10.0	PASS
342.	16/11/07/01/070	NA	42	42					F	0.0	0.0	FAIL
343.	16/11/07/01/072	NA	59	59			C			3.0	6.0	PASS
344.	16/11/07/01/074	NA	45	45				D		2.0	4.0	PASS
345.	16/11/07/01/075	NA	48	48				D		2.0	4.0	PASS
346.	16/11/07/01/076	NA	59	59			C			3.0	6.0	PASS
347.	16/11/07/01/077	NA	82	82	A					5.0	10.0	PASS
348.	16/11/07/01/081	NA	45	45				D		2.0	4.0	PASS
349.	16/11/07/01/082	NA	51	51			C			3.0	6.0	PASS
350.	16/11/07/01/083	NA	39	39					F	0.0	0.0	FAIL
351.	16/11/07/01/085	NA	71	71	A					5.0	10.0	PASS
352.	16/11/07/01/088	NA	45	45				D		2.0	4.0	PASS
353.	16/11/07/01/089	NA	48	48				D		2.0	4.0	PASS
354.	16/11/07/01/090	NA	45	45				D		2.0	4.0	PASS
355.	16/11/07/01/091	NA	62	62		B				4.0	8.0	PASS
356.	16/11/07/01/094	NA	34	34					F	0.0	0.0	FAIL
357.	16/11/07/01/095	NA	51	51			C			3.0	6.0	PASS
358.	16/11/07/01/096	NA	34	34					F	0.0	0.0	FAIL
359.	16/11/07/01/098	NA	45	45				D		2.0	4.0	PASS
360.	16/11/07/01/099	NA	71	71	A					5.0	10.0	PASS
361.	16/11/07/01/101	NA	59	59			C			3.0	6.0	PASS
362.	16/11/07/01/102	NA	34	34					F	0.0	0.0	FAIL
363.	16/11/07/01/103	NA	45	45				D		2.0	4.0	PASS
364.	16/11/07/01/104	NA	62	62		B				4.0	8.0	PASS
365.	16/11/07/01/107	NA	48	48				D		2.0	4.0	PASS
366.	16/11/07/01/108	NA	51	51			C			3.0	6.0	PASS
367.	16/11/07/01/110	NA	59	59			C			3.0	6.0	PASS
368.	16/11/07/01/111	NA	39	39					F	0.0	0.0	FAIL
369.	16/11/07/01/112	NA	51	51			C			3.0	6.0	PASS
370.	16/11/07/01/113	NA	51	51			C			3.0	6.0	PASS
371.	16/11/07/01/114	NA	65	65		B				4.0	8.0	PASS
372.	16/11/07/01/116	NA	48	48				D		2.0	4.0	PASS
373.	16/11/07/01/118	NA	65	65		B				4.0	8.0	PASS
374.	16/11/07/01/119	NA	79	79	A					5.0	10.0	PASS
375.	16/11/07/01/120	NA	79	79	A					5.0	10.0	PASS
376.	16/11/07/01/123	NA	45	45				D		2.0	4.0	PASS
377.	16/11/07/01/127	NA	45	45				D		2.0	4.0	PASS
378.	16/11/07/01/129	NA	54	54			C			3.0	6.0	PASS
379.	16/11/07/01/130	NA	57	57			C			3.0	6.0	PASS
380.	16/11/07/01/132	NA	59	59			C			3.0	6.0	PASS
381.	16/11/07/01/133	NA	51	51			C			3.0	6.0	PASS
382.	16/11/07/01/134	NA	48	48				D		2.0	4.0	PASS
383.	16/11/07/01/136	NA	39	39					F	0.0	0.0	FAIL

384.	16/11/07/01/140	NA	51	51			C			3.0	6.0	PASS
385.	16/11/07/01/141	NA	54	54			C			3.0	6.0	PASS
386.	16/11/07/01/143	NA	46	46				D		2.0	4.0	PASS
387.	16/11/07/01/144	NA	54	54			C			3.0	6.0	PASS
388.	16/11/07/01/145	NA	51	51			C			3.0	6.0	PASS
389.	16/11/07/01/147	NA	48	48				D		2.0	4.0	PASS
390.	16/11/07/01/151	NA	82	82	A					5.0	10.0	PASS
391.	16/11/07/01/152	NA	45	45				D		2.0	4.0	PASS
392.	16/11/07/01/153	NA	57	57			C			3.0	6.0	PASS
393.	16/11/07/01/155	NA	68	68		B				4.0	8.0	PASS
394.	16/11/07/01/156	NA	45	45				D		2.0	4.0	PASS
395.	16/11/07/01/159	NA	62	62		B				4.0	8.0	PASS
396.	16/11/07/01/439	NA	65	65		B				4.0	8.0	PASS
397.	16/11/07/01/441	NA	71	71	A					5.0	10.0	PASS
398.	16/11/07/01/442	NA	82	82	A					5.0	10.0	PASS
399.	16/11/07/01/443	NA	45	45				D		2.0	4.0	PASS
400.	16/11/07/01/445	NA	45	45				D		2.0	4.0	PASS
401.	16/11/07/01/446	NA	48	48				D		2.0	4.0	PASS
402.	16/11/07/01/449	NA	51	51			C			3.0	6.0	PASS
403.	16/11/07/01/451	NA	34	34					F	0.0	0.0	FAIL
404.	16/11/07/01/454	NA	51	51			C			3.0	6.0	PASS
405.	16/11/07/01/455	NA	54	54			C			3.0	6.0	PASS
406.	16/11/07/01/456	NA	48	48				D		2.0	4.0	PASS
407.	16/11/07/01/457	NA	51	51			C			3.0	6.0	PASS
408.	16/11/07/01/458	NA	57	57			C			3.0	6.0	PASS
409.	16/11/07/01/459	NA	37	37					F	0.0	0.0	FAIL
410.	16/11/07/01/460	NA	48	48				D		2.0	4.0	PASS
411.	16/11/07/01/463	NA	54	54			C			3.0	6.0	PASS
412.	16/11/07/01/464	NA	45	45				D		2.0	4.0	PASS
413.	16/11/07/01/465	NA	45	45				D		2.0	4.0	PASS
414.	16/11/07/01/467	NA	57	57			C			3.0	6.0	PASS
415.	16/11/07/01/471	NA	57	57			C			3.0	6.0	PASS
416.	16/11/07/01/474	NA	54	54			C			3.0	6.0	PASS
417.	16/11/07/01/475	NA	45	45				D		2.0	4.0	PASS
418.	16/11/07/01/481	NA	65	65		B				4.0	8.0	PASS
419.	16/11/07/01/488	NA	54	54			C			3.0	6.0	PASS
420.	16/11/07/01/489	NA	62	62		B				4.0	8.0	PASS
421.	16/11/07/01/490	NA	37	37					F	0.0	0.0	FAIL
422.	16/11/07/01/494	NA	45	45				D		2.0	4.0	PASS
423.	16/11/07/01/496	NA	45	45				D		2.0	4.0	PASS
424.	16/11/07/01/499	NA	45	45				D		2.0	4.0	PASS
425.	16/11/07/01/505	NA	68	68		B				4.0	8.0	PASS
426.	16/11/07/01/507	NA	54	54			C			3.0	6.0	PASS
427.	16/11/07/01/508	NA	48	48				D		2.0	4.0	PASS

428.	16/11/07/01/509	NA	45	45				D		2.0	4.0	PASS
429.	16/11/07/01/512	NA	57	57			C			3.0	6.0	PASS
430.	16/11/07/01/518	NA	45	45				D		2.0	4.0	PASS
431.	16/11/07/01/520	NA	54	54			C			3.0	6.0	PASS
432.	16/11/07/01/523	NA	48	48				D		2.0	4.0	PASS
433.	16/11/07/01/524	NA	62	62		B				4.0	8.0	PASS
434.	16/11/07/01/526	NA	45	45				D		2.0	4.0	PASS
435.	16/11/07/01/527	NA	59	59			C			3.0	6.0	PASS
436.	16/11/07/01/528	NA	51	51			C			3.0	6.0	PASS
437.	16/11/07/01/534	NA	59	59			C			3.0	6.0	PASS
438.	16/11/07/01/535	NA	37	37					F	0.0	0.0	FAIL
439.	16/11/07/01/539	NA	45	45				D		2.0	4.0	PASS
440.	16/11/07/01/540	NA	39	39					F	0.0	0.0	FAIL
441.	16/11/07/01/543	NA	59	59			C			3.0	6.0	PASS
442.	16/11/07/01/545	NA	57	57			C			3.0	6.0	PASS
443.	16/11/07/01/546	NA	68	68		B				4.0	8.0	PASS
444.	16/11/07/01/550	NA	48	48				D		2.0	4.0	PASS
445.	16/11/07/01/553	NA	51	51			C			3.0	6.0	PASS
446.	16/11/07/01/556	NA	45	45				D		2.0	4.0	PASS
447.	16/11/07/01/559	NA	62	62		B				4.0	8.0	PASS
448.	16/11/07/01/560	NA	51	51			C			3.0	6.0	PASS
449.	16/11/07/01/563	NA	54	54			C			3.0	6.0	PASS
450.	16/11/07/01/565	NA	54	54			C			3.0	6.0	PASS
451.	16/11/07/01/566	NA	48	48				D		2.0	4.0	PASS
452.	16/11/07/01/570	NA	48	48				D		2.0	4.0	PASS
453.	16/11/07/01/572	NA	57	57			C			3.0	6.0	PASS
454.	16/11/07/01/575	NA	57	57			C			3.0	6.0	PASS
455.	16/11/07/01/576	NA	37	37					F	0.0	0.0	FAIL
456.	16/11/07/01/577	NA	48	48				D		2.0	4.0	PASS
457.	16/11/07/01/579	NA	45	45				D		2.0	4.0	PASS
458.	16/11/07/01/580	NA	39	39					F	0.0	0.0	FAIL
459.	16/11/07/01/581	NA	45	45				D		2.0	4.0	PASS
460.	16/11/07/01/582	NA	62	62		B				4.0	8.0	PASS
461.	16/11/07/01/583	NA	39	39					F	0.0	0.0	FAIL
462.	16/11/07/01/588	NA	68	68		B				4.0	8.0	PASS
463.	16/11/07/01/590	NA	51	51			C			3.0	6.0	PASS
464.	16/11/07/01/591	NA	45	45				D		2.0	4.0	PASS
465.	16/11/07/01/593	NA	48	48				D		2.0	4.0	PASS
466.	16/11/07/01/595	NA	77	77	A					5.0	10.0	PASS
467.	16/11/07/01/598	NA	71	71	A					5.0	10.0	PASS
468.	16/11/07/01/603	NA	57	57			C			3.0	6.0	PASS
469.	16/11/07/01/604	NA	48	48				D		2.0	4.0	PASS
470.	16/11/07/01/606	NA	48	48				D		2.0	4.0	PASS
471.	16/11/07/01/607	NA	37	37					F	0.0	0.0	FAIL

472.	16/11/07/01/608	NA	45	45				D		2.0	4.0	PASS
473.	16/11/07/01/612	NA	54	54			C			3.0	6.0	PASS
474.	16/11/07/01/614	NA	54	54			C			3.0	6.0	PASS
475.	16/11/07/01/615	NA	45	45				D		2.0	4.0	PASS
476.	16/11/07/01/617	NA	74	74	A					5.0	10.0	PASS
477.	16/11/07/01/618	NA	51	51			C			3.0	6.0	PASS
478.	16/11/07/01/641	NA	51	51			C			3.0	6.0	PASS
479.	16/11/07/01/649	NA	51	51			C			3.0	6.0	PASS
480.	16/11/07/01/650	NA	57	57			C			3.0	6.0	PASS
481.	16/11/07/01/653	NA	62	62		B				4.0	8.0	PASS
482.	16/11/07/01/654	NA	45	45				D		2.0	4.0	PASS
483.	16/11/07/01/663	NA	59	59			C			3.0	6.0	PASS
484.	16/11/07/01/664	NA	51	51			C			3.0	6.0	PASS
485.	16/11/07/01/669	NA	51	51			C			3.0	6.0	PASS
486.	16/11/07/01/670	NA	59	59			C			3.0	6.0	PASS
487.	16/11/07/01/671	NA	54	54			C			3.0	6.0	PASS
488.	16/11/07/01/675	NA	39	39					F	0.0	0.0	FAIL
489.	16/11/07/01/676	NA	48	48				D		2.0	4.0	PASS
490.	16/11/07/01/681	NA	39	39					F	0.0	0.0	FAIL
491.	16/11/07/01/684	NA	57	57			C			3.0	6.0	PASS
492.	16/11/07/01/685	NA	54	54			C			3.0	6.0	PASS
493.	16/11/07/01/686	NA	45	45				D		2.0	4.0	PASS
494.	16/11/07/01/687	NA	45	45				D		2.0	4.0	PASS
495.	16/11/07/01/688	NA	48	48				D		2.0	4.0	PASS
496.	16/11/07/01/689	NA	48	48				D		2.0	4.0	PASS
497.	16/11/07/01/690	NA	45	45				D		2.0	4.0	PASS
498.	16/11/07/01/694	NA	51	51			C			3.0	6.0	PASS
499.	16/11/07/01/697	NA	65	65		B				4.0	8.0	PASS
500.	16/11/07/01/698	NA	48	48				D		2.0	4.0	PASS
501.	16/11/07/01/702	NA	48	48				D		2.0	4.0	PASS
502.	16/11/07/01/704	NA	57	57			C			3.0	6.0	PASS
503.	16/11/07/01/720	NA	65	65		B				4.0	8.0	PASS
504.	16/11/07/01/721	NA	65	65		B				4.0	8.0	PASS
505.	16/11/07/01/722	NA	39	39					F	0.0	0.0	FAIL
506.	16/11/07/01/724	NA	51	51			C			3.0	6.0	PASS
507.	16/11/07/01/728	NA	45	45				D		2.0	4.0	PASS
508.	16/11/07/01/729	NA	57	57			C			3.0	6.0	PASS
509.	16/11/07/01/731	NA	39	39					F	0.0	0.0	FAIL
510.	16/11/07/01/732	NA	62	62		B				4.0	8.0	PASS
511.	16/11/07/01/739	NA	45	45				D		2.0	4.0	PASS
512.	16/11/07/01/740	NA	54	54			C			3.0	6.0	PASS
513.	16/11/07/01/743	NA	48	48				D		2.0	4.0	PASS
514.	16/11/07/01/745	NA	54	54			C			3.0	6.0	PASS
515.	16/11/07/01/747	NA	48	48				D		2.0	4.0	PASS

516.	16/11/07/01/748	NA	39	39					F	0.0	0.0	FAIL
517.	16/11/07/01/749	NA	45	45				D		2.0	4.0	PASS
518.	16/11/07/01/750	NA	48	48				D		2.0	4.0	PASS
519.	16/11/07/01/753	NA	51	51			C			3.0	6.0	PASS
520.	16/11/07/01/755	NA	65	65		B				4.0	8.0	PASS
521.	16/11/07/01/757	NA	48	48				D		2.0	4.0	PASS
522.	16/11/07/01/758	NA	68	68		B				4.0	8.0	PASS
523.	16/11/07/01/761	NA	62	62		B				4.0	8.0	PASS
524.	16/11/07/01/762	NA	77	77	A					5.0	10.0	PASS
525.	16/11/07/01/764	NA	45	45				D		2.0	4.0	PASS
526.	16/11/07/01/765	NA	51	51			C			3.0	6.0	PASS
527.	16/11/07/01/766	NA	45	45				D		2.0	4.0	PASS
528.	16/11/07/01/767	NA	45	45				D		2.0	4.0	PASS
529.	16/11/07/01/768	NA	51	51			C			3.0	6.0	PASS
530.	16/11/07/01/774	NA	39	39					F	0.0	0.0	FAIL
531.	16/11/07/01/775	NA	48	48				D		2.0	4.0	PASS
532.	16/11/07/01/777	NA	74	74	A					5.0	10.0	PASS
533.	16/11/07/01/779	NA	77	77	A					5.0	10.0	PASS
534.	16/11/07/01/782	NA	57	57			C			3.0	6.0	PASS
SUMMARY					33	60	197	183	61			534