

UNIVERSITY OF MAIDUGURI*(Office of the Vice-Chancellor)***Center for Distance Learning****DEPARTMENT OF PHYSICAL & HEALTH EDUCATION****SECOND SEMESTER END- OF- COURSE EXAMINATION RESULTS****COURSE CODE: HED 304****COURSE TITLE: ENVIRONMENTAL HEALTH IN HEALTH EDUCATION****COURSE UNITS: 2****2016/2017 ACADEMIC SESSION**

S/No.	ID. No.	CA Marks	Exam Marks	Total Marks	Grades					GP	U.GP	Remarks
					A	B	C	D	F			
1.	12/11/04/03/034	17	28	45				D		2.0	4.0	PASS
2.	12/11/04/04/090	16	29	45				D		2.0	4.0	PASS
3.	12/11/04/04/107	16	29	45				D		2.0	4.0	PASS
4.	12/11/04/04/427	20	34	54			C			3.0	6.0	PASS
5.	12/11/04/04/523	15	30	45				D		2.0	4.0	PASS
6.	14/11/04/04/001	11	18	29					F	0.0	0.0	FAIL
7.	14/11/04/04/004	18	30	48				D		2.0	4.0	PASS
8.	14/11/04/04/008	14	31	45				D		2.0	4.0	PASS
9.	14/11/04/04/014	13	32	45				D		2.0	4.0	PASS
10.	14/11/04/04/018	10	16	26					F	0.0	0.0	FAIL
11.	14/11/04/04/019	14	31	45				D		2.0	4.0	PASS
12.	14/11/04/04/020	14	32	46				D		2.0	4.0	PASS
13.	14/11/04/04/021	16	30	46				D		2.0	4.0	PASS
14.	14/11/04/04/024	22	36	58			C			3.0	6.0	PASS
15.	14/11/04/04/026	23	42	65		B				4.0	8.0	PASS
16.	14/11/04/04/028	20	34	54			C			3.0	6.0	PASS
17.	14/11/04/04/029	17	28	45				D		2.0	4.0	PASS
18.	14/11/04/04/031	24	48	72	A					5.0	10.0	PASS
19.	14/11/04/04/032	25	48	73	A					5.0	10.0	PASS
20.	14/11/04/04/035	11	18	29					F	0.0	0.0	FAIL
21.	14/11/04/04/036	10	16	26					F	0.0	0.0	FAIL
22.	14/11/04/04/038	24	46	70	A					5.0	10.0	PASS

23.	14/11/04/04/040	13	32	45				D		2.0	4.0	PASS
24.	14/11/04/04/043	16	29	45				D		2.0	4.0	PASS
25.	14/11/04/04/044	14	31	45				D		2.0	4.0	PASS
26.	14/11/04/04/046	14	32	46				D		2.0	4.0	PASS
27.	14/11/04/04/050	11	18	29					F	0.0	0.0	FAIL
28.	14/11/04/04/051	22	42	64		B				4.0	8.0	PASS
29.	14/11/04/04/055	15	30	45				D		2.0	4.0	PASS
30.	14/11/04/04/057	22	38	60		B				4.0	8.0	PASS
31.	14/11/04/04/058	19	32	51			C			3.0	6.0	PASS
32.	14/11/04/04/059	16	29	45				D		2.0	4.0	PASS
33.	14/11/04/04/060	22	42	64		B				4.0	8.0	PASS
34.	14/11/04/04/061	22	38	60		B				4.0	8.0	PASS
35.	14/11/04/04/062	24	40	64		B				4.0	8.0	PASS
36.	14/11/04/04/063	13	32	45				D		2.0	4.0	PASS
37.	14/11/04/04/064	13	32	45				D		2.0	4.0	PASS
38.	14/11/04/04/065	10	16	26					F	0.0	0.0	FAIL
39.	14/11/04/04/066	16	29	45				D		2.0	4.0	PASS
40.	14/11/04/04/069	19	32	51			C			3.0	6.0	PASS
41.	14/11/04/04/070	10	16	26					F	0.0	0.0	FAIL
42.	14/11/04/04/071	18	32	50			C			3.0	6.0	PASS
43.	14/11/04/04/073	16	29	45				D		2.0	4.0	PASS
44.	14/11/04/04/081	16	29	45				D		2.0	4.0	PASS
45.	14/11/04/04/082	20	40	60		B				4.0	8.0	PASS
46.	14/11/04/04/083	20	34	54			C			3.0	6.0	PASS
47.	14/11/04/04/085	20	42	62		B				4.0	8.0	PASS
48.	14/11/04/04/089	14	31	45				D		2.0	4.0	PASS
49.	14/11/04/04/092	18	30	48				D		2.0	4.0	PASS
50.	14/11/04/04/093	13	32	45				D		2.0	4.0	PASS
51.	14/11/04/04/097	20	34	54			C			3.0	6.0	PASS
52.	14/11/04/04/099	17	28	45				D		2.0	4.0	PASS
53.	14/11/04/04/100	20	34	54			C			3.0	6.0	PASS
54.	14/11/04/04/1001	16	30	46				D		2.0	4.0	PASS
55.	14/11/04/04/1002	22	44	66		B				4.0	8.0	PASS
56.	14/11/04/04/1003	07	12	19					F	0.0	0.0	FAIL

57.	14/11/04/04/1007	11	18	29					F	0.0	0.0	FAIL
58.	14/11/04/04/1008	23	48	71	A					5.0	10.0	PASS
59.	14/11/04/04/1010	13	32	45				D		2.0	4.0	PASS
60.	14/11/04/04/1013	20	38	58			C			3.0	6.0	PASS
61.	14/11/04/04/1014	06	10	16					F	0.0	0.0	FAIL
62.	14/11/04/04/1017	18	30	48				D		2.0	4.0	PASS
63.	14/11/04/04/1018	22	46	68		B				4.0	8.0	PASS
64.	14/11/04/04/1030	07	12	19					F	0.0	0.0	FAIL
65.	14/11/04/04/1033	15	30	45				D		2.0	4.0	PASS
66.	14/11/04/04/1039	13	32	45				D		2.0	4.0	PASS
67.	14/11/04/04/104	17	28	45				D		2.0	4.0	PASS
68.	14/11/04/04/1040	11	18	29					F	0.0	0.0	FAIL
69.	14/11/04/04/1041	10	18	28					F	0.0	0.0	FAIL
70.	14/11/04/04/1042	15	30	45				D		2.0	4.0	PASS
71.	14/11/04/04/1045	08	14	22					F	0.0	0.0	FAIL
72.	14/11/04/04/105	13	32	45				D		2.0	4.0	PASS
73.	14/11/04/04/1051	16	29	45				D		2.0	4.0	PASS
74.	14/11/04/04/1055	11	18	29					F	0.0	0.0	FAIL
75.	14/11/04/04/106	20	34	54			C			3.0	6.0	PASS
76.	14/11/04/04/1064	08	14	22					F	0.0	0.0	FAIL
77.	14/11/04/04/107	11	18	29					F	0.0	0.0	FAIL
78.	14/11/04/04/108	17	28	45				D		2.0	4.0	PASS
79.	14/11/04/04/110	21	44	65		B				4.0	8.0	PASS
80.	14/11/04/04/111	16	29	45				D		2.0	4.0	PASS
81.	14/11/04/04/112	20	34	54			C			3.0	6.0	PASS
82.	14/11/04/04/113	19	32	51			C			3.0	6.0	PASS
83.	14/11/04/04/116	20	34	54			C			3.0	6.0	PASS
84.	14/11/04/04/117	20	40	60		B				4.0	8.0	PASS
85.	14/11/04/04/118	21	44	65		B				4.0	8.0	PASS
86.	14/11/04/04/119	20	40	60		B				4.0	8.0	PASS
87.	14/11/04/04/121	14	31	45				D		2.0	4.0	PASS
88.	14/11/04/04/123	14	31	45				D		2.0	4.0	PASS
89.	14/11/04/04/125	17	28	45				D		2.0	4.0	PASS
90.	14/11/04/04/128	18	30	48				D		2.0	4.0	PASS

91.	14/11/04/04/129	05	08	13				F	0.0	0.0	FAIL
92.	14/11/04/04/130	20	40	60		B			4.0	8.0	PASS
93.	14/11/04/04/131	16	30	46				D	2.0	4.0	PASS
94.	14/11/04/04/132	16	29	45				D	2.0	4.0	PASS
95.	14/11/04/04/135	21	42	63		B			4.0	8.0	PASS
96.	14/11/04/04/137	22	48	70	A				5.0	10.0	PASS
97.	14/11/04/04/141	15	30	45				D	2.0	4.0	PASS
98.	14/11/04/04/143	14	31	45				D	2.0	4.0	PASS
99.	14/11/04/04/151	19	32	51			C		3.0	6.0	PASS
100.	14/11/04/04/153	21	44	65		B			4.0	8.0	PASS
101.	14/11/04/04/155	20	40	60		B			4.0	8.0	PASS
102.	14/11/04/04/156	13	32	45				D	2.0	4.0	PASS
103.	14/11/04/04/159	21	44	65		B			4.0	8.0	PASS
104.	14/11/04/04/160	14	31	45				D	2.0	4.0	PASS
105.	14/11/04/04/162	17	28	45				D	2.0	4.0	PASS
106.	14/11/04/04/163	18	30	48				D	2.0	4.0	PASS
107.	14/11/04/04/165	19	32	51			C		3.0	6.0	PASS
108.	14/11/04/04/166	16	29	45				D	2.0	4.0	PASS
109.	14/11/04/04/172	15	30	45				D	2.0	4.0	PASS
110.	14/11/04/04/175	22	44	66		B			4.0	8.0	PASS
111.	14/11/04/04/176	05	08	13				F	0.0	0.0	FAIL
112.	14/11/04/04/178	22	46	68		B			4.0	8.0	PASS
113.	14/11/04/04/179	18	30	48				D	2.0	4.0	PASS
114.	14/11/04/04/180	14	31	45				D	2.0	4.0	PASS
115.	14/11/04/04/181	10	16	26				F	0.0	0.0	FAIL
116.	14/11/04/04/184	22	48	70	A				5.0	10.0	PASS
117.	14/11/04/04/185	19	32	51			C		3.0	6.0	PASS
118.	14/11/04/04/186	16	29	45				D	2.0	4.0	PASS
119.	14/11/04/04/187	24	52	76	A				5.0	10.0	PASS
120.	14/11/04/04/189	14	31	45				D	2.0	4.0	PASS
121.	14/11/04/04/193	22	44	66		B			4.0	8.0	PASS
122.	14/11/04/04/194	23	50	73	A				5.0	10.0	PASS
123.	14/11/04/04/195	16	30	46				D	2.0	4.0	PASS
124.	14/11/04/04/197	16	29	45				D	2.0	4.0	PASS

125.	14/11/04/04/200	13	32	45				D		2.0	4.0	PASS
126.	14/11/04/04/202	21	42	63		B				4.0	8.0	PASS
127.	14/11/04/04/204	23	50	73	A					5.0	10.0	PASS
128.	14/11/04/04/206	13	32	45				D		2.0	4.0	PASS
129.	14/11/04/04/207	16	31	47				D		2.0	4.0	PASS
130.	14/11/04/04/208	08	14	22					F	0.0	0.0	FAIL
131.	14/11/04/04/209	17	28	45				D		2.0	4.0	PASS
132.	14/11/04/04/210	20	34	54			C			3.0	6.0	PASS
133.	14/11/04/04/214	08	14	22					F	0.0	0.0	FAIL
134.	14/11/04/04/220	08	14	22					F	0.0	0.0	FAIL
135.	14/11/04/04/222	10	16	26					F	0.0	0.0	FAIL
136.	14/11/04/04/224	19	32	51			C			3.0	6.0	PASS
137.	14/11/04/04/226	22	40	62		B				4.0	8.0	PASS
138.	14/11/04/04/228	19	32	51			C			3.0	6.0	PASS
139.	14/11/04/04/233	18	30	48				D		2.0	4.0	PASS
140.	14/11/04/04/237	13	32	45				D		2.0	4.0	PASS
141.	14/11/04/04/238	16	29	45				D		2.0	4.0	PASS
142.	14/11/04/04/240	14	33	47				D		2.0	4.0	PASS
143.	14/11/04/04/241	20	36	56			C			3.0	6.0	PASS
144.	14/11/04/04/242	13	32	45				D		2.0	4.0	PASS
145.	14/11/04/04/243	22	40	62		B				4.0	8.0	PASS
146.	14/11/04/04/246	20	36	56			C			3.0	6.0	PASS
147.	14/11/04/04/249	16	30	46				D		2.0	4.0	PASS
148.	14/11/04/04/250	07	12	19					F	0.0	0.0	FAIL
149.	14/11/04/04/257	20	34	54			C			3.0	6.0	PASS
150.	14/11/04/04/264	06	10	16					F	0.0	0.0	FAIL
151.	14/11/04/04/267	17	28	45				D		2.0	4.0	PASS
152.	14/11/04/04/271	22	42	64		B				4.0	8.0	PASS
153.	14/11/04/04/275	21	44	65		B				4.0	8.0	PASS
154.	14/11/04/04/276	16	30	46				D		2.0	4.0	PASS
155.	14/11/04/04/278	22	36	58			C			3.0	6.0	PASS
156.	14/11/04/04/279	21	40	61		B				4.0	8.0	PASS
157.	14/11/04/04/280	16	29	45				D		2.0	4.0	PASS
158.	14/11/04/04/281	16	29	45				D		2.0	4.0	PASS

159.	14/11/04/04/287	23	38	61		B				4.0	8.0	PASS
160.	14/11/04/04/295	24	40	64		B				4.0	8.0	PASS
161.	14/11/04/04/298	15	30	45				D		2.0	4.0	PASS
162.	14/11/04/04/300	20	34	54			C			3.0	6.0	PASS
163.	14/11/04/04/302	07	12	19					F	0.0	0.0	FAIL
164.	14/11/04/04/304	19	32	51			C			3.0	6.0	PASS
165.	14/11/04/04/305	13	32	45				D		2.0	4.0	PASS
166.	14/11/04/04/306	08	14	22					F	0.0	0.0	FAIL
167.	14/11/04/04/308	20	40	60		B				4.0	8.0	PASS
168.	14/11/04/04/310	20	34	54			C			3.0	6.0	PASS
169.	14/11/04/04/311	17	28	45				D		2.0	4.0	PASS
170.	14/11/04/04/313	22	46	68		B				4.0	8.0	PASS
171.	14/11/04/04/314	23	50	73	A					5.0	10.0	PASS
172.	14/11/04/04/315	17	28	45				D		2.0	4.0	PASS
173.	14/11/04/04/316	22	38	60		B				4.0	8.0	PASS
174.	14/11/04/04/317	14	31	45				D		2.0	4.0	PASS
175.	14/11/04/04/318	10	16	26					F	0.0	0.0	FAIL
176.	14/11/04/04/320	17	28	45				D		2.0	4.0	PASS
177.	14/11/04/04/322	24	40	64		B				4.0	8.0	PASS
178.	14/11/04/04/324	17	28	45				D		2.0	4.0	PASS
179.	14/11/04/04/330	19	32	51			C			3.0	6.0	PASS
180.	14/11/04/04/331	10	16	26					F	0.0	0.0	FAIL
181.	14/11/04/04/337	24	50	74	A					5.0	10.0	PASS
182.	14/11/04/04/343	19	32	51			C			3.0	6.0	PASS
183.	14/11/04/04/346	20	40	60		B				4.0	8.0	PASS
184.	14/11/04/04/347	18	30	48				D		2.0	4.0	PASS
185.	14/11/04/04/349	14	41	55			C			3.0	6.0	PASS
186.	14/11/04/04/351	23	38	61		B				4.0	8.0	PASS
187.	14/11/04/04/354	22	42	64		B				4.0	8.0	PASS
188.	14/11/04/04/357	20	34	54			C			3.0	6.0	PASS
189.	14/11/04/04/359	17	28	45				D		2.0	4.0	PASS
190.	14/11/04/04/362	22	36	58			C			3.0	6.0	PASS
191.	14/11/04/04/364	16	31	47				D		2.0	4.0	PASS
192.	14/11/04/04/366	14	31	45				D		2.0	4.0	PASS

193.	14/11/04/04/367	19	32	51			C			3.0	6.0	PASS
194.	14/11/04/04/368	18	30	48				D		2.0	4.0	PASS
195.	14/11/04/04/369	16	30	46				D		2.0	4.0	PASS
196.	14/11/04/04/370	14	31	45				D		2.0	4.0	PASS
197.	14/11/04/04/376	15	30	45				D		2.0	4.0	PASS
198.	14/11/04/04/377	13	32	45				D		2.0	4.0	PASS
199.	14/11/04/04/379	17	28	45				D		2.0	4.0	PASS
200.	14/11/04/04/380	18	30	48				D		2.0	4.0	PASS
201.	14/11/04/04/381	20	34	54			C			3.0	6.0	PASS
202.	14/11/04/04/383	11	18	29					F	0.0	0.0	FAIL
203.	14/11/04/04/392	13	32	45				D		2.0	4.0	PASS
204.	14/11/04/04/399	13	33	46				D		2.0	4.0	PASS
205.	14/11/04/04/401	14	31	45				D		2.0	4.0	PASS
206.	14/11/04/04/402	20	40	60		B				4.0	8.0	PASS
207.	14/11/04/04/403	21	40	61		B				4.0	8.0	PASS
208.	14/11/04/04/407	22	46	68		B				4.0	8.0	PASS
209.	14/11/04/04/411	14	32	46				D		2.0	4.0	PASS
210.	14/11/04/04/412	22	36	58			C			3.0	6.0	PASS
211.	14/11/04/04/414	10	10	20					F	0.0	0.0	FAIL
212.	14/11/04/04/415	22	38	60		B				4.0	8.0	PASS
213.	14/11/04/04/416	22	28	50			C			3.0	6.0	PASS
214.	14/11/04/04/417	13	32	45				D		2.0	4.0	PASS
215.	14/11/04/04/420	22	38	60		B				4.0	8.0	PASS
216.	14/11/04/04/423	17	28	45				D		2.0	4.0	PASS
217.	14/11/04/04/425	13	33	46				D		2.0	4.0	PASS
218.	14/11/04/04/427	11	18	29					F	0.0	0.0	FAIL
219.	14/11/04/04/430	16	30	46				D		2.0	4.0	PASS
220.	14/11/04/04/431	19	32	51			C			3.0	6.0	PASS
221.	14/11/04/04/434	10	12	22					F	0.0	0.0	FAIL
222.	14/11/04/04/436	16	29	45				D		2.0	4.0	PASS
223.	14/11/04/04/437	11	18	29					F	0.0	0.0	FAIL
224.	14/11/04/04/439	18	30	48				D		2.0	4.0	PASS
225.	14/11/04/04/440	21	42	63		B				4.0	8.0	PASS
226.	14/11/04/04/443	16	30	46				D		2.0	4.0	PASS

227.	14/11/04/04/449	15	30	45				D		2.0	4.0	PASS
228.	14/11/04/04/452	15	30	45				D		2.0	4.0	PASS
229.	14/11/04/04/463	11	18	29					F	0.0	0.0	FAIL
230.	14/11/04/04/468	17	28	45				D		2.0	4.0	PASS
231.	14/11/04/04/469	18	28	46				D		2.0	4.0	PASS
232.	14/11/04/04/471	15	30	45				D		2.0	4.0	PASS
233.	14/11/04/04/472	10	12	22					F	0.0	0.0	FAIL
234.	14/11/04/04/474	11	18	29					F	0.0	0.0	FAIL
235.	14/11/04/04/476	18	38	56			C			3.0	6.0	PASS
236.	14/11/04/04/477	11	18	29					F	0.0	0.0	FAIL
237.	14/11/04/04/478	21	40	61		B				4.0	8.0	PASS
238.	14/11/04/04/479	10	16	26					F	0.0	0.0	FAIL
239.	14/11/04/04/482	20	36	56			C			3.0	6.0	PASS
240.	14/11/04/04/483	14	31	45				D		2.0	4.0	PASS
241.	14/11/04/04/484	23	48	71	A					5.0	10.0	PASS
242.	14/11/04/04/489	20	36	56			C			3.0	6.0	PASS
243.	14/11/04/04/495	15	30	45				D		2.0	4.0	PASS
244.	14/11/04/04/496	19	32	51			C			3.0	6.0	PASS
245.	14/11/04/04/497	14	32	46				D		2.0	4.0	PASS
246.	14/11/04/04/500	16	30	46				D		2.0	4.0	PASS
247.	14/11/04/04/502	20	34	54			C			3.0	6.0	PASS
248.	14/11/04/04/508	17	28	45				D		2.0	4.0	PASS
249.	14/11/04/04/509	23	44	67		B				4.0	8.0	PASS
250.	14/11/04/04/511	20	36	56			C			3.0	6.0	PASS
251.	14/11/04/04/514	22	36	58			C			3.0	6.0	PASS
252.	14/11/04/04/515	17	28	45				D		2.0	4.0	PASS
253.	14/11/04/04/516	10	16	26					F	0.0	0.0	FAIL
254.	14/11/04/04/519	16	26	29					F	0.0	0.0	FAIL
255.	14/11/04/04/520	23	48	71	A					5.0	10.0	PASS
256.	14/11/04/04/521	21	42	63		B				4.0	8.0	PASS
257.	14/11/04/04/523	10	16	26					F	0.0	0.0	FAIL
258.	14/11/04/04/524	10	10	20					F	0.0	0.0	FAIL
259.	14/11/04/04/527	15	30	45				D		2.0	4.0	PASS
260.	14/11/04/04/528	20	34	54			C			3.0	6.0	PASS

261.	14/11/04/04/531	20	34	54			C			3.0	6.0	PASS
262.	14/11/04/04/535	22	36	58			C			3.0	6.0	PASS
263.	14/11/04/04/537	20	34	54			C			3.0	6.0	PASS
264.	14/11/04/04/538	18	30	48				D		2.0	4.0	PASS
265.	14/11/04/04/539	22	40	62		B				4.0	8.0	PASS
266.	14/11/04/04/540	20	34	54			C			3.0	6.0	PASS
267.	14/11/04/04/545	16	29	45				D		2.0	4.0	PASS
268.	14/11/04/04/547	18	30	48				D		2.0	4.0	PASS
269.	14/11/04/04/548	22	36	58			C			3.0	6.0	PASS
270.	14/11/04/04/552	22	36	58			C			3.0	6.0	PASS
271.	14/11/04/04/556	11	18	29					F	0.0	0.0	FAIL
272.	14/11/04/04/560	16	30	46				D		2.0	4.0	PASS
273.	14/11/04/04/561	11	18	29					F	0.0	0.0	FAIL
274.	14/11/04/04/569	13	32	45				D		2.0	4.0	PASS
275.	14/11/04/04/570	11	18	29					F	0.0	0.0	FAIL
276.	14/11/04/04/572	22	36	58			C			3.0	6.0	PASS
277.	14/11/04/04/573	20	34	54			C			3.0	6.0	PASS
278.	14/11/04/04/576	18	30	48				D		2.0	4.0	PASS
279.	14/11/04/04/578	16	29	45				D		2.0	4.0	PASS
280.	14/11/04/04/579	13	32	45				D		2.0	4.0	PASS
281.	14/11/04/04/583	07	12	19					F	0.0	0.0	FAIL
282.	14/11/04/04/586	11	18	29					F	0.0	0.0	FAIL
283.	14/11/04/04/591	15	30	45				D		2.0	4.0	PASS
284.	14/11/04/04/592	07	12	19					F	0.0	0.0	FAIL
285.	14/11/04/04/594	25	42	67		B				4.0	8.0	PASS
286.	14/11/04/04/596	17	28	45				D		2.0	4.0	PASS
287.	14/11/04/04/597	08	14	22					F	0.0	0.0	FAIL
288.	14/11/04/04/599	11	18	29					F	0.0	0.0	FAIL
289.	14/11/04/04/600	15	30	45				D		2.0	4.0	PASS
290.	14/11/04/04/604	11	18	29					F	0.0	0.0	FAIL
291.	14/11/04/04/609	20	34	54			C			3.0	6.0	PASS
292.	14/11/04/04/615	07	12	19					F	0.0	0.0	FAIL
293.	14/11/04/04/619	16	30	46				D		2.0	4.0	PASS
294.	14/11/04/04/621	18	30	48				D		2.0	4.0	PASS

295.	14/11/04/04/624	10	16	26				F	0.0	0.0	FAIL
296.	14/11/04/04/633	22	42	64		B			4.0	8.0	PASS
297.	14/11/04/04/635	21	42	63		B			4.0	8.0	PASS
298.	14/11/04/04/640	23	44	67		B			4.0	8.0	PASS
299.	14/11/04/04/644	17	28	45				D	2.0	4.0	PASS
300.	14/11/04/04/651	10	14	24				F	0.0	0.0	FAIL
301.	14/11/04/04/652	13	32	45				D	2.0	4.0	PASS
302.	14/11/04/04/658	20	34	54			C		3.0	6.0	PASS
303.	14/11/04/04/662	14	31	45				D	2.0	4.0	PASS
304.	14/11/04/04/665	13	32	45				D	2.0	4.0	PASS
305.	14/11/04/04/667	14	32	46				D	2.0	4.0	PASS
306.	14/11/04/04/670	21	35	56			C		3.0	6.0	PASS
307.	14/11/04/04/672	14	32	46				D	2.0	4.0	PASS
308.	14/11/04/04/673	10	14	24				F	0.0	0.0	FAIL
309.	14/11/04/04/674	13	33	46				D	2.0	4.0	PASS
310.	14/11/04/04/678	17	28	45				D	2.0	4.0	PASS
311.	14/11/04/04/683	13	32	45				D	2.0	4.0	PASS
312.	14/11/04/04/686	16	31	47				D	2.0	4.0	PASS
313.	14/11/04/04/692	23	48	71	A				5.0	10.0	PASS
314.	14/11/04/04/693	17	28	45				D	2.0	4.0	PASS
315.	14/11/04/04/694	17	28	45				D	2.0	4.0	PASS
316.	14/11/04/04/697	19	32	51			C		3.0	6.0	PASS
317.	14/11/04/04/700	16	29	45				D	2.0	4.0	PASS
318.	14/11/04/04/702	18	30	48				D	2.0	4.0	PASS
319.	14/11/04/04/707	14	32	46				D	2.0	4.0	PASS
320.	14/11/04/04/708	20	34	54			C		3.0	6.0	PASS
321.	14/11/04/04/715	14	31	45				D	2.0	4.0	PASS
322.	14/11/04/04/716	17	28	45				D	2.0	4.0	PASS
323.	14/11/04/04/719	28	46	74	A				5.0	10.0	PASS
324.	14/11/04/04/723	16	32	48				D	2.0	4.0	PASS
325.	14/11/04/04/724	13	32	45				D	2.0	4.0	PASS
326.	14/11/04/04/725	15	30	45				D	2.0	4.0	PASS
327.	14/11/04/04/726	18	30	48				D	2.0	4.0	PASS
328.	14/11/04/04/727	11	18	29				F	0.0	0.0	FAIL

329.	14/11/04/04/728	16	31	47				D		2.0	4.0	PASS
330.	14/11/04/04/734	13	32	45				D		2.0	4.0	PASS
331.	14/11/04/04/735	22	36	58			C			3.0	6.0	PASS
332.	14/11/04/04/736	06	10	16					F	0.0	0.0	FAIL
333.	14/11/04/04/738	23	38	61		B				4.0	8.0	PASS
334.	14/11/04/04/739	15	30	45				D		2.0	4.0	PASS
335.	14/11/04/04/744	19	32	51			C			3.0	6.0	PASS
336.	14/11/04/04/746	22	44	66		B				4.0	8.0	PASS
337.	14/11/04/04/749	11	18	29					F	0.0	0.0	FAIL
338.	14/11/04/04/750	13	32	45				D		2.0	4.0	PASS
339.	14/11/04/04/757	23	38	61		B				4.0	8.0	PASS
340.	14/11/04/04/758	16	30	46				D		2.0	4.0	PASS
341.	14/11/04/04/759	18	32	50			C			3.0	6.0	PASS
342.	14/11/04/04/763	13	32	45				D		2.0	4.0	PASS
343.	14/11/04/04/765	14	33	47				D		2.0	4.0	PASS
344.	14/11/04/04/766	14	32	46				D		2.0	4.0	PASS
345.	14/11/04/04/767	19	32	51			C			3.0	6.0	PASS
346.	14/11/04/04/769	22	36	58			C			3.0	6.0	PASS
347.	14/11/04/04/770	14	31	45				D		2.0	4.0	PASS
348.	14/11/04/04/774	16	29	45				D		2.0	4.0	PASS
349.	14/11/04/04/778	16	29	45				D		2.0	4.0	PASS
350.	14/11/04/04/779	18	30	48				D		2.0	4.0	PASS
351.	14/11/04/04/780	10	16	26					F	0.0	0.0	FAIL
352.	14/11/04/04/790	23	38	61		B				4.0	8.0	PASS
353.	14/11/04/04/791	22	36	58			C			3.0	6.0	PASS
354.	14/11/04/04/792	14	32	46				D		2.0	4.0	PASS
355.	14/11/04/04/793	24	50	74	A					5.0	10.0	PASS
356.	14/11/04/04/798	16	30	46				D		2.0	4.0	PASS
357.	14/11/04/04/799	13	32	45				D		2.0	4.0	PASS
358.	14/11/04/04/800	18	30	48				D		2.0	4.0	PASS
359.	14/11/04/04/801	08	14	22					F	0.0	0.0	FAIL
360.	14/11/04/04/802	23	42	65		B				4.0	8.0	PASS
361.	14/11/04/04/804	15	30	45				D		2.0	4.0	PASS
362.	14/11/04/04/805	16	30	46				D		2.0	4.0	PASS

363.	14/11/04/04/806	18	30	48				D		2.0	4.0	PASS
364.	14/11/04/04/807	14	31	45				D		2.0	4.0	PASS
365.	14/11/04/04/809	13	32	45				D		2.0	4.0	PASS
366.	14/11/04/04/810	21	40	61		B				4.0	8.0	PASS
367.	14/11/04/04/815	13	32	45				D		2.0	4.0	PASS
368.	14/11/04/04/816	11	18	29					F	0.0	0.0	FAIL
369.	14/11/04/04/817	15	30	45				D		2.0	4.0	PASS
370.	14/11/04/04/819	13	32	45				D		2.0	4.0	PASS
371.	14/11/04/04/820	17	28	45				D		2.0	4.0	PASS
372.	14/11/04/04/821	14	32	46				D		2.0	4.0	PASS
373.	14/11/04/04/823	20	34	54			C			3.0	6.0	PASS
374.	14/11/04/04/824	13	32	45				D		2.0	4.0	PASS
375.	14/11/04/04/829	11	18	29					F	0.0	0.0	FAIL
376.	14/11/04/04/834	16	30	46				D		2.0	4.0	PASS
377.	14/11/04/04/835	23	38	61		B				4.0	8.0	PASS
378.	14/11/04/04/837	17	28	45				D		2.0	4.0	PASS
379.	14/11/04/04/842	11	18	29					F	0.0	0.0	FAIL
380.	14/11/04/04/849	15	30	45				D		2.0	4.0	PASS
381.	14/11/04/04/856	16	29	45				D		2.0	4.0	PASS
382.	14/11/04/04/858	19	32	51			C			3.0	6.0	PASS
383.	14/11/04/04/861	24	40	64		B				4.0	8.0	PASS
384.	14/11/04/04/863	17	28	45				D		2.0	4.0	PASS
385.	14/11/04/04/866	17	28	45				D		2.0	4.0	PASS
386.	14/11/04/04/868	18	33	51			C			3.0	6.0	PASS
387.	14/11/04/04/869	11	18	29					F	0.0	0.0	FAIL
388.	14/11/04/04/870	08	14	22					F	0.0	0.0	FAIL
389.	14/11/04/04/872	19	32	51			C			3.0	6.0	PASS
390.	14/11/04/04/882	19	32	51			C			3.0	6.0	PASS
391.	14/11/04/04/884	20	34	54			C			3.0	6.0	PASS
392.	14/11/04/04/888	21	44	65		B				4.0	8.0	PASS
393.	14/11/04/04/891	20	36	56			C			3.0	6.0	PASS
394.	14/11/04/04/894	15	30	45				D		2.0	4.0	PASS
395.	14/11/04/04/897	15	30	45				D		2.0	4.0	PASS
396.	14/11/04/04/899	17	28	45				D		2.0	4.0	PASS

397.	14/11/04/04/901	05	08	13				F	0.0	0.0	FAIL
398.	14/11/04/04/903	18	33	51			C		3.0	6.0	PASS
399.	14/11/04/04/908	18	30	48				D	2.0	4.0	PASS
400.	14/11/04/04/916	16	30	46				D	2.0	4.0	PASS
401.	14/11/04/04/922	22	36	58			C		3.0	6.0	PASS
402.	14/11/04/04/924	18	30	48				D	2.0	4.0	PASS
403.	14/11/04/04/925	15	30	45				D	2.0	4.0	PASS
404.	14/11/04/04/926	08	14	22				F	0.0	0.0	FAIL
405.	14/11/04/04/927	22	36	58			C		3.0	6.0	PASS
406.	14/11/04/04/929	22	36	58			C		3.0	6.0	PASS
407.	14/11/04/04/930	21	44	65		B			4.0	8.0	PASS
408.	14/11/04/04/931	16	29	45				D	2.0	4.0	PASS
409.	14/11/04/04/932	16	29	45				D	2.0	4.0	PASS
410.	14/11/04/04/935	14	31	45				D	2.0	4.0	PASS
411.	14/11/04/04/939	20	40	60		B			4.0	8.0	PASS
412.	14/11/04/04/946	16	29	45				D	2.0	4.0	PASS
413.	14/11/04/04/947	17	28	45				D	2.0	4.0	PASS
414.	14/11/04/04/955	19	32	51			C		3.0	6.0	PASS
415.	14/11/04/04/956	11	18	29				F	0.0	0.0	FAIL
416.	14/11/04/04/958	23	38	61		B			4.0	8.0	PASS
417.	14/11/04/04/965	11	18	29				F	0.0	0.0	FAIL
418.	14/11/04/04/970	14	31	45				D	2.0	4.0	PASS
419.	14/11/04/04/977	20	34	54			C		3.0	6.0	PASS
420.	14/11/04/04/978	16	30	46				D	2.0	4.0	PASS
421.	14/11/04/04/979	19	32	51			C		3.0	6.0	PASS
422.	14/11/04/04/981	22	36	58			C		3.0	6.0	PASS
423.	14/11/04/04/982	11	18	29				F	0.0	0.0	FAIL
424.	14/11/04/04/986	15	30	45				D	2.0	4.0	PASS
425.	14/11/04/04/988	11	18	29				F	0.0	0.0	FAIL
426.	14/11/04/04/990	10	16	26				F	0.0	0.0	FAIL
427.	14/11/04/04/995	15	30	45				D	2.0	4.0	PASS
428.	14/11/04/04/996	07	12	19				F	0.0	0.0	FAIL
429.	14/11/04/04/998	18	30	48				D	2.0	4.0	PASS
430.	15/11/04/04/001	22	40	62		B			4.0	8.0	PASS

431.	15/11/04/04/003	23	42	65		B				4.0	8.0	PASS
432.	15/11/04/04/005	20	34	54			C			3.0	6.0	PASS
433.	15/11/04/04/006	10	16	26					F	0.0	0.0	FAIL
434.	15/11/04/04/007	08	14	22					F	0.0	0.0	FAIL
435.	15/11/04/04/008	18	34	52			C			3.0	6.0	PASS
436.	15/11/04/04/010	20	34	54			C			3.0	6.0	PASS
437.	15/11/04/04/011	14	31	45				D		2.0	4.0	PASS
438.	15/11/04/04/012	24	46	70	A					5.0	10.0	PASS
439.	15/11/04/04/017	21	40	61		B				4.0	8.0	PASS
440.	15/11/04/04/019	16	30	46				D		2.0	4.0	PASS
441.	15/11/04/04/021	22	44	66		B				4.0	8.0	PASS
442.	15/11/04/04/022	15	30	45				D		2.0	4.0	PASS
443.	15/11/04/04/024	22	44	66		B				4.0	8.0	PASS
444.	15/11/04/04/025	16	30	46				D		2.0	4.0	PASS
445.	15/11/04/04/028	10	16	26					F	0.0	0.0	FAIL
446.	15/11/04/04/031	16	30	46				D		2.0	4.0	PASS
447.	15/11/04/04/032	08	14	22					F	0.0	0.0	FAIL
448.	15/11/04/04/033	17	28	45				D		2.0	4.0	PASS
449.	15/11/04/04/035	22	36	58			C			3.0	6.0	PASS
450.	15/11/04/04/037	10	16	26					F	0.0	0.0	FAIL
451.	15/11/04/04/041	23	44	67		B				4.0	8.0	PASS
452.	15/11/04/04/042	21	40	61		B				4.0	8.0	PASS
453.	15/11/04/04/047	22	36	58			C			3.0	6.0	PASS
454.	15/11/04/04/051	13	32	45				D		2.0	4.0	PASS
455.	15/11/04/04/052	18	30	48				D		2.0	4.0	PASS
456.	15/11/04/04/054	07	12	19					F	0.0	0.0	FAIL
457.	15/11/04/04/057	23	38	61		B				4.0	8.0	PASS
458.	15/11/04/04/059	19	32	51			C			3.0	6.0	PASS
459.	15/11/04/04/065	24	48	72	A					5.0	10.0	PASS
460.	15/11/04/04/069	22	36	58			C			3.0	6.0	PASS
461.	15/11/04/04/071	20	34	54			C			3.0	6.0	PASS
462.	15/11/04/04/072	20	34	54			C			3.0	6.0	PASS
463.	15/11/04/04/079	16	30	46				D		2.0	4.0	PASS
464.	15/11/04/04/081	15	30	45				D		2.0	4.0	PASS

465.	15/11/04/04/082	19	32	51			C			3.0	6.0	PASS
466.	15/11/04/04/084	16	29	45				D		2.0	4.0	PASS
467.	15/11/04/04/089	16	30	46				D		2.0	4.0	PASS
468.	15/11/04/04/095	10	16	26					F	0.0	0.0	FAIL
469.	15/11/04/04/097	23	48	71	A					5.0	10.0	PASS
470.	15/11/04/04/098	07	12	19					F	0.0	0.0	FAIL
471.	15/11/04/04/1007	20	34	54			C			3.0	6.0	PASS
472.	15/11/04/04/1010	17	28	45				D		2.0	4.0	PASS
473.	15/11/04/04/1013	19	32	51			C			3.0	6.0	PASS
474.	15/11/04/04/1014	18	30	48				D		2.0	4.0	PASS
475.	15/11/04/04/1016	22	44	66		B				4.0	8.0	PASS
476.	15/11/04/04/102	07	12	19					F	0.0	0.0	FAIL
477.	15/11/04/04/1022	19	32	51			C			3.0	6.0	PASS
478.	15/11/04/04/1030	18	30	48				D		2.0	4.0	PASS
479.	15/11/04/04/1033	08	14	22					F	0.0	0.0	FAIL
480.	15/11/04/04/1036	08	14	22					F	0.0	0.0	FAIL
481.	15/11/04/04/1037	16	30	46				D		2.0	4.0	PASS
482.	15/11/04/04/1040	19	32	51			C			3.0	6.0	PASS
483.	15/11/04/04/1041	22	36	58			C			3.0	6.0	PASS
484.	15/11/04/04/1046	21	44	65		B				4.0	8.0	PASS
485.	15/11/04/04/105	18	30	48				D		2.0	4.0	PASS
486.	15/11/04/04/1050	19	32	51			C			3.0	6.0	PASS
487.	15/11/04/04/1051	20	34	54			C			3.0	6.0	PASS
488.	15/11/04/04/1052	23	38	61		B				4.0	8.0	PASS
489.	15/11/04/04/106	16	29	45				D		2.0	4.0	PASS
490.	15/11/04/04/1063	05	08	13					F	0.0	0.0	FAIL
491.	15/11/04/04/1064	17	28	45				D		2.0	4.0	PASS
492.	15/11/04/04/1066	13	32	45				D		2.0	4.0	PASS
493.	15/11/04/04/107	23	48	71	A					5.0	10.0	PASS
494.	15/11/04/04/1071	16	30	46				D		2.0	4.0	PASS
495.	15/11/04/04/1073	17	28	45				D		2.0	4.0	PASS
496.	15/11/04/04/1075	24	46	70	A					5.0	10.0	PASS
497.	15/11/04/04/1081	10	16	26					F	0.0	0.0	FAIL
498.	15/11/04/04/1082	24	40	64		B				4.0	8.0	PASS

499.	15/11/04/04/1083	16	30	46				D		2.0	4.0	PASS
500.	15/11/04/04/1087	18	30	48				D		2.0	4.0	PASS
501.	15/11/04/04/1088	17	28	45				D		2.0	4.0	PASS
502.	15/11/04/04/109	17	28	45				D		2.0	4.0	PASS
503.	15/11/04/04/1094	20	34	54			C			3.0	6.0	PASS
504.	15/11/04/04/1096	17	28	45				D		2.0	4.0	PASS
505.	15/11/04/04/1099	24	48	72	A					5.0	10.0	PASS
506.	15/11/04/04/1100	19	32	51			C			3.0	6.0	PASS
507.	15/11/04/04/1103	14	31	45				D		2.0	4.0	PASS
508.	15/11/04/04/1110	10	16	26					F	0.0	0.0	FAIL
509.	15/11/04/04/1113	23	38	61		B				4.0	8.0	PASS
510.	15/11/04/04/1116	16	29	45				D		2.0	4.0	PASS
511.	15/11/04/04/1117	07	12	19					F	0.0	0.0	FAIL
512.	15/11/04/04/112	15	30	45				D		2.0	4.0	PASS
513.	15/11/04/04/1120	22	40	62		B				4.0	8.0	PASS
514.	15/11/04/04/1130	10	16	26					F	0.0	0.0	FAIL
515.	15/11/04/04/1132	08	14	22					F	0.0	0.0	FAIL
516.	15/11/04/04/1133	16	29	45				D		2.0	4.0	PASS
517.	15/11/04/04/1134	22	38	60		B				4.0	8.0	PASS
518.	15/11/04/04/1140	18	30	48				D		2.0	4.0	PASS
519.	15/11/04/04/1142	23	38	61		B				4.0	8.0	PASS
520.	15/11/04/04/1147	19	32	51			C			3.0	6.0	PASS
521.	15/11/04/04/1149	24	46	70	A					5.0	10.0	PASS
522.	15/11/04/04/115	22	42	64		B				4.0	8.0	PASS
523.	15/11/04/04/1153	20	34	54			C			3.0	6.0	PASS
524.	15/11/04/04/1155	13	32	45				D		2.0	4.0	PASS
525.	15/11/04/04/1159	20	34	54			C			3.0	6.0	PASS
526.	15/11/04/04/116	14	31	45				D		2.0	4.0	PASS
527.	15/11/04/04/1161	13	32	45				D		2.0	4.0	PASS
528.	15/11/04/04/1165	07	12	19					F	0.0	0.0	FAIL
529.	15/11/04/04/117	21	40	61		B				4.0	8.0	PASS
530.	15/11/04/04/120	13	32	45				D		2.0	4.0	PASS
531.	15/11/04/04/121	23	40	63		B				4.0	8.0	PASS
532.	15/11/04/04/122	22	36	58			C			3.0	6.0	PASS

533.	15/11/04/04/126	20	34	54			C			3.0	6.0	PASS
534.	15/11/04/04/128	11	18	29					F	0.0	0.0	FAIL
535.	15/11/04/04/129	19	32	51			C			3.0	6.0	PASS
536.	15/11/04/04/130	11	18	29					F	0.0	0.0	FAIL
537.	15/11/04/04/131	11	18	29					F	0.0	0.0	FAIL
538.	15/11/04/04/135	22	36	58			C			3.0	6.0	PASS
539.	15/11/04/04/136	16	30	46				D		2.0	4.0	PASS
540.	15/11/04/04/137	24	46	70	A					5.0	10.0	PASS
541.	15/11/04/04/138	13	32	45				D		2.0	4.0	PASS
542.	15/11/04/04/1383	20	34	54			C			3.0	6.0	PASS
543.	15/11/04/04/1384	10	16	26					F	0.0	0.0	FAIL
544.	15/11/04/04/1389	25	42	67		B				4.0	8.0	PASS
545.	15/11/04/04/139	23	27	50			C			3.0	6.0	PASS
546.	15/11/04/04/1391	11	18	29					F	0.0	0.0	FAIL
547.	15/11/04/04/1395	13	32	45				D		2.0	4.0	PASS
548.	15/11/04/04/1398	16	30	46				D		2.0	4.0	PASS
549.	15/11/04/04/1399	14	46	60		B				4.0	8.0	PASS
550.	15/11/04/04/1400	10	16	26					F	0.0	0.0	FAIL
551.	15/11/04/04/1401	24	42	66		B				4.0	8.0	PASS
552.	15/11/04/04/1404	19	32	51			C			3.0	6.0	PASS
553.	15/11/04/04/1406	11	18	29					F	0.0	0.0	FAIL
554.	15/11/04/04/141	11	18	29					F	0.0	0.0	FAIL
555.	15/11/04/04/1410	08	14	22					F	0.0	0.0	FAIL
556.	15/11/04/04/1411	23	48	71	A					5.0	10.0	PASS
557.	15/11/04/04/1415	16	30	46				D		2.0	4.0	PASS
558.	15/11/04/04/1417	11	18	29					F	0.0	0.0	FAIL
559.	15/11/04/04/1418	22	48	70	A					5.0	10.0	PASS
560.	15/11/04/04/142	10	16	26					F	0.0	0.0	FAIL
561.	15/11/04/04/1422	23	38	61		B				4.0	8.0	PASS
562.	15/11/04/04/1427	11	18	29					F	0.0	0.0	FAIL
563.	15/11/04/04/1428	16	30	46				D		2.0	4.0	PASS
564.	15/11/04/04/1429	14	31	45				D		2.0	4.0	PASS
565.	22	24	40	64		B				4.0	8.0	PASS
566.	15/11/04/04/1432	20	34	54			C			3.0	6.0	PASS

567.	15/11/04/04/1433	15	30	45				D		2.0	4.0	PASS
568.	15/11/04/04/1435	13	32	45				D		2.0	4.0	PASS
569.	15/11/04/04/1438	13	32	45				D		2.0	4.0	PASS
570.	15/11/04/04/144	08	14	22					F	0.0	0.0	FAIL
571.	15/11/04/04/1441	22	36	58			C			3.0	6.0	PASS
572.	15/11/04/04/1444	16	29	45				D		2.0	4.0	PASS
573.	15/11/04/04/1446	22	44	66		B				4.0	8.0	PASS
574.	15/11/04/04/1449	13	32	45				D		2.0	4.0	PASS
575.	15/11/04/04/145	22	46	68		B				4.0	8.0	PASS
576.	15/11/04/04/1452	19	32	51			C			3.0	6.0	PASS
577.	15/11/04/04/1455	18	30	48				D		2.0	4.0	PASS
578.	15/11/04/04/1456	19	32	51			C			3.0	6.0	PASS
579.	15/11/04/04/1458	06	10	16					F	0.0	0.0	FAIL
580.	15/11/04/04/1459	22	36	58			C			3.0	6.0	PASS
581.	15/11/04/04/1462	11	18	29					F	0.0	0.0	FAIL
582.	15/11/04/04/1467	23	42	65		B				4.0	8.0	PASS
583.	15/11/04/04/1468	16	30	46				D		2.0	4.0	PASS
584.	15/11/04/04/1469	13	32	45				D		2.0	4.0	PASS
585.	15/11/04/04/1470	16	30	46				D		2.0	4.0	PASS
586.	15/11/04/04/1478	17	28	45				D		2.0	4.0	PASS
587.	15/11/04/04/1479	13	32	45				D		2.0	4.0	PASS
588.	15/11/04/04/148	22	36	58			C			3.0	6.0	PASS
589.	15/11/04/04/1482	16	30	46				D		2.0	4.0	PASS
590.	15/11/04/04/1484	13	32	45				D		2.0	4.0	PASS
591.	15/11/04/04/149	22	36	58			C			3.0	6.0	PASS
592.	15/11/04/04/1492	08	14	22					F	0.0	0.0	FAIL
593.	15/11/04/04/1494	11	18	29					F	0.0	0.0	FAIL
594.	15/11/04/04/1497	24	40	64		B				4.0	8.0	PASS
595.	15/11/04/04/1498	15	30	45				D		2.0	4.0	PASS
596.	15/11/04/04/1499	15	30	45				D		2.0	4.0	PASS
597.	15/11/04/04/150	15	50	65		B				4.0	8.0	PASS
598.	15/11/04/04/1500	08	14	22					F	0.0	0.0	FAIL
599.	15/11/04/04/1501	16	30	46				D		2.0	4.0	PASS
600.	15/11/04/04/1506	10	16	26					F	0.0	0.0	FAIL

601.	15/11/04/04/1507	17	28	45				D		2.0	4.0	PASS
602.	15/11/04/04/1508	18	30	48				D		2.0	4.0	PASS
603.	15/11/04/04/151	16	30	46				D		2.0	4.0	PASS
604.	15/11/04/04/1513	08	14	22					F	0.0	0.0	FAIL
605.	15/11/04/04/1517	16	29	45				D		2.0	4.0	PASS
606.	15/11/04/04/1519	15	30	45				D		2.0	4.0	PASS
607.	15/11/04/04/152	16	34	50			C			3.0	6.0	PASS
608.	15/11/04/04/1523	17	28	45				D		2.0	4.0	PASS
609.	15/11/04/04/1524	15	29	44					F	0.0	0.0	FAIL
610.	15/11/04/04/1527	17	28	45				D		2.0	4.0	PASS
611.	15/11/04/04/153	20	34	54			C			3.0	6.0	PASS
612.	15/11/04/04/155	24	46	70	A					5.0	10.0	PASS
613.	15/11/04/04/156	13	32	45				D		2.0	4.0	PASS
614.	15/11/04/04/157	15	30	45				D		2.0	4.0	PASS
615.	15/11/04/04/158	20	34	54			C			3.0	6.0	PASS
616.	15/11/04/04/161	24	46	70	A					5.0	10.0	PASS
617.	15/11/04/04/169	11	18	29					F	0.0	0.0	FAIL
618.	15/11/04/04/170	15	30	45				D		2.0	4.0	PASS
619.	15/11/04/04/172	10	16	26					F	0.0	0.0	FAIL
620.	15/11/04/04/173	20	34	54			C			3.0	6.0	PASS
621.	15/11/04/04/174	20	34	54			C			3.0	6.0	PASS
622.	15/11/04/04/178	22	40	62		B				4.0	8.0	PASS
623.	15/11/04/04/181	22	36	58			C			3.0	6.0	PASS
624.	15/11/04/04/185	19	32	51			C			3.0	6.0	PASS
625.	15/11/04/04/186	11	18	29					F	0.0	0.0	FAIL
626.	15/11/04/04/187	20	41	61		B				4.0	8.0	PASS
627.	15/11/04/04/188	18	30	48				D		2.0	4.0	PASS
628.	15/11/04/04/190	16	30	46				D		2.0	4.0	PASS
629.	15/11/04/04/191	19	32	51			C			3.0	6.0	PASS
630.	15/11/04/04/194	08	14	22					F	0.0	0.0	FAIL
631.	15/11/04/04/195	15	30	45				D		2.0	4.0	PASS
632.	15/11/04/04/196	16	29	45				D		2.0	4.0	PASS
633.	15/11/04/04/198	24	50	74	A					5.0	10.0	PASS
634.	15/11/04/04/199	10	16	26					F	0.0	0.0	FAIL

635.	15/11/04/04/200	25	42	67		B				4.0	8.0	PASS
636.	15/11/04/04/201	22	44	66		B				4.0	8.0	PASS
637.	15/11/04/04/202	23	44	67		B				4.0	8.0	PASS
638.	15/11/04/04/203	22	36	58			C			3.0	6.0	PASS
639.	15/11/04/04/204	23	38	61		B				4.0	8.0	PASS
640.	15/11/04/04/205	16	30	46				D		2.0	4.0	PASS
641.	15/11/04/04/206	19	32	51			C			3.0	6.0	PASS
642.	15/11/04/04/210	13	32	45				D		2.0	4.0	PASS
643.	15/11/04/04/212	17	28	45				D		2.0	4.0	PASS
644.	15/11/04/04/214	16	30	46				D		2.0	4.0	PASS
645.	15/11/04/04/216	24	40	64		B				4.0	8.0	PASS
646.	15/11/04/04/219	16	30	46				D		2.0	4.0	PASS
647.	15/11/04/04/220	16	30	46				D		2.0	4.0	PASS
648.	15/11/04/04/221	24	46	70	A					5.0	10.0	PASS
649.	15/11/04/04/222	14	32	46				D		2.0	4.0	PASS
650.	15/11/04/04/223	18	30	48				D		2.0	4.0	PASS
651.	15/11/04/04/224	20	34	54			C			3.0	6.0	PASS
652.	15/11/04/04/225	16	29	45				D		2.0	4.0	PASS
653.	15/11/04/04/231	13	32	45				D		2.0	4.0	PASS
654.	15/11/04/04/232	11	18	29					F	0.0	0.0	FAIL
655.	15/11/04/04/233	07	12	19					F	0.0	0.0	FAIL
656.	15/11/04/04/234	20	34	54			C			3.0	6.0	PASS
657.	15/11/04/04/236	25	42	67		B				4.0	8.0	PASS
658.	15/11/04/04/238	18	32	50			C			3.0	6.0	PASS
659.	15/11/04/04/243	19	32	51			C			3.0	6.0	PASS
660.	15/11/04/04/244	18	32	50			C			3.0	6.0	PASS
661.	15/11/04/04/246	14	31	45				D		2.0	4.0	PASS
662.	15/11/04/04/247	24	46	70	A					5.0	10.0	PASS
663.	15/11/04/04/252	20	34	54			C			3.0	6.0	PASS
664.	15/11/04/04/255	11	18	29					F	0.0	0.0	FAIL
665.	15/11/04/04/257	18	30	48				D		2.0	4.0	PASS
666.	15/11/04/04/258	13	32	45				D		2.0	4.0	PASS
667.	15/11/04/04/261	10	16	26					F	0.0	0.0	FAIL
668.	15/11/04/04/267	16	30	46				D		2.0	4.0	PASS

669.	15/11/04/04/268	22	42	64		B				4.0	8.0	PASS
670.	15/11/04/04/271	18	30	48				D		2.0	4.0	PASS
671.	15/11/04/04/272	19	32	51			C			3.0	6.0	PASS
672.	15/11/04/04/273	10	16	26					F	0.0	0.0	FAIL
673.	15/11/04/04/274	15	30	45				D		2.0	4.0	PASS
674.	15/11/04/04/275	16	30	46				D		2.0	4.0	PASS
675.	15/11/04/04/276	17	28	45				D		2.0	4.0	PASS
676.	15/11/04/04/277	13	32	45				D		2.0	4.0	PASS
677.	15/11/04/04/279	14	32	46				D		2.0	4.0	PASS
678.	15/11/04/04/281	22	36	58			C			3.0	6.0	PASS
679.	15/11/04/04/283	23	42	65		B				4.0	8.0	PASS
680.	15/11/04/04/286	17	28	45				D		2.0	4.0	PASS
681.	15/11/04/04/289	08	14	22					F	0.0	0.0	FAIL
682.	15/11/04/04/290	23	38	61		B				4.0	8.0	PASS
683.	15/11/04/04/292	14	31	45				D		2.0	4.0	PASS
684.	15/11/04/04/295	18	30	48				D		2.0	4.0	PASS
685.	15/11/04/04/296	16	30	46				D		2.0	4.0	PASS
686.	15/11/04/04/297	13	32	45				D		2.0	4.0	PASS
687.	15/11/04/04/298	13	33	46				D		2.0	4.0	PASS
688.	15/11/04/04/299	17	28	45				D		2.0	4.0	PASS
689.	15/11/04/04/301	18	30	48				D		2.0	4.0	PASS
690.	15/11/04/04/302	13	32	45				D		2.0	4.0	PASS
691.	15/11/04/04/304	19	32	51			C			3.0	6.0	PASS
692.	15/11/04/04/306	22	46	68		B				4.0	8.0	PASS
693.	15/11/04/04/307	20	34	54			C			3.0	6.0	PASS
694.	15/11/04/04/310	16	30	46				D		2.0	4.0	PASS
695.	15/11/04/04/311	14	31	45				D		2.0	4.0	PASS
696.	15/11/04/04/312	18	30	48				D		2.0	4.0	PASS
697.	15/11/04/04/314	11	18	29					F	0.0	0.0	FAIL
698.	15/11/04/04/316	16	30	46				D		2.0	4.0	PASS
699.	15/11/04/04/318	13	32	45				D		2.0	4.0	PASS
700.	15/11/04/04/319	25	42	67		B				4.0	8.0	PASS
701.	15/11/04/04/323	10	16	26					F	0.0	0.0	FAIL
702.	15/11/04/04/325	16	29	45				D		2.0	4.0	PASS

703.	15/11/04/04/329	06	10	16				F	0.0	0.0	FAIL
704.	15/11/04/04/330	18	30	48				D	2.0	4.0	PASS
705.	15/11/04/04/332	15	30	45				D	2.0	4.0	PASS
706.	15/11/04/04/333	11	18	29				F	0.0	0.0	FAIL
707.	15/11/04/04/339	14	32	46				D	2.0	4.0	PASS
708.	15/11/04/04/341	19	32	51			C		3.0	6.0	PASS
709.	15/11/04/04/347	22	36	58			C		3.0	6.0	PASS
710.	15/11/04/04/353	16	30	46				D	2.0	4.0	PASS
711.	15/11/04/04/355	14	32	46				D	2.0	4.0	PASS
712.	15/11/04/04/357	13	33	46				D	2.0	4.0	PASS
713.	15/11/04/04/360	22	48	70	A				5.0	10.0	PASS
714.	15/11/04/04/361	13	32	45				D	2.0	4.0	PASS
715.	15/11/04/04/362	07	12	19				F	0.0	0.0	FAIL
716.	15/11/04/04/363	18	30	48				D	2.0	4.0	PASS
717.	15/11/04/04/365	14	31	45				D	2.0	4.0	PASS
718.	15/11/04/04/366	16	30	46				D	2.0	4.0	PASS
719.	15/11/04/04/367	13	32	45				D	2.0	4.0	PASS
720.	15/11/04/04/368	13	33	46				D	2.0	4.0	PASS
721.	15/11/04/04/369	16	31	47				D	2.0	4.0	PASS
722.	15/11/04/04/374	19	32	51			C		3.0	6.0	PASS
723.	15/11/04/04/375	22	44	66		B			4.0	8.0	PASS
724.	15/11/04/04/378	13	32	45				D	2.0	4.0	PASS
725.	15/11/04/04/380	10	16	26				F	0.0	0.0	FAIL
726.	15/11/04/04/381	16	30	46				D	2.0	4.0	PASS
727.	15/11/04/04/384	16	29	45				D	2.0	4.0	PASS
728.	15/11/04/04/387	18	30	48				D	2.0	4.0	PASS
729.	15/11/04/04/390	14	31	45				D	2.0	4.0	PASS
730.	15/11/04/04/394	19	32	51			C		3.0	6.0	PASS
731.	15/11/04/04/398	08	14	22				F	0.0	0.0	FAIL
732.	15/11/04/04/399	16	29	45				D	2.0	4.0	PASS
733.	15/11/04/04/400	18	30	48				D	2.0	4.0	PASS
734.	15/11/04/04/401	10	16	26				F	0.0	0.0	FAIL
735.	15/11/04/04/406	10	16	26				F	0.0	0.0	FAIL
736.	15/11/04/04/409	14	31	45				D	2.0	4.0	PASS

737.	15/11/04/04/411	24	46	70	A					5.0	10.0	PASS
738.	15/11/04/04/412	20	34	54			C			3.0	6.0	PASS
739.	15/11/04/04/413	14	32	46				D		2.0	4.0	PASS
740.	15/11/04/04/415	19	32	51			C			3.0	6.0	PASS
741.	15/11/04/04/417	16	30	46				D		2.0	4.0	PASS
742.	15/11/04/04/418	18	30	48				D		2.0	4.0	PASS
743.	15/11/04/04/422	06	10	16					F	0.0	0.0	FAIL
744.	15/11/04/04/423	18	30	48				D		2.0	4.0	PASS
745.	15/11/04/04/426	14	31	45				D		2.0	4.0	PASS
746.	15/11/04/04/429	21	44	65		B				4.0	8.0	PASS
747.	15/11/04/04/431	13	32	45				D		2.0	4.0	PASS
748.	15/11/04/04/432	20	34	54			C			3.0	6.0	PASS
749.	15/11/04/04/434	13	32	45				D		2.0	4.0	PASS
750.	15/11/04/04/437	15	30	45				D		2.0	4.0	PASS
751.	15/11/04/04/440	13	32	45				D		2.0	4.0	PASS
752.	15/11/04/04/441	15	30	45				D		2.0	4.0	PASS
753.	15/11/04/04/442	08	14	22					F	0.0	0.0	FAIL
754.	15/11/04/04/443	10	16	26					F	0.0	0.0	FAIL
755.	15/11/04/04/448	23	38	61		B				4.0	8.0	PASS
756.	15/11/04/04/449	18	30	48				D		2.0	4.0	PASS
757.	15/11/04/04/450	20	40	60		B				4.0	8.0	PASS
758.	15/11/04/04/451	23	48	71	A					5.0	10.0	PASS
759.	15/11/04/04/452	17	28	45				D		2.0	4.0	PASS
760.	15/11/04/04/454	16	30	46				D		2.0	4.0	PASS
761.	15/11/04/04/463	10	16	26					F	0.0	0.0	FAIL
762.	15/11/04/04/464	18	30	48				D		2.0	4.0	PASS
763.	15/11/04/04/466	16	29	45				D		2.0	4.0	PASS
764.	15/11/04/04/469	11	18	29					F	0.0	0.0	FAIL
765.	15/11/04/04/470	24	46	70	A					5.0	10.0	PASS
766.	15/11/04/04/471	11	18	29					F	0.0	0.0	FAIL
767.	15/11/04/04/472	16	29	45				D		2.0	4.0	PASS
768.	15/11/04/04/473	14	31	45				D		2.0	4.0	PASS
769.	15/11/04/04/474	15	30	45				D		2.0	4.0	PASS
770.	15/11/04/04/477	13	32	45				D		2.0	4.0	PASS

771.	15/11/04/04/478	24	40	64		B				4.0	8.0	PASS
772.	15/11/04/04/481	19	32	51			C			3.0	6.0	PASS
773.	15/11/04/04/484	10	16	26					F	0.0	0.0	FAIL
774.	15/11/04/04/494	16	30	46				D		2.0	4.0	PASS
775.	15/11/04/04/495	23	48	71	A					5.0	10.0	PASS
776.	15/11/04/04/497	14	32	46				D		2.0	4.0	PASS
777.	15/11/04/04/500	14	31	45				D		2.0	4.0	PASS
778.	15/11/04/04/501	14	32	46				D		2.0	4.0	PASS
779.	15/11/04/04/503	16	30	46				D		2.0	4.0	PASS
780.	15/11/04/04/508	14	31	45				D		2.0	4.0	PASS
781.	15/11/04/04/509	13	32	45				D		2.0	4.0	PASS
782.	15/11/04/04/511	11	18	29					F	0.0	0.0	FAIL
783.	15/11/04/04/513	10	18	28					F	0.0	0.0	FAIL
784.	15/11/04/04/516	19	32	51			C			3.0	6.0	PASS
785.	15/11/04/04/517	23	38	61		B				4.0	8.0	PASS
786.	15/11/04/04/519	23	38	61		B				4.0	8.0	PASS
787.	15/11/04/04/521	17	28	45				D		2.0	4.0	PASS
788.	15/11/04/04/522	24	40	64		B				4.0	8.0	PASS
789.	15/11/04/04/523	19	32	51			C			3.0	6.0	PASS
790.	15/11/04/04/524	15	30	45				D		2.0	4.0	PASS
791.	15/11/04/04/525	16	32	48				D		2.0	4.0	PASS
792.	15/11/04/04/526	11	18	29					F	0.0	0.0	FAIL
793.	15/11/04/04/527	23	38	61		B				4.0	8.0	PASS
794.	15/11/04/04/528	18	30	48				D		2.0	4.0	PASS
795.	15/11/04/04/530	14	32	46				D		2.0	4.0	PASS
796.	15/11/04/04/534	22	40	62		B				4.0	8.0	PASS
797.	15/11/04/04/536	20	34	54			C			3.0	6.0	PASS
798.	15/11/04/04/537	13	32	45				D		2.0	4.0	PASS
799.	15/11/04/04/542	13	32	45				D		2.0	4.0	PASS
800.	15/11/04/04/544	23	38	61		B				4.0	8.0	PASS
801.	15/11/04/04/545	22	40	62		B				4.0	8.0	PASS
802.	15/11/04/04/546	24	54	78	A					5.0	10.0	PASS
803.	15/11/04/04/557	20	38	58			C			3.0	6.0	PASS
804.	15/11/04/04/563	21	36	57			C			3.0	6.0	PASS

805.	15/11/04/04/564	18	30	48				D		2.0	4.0	PASS
806.	15/11/04/04/565	19	32	51			C			3.0	6.0	PASS
807.	15/11/04/04/566	18	30	48				D		2.0	4.0	PASS
808.	15/11/04/04/568	11	18	29					F	0.0	0.0	FAIL
809.	15/11/04/04/570	22	36	58			C			3.0	6.0	PASS
810.	15/11/04/04/574	19	32	51			C			3.0	6.0	PASS
811.	15/11/04/04/579	18	30	48				D		2.0	4.0	PASS
812.	15/11/04/04/581	14	31	45				D		2.0	4.0	PASS
813.	15/11/04/04/584	13	32	45				D		2.0	4.0	PASS
814.	15/11/04/04/586	17	28	45				D		2.0	4.0	PASS
815.	15/11/04/04/592	19	32	51			C			3.0	6.0	PASS
816.	15/11/04/04/593	18	30	48				D		2.0	4.0	PASS
817.	15/11/04/04/594	16	30	46				D		2.0	4.0	PASS
818.	15/11/04/04/598	08	14	22					F	0.0	0.0	FAIL
819.	15/11/04/04/599	18	30	48				D		2.0	4.0	PASS
820.	15/11/04/04/603	20	34	54			C			3.0	6.0	PASS
821.	15/11/04/04/605	20	34	54			C			3.0	6.0	PASS
822.	15/11/04/04/607	11	18	29					F	0.0	0.0	FAIL
823.	15/11/04/04/610	23	42	65		B				4.0	8.0	PASS
824.	15/11/04/04/612	10	16	26					F	0.0	0.0	FAIL
825.	15/11/04/04/614	08	14	22					F	0.0	0.0	FAIL
826.	15/11/04/04/615	18	30	48				D		2.0	4.0	PASS
827.	15/11/04/04/617	16	30	46				D		2.0	4.0	PASS
828.	15/11/04/04/619	11	18	29					F	0.0	0.0	FAIL
829.	15/11/04/04/624	18	30	48				D		2.0	4.0	PASS
830.	15/11/04/04/627	16	29	45				D		2.0	4.0	PASS
831.	15/11/04/04/628	14	31	45				D		2.0	4.0	PASS
832.	15/11/04/04/629	19	32	51			C			3.0	6.0	PASS
833.	15/11/04/04/630	13	32	45				D		2.0	4.0	PASS
834.	15/11/04/04/632	10	16	26					F	0.0	0.0	FAIL
835.	15/11/04/04/633	11	18	29					F	0.0	0.0	FAIL
836.	15/11/04/04/638	10	16	26					F	0.0	0.0	FAIL
837.	15/11/04/04/640	23	38	61		B				4.0	8.0	PASS
838.	15/11/04/04/641	16	30	46				D		2.0	4.0	PASS

839.	15/11/04/04/650	18	30	48				D		2.0	4.0	PASS
840.	15/11/04/04/664	17	28	45				D		2.0	4.0	PASS
841.	15/11/04/04/665	10	16	26					F	0.0	0.0	FAIL
842.	15/11/04/04/670	16	30	46				D		2.0	4.0	PASS
843.	15/11/04/04/671	23	38	61		B				4.0	8.0	PASS
844.	15/11/04/04/677	24	46	70	A					5.0	10.0	PASS
845.	15/11/04/04/678	19	32	51			C			3.0	6.0	PASS
846.	15/11/04/04/679	20	34	54			C			3.0	6.0	PASS
847.	15/11/04/04/682	18	30	48				D		2.0	4.0	PASS
848.	15/11/04/04/683	20	34	54			C			3.0	6.0	PASS
849.	15/11/04/04/684	22	36	58			C			3.0	6.0	PASS
850.	15/11/04/04/689	18	30	48				D		2.0	4.0	PASS
851.	15/11/04/04/696	06	10	16					F	0.0	0.0	FAIL
852.	15/11/04/04/697	20	34	54			C			3.0	6.0	PASS
853.	15/11/04/04/702	11	18	29					F	0.0	0.0	FAIL
854.	15/11/04/04/703	17	28	45				D		2.0	4.0	PASS
855.	15/11/04/04/705	16	30	46				D		2.0	4.0	PASS
856.	15/11/04/04/707	14	32	46				D		2.0	4.0	PASS
857.	15/11/04/04/708	23	38	61		B				4.0	8.0	PASS
858.	15/11/04/04/712	19	32	51			C			3.0	6.0	PASS
859.	15/11/04/04/713	19	32	51			C			3.0	6.0	PASS
860.	15/11/04/04/715	22	42	64		B				4.0	8.0	PASS
861.	15/11/04/04/716	23	38	61		B				4.0	8.0	PASS
862.	15/11/04/04/718	20	34	54			C			3.0	6.0	PASS
863.	15/11/04/04/726	13	32	45				D		2.0	4.0	PASS
864.	15/11/04/04/727	14	31	45				D		2.0	4.0	PASS
865.	15/11/04/04/728	23	42	65		B				4.0	8.0	PASS
866.	15/11/04/04/730	16	29	45				D		2.0	4.0	PASS
867.	15/11/04/04/735	15	30	45				D		2.0	4.0	PASS
868.	15/11/04/04/736	15	30	45				D		2.0	4.0	PASS
869.	15/11/04/04/740	13	32	45				D		2.0	4.0	PASS
870.	15/11/04/04/745	08	14	22					F	0.0	0.0	FAIL
871.	15/11/04/04/748	14	31	45				D		2.0	4.0	PASS
872.	15/11/04/04/750	22	44	66		B				4.0	8.0	PASS

873.	15/11/04/04/755	20	36	56			C			3.0	6.0	PASS
874.	15/11/04/04/757	16	30	46				D		2.0	4.0	PASS
875.	15/11/04/04/759	23	38	61		B				4.0	8.0	PASS
876.	15/11/04/04/760	20	34	54			C			3.0	6.0	PASS
877.	15/11/04/04/763	15	30	45				D		2.0	4.0	PASS
878.	15/11/04/04/767	21	44	65		B				4.0	8.0	PASS
879.	15/11/04/04/774	19	32	51			C			3.0	6.0	PASS
880.	15/11/04/04/777	16	30	46				D		2.0	4.0	PASS
881.	15/11/04/04/779	11	18	29					F	0.0	0.0	FAIL
882.	15/11/04/04/780	20	34	54			C			3.0	6.0	PASS
883.	15/11/04/04/782	23	38	61		B				4.0	8.0	PASS
884.	15/11/04/04/784	18	30	48				D		2.0	4.0	PASS
885.	15/11/04/04/785	15	30	45				D		2.0	4.0	PASS
886.	15/11/04/04/789	10	16	26					F	0.0	0.0	FAIL
887.	15/11/04/04/790	16	30	46				D		2.0	4.0	PASS
888.	15/11/04/04/792	24	54	78	A					5.0	10.0	PASS
889.	15/11/04/04/794	13	32	45				D		2.0	4.0	PASS
890.	15/11/04/04/795	18	30	48				D		2.0	4.0	PASS
891.	15/11/04/04/796	14	32	46				D		2.0	4.0	PASS
892.	15/11/04/04/798	05	08	13					F	0.0	0.0	FAIL
893.	15/11/04/04/799	15	35	50			C			3.0	6.0	PASS
894.	15/11/04/04/800	18	30	48				D		2.0	4.0	PASS
895.	15/11/04/04/801	19	32	51			C			3.0	6.0	PASS
896.	15/11/04/04/802	13	32	45				D		2.0	4.0	PASS
897.	15/11/04/04/803	22	36	58			C			3.0	6.0	PASS
898.	15/11/04/04/805	13	32	45				D		2.0	4.0	PASS
899.	15/11/04/04/806	14	31	45				D		2.0	4.0	PASS
900.	15/11/04/04/808	20	34	54			C			3.0	6.0	PASS
901.	15/11/04/04/812	22	36	58			C			3.0	6.0	PASS
902.	15/11/04/04/820	13	32	45				D		2.0	4.0	PASS
903.	15/11/04/04/821	19	32	51			C			3.0	6.0	PASS
904.	15/11/04/04/822	16	29	45				D		2.0	4.0	PASS
905.	15/11/04/04/825	10	16	26					F	0.0	0.0	FAIL
906.	15/11/04/04/826	17	28	45				D		2.0	4.0	PASS

907.	15/11/04/04/832	18	30	48				D		2.0	4.0	PASS
908.	15/11/04/04/834	14	32	46				D		2.0	4.0	PASS
909.	15/11/04/04/840	13	32	45				D		2.0	4.0	PASS
910.	15/11/04/04/844	18	30	48				D		2.0	4.0	PASS
911.	15/11/04/04/846	11	18	29					F	0.0	0.0	FAIL
912.	15/11/04/04/847	20	34	54			C			3.0	6.0	PASS
913.	15/11/04/04/851	15	30	45				D		2.0	4.0	PASS
914.	15/11/04/04/853	14	32	46				D		2.0	4.0	PASS
915.	15/11/04/04/855	19	32	51			C			3.0	6.0	PASS
916.	15/11/04/04/858	19	32	51			C			3.0	6.0	PASS
917.	15/11/04/04/861	18	30	48				D		2.0	4.0	PASS
918.	15/11/04/04/866	13	32	45				D		2.0	4.0	PASS
919.	15/11/04/04/867	22	44	66		B				4.0	8.0	PASS
920.	15/11/04/04/868	23	50	73	A					5.0	10.0	PASS
921.	15/11/04/04/870	13	32	45				D		2.0	4.0	PASS
922.	15/11/04/04/872	20	34	54			C			3.0	6.0	PASS
923.	15/11/04/04/873	11	18	29					F	0.0	0.0	FAIL
924.	15/11/04/04/874	16	29	45				D		2.0	4.0	PASS
925.	15/11/04/04/876	16	29	45				D		2.0	4.0	PASS
926.	15/11/04/04/878	17	28	45				D		2.0	4.0	PASS
927.	15/11/04/04/881	17	28	45				D		2.0	4.0	PASS
928.	15/11/04/04/883	11	18	29					F	0.0	0.0	FAIL
929.	15/11/04/04/885	18	30	48				D		2.0	4.0	PASS
930.	15/11/04/04/886	17	28	45				D		2.0	4.0	PASS
931.	15/11/04/04/887	24	50	74	A					5.0	10.0	PASS
932.	15/11/04/04/888	22	36	58			C			3.0	6.0	PASS
933.	15/11/04/04/892	17	34	51			C			3.0	6.0	PASS
934.	15/11/04/04/901	17	28	45				D		2.0	4.0	PASS
935.	15/11/04/04/902	18	30	48				D		2.0	4.0	PASS
936.	15/11/04/04/908	24	40	64		B				4.0	8.0	PASS
937.	15/11/04/04/909	16	29	45				D		2.0	4.0	PASS
938.	15/11/04/04/915	16	31	47				D		2.0	4.0	PASS
939.	15/11/04/04/917	16	30	46				D		2.0	4.0	PASS
940.	15/11/04/04/919	23	44	67		B				4.0	8.0	PASS

941.	15/11/04/04/927	19	32	51			C			3.0	6.0	PASS
942.	15/11/04/04/930	13	32	45				D		2.0	4.0	PASS
943.	15/11/04/04/931	14	31	45				D		2.0	4.0	PASS
944.	15/11/04/04/932	13	33	46				D		2.0	4.0	PASS
945.	15/11/04/04/933	17	28	45				D		2.0	4.0	PASS
946.	15/11/04/04/943	22	36	58			C			3.0	6.0	PASS
947.	15/11/04/04/949	20	34	54			C			3.0	6.0	PASS
948.	15/11/04/04/956	14	32	46				D		2.0	4.0	PASS
949.	15/11/04/04/957	17	28	45				D		2.0	4.0	PASS
950.	15/11/04/04/959	22	36	58			C			3.0	6.0	PASS
951.	15/11/04/04/960	10	16	26					F	0.0	0.0	FAIL
952.	15/11/04/04/962	17	28	45				D		2.0	4.0	PASS
953.	15/11/04/04/966	22	36	58			C			3.0	6.0	PASS
954.	15/11/04/04/967	24	46	70	A					5.0	10.0	PASS
955.	15/11/04/04/968	23	44	67		B				4.0	8.0	PASS
956.	15/11/04/04/972	20	34	54			C			3.0	6.0	PASS
957.	15/11/04/04/974	18	30	48				D		2.0	4.0	PASS
958.	15/11/04/04/982	19	32	51			C			3.0	6.0	PASS
959.	15/11/04/04/987	23	38	61		B				4.0	8.0	PASS
960.	15/11/04/04/988	20	34	54			C			3.0	6.0	PASS
961.	15/11/04/04/989	24	40	64		B				4.0	8.0	PASS
962.	15/11/04/04/990	20	34	54			C			3.0	6.0	PASS
963.	15/11/04/04/992	25	42	67		B				4.0	8.0	PASS
964.	15/11/04/04/994	15	30	45				D		2.0	4.0	PASS
965.	15/11/04/04/999	04	06	10					F	0.0	0.0	FAIL
	SUMMARY				42	135	188	434	166			965