

UNIVERSITY OF MAIDUGURI

(Office of the Vice-Chancellor)

CENTRE FOR DISTANCE LEARNING

DEPARTMENT OF PUBLIC ADMINISTRATION

Second Semester End-of-Course Examination Results

Course Code: PAD 504

Course Title: ISSUES IN PUBLIC ADMINISTRATION IN NIGERIA

Course Unit(s): 2

2016/2017 Academic Session

S/No.	ID. No.	CA Marks	EXAM Marks	TOTAL Marks	GRADES								GP	U.GP	Remarks
					A	B+	B	C+	C	D	E	F			
1.	10/11/07/05/222	21	20	41							E		1.0	2.0	PASS
2.	12/11/07/03/005	23	38	61			B						4.0	8.0	PASS
3.	12/11/07/03/008	20	40	60			B						4.0	8.0	PASS
4.	12/11/07/03/011	19	42	61			B						4.0	8.0	PASS
5.	12/11/07/03/012	19	24	43							E		1.0	2.0	PASS
6.	12/11/07/03/015	19	36	55				C+					3.5	7.0	PASS
7.	12/11/07/03/017	20	26	46						D			2.0	4.0	PASS
8.	12/11/07/03/022	18	23	41							E		1.0	2.0	PASS
9.	12/11/07/03/028	21	21	42							E		1.0	2.0	PASS
10.	12/11/07/03/034	19	29	48						D			2.0	4.0	PASS
11.	12/11/07/03/052	19	22	41							E		1.0	2.0	PASS
12.	12/11/07/03/053	22	18	40							E		1.0	2.0	PASS
13.	12/11/07/03/055	21	27	48						D			2.0	4.0	PASS
14.	12/11/07/03/059	20	33	53					C				3.0	6.0	PASS
15.	12/11/07/03/068	18	30	48						D			2.0	4.0	PASS
16.	12/11/07/03/070	23	28	51					C				3.0	6.0	PASS
17.	12/11/07/03/077	19	50	69		B+							4.5	9.0	PASS
18.	12/11/07/03/081	22	8	30								F	0.0	0.0	FAIL
19.	12/11/07/03/086	20	21	41							E		1.0	2.0	PASS
20.	12/11/07/03/098	19	24	43							E		1.0	2.0	PASS
21.	12/11/07/03/100	23	31	54					C				3.0	6.0	PASS
22.	12/11/07/03/101	18	43	61			B						4.0	8.0	PASS
23.	12/11/07/03/103	21	20	41							E		1.0	2.0	PASS
24.	12/11/07/03/105	19	52	71	A								5.0	10.0	PASS
25.	12/11/07/03/106	20	36	56				C+					3.5	7.0	PASS
26.	12/11/07/03/108	21	33	54					C				3.0	6.0	PASS
27.	12/11/07/03/116	21	32	53					C				3.0	6.0	PASS
28.	12/11/07/03/124	21	38	59				C+					3.5	7.0	PASS
29.	12/11/07/03/126	18	26	44							E		1.0	2.0	PASS
30.	12/11/07/03/132	19	24	43							E		1.0	2.0	PASS
31.	12/11/07/03/134	20	35	55				C+					3.5	7.0	PASS
32.	12/11/07/03/135	22	24	46						D			2.0	4.0	PASS
33.	12/11/07/03/138	19	54	73	A								5.0	10.0	PASS
34.	12/11/07/03/148	20	32	52					C				3.0	6.0	PASS

35.	12/11/07/03/157	23	45	68		B+							4.5	9.0	PASS
36.	12/11/07/03/166	18	43	61			B						4.0	8.0	PASS
37.	12/11/07/03/169	22	23	45						D			2.0	4.0	PASS
38.	12/11/07/03/171	21	22	43							E		1.0	2.0	PASS
39.	12/11/07/03/176	18	28	46						D			2.0	4.0	PASS
40.	12/11/07/03/178	23	38	61			B						4.0	8.0	PASS
41.	12/11/07/03/184	21	31	52						C			3.0	6.0	PASS
42.	12/11/07/03/186	18	32	50						C			3.0	6.0	PASS
43.	12/11/07/03/189	19	33	52						C			3.0	6.0	PASS
44.	12/11/07/03/190	19	34	53						C			3.0	6.0	PASS
45.	12/11/07/03/195	21	30	51						C			3.0	6.0	PASS
46.	12/11/07/03/199	21	33	54						C			3.0	6.0	PASS
47.	12/11/07/03/200	20	41	61			B						4.0	8.0	PASS
48.	12/11/07/03/202	19	37	56						C+			3.5	7.0	PASS
49.	12/11/07/03/206	19	44	63			B						4.0	8.0	PASS
50.	12/11/07/03/208	18	26	44							E		1.0	2.0	PASS
51.	12/11/07/03/211	23	44	67		B+							4.5	9.0	PASS
52.	12/11/07/03/213	20	42	62			B						4.0	8.0	PASS
53.	12/11/07/03/219	23	42	65		B+							4.5	9.0	PASS
54.	12/11/07/03/220	23	35	58						C+			3.5	7.0	PASS
55.	12/11/07/03/222	23	21	44							E		1.0	2.0	PASS
56.	12/11/07/03/225	19	30	49						D			2.0	4.0	PASS
57.	12/11/07/03/235	19	14	33								F	0.0	0.0	FAIL
58.	12/11/07/03/236	19	42	61			B						4.0	8.0	PASS
59.	12/11/07/03/238	21	34	55						C+			3.5	7.0	PASS
60.	12/11/07/03/239	22	23	45						D			2.0	4.0	PASS
61.	12/11/07/03/251	20	49	69		B+							4.5	9.0	PASS
62.	12/11/07/03/259	21	20	41							E		1.0	2.0	PASS
63.	12/11/07/03/260	21	20	41							E		1.0	2.0	PASS
64.	12/11/07/03/264	23	44	67		B+							4.5	9.0	PASS
65.	12/11/07/03/265	21	42	63			B						4.0	8.0	PASS
66.	12/11/07/03/268	19	23	42							E		1.0	2.0	PASS
67.	12/11/07/03/270	22	28	50						C			3.0	6.0	PASS
68.	12/11/07/03/272	19	46	65		B+							4.5	9.0	PASS
69.	12/11/07/03/275	20	33	53						C			3.0	6.0	PASS
70.	12/11/07/03/285	21	20	41							E		1.0	2.0	PASS
71.	12/11/07/03/286	21	23	44							E		1.0	2.0	PASS
72.	12/11/07/03/290	23	38	61			B						4.0	8.0	PASS
73.	12/11/07/03/294	21	31	52						C			3.0	6.0	PASS
74.	12/11/07/03/295	21	26	47							D		2.0	4.0	PASS
75.	12/11/07/03/296	21	29	50						C			3.0	6.0	PASS
76.	12/11/07/03/298	19	44	63			B						4.0	8.0	PASS
77.	12/11/07/03/303	20	27	47							D		2.0	4.0	PASS
78.	12/11/07/03/312	18	44	62			B						4.0	8.0	PASS
79.	12/11/07/03/314	19	33	52						C			3.0	6.0	PASS
80.	12/11/07/03/319	21	23	44							E		1.0	2.0	PASS
81.	12/11/07/03/324	19	52	71	A								5.0	10.0	PASS
82.	12/11/07/03/325	19	38	57						C+			3.5	7.0	PASS
83.	12/11/07/03/326	20	56	76	A								5.0	10.0	PASS

84.	12/11/07/03/327	18	45	63			B					4.0	8.0	PASS
85.	12/11/07/03/333	21	20	41						E		1.0	2.0	PASS
86.	12/11/07/03/334	19	31	50					C			3.0	6.0	PASS
87.	12/11/07/03/344	22	18	40						E		1.0	2.0	PASS
88.	12/11/07/03/345	18	33	51					C			3.0	6.0	PASS
89.	12/11/07/03/346	21	46	67		B+						4.5	9.0	PASS
90.	12/11/07/03/354	19	42	61			B					4.0	8.0	PASS
91.	12/11/07/03/355	20	27	47						D		2.0	4.0	PASS
92.	12/11/07/03/356	20	47	67		B+						4.5	9.0	PASS
93.	12/11/07/03/364	19	23	42						E		1.0	2.0	PASS
94.	12/11/07/03/365	21	35	56				C+				3.5	7.0	PASS
95.	12/11/07/03/367	18	35	53					C			3.0	6.0	PASS
96.	12/11/07/03/370	19	27	46						D		2.0	4.0	PASS
97.	12/11/07/03/377	19	28	47						D		2.0	4.0	PASS
98.	12/11/07/03/385	19	24	43						E		1.0	2.0	PASS
99.	12/11/07/03/387	18	25	43						E		1.0	2.0	PASS
100.	12/11/07/03/388	18	51	69		B+						4.5	9.0	PASS
101.	12/11/07/03/403	20	46	66		B+						4.5	9.0	PASS
102.	12/11/07/03/404	18	33	51					C			3.0	6.0	PASS
103.	12/11/07/03/410	19	36	55				C+				3.5	7.0	PASS
104.	12/11/07/03/411	18	31	49						D		2.0	4.0	PASS
105.	12/11/07/03/413	20	31	51					C			3.0	6.0	PASS
106.	12/11/07/03/415	23	20	43						E		1.0	2.0	PASS
107.	12/11/07/03/420	19	47	66		B+						4.5	9.0	PASS
108.	12/11/07/03/426	18	35	53					C			3.0	6.0	PASS
109.	12/11/07/03/430	22	44	66		B+						4.5	9.0	PASS
110.	12/11/07/03/431	22	20	42						E		1.0	2.0	PASS
111.	12/11/07/03/433	19	26	45						D		2.0	4.0	PASS
112.	12/11/07/03/439	19	51	70	A							5.0	10.0	PASS
113.	12/11/07/03/451	19	41	60			B					4.0	8.0	PASS
114.	12/11/07/03/452	20	52	72	A							5.0	10.0	PASS
115.	12/11/07/03/453	21	25	46						D		2.0	4.0	PASS
116.	12/11/07/03/455	21	43	64			B					4.0	8.0	PASS
117.	12/11/07/03/456	20	35	55				C+				3.5	7.0	PASS
118.	12/11/07/03/457	22	38	60			B					4.0	8.0	PASS
119.	12/11/07/03/458	18	46	64			B					4.0	8.0	PASS
120.	12/11/07/03/459	23	22	45						D		2.0	4.0	PASS
121.	12/11/07/03/461	19	26	45						D		2.0	4.0	PASS
122.	12/11/07/03/469	19	52	71	A							5.0	10.0	PASS
123.	12/11/07/03/470	21	35	56				C+				3.5	7.0	PASS
124.	12/11/07/03/473	18	38	56				C+				3.5	7.0	PASS
125.	12/11/07/03/476	18	24	42						E		1.0	2.0	PASS
126.	12/11/07/03/483	23	20	43						E		1.0	2.0	PASS
127.	12/11/07/03/484	19	27	46						D		2.0	4.0	PASS
128.	12/11/07/03/486	19	41	60			B					4.0	8.0	PASS
129.	12/11/07/03/490	20	24	44						E		1.0	2.0	PASS
130.	12/11/07/03/495	18	32	50					C			3.0	6.0	PASS
131.	12/11/07/03/497	22	27	49						D		2.0	4.0	PASS
132.	12/11/07/03/498	22	34	56				C+				3.5	7.0	PASS

133.	12/11/07/03/499	18	48	66		B+							4.5	9.0	PASS
134.	12/11/07/03/500	21	49	70	A								5.0	10.0	PASS
135.	12/11/07/03/501	21	28	49						D			2.0	4.0	PASS
136.	12/11/07/03/503	22	23	45						D			2.0	4.0	PASS
137.	12/11/07/03/504	20	47	67		B+							4.5	9.0	PASS
138.	12/11/07/03/509	19	29	48						D			2.0	4.0	PASS
139.	12/11/07/03/512	20	28	48						D			2.0	4.0	PASS
140.	12/11/07/03/519	20	46	66		B+							4.5	9.0	PASS
141.	12/11/07/03/522	21	29	50						C			3.0	6.0	PASS
142.	12/11/07/03/525	21	22	43							E		1.0	2.0	PASS
143.	12/11/07/03/531	18	43	61			B						4.0	8.0	PASS
144.	12/11/07/03/532	18	43	61			B						4.0	8.0	PASS
145.	12/11/07/03/534	20	28	48						D			2.0	4.0	PASS
146.	12/11/07/03/538	18	22	40							E		1.0	2.0	PASS
147.	12/11/07/03/545	18	42	60			B						4.0	8.0	PASS
148.	12/11/07/03/546	19	35	54					C				3.0	6.0	PASS
149.	12/11/07/03/553	18	41	59				C+					3.5	7.0	PASS
150.	12/11/07/03/554	19	22	41							E		1.0	2.0	PASS
151.	12/11/07/03/555	20	47	67		B+							4.5	9.0	PASS
152.	12/11/07/03/556	19	29	48						D			2.0	4.0	PASS
153.	12/11/07/03/560	21	26	47						D			2.0	4.0	PASS
154.	12/11/07/03/563	22	38	60			B						4.0	8.0	PASS
155.	12/11/07/03/567	18	35	53					C				3.0	6.0	PASS
156.	12/11/07/03/569	21	20	41							E		1.0	2.0	PASS
157.	12/11/07/03/573	18	40	58				C+					3.5	7.0	PASS
158.	12/11/07/03/574	18	54	72	A								5.0	10.0	PASS
159.	12/11/07/03/575	19	24	43							E		1.0	2.0	PASS
160.	12/11/07/03/577	21	43	64			B						4.0	8.0	PASS
161.	12/11/07/03/580	19	21	40							E		1.0	2.0	PASS
162.	12/11/07/03/582	22	50	72	A								5.0	10.0	PASS
163.	12/11/07/03/583	18	24	42							E		1.0	2.0	PASS
164.	12/11/07/03/584	20	20	40							E		1.0	2.0	PASS
165.	12/11/07/03/587	22	35	57				C+					3.5	7.0	PASS
166.	12/11/07/03/588	22	25	47						D			2.0	4.0	PASS
	Summary:				10	17	26	17	27	29	38	02			166